

4- File Transfer Application (FxA)

FxA is a very simple client-server file transfer application. The FxA commands should be as follows:

FxA SERVER

- **Command-line:** FxA-server X A P

The command-line arguments are:

X: the port number at which the FxA-server's UDP socket should bind to (odd number)

A: the IP address of NetEmu

P: the UDP port number of NetEmu

- **Command:** window W (only for projects that support pipelined and bi-directional transfers)

W: the maximum receiver's window-size at the FxA-Server (in segments).

- **Command:** terminate Shut-down FxA-Server gracefully.

FxA CLIENT

- **Command-line:** FxA-client X A P

The command-line arguments are:

X: the port number at which the FxA-client's UDP socket should bind to (even number). Please remember that this port number should be equal to the server's port number minus 1.

A: the IP address of NetEmu

P: the UDP port number of NetEmu

- **Command:** connect - The FxA-client connects to the FxA-server (running at the same IP host).

- **Command:** get F - The FxA-client downloads file F from the server (if F exists in the same directory with the FxA-server program).

- **Command:** post F - The FxA-client uploads file F to the server (if F exists in the same directory with the FxA-client program). This feature will be treated as extra credit for up to 20 project points.

- **Command:** window W (only for projects that support configurable flow window) W: the maximum receiver's window-size at the FxA-Client (in segments).

- **Command:** disconnect - The FxA-client terminates gracefully from the FxA-server.