AdminFlow – Lighthouse report

Production build (`vite build` + `vite preview`), Lighthouse 13.6.0, measured 2026-11-08T17:10:30.124Z. Each row is the median of 3 runs (all performance scores in summary.json).

Mobile = Lighthouse default (simulated slow 4G, 4× CPU slowdown). **Desktop** = Lighthouse desktop config. `/login` is a first visit (storage and cache cleared). `/dashboard` and `/users` are measured signed in, with the HTTP cache cleared, so all code is downloaded again.

Page	Device	performance	accessibility	best-practices	FCP	LCP	TBT	CLS	Speed Index
/login	mobile	98	100	100	0.8 s	0.8 s	170 ms	0	0.8 s
/dashboard	mobile	94	100	100	0.8 s	1.6 s	290 ms	0	1.0 s
/users	mobile	93	100	100	0.8 s	1.8 s	290 ms	0.008	1.0 s
/login	desktop	100	100	100	0.2 s	0.2 s	0 ms	0	0.3 s
/dashboard	desktop	100	100	100	0.3 s	0.5 s	0 ms	0	0.3 s
/users	desktop	100	100	100	0.3 s	0.5 s	0 ms	0.003	0.3 s

The full report for each run follows.

http://localhost:4173/login


98	100	100
Performance	Accessibility	Best Practices

98

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.


▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- First Contentful Paint: 0.8 s
- Largest Contentful Paint: 0.8 s
- Total Blocking Time: 170 ms
- Cumulative Layout Shift: 0
- Speed Index: 0.8 s



Show audits relevant to: All FCP LCP TBT

INSIGHTS

- ▲ Network dependency tree
- ■ Render-blocking requests — Est savings of 10 ms

- LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 51 KiB
- Avoid long main-thread tasks — 5 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (24) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation

- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (21) Show

NOT APPLICABLE (42) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:37 PM GMT+5:30

Initial page load

Emulated Moto G Power with Lighthouse 13.6.0

Slow 4G throttling

Single page session

Using HeadlessChromium 157.0.0.0 with node

http://localhost:4173/dashboard


94	100	100
Performance	Accessibility	Best Practices

94

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.


▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- ● First Contentful Paint: 0.8 s
- ● Largest Contentful Paint: 1.6 s
- ■ Total Blocking Time: 290 ms
- ● Cumulative Layout Shift: 0
- ● Speed Index: 1.0 s



Show audits relevant to: All LCP TBT

INSIGHTS

- ▲ Forced reflow
- ▲ Render-blocking requests

- LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Minimize main-thread work — 2.2 s
- Avoid long main-thread tasks — 10 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (24) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation

- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (27) Show

NOT APPLICABLE (36) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:38 PM GMT+5:30

Initial page load

Emulated Moto G Power with Lighthouse 13.6.0


Slow 4G throttling

Single page session

Using HeadlessChromium 157.0.0.0 with node

http://localhost:4173/users

Performance	Accessibility	Best Practices
93	100	100





Performance


Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100

METRICS

Expand view

- ● First Contentful Paint: 0.8 s
- ● Largest Contentful Paint: 1.8 s
- ■ Total Blocking Time: 290 ms
- ● Cumulative Layout Shift: 0.008
- ● Speed Index: 1.0 s



Show audits relevant to: All LCP TBT CLS

INSIGHTS

- ▲ Render-blocking requests
- ○ Layout shift culprits

- LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Avoid long main-thread tasks — 9 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (25) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology

- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (28) Show

NOT APPLICABLE (35) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:38 PM GMT+5:30

Initial page load

Emulated Moto G Power with Lighthouse 13.6.0

Slow 4G throttling

Single page session

Using HeadlessChromium 157.0.0.0 with node

http://localhost:4173/login


Performance	Accessibility	Best Practices
100	100	100

100

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.


▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- First Contentful Paint: 0.2 s
- Largest Contentful Paint: 0.2 s
- Total Blocking Time: 0 ms
- Cumulative Layout Shift: 0
- Speed Index: 0.3 s



Show audits relevant to: All FCP LCP

INSIGHTS

- ▲ Render-blocking requests — Est savings of 40 ms
- ▲ Network dependency tree
- ○ LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 51 KiB

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (25) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (21) Show

NOT APPLICABLE (42) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:39 PM GMT+5:30

Emulated Desktop with Lighthouse 13.6.0

Single page session

Initial page load

Custom throttling

Using HeadlessChromium 157.0.0.0 with node

http://localhost:4173/dashboard


Performance	Accessibility	Best Practices
100	100	100

100

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.


▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- First Contentful Paint: 0.3 s
- Largest Contentful Paint: 0.5 s
- Total Blocking Time: 0 ms
- Cumulative Layout Shift: 0
- Speed Index: 0.3 s



Show audits relevant to: All LCP

INSIGHTS

- ▲ Forced reflow
- ▲ Render-blocking requests
- ○ LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

PASSED AUDITS (26) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (27) Show

NOT APPLICABLE (36) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:39 PM GMT+5:30
Initial page load
Emulated Desktop with Lighthouse 13.6.0
Custom throttling
Single page session
Using HeadlessChromium 157.0.0.0 with node

http://localhost:4173/users


Performance	Accessibility	Best Practices
100	100	100

100

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.


▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- First Contentful Paint: 0.3 s
- Largest Contentful Paint: 0.5 s
- Total Blocking Time: 0 ms
- Cumulative Layout Shift: 0.003
- Speed Index: 0.3 s



Show audits relevant to: All LCP TBT CLS

INSIGHTS

- ▲ Render-blocking requests
- ○ Layout shift culprits
- ○ LCP breakdown

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Avoid long main-thread tasks — 1 long task found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (25) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (30) Show

NOT APPLICABLE (33) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show

Captured at Nov 8, 2026, 10:40 PM GMT+5:30

Emulated Desktop with Lighthouse 13.6.0

Single page session

Initial page load

Custom throttling

Using HeadlessChromium 157.0.0.0 with node