

SOEN 6011 Deliverable 2: F6 Beta Function

From-Scratch Numerical Core, Tkinter Graphical Interface, Version Control, and Updated Requirements

Wei Huang

Concordia University

Summer 2026

Deliverable 2 Scope and Dependency Chain

Deliverable 1 baseline

- Log-gamma identity selected
- Python textual user interface
- `math.lgamma` and `math.exp`

Deliverable 2 increment


- 1 **Problem 5:** implement mathematics from scratch
- 2 **Problem 5:** build a Tkinter graphical interface
- 3 **Problem 6:** publish Git repository + README
- 4 **Problem 7:** revise requirements

Interpretation of “from scratch”

The numerical core uses no built-in or library functions except those permitted for input, output, arithmetic, user-interface design, and exception handling. (Kamthan, 2026a)

Deliverable 2 revisits the Deliverable 1 solution and adds new behavior, following an iterative and incremental process. (Kamthan, 2026b)

Problem 5: From-Scratch Architecture



Subordinate functions implemented from scratch: `natural_log`, `exponential`, and `log_gamma`.

Allowed dependencies

`tkinter`, `ttk`, float parsing, formatting, arithmetic.

Prohibited dependencies avoided

No other built-in or library functions are used by the numerical core.

Problem 5: Numerical Method and Verification

Subordinate mathematics

$$\ln m = 2 \sum_{k=0}^{\infty} \frac{z^{2k+1}}{2k+1}, \quad z = \frac{m-1}{m+1}, \quad 1 \leq m < 2$$

$$e^r = \sum_{k=0}^{\infty} \frac{r^k}{k!}$$

Shift x to $x \geq 8$, then use the Gamma recurrence and a Stirling correction series.

$$\log B = \log \Gamma(x) + \log \Gamma(y) - \log \Gamma(x+y)$$

External verification only

Input	Computed value	Rel. error
$B(1, 1)$	0.999999999999988	1.24×10^{-14}
$B(2, 3)$	0.0833333333333322	1.45×10^{-14}
$B(0.5, 0.5)$	3.14159265358979	1.70×10^{-15}
$B(100, 300)$	$5.94745626861 \times 10^{-99}$	9.40×10^{-13}

Numeric range and measured timing

Underflow reports that the positive result is smaller than the minimum nonzero Python float; zero is not returned.

Benchmark: 1,000 calls for each of five documented inputs; maximum observed time = 0.129 ms on an Apple M4 MacBook Pro with Python 3.13.0.

All verification values were produced externally and used only for validation. The submitted implementation itself imports no mathematical library. (NIST DLMF, 2026a; NIST DLMF, 2026b)

Problem 5: Tkinter Interface and Exception Recovery

Beta Function Calculator
Compute $B(x, y)$ for finite positive real inputs.

Inputs

x y

Result

Input could not be accepted.
x must be greater than zero.

Calculation history

x	y	B(x, y)
3	2	0.0833333333333
2	3	0.0833333333333
1	1	1

Domain error: names x and states the $x > 0$ correction.

Beta Function Calculator
Compute $B(x, y)$ for finite positive real inputs.

Inputs

x y

Result

Input could not be accepted.
x must be a real number, such as 2.5 or 1e-3.

Calculation history


x	y	B(x, y)
3	2	0.0833333333333
2	3	0.0833333333333
1	1	1

Nonnumeric error: names x and provides valid examples.

Implementation and recovery evidence

Graphical interface implemented entirely with Tkinter widgets. Both screenshots show that handled errors preserve calculation history and leave the window ready for corrected input.

Problem 6: Distributed Version Control Evidence



Commits on Jul 24, 2026

- Clarify D2 compliance evidence in presentation**
Wei Huang authored and Wei Huang committed 1 hour ago
- Publish repository URL in D2 documentation**
Wei Huang authored and Wei Huang committed 1 hour ago
- Add verified D2 presentation and speaking script**
Wei Huang authored and Wei Huang committed 1 hour ago
- Add repository hygiene and GUI demonstration evidence**
Wei Huang authored and Wei Huang committed 1 hour ago
- Document setup, numerical design, and demo cases**
Wei Huang authored and Wei Huang committed 2 hours ago
- Add Tkinter GUI with recoverable input errors**
Wei Huang authored and Wei Huang committed 2 hours ago
- Implement from-scratch Beta numerical core**
Wei Huang authored and Wei Huang committed 2 hours ago

What the history demonstrates

Each commit records one meaningful increment:

- **Core:** from-scratch mathematics
- **Interface:** Tkinter and recovery
- **Evidence:** README and demonstrations
- **Delivery:** presentation and publication

Public repository


GitHub Repository

github.com/HW925/SOEN-6011-D2-Beta-Function

Commit logs make implementation decisions and increments explicit. (Kamthan, 2026c)

Problem 6: README Evidence

Scope and boundary



Beta Function Calculator - SOEN 6011 D2

This project implements the Beta function calculator for FB:

$$B(x, y) = \text{Gamma}(x) \text{Gamma}(y) / \text{Gamma}(x + y), \text{ for } x > 0 \text{ and } y > 0$$


D2 scope

- Implements the numerical core from scratch in Python.
- Uses no `math` module and no numerical library.
- Implements the subordinate operations `natural_log`, `exponential`, and `log_gamma` in `beta_core.py` with arithmetic and iteration.
- Provides a Tkinter graphical user interface.
- Handles missing, nonnumeric, nonfinite, zero, negative, overflow, and underflow cases with field-specific messages.
- Supports repeated calculations, input swapping, clearing, keyboard commands, and calculation history.

Tkinter is used only for the required graphical user interface, Python's `float` conversion and string formatting are used for input and output.

From-scratch functions, permitted operations, Tkinter, and handled cases.

Run and verify



Run

Python 3 with Tkinter is required.

```
python3 beta_function_gui.py
```

The application does not depend on an IDE. Keep `beta_core.py` and `beta_function_gui.py` in the same directory.


Demo checks

Use these cases in the GUI:

Purpose	Input	Expected result or behaviour
Known value	$x = 1, y = 1$	1
Known value	$x = 2, y = 3$	approximately 8.633333333333333
Symmetry	$x = 3, y = 2$	same result as $B(2, 3)$
Scientific notation	$x = 1e2, y = 3e2$	finite positive result
Nonnumeric	$x = abc$	field-specific input error
Domain error	$x = -2$	x must be greater than zero
Recovery	correct the input and calculate again	application remains open

Terminal command and reproducible demonstration checks.

Design and repository



Numerical design

`natural_log` reduces its argument to $(3, 2)$ and evaluates an atanh-based series. `exponential` reduces its argument using powers of two and evaluates a Taylor series. `log_gamma` shifts positive inputs to at least 8 using the Gamma recurrence and then applies a Stirling series. The Beta value is evaluated in the logarithmic domain to avoid directly multiplying large Gamma values.

Floating-point range still applies. The program reports a numeric-range error when the final result cannot be represented as a nonzero finite float.

Repository

Public repository URL: <https://github.com/HW925/SOEN-6011-D2-Beta-Function>

Author

Numerical method, floating-point limits, and public repository.

The README connects implementation scope, reproducible use, numerical design, and repository access.

Problem 7: Updated Functional Requirements

Legend: FR denotes Functional Requirement. These replace the Deliverable 1 textual-interface requirements.

Graphical-interface interaction and calculation

- D2-FR-01** The system shall provide labeled graphical fields for x and y , plus Calculate, Swap, and Clear commands.
- D2-FR-02** The system shall accept finite positive real inputs in decimal or scientific notation.
- D2-FR-03** The system shall compute $B(x, y)$ through the from-scratch `natural_log`, `exponential`, and `log_gamma` operations.
- D2-FR-04** The system shall display each representable result with at least ten significant digits.
- D2-FR-05** The system shall preserve a history of successful calculations during the current session.
- D2-FR-06** The system shall allow another calculation after a result or handled error without restarting.

Numeric-range behavior

- D2-FR-07** The system shall detect an unrepresentable result and display a helpful numeric-range error instead of returning zero or infinity.

Problem 7: Constraints and Quality

Constraints

D2-CR-01 The graphical interface shall use Tkinter.

D2-CR-02 The numerical core shall not use built-in or library functions except those permitted for input, output, arithmetic, user-interface design, and exception handling.

D2-CR-03 The application shall run from a terminal with `python3 beta_function_gui.py`, independent of an integrated development environment.

D2-CR-04 Each handled input error shall name the field and the correction needed.

D2-CR-05 The system shall catch supported input and numeric-range exceptions without terminating the graphical interface.

Quality requirements

D2-QR-01 Relative error shall be at most 10^{-10} for $B(1, 1) = 1$ and $B(2, 3) = 1/12$; $B(2, 3)$ and $B(3, 2)$ shall agree within the same tolerance.

D2-QR-02 For the documented benchmark set, each calculation shall complete within 100 ms on the demonstration computer.

D2-QR-03 After a handled error, the graphical interface shall remain open and ready for corrected input.

Traceability: Problem 5 architecture satisfies D2-CR-01–05; verification supports D2-QR-01–02; range and recovery evidence supports D2-FR-06–07 and D2-QR-03. (ISO/IEC/IEEE, 2018; Kamthan, 2026a)

Generative Artificial Intelligence: CASTROFF Evidence

Tool and prompt structure

Tool: OpenAI ChatGPT/Codex

Context: Deliverable 2, F6

Audience: TA and instructor

Style: concise, evidence-based

Task: Problems 5–7

Role: software engineering student

Output: code, README, requirements, slides

Format: runnable files and LaTeX

Feedback: verify by mathematics and execution

Problem 5

Prompt

Design Beta from scratch, including subordinate functions and exceptions.

Decision

Used recurrence and Stirling; added range checks; rejected direct Gamma multiplication.

Problem 6

Prompt

Propose purpose-focused commits and a minimal README for the graphical interface.

Decision

Accepted after checking repository history and executing README commands locally.

Problem 7

Prompt

Revise Deliverable 1 requirements for the graphical interface and from-scratch constraint.

Decision

Separated functional, constraint, accuracy, timing, range, and recovery requirements.

References

Kamthan, P. (2026a). *SOEN 6011 Project Description*. Concordia University, Summer 2026.

Kamthan, P. (2026b). *Introduction to Software Processes*. SOEN 6011 lecture notes.

Kamthan, P. (2026c). *Introduction to Software Engineering Documentation*. SOEN 6011 lecture notes.

NIST Digital Library of Mathematical Functions. (2026a). Section 5.12, Beta Function, Release 1.2.7.

NIST Digital Library of Mathematical Functions. (2026b). Section 5.2, Gamma Function Definitions, Release 1.2.7.

ISO/IEC/IEEE. (2018). *29148:2018 Systems and Software Engineering – Life Cycle Processes – Requirements Engineering*.