

DEDER GENERAL HOSPITAL

PRE-TRIAGE PROTOCOL

PREPARED BY: HSQU

JULY 2016 E.C DEDER, EASTERN ETHIOPIA

BIIROO FAYYAA OROMIYAATTI HOSPITAALA WALIIGALAA DADAR



OROMIA REGIONAL HEALTH BUREAU DEDER GENERAL HOSPITAL በአሮሚያ ሔና ቢሮ የዴዴር ጠቅላሳ ሆስ ፕታል

PROTOCOL APPROVAL SHEET

NAME OF PROTOCOL: PRE-TRIAGE PROTOCOL

PREPARRED BY					
S/N	NAME	RESPONSIBILITY	SIGN		
1	Abdi Tofik (BSc, MPH)	Health Service Quality Director (HSQD)			
2	Abdella Aliyi (BSc MW)	HSQ Officer and Reform f/person			
3	Redwan Sharafuddin (BSc Pharm)	HSQ Officer			

APROVED BY				
S/N	NAME	RESPONSIBILITY	SIGN	
1	Nureddin Yigezu (BSc, MPH)	Chief Executive Officer (CEO)		
2	Dr. Derese Gosa (MD)	Medical Director		
3	Dr. Isak Abdi (MD, G/Surgeon)	OR Director & SaLTS Team leader		





Table of Contents

PROTOCOLAPPROVEAL SHEET	Error! Bookmark not defined.
INTRODUCTION	1
Scope	1
Purpose	1
Pre-triage lay-out	1
Pre-triage equipment's and supplies	1
Human resources	2
Activities	2
Pre-triage patient flow	Error! Bookmark not defined.
Reference	Δ

INTRODUCTION

Pre-triage is an area for sorting out highly infectious (covid-19, TB, measle, AWD) suspected from non-suspect based on simple criteria. The hospital should have pre-triage system and all client visiting the hospital should pre-triaged. Suspected clients sorted out and linked to isolation area cough OPD while non-suspected directed to regular service areas.

Scope

Deder general hospital

Purpose

To identify and isolate patients suspected with highly infectious disease, so that reduce contact with other patients and health professionals and shorten length of stay in hospital.

Pre-triage lay-out

Pre-triage should near to the Get/reception and should be at least 2meter from triage. The area should be tent of at least 3*4 meters and well ventilated.

Pre-triage equipment's and supplies

- Pre-triage format
- > Thermometer
- Surgical gloves
- ➤ Hand sanitizer
- > Face mask
- Disposable gloves

- Waste bin
- ➤ Eye goggle
- ➤ Hand washing basin
- > Gown

Human resources


- One Nurse
- One Runner
- Porter

Activities

All patients come to hospital should pass through pre-triage

TB specific questioner	Yes
Cough of 2 or more weeks	No
Night sweeting, significant weight loss	
Contact with confirmed case or person	Yes
having cough 2 or more weeks, night	No
sweeting ,significant weight loss	
Screening result	Yes
	No

PRE-TRIAGE PATIENT FLOW



Reference

- 1. https://www.dovepress.com/who-to-involve-and-where-to-start-integrating-tuberculosis-screening-i-peer-reviewed-fulltext-article-RMHP
- 2. WHO consolidated guidelines on tuberculosis. Module 5: Co-morbidities, vulnerable populations and people-centred care. Management of tuberculosis in children and adolescents. Geneva: World Health Organization; 2022.
- 3. WHO consolidated guidelines on tuberculosis. Module 4: Treatment. Drug-resistant tuberculosis treatment. Geneva: World Health Organization; 202