CH 11 Q 01

11.1 Our aim is to estimate the parameters of the simultaneous equations model

$$y_1 = \alpha_1 y_2 + e_1$$
$$y_2 = \alpha_2 y_1 + \beta_1 x_1 + \beta_2 x_2 + e_2$$

We assume that x_1 and x_2 are exogenous and uncorrelated with the error terms e_1 and e_2.

a. Solve the two structural equations for the reduced-form equation for y_2, that is, $y_2 = \pi_1 x_1 + \pi_2 x_2 + v_2$. Express the reduced-form parameters in terms of the **structural parameters** and the reduced-form error in terms of the structural parameters and e_1 and e_2. Show that y_2 is correlated with e_1.

b. Which equation parameters are consistently estimated using OLS? Explain.

c. Which parameters are "identified," in the simultaneous equations sense? Explain your reasoning.

d. To estimate the parameters of the reduced-form equation for y_2 using the method of moments (MOM), which was introduced in Section 10.3, the two moment equations are

$$N^{-1}\sum x_{i1}(y_2 - \pi_1 x_{i1} - \pi_2 x_{i2}) = 0$$
$$N^{-1}\sum x_{i2}(y_2 - \pi_1 x_{i1} - \pi_2 x_{i2}) = 0$$

Explain why these two moment conditions are a valid basis for obtaining consistent estimators of the reduced-form parameters.

e. Are the MOM estimators in part (d) the same as the OLS estimators? Form the sum of squared errors function for $y_2 = \pi_1 x_1 + \pi_2 x_2 + v_2$ and find the first derivatives. Set these to zero and show that they are equivalent to the two equations in part (d).

f. Using $\sum x_{i1}^2 = 1$, $\sum x_{i2}^2 = 1$, $\sum x_{i1}x_{i2} = 0$, $\sum x_{i1}y_{1i} = 2$, $\sum x_{i1}y_{2i} = 3$, $\sum x_{i2}y_{1i} = 3$, $\sum x_{i2}y_{2i} = 4$, and the two moment conditions in part (d) show that the MOM/OLS estimates of π_1 and π_2 are $\hat{\pi}_1 = 3$ and $\hat{\pi}_2 = 4$.

g. The fitted value $\hat{y}_2 = \hat{\pi}_1 x_1 + \hat{\pi}_2 x_2$. Explain why we can use the moment condition $\sum \hat{y}_{i2}(y_{i1} - \alpha_1 y_{i2}) = 0$ as a valid basis for consistently estimating α_1. Obtain the IV estimate of α_1.

h. Find the 2SLS estimate of α_1 by applying OLS to $y_1 = \alpha_1 \hat{y}_2 + e_1^*$. Compare your answer to that in part (g).

(a)
$$y_1 = \alpha_1 y_2 + e_1 \quad (1)$$
$$y_2 = \alpha_2 y_1 + \beta_1 X_1 + \beta_2 X_2 + e_2 \quad (2)$$

$$y_2 = \alpha_2(\alpha_1 y_2 + e_1) + \beta_1 X_1 + \beta_2 X_2 + e_2$$
$$= \alpha_1\alpha_2 y_2 + \alpha_2 e_1 + \beta_1 X_1 + \beta_2 X_2 + e_2$$

$$y_2(1-\alpha_1\alpha_2) = \beta_1 X_1 + \beta_2 X_2 + e_2 + \alpha_2 e_1$$

$$y_2 = \frac{\beta_1}{(1-\alpha_1\alpha_2)} X_1 + \frac{\beta_2}{(1-\alpha_1\alpha_2)} X_2 + \frac{e_2 + \alpha_2 e_1}{(1-\alpha_1\alpha_2)} = \pi_1 X_1 + \pi_2 X_2 + V_2$$

相關性： $\operatorname{cov}(y_2, e_1 | x) = E(y_2 e_1 | x) - E(y_2|x)E(e_1|x)$

$$= E\left[\left(\frac{\beta_1}{(1-\alpha_1\alpha_2)} X_1 + \frac{\beta_2}{(1-\alpha_1\alpha_2)} X_2 + \frac{e_2 + \alpha_2 e_1}{(1-\alpha_1\alpha_2)}\right) e_1 \middle| x\right]$$

$$= E\left\{\left(\frac{e_2 e_1 + \alpha_2 e_1^2}{1-\alpha_1\alpha_2}\right) \middle| x\right\}$$

$$= \frac{E(e_2 e_1|x) + \alpha_2 E(e_1^2|x)}{1-\alpha_1\alpha_2}$$

$$= \frac{\alpha_2}{(1-\alpha_1\alpha_2)} \sigma_1^2$$

(b) 對联立方程式 $y_1 = \alpha_1 y_2 + e_1$
$y_2 = \alpha_2 y_1 + \beta_1 X_1 + \beta_2 X_2 + e_2$
，用 OLS 估計不一致

因為等式的右手邊含有内生变數 $(y_1 . y_2)$，

而用 reduced form 的方程式則可用 OLS 一致地估計

(c) 有 $M=2$ 個方程式，必須省略至少 $M-1$ 個变數才能 identity

方程 (1) identified 因為 X_1, X_2 are omitted

方程 (2) is not identified

(d) 假設 X_1, X_2 外生

$$E(X_{i1}V_{i1}|X) = E(X_{i2}V_{i2}|X) = 0$$

$$\Rightarrow E\left[X_{ik}\left(\frac{e_2 + \alpha_2 e_1}{1-\alpha_1\alpha_2}\right)\Big| X\right] = E\left[\frac{1}{(1-\alpha_1\alpha_2)} X_{ik} e_2 \Big| X\right] + E\left[\frac{\alpha_2}{(1-\alpha_1\alpha_2)} X_{ik} e_1 \Big| X\right]$$
$$= 0$$

(e) OLS

$$\frac{\partial S(\pi_1, \pi_2 | y, X)}{\partial \pi_1} = 2\Sigma(y_2 - \pi_1 X_1 - \pi_2 X_2) X_1 = 0$$

$$\frac{\partial S(\pi_1, \pi_2 | y, X)}{\partial \pi_2} = 2\Sigma(y_2 - \pi_1 X_1 - \pi_2 X_2) X_2 = 0$$

同除 2 再乘 N^{-1} 就與 MoM 相等

(f)

$$N^{-1}\Sigma X_{i1}(y_2 - \pi_1 X_1 - \pi_2 X_2) = 0$$
$$N^{-1}\Sigma X_{i2}(y_2 - \pi_1 X_1 - \pi_2 X_2) = 0$$

$$\Rightarrow \Sigma X_{i1} y_{i2} - \pi_1 \Sigma X_{i1}^2 - \pi_2 \Sigma X_{i1} X_{i2} = 0$$
$$\Sigma X_{i2} y_{i2} - \pi_1 \Sigma X_{i1} X_{i2} - \pi_2 \Sigma X_{i2}^2 = 0$$

$$\Rightarrow \begin{matrix} 3 - \hat{\pi}_1 = 0 \\ 4 - \hat{\pi}_2 = 0 \end{matrix} \Rightarrow \begin{matrix} \hat{\pi}_1 = 3 \\ \hat{\pi}_2 = 4 \end{matrix}$$

g) $y_1 = \alpha_1 y_2 + e_1$, $\hat{y}_2 = \hat{\pi}_1 X_1 + \hat{\pi}_2 X_2$

$$\Rightarrow \sum(\hat{\pi}_1 X_1 + \hat{\pi}_2 X_2)(y_1 - \alpha_1 y_2) = \sum \hat{y}_2 (y_1 - \alpha_1 y_2) = 0$$

$$\sum \hat{y}_2 y_1 - \alpha_1 \sum \hat{y}_2 y_2 = 0 \Rightarrow \hat{\alpha}_{1,IV} = \frac{\sum \hat{y}_2 y_1}{\sum \hat{y}_2 y_2}$$

$$\hat{\alpha}_{1,IV} = \frac{\sum \hat{y}_2 y_1}{\sum \hat{y}_2 y_2} = \frac{\sum(\hat{\pi}_1 X_1 + \hat{\pi}_2 X_2) y_1}{\sum(\hat{\pi}_1 X_1 + \hat{\pi}_2 X_2) y_2} = \frac{\hat{\pi}_1 \sum X_1 y_1 + \hat{\pi}_2 \sum X_2 y_1}{\hat{\pi}_1 \sum X_1 y_2 + \hat{\pi}_2 \sum X_2 y_2} = \frac{18}{25}$$

h)

$$\hat{\alpha}_{1,2SLS} = \frac{\sum \hat{y}_2 y_1}{\sum \hat{y}_2^2}$$, 已知 $\hat{v}_2 = y_2 - \hat{y}_2 \Rightarrow \hat{y}_2 = y_2 - \hat{v}_2$

因此 $\sum \hat{y}_2^2 = \sum \hat{y}_2 (y_2 - \hat{v}_2) = \sum \hat{y}_2 y_2 - \sum \hat{y}_2 \hat{v}_2 = \sum \hat{y}_2 y_2$

其中 $\sum \hat{y}_2 \hat{v}_2 = \sum(\hat{\pi}_1 X_1 + \hat{\pi}_2 X_2)\hat{v}_2 = \hat{\pi}_1 \sum X_1 \hat{v}_2 + \hat{\pi}_2 \sum X_2 \hat{v}_2 = 0$

CH11 Q16

11.16 Consider the following supply and demand model

$$\text{Demand: } Q_i = \alpha_1 + \alpha_2 P_i + e_{di}, \quad \text{Supply: } Q_i = \beta_1 + \beta_2 P_i + \beta_3 W_i + e_{si}$$

where Q is the quantity, P is the price, and W is the wage rate, which is assumed exogenous. Data on these variables are in Table 11.7.

TABLE 11.7 Data for Exercise 11.16

Q	P	W
4	2	2
6	4	3
9	3	1
3	5	1
8	8	3

a. Derive the algebraic form of the reduced-form equations, $Q = \theta_1 + \theta_2 W + v_2$ and $P = \pi_1 + \pi_2 W + v_1$, expressing the reduced-form parameters in terms of the structural parameters.

b. Which structural parameters can you solve for from the results in part (a)? Which equation is "identified"?

c. The estimated reduced-form equations are $\hat{Q} = 5 + 0.5W$ and $\hat{P} = 2.4 + 1W$. Solve for the identified structural parameters. This is the method of **indirect least squares**.

d. Obtain the fitted values from the reduced-form equation for P, and apply 2SLS to obtain estimates of the demand equation.

(a)

$$\begin{cases} Q_i = \alpha_1 + \alpha_2 P_i + e_{di} \\ Q_i = \beta_1 + \beta_2 P_i + \beta_3 W_i + e_{si} \end{cases}$$

$$\alpha_1 + \alpha_2 P_i + e_{di} = \beta_1 + \beta_2 P_i + \beta_3 W_i + e_{si}$$

$$\Rightarrow \alpha_2 P_i - \beta_2 P_i = \beta_1 - \alpha_1 + \beta_3 W_i + e_{si} - e_{di}$$

$$\Rightarrow P_i = \frac{\beta_1 - \alpha_1}{\alpha_2 - \beta_2} + \frac{\beta_3}{\alpha_2 - \beta_2} W_i + \frac{e_{si} - e_{di}}{\alpha_2 - \beta_2} \quad (1)$$

$$Q_i = \alpha_1 + \alpha_2 \left(\frac{\beta_1 - \alpha_1}{\alpha_2 - \beta_2} + \frac{\beta_3}{\alpha_2 - \beta_2} W_i + \frac{e_{si} - e_{di}}{\alpha_2 - \beta_2} \right) + e_{di}$$

$$= \frac{\alpha_2 \beta_1 - \alpha_1 \beta_2}{\alpha_2 - \beta_2} + \frac{\alpha_2 \beta_3}{\alpha_2 - \beta_2} W_i + \frac{\alpha_2 e_{si} - \beta_2 e_{di}}{\alpha_2 - \beta_2} \quad (2)$$

(b) $M=2$ ，至少 $M-1=1$ 個 variable 要 omitted

方程 (1) 省略 W_1 ， identified

方程 (2) not identified

(c)

$$\begin{cases} \hat{Q} = 5 + 0.5W \\ \hat{P} = 2.4 + 1W \end{cases} \Rightarrow \begin{matrix} \theta_1 = 5,\ \theta_2 = 0.5 \\ \pi_1 = 2.4,\ \pi_2 = 1 \end{matrix}$$

$Q = \alpha_1 + \alpha_2 P + e_d$ 代入 reduced form 的 P

$\Rightarrow Q = \alpha_1 + \alpha_2 (2.4 + 1W) + e_d = (\alpha_1 + 2.4\alpha_2) + \alpha_2 W + e_d$

比較係數 $\hat{Q} = 5 + 0.5W$

$$\begin{matrix} \alpha_1 + 2.4\alpha_2 = 5 & (1) \\ \alpha_2 = 0.5 & (2) \end{matrix} \Rightarrow \begin{matrix} \hat{\alpha}_1 = 3.8 \\ \hat{\alpha}_2 = 0.5 \end{matrix}$$

(d) $\hat{P} = 2.4 + 1W$ ， $Q_i = \alpha_1 + \alpha_2 P_i + e_{di}$

W	2	3	1	1	3
$\hat{P}$	4.4	5.4	3.4	3.4	5.4
Q	4	6	9	3	8

$Q = \alpha_1 + \alpha_2 \hat{P} + e_i$

$$X = \begin{bmatrix} 1 & 4.4 \\ 1 & 5.4 \\ 1 & 3.4 \\ 1 & 3.4 \\ 1 & 5.4 \end{bmatrix},\quad Y = \begin{bmatrix} 4 \\ 6 \\ 9 \\ 3 \\ 8 \end{bmatrix}$$

$$\hat{\beta} = (X^T X)^{-1} X^T Y = \begin{bmatrix} 3.8 \\ 0.5 \end{bmatrix}$$

$Q_i = 3.8 + \frac{1}{2} P_i$

CH 11 Q 17

11.17 Example 11.3 introduces Klein's Model I.

a. Do we have an adequate number of IVs to estimate each equation? Check the necessary condition for the identification of each equation. The necessary condition for identification is that in a system of M equations at least $M-1$ variables must be omitted from each equation.

b. An equivalent identification condition is that the number of excluded exogenous variables from the equation must be at least as large as the number of included right-hand side endogenous variables. Check that this condition is satisfied for each equation.

c. Write down in econometric notation the first-stage equation, the reduced form, for W_{1t}, wages of workers earned in the private sector. Call the parameters $\pi_1, \pi_2, \ldots$

d. Describe the two regression steps of 2SLS estimation of the consumption function. This is not a question about a computer software command.

e. Does following the steps in part (d) produce regression results that are identical to the 2SLS estimates provided by software specifically designed for 2SLS estimation? In particular, will the t-values be the same?

(a) $M = 8$ equations，須 omit $M-1 = 7$ 個變數

總共有 16 個變數

Consumption equation：省略 10 個變數

Investment equation：省略 11 個變數

Wage equation：省略 11 個變數

→ 皆 identified

(b) Consumption equation：2 個內生變數，排除 5 個外生

Investment equation：1 個內生，排除 5 個外生

Wage equation：1 個內生，排除 5 個外生

(c) $W_{1t} = \pi_1 + \pi_2 G_t + \pi_3 W_{2t} + \pi_4 TX_t + \pi_5 TIME_t + \pi_6 P_{t-1} + \pi_7 K_{t-1} + \pi_8 E_{t-1} + V$

(d) 從 reduced form equation 取得預測值 $\hat{W}_{1t}$，用相同方法取得 $\hat{P}_t$，Create $W_t^* = \hat{W}_{1t} + W_{2t}$，

接著估計 $CN_t = \alpha_1 + \alpha_2 W_t^* + \alpha_3 \hat{P}_t + \alpha_4 P_{t-1} + u_t$

(e) 估計係數會相同，但 t 值不同，

因為 (d) 中的 SE 不是正確的 2SLS SE