

Tooling key:

▲ Lip Notch

● Web Notch

□ Inner Notch


● Bolt Hole

● Inner Dimple


▤ Swage

● Service Hole


✕ Chamfer




Tooling key: ▲ Lip Notch ● Web Notch □ Inner Notch ● Bolt Hole ● Inner Dimple ▤ Swage ● Service Hole ✕ Chamfer



Tooling key: ▲ Lip Notch ● Web Notch □ Inner Notch ● Bolt Hole ● Inner Dimple □ Swage ● Service Hole



Tooling key:  Lip Notch  Web Notch  Inner Notch  Bolt Hole  Inner Dimple  Swage  Service Hole



<<< Joins ? Quantity Required = 1 Mark as L30 Stud Status = Passed Joins ? >>>

System Name: FC_Textor_Qld | Wall Type: Non Load Bearing | Wind Speed: 45 | Design Code: AS/NZS 4600:2018 | Loading Code: AS/NZS 1170:2021 | Material Grade Reduction: Not Applied | Panel RL: 0 | Envelope: 2615h x 3590w | Direction: E-W

HYTEK Framing | Dwg: HG260017#1-1 LOT 925 LOT 925 (42) STUNNING CRESCENT NARANGB... | View 4 of 10 | Client: Coral Homes | J/No. HG260017

Tooling key:

▲ Lip Notch

● Web Notch

□ Inner Notch


● Bolt Hole

● Inner Dimple

▤ Swage

● Service Hole

✕ Chamfer



Tooling key:

▲ Lip Notch

● Web Notch


□ Inner Notch

● Bolt Hole


● Inner Dimple

▤ Swage

● Service Hole




Tooling key:  Lip Notch  Web Notch  Inner Notch  Bolt Hole  Inner Dimple  Swage  Service Hole




<<< Joins ? Quantity Required = 1 Mark as L32 Stud Status = Passed Joins ? >>>

Tooling key: ▲ Lip Notch ● Web Notch □ Inner Notch ● Bolt Hole ● Inner Dimple ▤ Swage ● Service Hole



<<< Joins ? Quantity Required = 1 Mark as L31 Stud Status = Passed Joins ? >>>

Tooling key: ▲ Lip Notch ● Web Notch □ Inner Notch ● Bolt Hole ● Inner Dimple ▤ Swage ● Service Hole ✕ Chamfer



<<< Joins ? Quantity Required = 1 Mark as L25 Stud Status = Passed Joins ? >>>

Tooling key: ▲ Lip Notch ● Web Notch □ Inner Notch ● Bolt Hole ● Inner Dimple □ Swage ● Service Hole ✕ Chamfer

