《计移动项目开发》课程 实验报告


姓 名: 潘澳涔 **学号:** 2017210218052 **班 级:** 信息 171

指导教师: 马国春 实验日期: 2019/10/2 实验成绩:

实验名称: 日记小程序

小程序介绍:

有两个跳转界面,分别是注册和登陆,用到了后端服务器。



```
{
    "pages": [
        "pages/result/result",
```

```
"pages/logs/logs",
"pages/index/index",
"pages/logon/logon",
"pages/initial/initial",
"pages/mood/mood",
"pages/diary/diary",
```


"pages/search/search",

```
"pages/record/record"
  ],
  "window": {
   "backgroundTextStyle": "light",
   "navigationBarBackgroundColor": "#fff",
   "navigationBarTitleText": "WeChat",
   "navigationBarTextStyle": "black",
   "enablePullDownRefresh": true
 },
  "tabBar": {
   "list": [
     {
       "pagePath": "pages/result/result",
       "text": "add",
       "iconPath": "images/images/tabbar/add.png",
       "selectedIconPath": "images/images/tabbar/add.png"
     },
     {
       "pagePath": "pages/logon/logon",
       "text": "logon",
       "iconPath": "images/images/icons/composeHL.png",
       "selectedIconPath": "images/images/icons/composeHL.png"
     }
   ]
 },
 "sitemapLocation": "sitemap80.json"
}
有7个内部的 pages 如下
▼ D pages
  ▶ ☐ diary
  ▶ ☐ index
  ▶ ☐ initial
  ▶ □ logon
  ▶ □ logs
  ▶ □ mood
  ▶ ☐ record
  ▶ □ result
  ▶ ☐ search
```

在注册玩用户后, 登陆,



写日记



// pages/diary/diary.js
Page({


```
/**
* Page initial data
*/
data: {
  mood: 2,
 reason_input: '',
 id: '',
 str: ''
},
/**
* Lifecycle function--Called when page load
onLoad: function (options) {
 wx.getStorage({
   key: 'input',
   success: res => {
     this.setData({
       reason_input: res.data
     });
   },
  })
  wx.getStorage({
   key: 'id',
   success: res => {
     this.setData({
       id: res.data
     });
   },
  })
},
/**
* Lifecycle function--Called when page is initially rendered
*/
onReady: function () {
},
/**
* Lifecycle function--Called when page show
*/
onShow: function () {
  var mood = this.data.mood
```

```
var id = this.data.id
 wx.getStorage({
   key: 'mood',
   success: res => {
     this.setData({
       mood: res.data
     });
   },
 })
},
//心情选择
chosemood: function () {
 wx.navigateTo({
   url: '/pages/mood/mood',
 })
},
//日记内容存储
bind: function (e) {
 var that = this
 var reason_input = that.data.reason_input
 reason_input = e.detail.value
 wx.setStorage({
   key: 'input',
   data: reason_input,
 })
 this.setData({
   reason_input: reason_input
 });
},
//日记内容保存
save: function (e) {
 var that = this
 console.log(e)
 wx.request({
   url: 'http://172.22.130.33/index.php/Ajaxapi/Ajaxapi/write',
   data: {
     authorid: that.data.id,
     nr: that.data.reason_input,
     xq: that.data.mood
   },
```

```
success: function (res) {
     console.log(res.data)
     var pages = getCurrentPages();
     var prevPage = pages[pages.length - 2];
     wx.navigateBack({
       delta: 1
     })
   },
  })
},
/**
* Lifecycle function--Called when page hide
onHide: function () {
},
/**
* Lifecycle function--Called when page unload
onUnload: function () {
},
/**
^{st} Page event handler function--Called when user drop down
onPullDownRefresh: function () {
},
* Called when page reach bottom
onReachBottom: function () {
},
 * Called when user click on the top right corner to share
onShareAppMessage: function () {
}
```

```
})
<!--pages/diary/diary.wxml-->
<view class="parent">
<view class="test-bg">
<!--表头信息-->
<view class="title">
<image bindtap="chosemood" src="/images/mood/{{mood}}.png"</pre>
style="width:450rpx;margin-left:50rpx;height:100rpx"></image>
<input style="border:1px solid gray;top:-10rpx;width:40rem;margin-</pre>
left:50rpx; font-size: 20px; height: 3rem;min-height: 0.8rem"
maxlength="20" bindinput="bindTitle" placeholder="Title" placeholder-
style="margin-left:150rpx"/>
<text bindtap="save" style="font-size:1.2rem;align-items:right;margin-</pre>
left:50rpx">保存</text>
 </view>
</view>
</view>
<!--文本框-->
<view class='row' id="textareawrap" catchtap="onFocus">
       <textarea bindinput="bind" fixed="true" class='text'
maxlength="5000000"
       focus="true" name="content" >
 </textarea>
    </view>
```

搜做日记:



我的日记;可以遍历全部的自己写过已经保存的日记。



```
其中主界面的 initial.json 如下:
// pages/initial/initial.js
Page({
 /**
  * Page initial data
  */
 data: {
   id:'',
   str:[],
 },
  * Lifecycle function--Called when page load
 onLoad: function (options) {
   //获取当前用户 id
   var that = this;
   wx.getStorage({
     key: 'id',
     success: res => {
       that.setData({
         id: res.data
       });
     },
   })
   console.log(that.data.id)
 },
  * Lifecycle function--Called when page is initially rendered
  */
```

```
onReady: function () {
},
/**
* Lifecycle function--Called when page show
onShow: function () {
},
//编写日记
write:function(){
 wx.navigateTo({
   url: '/pages/diary/diary',
 })
},
//查询
search:function(){
 wx.navigateTo({
   url: '/pages/search/search',
 })
},
//查看
record:function(){
 //获取当前用户所有的信息
 var str = this.data.str
 wx.request({
   url: 'http://172.22.130.33/index.php/Ajaxapi/Ajaxapi/read',
   data: {
     authorid: this.data.id,
   },
   success: res => {
     this.setData({
       str: res.data.data
     })
     console.log(this.data.str)
     wx.setStorage({
       key: 'strr',
       data: res.data.data,
     })
     wx.navigateTo({
       url: '/pages/record/record',
     })
```

```
}
   })
 },
  * Lifecycle function--Called when page hide
 onHide: function () {
 },
  /**
  * Lifecycle function--Called when page unload
 onUnload: function () {
 },
  /**
  * Page event handler function--Called when user drop down
 onPullDownRefresh: function () {
 },
 /**
  * Called when page reach bottom
 onReachBottom: function () {
 },
  * Called when user click on the top right corner to share
 onShareAppMessage: function () {
 }
})
```