

gtnFrameworkDeploy

gtnNewArch

builduser | log out


General	Source Code Mana	agement E	Build Ti	riggers	Build Enviro	nment	Bui	ld F	ost-build A	Actions									
Project na	gtnFramework	«Deploy																	
Description	on																		
	[Plain text] Prev	<u>view</u>																	
☑ Enable p	roject-based security																		
	Block inhe	Block inheritance of global authorization matrix																	
	l lser/	User/group		Credentials				Job								Run		SCM	
	Userry			Delete	eManageDomainsUpdateViev		View Bu	3uild Cancel Configure		eDelete	eDeleteDiscover		eRead	dWorkspace	Delete	Replay	Update	e Tag	Ir
	& builduser		•	•	✓	•			•	•	•	•	•	•	•	•	•		
		& rajadurai.subramanian		✓	✓	•			V	•	V	V	-	•	✓	•	•	✓	
	Anonymous																		
	User/gro	oup to add:			Add														
Discard o	old builds																?		
GitHub p	roject																		
✓ This proje	ect is parameterized																?		
	String P	String Parameter														Χ			
	Name	Name VersionNo																	
	Default	Value																	
	Descrip	tion Version	on To [Deploy															
		[Plain	text] <u>Pı</u>	review															=
		Roolean Parameter																Х	
	Boolean Parameter Name GtnForecastWebServices																		
			orecas	twebs	ervices														
		Value																	
	Descrip	otion																	
		[Plain	text] <u>Pi</u>	review															
	Boolear	Boolean Parameter												Χ					
	Name	GtnFr	ramew	orkCal	endarConfiguratio	n													
	Default	Value																	
	Descrip	tion																	
		Save		Apply	_														

Artifacts directory

Base directory

```
Jenkins
                    gtnNewArch
                                                gtnFrameworkDeploy
                       Steps to run if condition is met
                                      Add step to condition
                                                                                                                                                                                                                                                                  Х
               Execute shell
                                   #CREATING Default war file.
cd $WORKSPACE
                                  cd $MORKSPACE
mkdir -p Default_War1-1
cd Default_War1-1
mkdir -p Application_Build
cd Application_Build
                                  See the list of available environment variables
                                                                                                                                                                                                                                                     Advanced...
                                                                                                                                                                                                                                                                  Х
               Execute shell
                                  #Creating folder structure for webservice
mkdir -p gtnFrameworkServer1-1
cd gtnFrameworkServer1-1
mkdir -p GTN_Framework_War
cd GTN_Framework_War
                Command
                                  See the list of available environment variables
                                                                                                                                                                                                                                                      Advanced...
                                                                                                                                                                                                                                                                  Х
               Execute shell
                                  cd $RELEASE_BUILD_PATH
ls > $WORKSPACE/fileList.txt
sed -i -e 's/.war//g' $WORKSPACE/fileList.txt
while read name
                                  while read name do myvar=$name eval "choiceVar=\$$name" echo $choiceVar if $choiceVar then if [ -e "$name".war ] then
                                   cp $RELEASE_BUILD_PATH/"$name".war $WORKSPACE/Default_War1-1/Application_Build
else
echo "File does't exist terminating the build"
                                   return 2
fi
fi
                                   done < $WORKSPACE/fileList.txt</pre>
                                  See the list of available environment variables
                                                                                                                                                                                                                                                      Advanced...
                                                                                                                                                                                                                                                                   Х
               Execute shell
                                   #creating tar file for Application wars
tar -czvf Default_War.tar Default_War1-1
rm -rf Default_War1-1
                                  See the list of available environment variables
```

Advanced...



Page generated: Aug 7, 2017 11:50:59 AM IST REST API Jenkins ver. 2.46.3