

Notes on Raney's Lemmas

In a 1960 paper, George Raney proved the following two lemmas on cyclic shifts of a finite sequence that contain positive-only partial sums (Raney 1960). This note expands on these lemmas.

I personally learned of these lemmas in chapter 7 of the book *Concrete Mathematics* (Knuth, Patashnik, and Graham 1998), which explores their applications to generating functions.

Exact rules for finite integer sequences

Lemma 1

Suppose $\sum_{i=1}^n x_i = 1$, where all $x_i \in \mathbb{Z}$. Extend the sequence by letting $x_{n+p} = x_p$ for $1 \leq p \leq n$. Then there is a unique j , $1 \leq j \leq n$, such that

$$\sum_{i=j}^{j+k-1} x_i > 0; \quad 1 \leq k \leq n.$$

Intuitively, we can think of such an index j as a cyclic shift of the sequence that has partial sums that are all positive.

For example, the finite sequence $\langle x_1, \dots, x_5 \rangle = \langle 3, -2, 4, -1, 1 \rangle$ offers $j = 5$ as the unique shift providing $\langle x_5, x_6 = x_1, \dots, x_9 = x_4 \rangle = \langle 1, 3, -2, 4, -5 \rangle$ with partial sums $\langle 1, 4, 2, 6, 1 \rangle$ that are all positive.

References

- Knuth, Donald E., Oren Patashnik, and Ronald L. Graham. 1998. *Concrete Mathematics: A Foundation for Computer Science*. addison-wesley.
- Raney, George. 1960. "Functional Composition Patterns and Power Series Reversion." *Transactions of the American Mathematical Society* 94: 441–51.