CSCE 3701 · TEAM CLOSET · MILESTONE 2 FINAL

Presenter Pack · v1.6 addendum

> These pages **supersede** the build v1.5 pages that follow wherever they disagree (numbers, the 14-step demo, and the Q&A answer "Why is Ready to donate not a status?").

Numbers to quote (build v1.6, 29 Oct 2026)

What	Value	Evidence
Automated tests	599 / 599 passing (407 unit + 192 API on PostgreSQL 16)	evidence/v16/test_run_v16.txt
Coverage	97.53 % lines · 83.64 % branches · 90.84 % functions	evidence/v16/coverage_v16.txt
Browser journeys	live: demo 58 steps, stateful 15, lifecycle 12 · offline: stateful 15, lifecycle 12 · 0 browser errors	evidence/v16/e2e_*.txt
Demo check	3 / 3 fresh seeds	evidence/v16/demo_check.txt
Video	13 steps, 5:33	Closet_Demo_FINAL.mp4
Lifecycle	9 states, 21 allowed moves, 81 pairs tested	ST-01 – ST-06
Ask Closet	35 whitelisted functions	keywordParser.FUNCTIONS

Q&A changes

Question	Answer now
Why is "Ready to donate" a status now? (v1.5 said it was not)	v1.5 kept it in a separate table so the five-status machine stayed unchanged. That gave two sources of truth and screens disagreed. v1.6 has one lifecycle; leaving the closet is still a delete with the reason Donated, never a state.
Why only donate, not give away or sell?	The brief asked for donate only. Old v1.5 rows with Given away / Sold are still readable.
How do you know repairs work end to end?	LC-01 – LC-04 and the lifecycle journey (live and offline) run the exact Black blazer flow, including "not in Style me while at the tailor" and the reminder.
Why white loafers in the demo?	The seed already owns black loafers, so Closet correctly says "Probably unnecessary" for them. We show the honest result rather than change the rule.
Were the tests run with the real packages?	Not in this pass: the npm registry was blocked, so the suites ran on small compatibility shims against a real PostgreSQL 16. npm test on a normal machine is the authoritative run; CI is configured, not executed.

Known limits to state if asked

- The interactive deck still shows build v1.5 figures; use this addendum for numbers.
- Proposed stories US-112 – US-117 are not in Jira yet.
- Vite build and GitHub Actions not run for v1.6.

CSCE 3701 · TEAM CLOSET · MILESTONE 2 FINAL

Presenter Pack

Habiba · Salma · Bashar · Karim · Youssef — build v1.5 · interactive deck 136 slides · linear deck 83 slides

Verified	497/497 tests · demo journey 58 steps · stateful journey 15 checkpoints live + 15 offline · demo-check passes · 0 broken links in both decks
Pending	real Jira and GitHub screenshots · official npm run and first CI run · one rehearsal in PowerPoint desktop (Morph, video) · retake the hand-off picture on the day

1. Before you present

1. Fonts: install Lora and Inter (06_Presentation/fonts) on the presentation laptop — the deck uses only these two.
2. Run `07_Demo/Demo_Preflight.md` (seed, restart, `npm run demo:check`).
3. Paste the real Jira captures into the three frames on “Evidence from Jira” (the yellow “SCREENSHOTS PENDING” label can then be deleted).
4. Retake the hand-off picture: `python3 tools/handoff_shot.py handoff.jpg 1920x1080` → right-click the picture on the demo slides → Change Picture.
5. Open the interactive deck once in PowerPoint desktop and click through: Morph, clickable objects and the embedded video were checked structurally here, not played in PowerPoint.

2. What changed in this version

Where	Change
Room (hub)	Labels numbered 01 Sprint · 02 Product · 03 Inside the system · 04 Quality · 05 Retrospective · 06 Documents; a tick replaces the number once a section is done.
After the demo	New scene “Closet is becoming proactive” — four real screens: weather changed, laundry risk, trip packing, Still love it?
Design	v1.5 diagrams after each baseline: use cases (proactive), component, ER additions, state + rehoming, two sequences.
Quality	Real final numbers: 497/497, 317 unit + 180 API, coverage 97.24 / 83.42 / 91.09 %; CI stated as configured, not executed.
Documents	SRS v1.2 / SDD v1.2 with the new counts (101 FR, 18 NFR, 30 use cases, 84 + 18 proposed stories, 86 changes).
Appendix	Proactive features with requirement and test IDs; defect log D-08 – D-17; test plan and results of the final run.
Media	All app screenshots retaken on build v1.5; the embedded backup video re-recorded (3:43).
Notes	Every changed slide has updated speaker notes; slide 7’s notes hold the navigation cheat-sheet.

3. Talk flow (from the speaker notes of the interactive deck)

Slide	Who	Time	What to say / do
1	Habiba	0:05	Lights low. Only the word. Wait two seconds. CLICK 1: the closet appears and its LEDs come on (by themselves). CLICK 2: the doors open and the inside lights up. CLICK 3: the camera walks in.
3	Habiba	0:10	The LEDs come on. "What if your closet actually knew you — what you own, what is in the laundry, where you are going tomorrow and what the weather will be?"
5	Habiba	0:10	The inside is lit. "Closet: an intelligent wardrobe that learns how you dress. Milestone 2: a working closet. Let's step inside."
7	Habiba	0:20	"This is the closet from the inside — and the review is a room. The door is the sprint, the big mirror is the product, the panel is the system inside, the drawer is quality, the standing mirror is our retrospective, the box holds
9	Habiba	0:30	"Sprint goal: a working closet. We committed 15 stories, 48 points, and finished all 15. US-61 moved to Sprint 2 at planning: it hides pieces from recommendations, which only exist in Sprint 2." The 497 / 497 is the whole final ru
10	Habiba	0:20	Each story has an owner and an estimate. Don't read the table — point at US-08 (the photo) and US-15/16 (laundry): you will see both in the demo.
11	Habiba	0:15	"To be precise about grading: these are the Sprint 1 stories — all 15 done. Everything else in the demo is labelled as an early preview."
12	Habiba	0:20	Show the three Jira views; click "Open the live board" for 10 seconds if the network allows. BEFORE THE TALK: in PowerPoint (Normal view) click the picture icon in each dashed frame — or drag the screenshot onto it — to insert the
13	Habiba	0:30	Five comments, five changes — each one visible in a diagram you will see inside the system.
14	Habiba	0:20	The simple view first. CLICK "VIEW UML" for the formal use case diagram.
15	Habiba	0:30	The complete formal diagram first: User and Admin, six external services, colour = the sprint of each use case. Then zoom: User side → Admin → External services (buttons at the bottom, or click that part of the diagram). Each zoom
19	Bashar	0:15	Eight new use cases for the proactive features; the overview with the Admin is unchanged.
22	Salma	0:05	The camera approaches the mirror (Morph).
24	Salma	0:10	"I'm Salma — every screen. Instead of explaining it, we'll show you." The reflection has become the app. CLICK (or "Live demo"): the app grows to full screen. If the live app is not working: click "Backup recording" — the embedded
27	Salma	0:45	"Everything you just saw answers a question. The next step is Closet speaking first." Four real screens: the forecast changed since we planned tomorrow — Adjust outfit changes only the blazer. Two of the most-worn tops are in the
28	Karim	0:05	"I'm Karim — backend and database. What the user sees is simple." CLICK.
29	Karim	0:10	"What happens behind one click isn't. Salma pressed Save — what actually happened?" CLICK the laptop. (If the demo could not run: "Feature tour" shows each feature as slides.)
38	Karim	0:20	The whole stack. CLICK "VIEW FORMAL UML": the component diagram grows out of the Feature-modules layer.

Slide	Who	Time	What to say / do
39	Karim	0:40	The formal UML: the security pipeline (your authentication comment), Availability as its own component, the LLM behind an adapter. Colour = sprint, dashed = planned. Click a half to zoom.
42	Youssef	0:20	What changed in v1.5: a Proactive service that only composes existing modules, a pure rule layer (Wardrobe Insights), repositories injected into every module — the same code runs the offline demo — all behind the same security pip
43	Bashar	0:20	"I'm Bashar — lower-level design. Every module is Router → Service → Repository." Open the ER first, then whichever the professor asks for.
44	Karim	0:30	One database, one schema per module, user_id on every table. Click a region: core data, outfits, intelligence, shopping.
49	Bashar	0:15	Migration 006: price for cost per wear, a rehoming table, snoozes for Keep / Not now, outfit memory, the weather saved with a plan.
53	Bashar	0:15	Design decision: Ready to donate is an intention, not a sixth status — the tested state machine did not change.
67	Youssef	0:15	Pause on the number. "497 of 497 automated tests pass. Zero failed." Real output: 05_Testing/evidence/test_run_v15.txt. Honest footnote if asked: the final run used small compatibility shims for npm packages because the registry w
68	Youssef	0:30	317 unit tests and 180 API tests on a real PostgreSQL 16 database; 15 acceptance tests, one per Sprint 1 story. Coverage (V8: lines, branches, functions): 97.24 %, 83.42 %, 91.09 %. Browser: the 58-step demo journey, plus a 15-che
69	Youssef	0:40	One bug, told as one path. CLICK for each step.
75	Youssef	0:20	Be exact: CI is configured (server, client, e2e, offline-demo jobs) but has not run on GitHub yet. Render: blueprint configured; the local demo is the verified presentation path.
79	Habiba	0:10	"A look in the mirror." Three reflections, one at a time.
86	Habiba	0:30	"The SRS says WHAT the system must do, the SDD says HOW it is designed — each in its IEEE template. Revision 4 adds the proactive features as section 4.21 with tracked IDs: 101 functional and 18 non-functional requirements, 30 use
96	Habiba	0:10	"Closet — your wardrobe, your style, your context. One intelligent system. Thank you. Questions?"

4. What you may say — and what you must not

Say	Never say
497 / 497 tests pass (final run)	“CI is green”
Coverage 97.24 / 83.42 / 91.09 %	any other coverage figure
Render blueprint configured; local demo verified	“It is deployed on Render”
Try-on is a simulated preview	“AI-generated try-on”
Proactive stories are proposed, built early	“They were in our Sprint 1”
Jira screenshots: only real captures	a drawn or mocked board

5. Questions we expect

Question	Answer
Is the AI real?	Ask Closet maps a message to one of 31 whitelisted functions. In the demo the keyword parser answers (no API key needed); the optional language-model adapter can only choose among the same functions with a validated schema. Our modules do the work; it never sees photos or the database.
How do you know the three looks are really different?	Diversity-aware selection: any two looks share at most one major garment when the closet allows (FR-100). Tested by the diversity suite (16 tests) and measured in the browser journey: maximum shared = 1.
Is the try-on generated?	No. It is a simulated overlay on the user’s photo (Virtual Try-On Preview), labelled so in the app. The photo stays in the browser tab.
Why is “Ready to donate” not a status?	A status says where a piece is; rehoming is an intention that can coexist with a status and ends in a delete with a reason. Keeping it separate left the tested state machine (28 tests) unchanged.
Is CI running? Is it deployed?	CI is configured (server, client, e2e, offline-demo jobs); its first run on GitHub is pending. Render blueprint configured; the local demo is the verified presentation path.
How were the 497 tests run?	Final run: 497/497 on a real PostgreSQL 16 database; npm was blocked in our build environment, so small compatibility shims replaced nine packages. The official npm test on a team laptop is pending.
Coverage?	V8: lines 97.24 %, branches 83.42 %, functions 91.09 % of the server files the tests load. The React client is covered by the browser journeys, not by line coverage.
What if the weather service is down?	The weather adapter falls back to a seasonal estimate and labels it; the demo uses that mode on purpose so it is repeatable.
Are the new routes secure?	Same pipeline as every route: validation (400), JWT (401), ownership (another user’s piece → 404). Examples: API-PR01, API-PR03, API-PR50, OF-02.
Where are the proactive stories in Jira?	They are proposed (US-94 – US-111), not yet in Jira; they were built early as a Sprint 3 preview. The import file is in 02_Sprint.
What does the offline demo fake?	Nothing in the logic: it runs the same services and rules on in-memory data with the same seed. Only storage (browser session) and weather (estimate) differ. 9 parity tests + the 15-checkpoint journey run on it.

Question	Answer
What was the hardest bug?	D-09: “Is my blazer clean?” used to change the blazer’s status — a question changed state. Questions now route to read-only functions; 56 phrasings are tested.