
ACTG175: shrinkage vs non−shrinkage (supplementary methods)
Natural missing cd496 (37.3%); m=40; X=baseline cd40; REG, PMM, and propensity MI
Complete−case
PMM MI
Propensity MI
Regression MI
3 vs 0
2 vs 0
1 vs 0
0
25
50
75
100
Treatment − control mean difference (simultaneous 95% CI)
Variance method
Equal−variance
Non−shrinkage
Shrinkage


Propensity MI equal−variance vs shrinkage
40 imputations; real−data adaptation, not replication of the original paper dataset
3 vs 0
2 vs 0
1 vs 0
0
25
50
75
100
Treatment minus control (simultaneous 95% CI)
variance_method
Equal−variance
Shrinkage


ACTG175: shrinkage vs non−shrinkage (supplementary methods)
Natural missing cd496 (37.3%); m=40; X=baseline cd40; REG, PMM, and propensity MI
Complete−case
PMM MI
Propensity MI
Regression MI
3 vs 0
2 vs 0
1 vs 0
0
25
50
75
100
Treatment − control mean difference (simultaneous 95% CI)
Variance method
Equal−variance
Non−shrinkage
Shrinkage


Regression MI equal−variance vs shrinkage
40 imputations; real−data adaptation, not replication of the original paper dataset
3 vs 0
2 vs 0
1 vs 0
0
25
50
75
100
Treatment minus control (simultaneous 95% CI)
variance_method
Equal−variance
Shrinkage