
IBScovars: shrinkage vs non−shrinkage (supplementary methods)
Complete−data benchmark + 30% covariate−driven MAR (achieved 33.3%); m=40; REG, PMM, and propensity MI
Complete data
PMM MI
Propensity MI
Regression MI
4 vs 0
3 vs 0
2 vs 0
1 vs 0
0.00
0.25
0.50
0.75
1.00
Treatment − control mean difference (simultaneous 95% CI)
Variance method
Equal−variance
Non−shrinkage
Shrinkage


Propensity MI equal−variance vs shrinkage
40 imputations; real−data adaptation, not replication of the original paper dataset
4 vs 0
3 vs 0
2 vs 0
1 vs 0
0.00
0.25
0.50
0.75
1.00
Treatment minus control (simultaneous 95% CI)
variance_method
Equal−variance
Shrinkage


IBScovars: shrinkage vs non−shrinkage (supplementary methods)
Complete−data benchmark + 30% covariate−driven MAR (achieved 33.3%); m=40; REG, PMM,
Complete data
PMM MI
Propensity MI
Regression MI
4 vs 0
3 vs 0
2 vs 0
1 vs 0
0.00
0.25
0.50
0.75
1.00
Treatment − control mean difference (simultaneous 95% CI)
Variance method
Equal−variance
Non−shrinkage
Shrinkage


Regression MI equal−variance vs shrinkage
40 imputations; real−data adaptation, not replication of the original paper dataset
4 vs 0
3 vs 0
2 vs 0
1 vs 0
0.00
0.25
0.50
0.75
1.00
Treatment minus control (simultaneous 95% CI)
variance_method
Equal−variance
Shrinkage