

Fase 2: Analisis de Vulnerabilidades detectadas.

Primero hago un escaneo de red. Con nmap

con el siguiente comando: `sudo nmap -sV --script vuln 192.168.1.55`

```
(kali@kali:~)$ sudo nmap -sV --script vuln 192.168.1.55
[sudo] password for kali:
Starting Nmap 7.95 ( https://nmap.org ) at 2026-01-14 06:23 EST
Nmap scan report for 192.168.1.55
Host is up (0.001s latency).
Not shown: 997 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
|_ vulners:
21/tcp    open  ftp      vsftpd 3.0.3
|_ vulners:
vsftpd 3.0.3:
  CVE-2021-38047 7.5 https://vulners.com/cve/CVE-2021-38047
  CVE-2021-3618 7.4 https://vulners.com/cve/CVE-2021-3618
22/tcp    open  ssh      OpenSSH 9.2p1 Debian 2+deb12u3 (protocol 2.0)
|_ vulners:
cpe:/a:openbsd:openssh:9.2p1:
PACKETSTORM:179290 10.0 https://vulners.com/packetstorm/PACKETSTORM:179290 *EXPLOIT*
1EEC8894-D2F7-547C-827C-915BE866875C 10.0 https://vulners.com/githubexploit/1EEC8894-D2F7-547C-827C-915BE866875C *EXPLOIT*
PACKETSTORM:173661 9.8 https://vulners.com/packetstorm/PACKETSTORM:173661 *EXPLOIT*
F0979183-AE88-53B4-86CF-3AF0523F3807 9.8 https://vulners.com/githubexploit/F0979183-AE88-53B4-86CF-3AF0523F3807 *EXPLOIT*
CVE-2023-38408 9.8 https://vulners.com/cve/CVE-2023-38408
CVE-2023-28531 9.8 https://vulners.com/cve/CVE-2023-28531
B8190CDB-3EB9-5621-9828-8064A1575B23 9.8 https://vulners.com/githubexploit/B8190CDB-3EB9-5621-9828-8064A1575B23 *EXPLOIT*
8FC9C5AB-3968-5F3C-825E-E80B5379A623 9.8 https://vulners.com/githubexploit/8FC9C5AB-3968-5F3C-825E-E80B5379A623 *EXPLOIT*
8AD01159-548E-546E-AA87-2DE89F3927EC 9.8 https://vulners.com/githubexploit/8AD01159-548E-546E-AA87-2DE89F3927EC *EXPLOIT*
330623F7-98E8-5F75-80FA-81AA66601340 9.8 https://vulners.com/githubexploit/330623F7-98E8-5F75-80FA-81AA66601340 *EXPLOIT*
22277200-6700-5C8F-8930-1EEAF04B9F7A 9.8 https://vulners.com/githubexploit/22277200-6700-5C8F-8930-1EEAF04B9F7A *EXPLOIT*
0221525F-07F5-5790-912D-F4B92D01B587 9.8 https://vulners.com/githubexploit/0221525F-07F5-5790-912D-F4B92D01B587 *EXPLOIT*
F8981437-1287-5B69-93F1-657DF81DCE59 9.8 https://vulners.com/githubexploit/F8981437-1287-5B69-93F1-657DF81DCE59 *EXPLOIT*
CB2926E1-2355-5C82-AA2A-D4F72F14F9B 9.3 https://vulners.com/githubexploit/CB2926E1-2355-5C82-AA2A-D4F72F14F9B *EXPLOIT*
80E7E14C-3B04-5057-BAA6-E429387658AE 9.3 https://vulners.com/githubexploit/80E7E14C-3B04-5057-BAA6-E429387658AE *EXPLOIT*
6FDF8F14-B663-533D-8866-23313F037804 9.3 https://vulners.com/githubexploit/6FDF8F14-B663-533D-8866-23313F037804 *EXPLOIT*
PACKETSTORM:190587 8.1 https://vulners.com/packetstorm/PACKETSTORM:190587 *EXPLOIT*
FB2E9ED1-4307-585C-A197-0D6628B20134 8.1 https://vulners.com/githubexploit/FB2E9ED1-4307-585C-A197-0D6628B20134 *EXPLOIT*
FA3992CE-9C4C-5350-8134-177126E8B03F 8.1 https://vulners.com/githubexploit/FA3992CE-9C4C-5350-8134-177126E8B03F *EXPLOIT*
EDF015F0-8F17-5471-AA83-8FA91FD097AF 8.1 https://vulners.com/githubexploit/EDF015F0-8F17-5471-AA83-8FA91FD097AF *EXPLOIT*
EC2089C2-6857-5848-848A-A9F430013EEB 8.1 https://vulners.com/githubexploit/EC2089C2-6857-5848-848A-A9F430013EEB *EXPLOIT*
EB13CB06-BC93-5F14-A210-AC0B5A1D8572 8.1 https://vulners.com/githubexploit/EB13CB06-BC93-5F14-A210-AC0B5A1D8572 *EXPLOIT*
E5A3E274-C20A-582A-8F8E-F8E3F381C345 8.1 https://vulners.com/githubexploit/E5A3E274-C20A-582A-8F8E-F8E3F381C345 *EXPLOIT*
E34FCCEC-226E-5A46-981C-BCD6F7D3257 8.1 https://vulners.com/githubexploit/E34FCCEC-226E-5A46-981C-BCD6F7D3257 *EXPLOIT*
E24EECCA-40F7-58BC-9E4D-7B13522FF915 8.1 https://vulners.com/githubexploit/E24EECCA-40F7-58BC-9E4D-7B13522FF915 *EXPLOIT*
DC1B899A-8B57-5E5E-9AC4-3D09598FC346 8.1 https://vulners.com/githubexploit/DC1B899A-8B57-5E5E-9AC4-3D09598FC346 *EXPLOIT*
DA180761-B881-5486-85CB-CFD73CE33621 8.1 https://vulners.com/githubexploit/DA180761-B881-5486-85CB-CFD73CE33621 *EXPLOIT*
D8974199-6888-5895-9610-919F71468F23 8.1 https://vulners.com/githubexploit/D8974199-6888-5895-9610-919F71468F23 *EXPLOIT*
D52378EF-02EE-507D-9212-2D8EA86CBA94 8.1 https://vulners.com/githubexploit/D52378EF-02EE-507D-9212-2D8EA86CBA94 *EXPLOIT*
CVE-2024-6387 8.1 https://vulners.com/cve/CVE-2024-6387
CFEBF7AF-651A-5302-8088-F8146D5833A6 8.1 https://vulners.com/githubexploit/CFEBF7AF-651A-5302-8088-F8146D5833A6 *EXPLOIT*
C6F8B058-F71D-5870-8071-D6A09A95627F 8.1 https://vulners.com/githubexploit/C6F8B058-F71D-5870-8071-D6A09A95627F *EXPLOIT*
C62D0D58-C162-5D17-88A5-4799A9BE0001 8.1 https://vulners.com/githubexploit/C62D0D58-C162-5D17-88A5-4799A9BE0001 *EXPLOIT*
C5B20A41-8C3B-5FF7-B620-EDE2078027A0 8.1 https://vulners.com/githubexploit/C5B20A41-8C3B-5FF7-B620-EDE2078027A0 *EXPLOIT*
C185263E-3E67-5550-89C0-AB9C15351960 8.1 https://vulners.com/githubexploit/C185263E-3E67-5550-89C0-AB9C15351960 *EXPLOIT*
BDA609DA-6936-50DC-A325-19FE2CC68562 8.1 https://vulners.com/githubexploit/BDA609DA-6936-50DC-A325-19FE2CC68562 *EXPLOIT*
BA3887D0-F579-53B1-AA4A-FF49D9531E1C 8.1 https://vulners.com/githubexploit/BA3887D0-F579-53B1-AA4A-FF49D9531E1C *EXPLOIT*
B1F444E0-F217-5FC0-B266-EBD4589940F 8.1 https://vulners.com/githubexploit/B1F444E0-F217-5FC0-B266-EBD4589940F *EXPLOIT*
92254168-3B26-54C9-B9BE-BAB756358685 8.1 https://vulners.com/githubexploit/92254168-3B26-54C9-B9BE-BAB756358685 *EXPLOIT*
91752937-D1C1-5913-A96F-72F88BA84280 8.1 https://vulners.com/githubexploit/91752937-D1C1-5913-A96F-72F88BA84280 *EXPLOIT*
90104C68-A0B7-5437-8523-545277685F55 8.1 https://vulners.com/githubexploit/90104C68-A0B7-5437-8523-545277685F55 *EXPLOIT*
80F968AB-1624-5185-809E-E77D1918D1E6 8.1 https://vulners.com/githubexploit/80F968AB-1624-5185-809E-E77D1918D1E6 *EXPLOIT*
81FC0C5A-8650-5D8E-97E9-0D89F1807E5D 8.1 https://vulners.com/githubexploit/81FC0C5A-8650-5D8E-97E9-0D89F1807E5D *EXPLOIT*
7C7167AF-E780-5506-BEFA-02E5362E8E48 8.1 https://vulners.com/githubexploit/7C7167AF-E780-5506-BEFA-02E5362E8E48 *EXPLOIT*
79FE1E07-E830-5978-A12E-ABAF1FECCAC 8.1 https://vulners.com/githubexploit/79FE1E07-E830-5978-A12E-ABAF1FECCAC *EXPLOIT*
795762E3-BA84-54C6-B077-83B8AC2C8163 8.1 https://vulners.com/githubexploit/795762E3-BA84-54C6-B077-83B8AC2C8163 *EXPLOIT*
774022B8-71DA-57C4-988F-E21D067DE4BC 8.1 https://vulners.com/githubexploit/774022B8-71DA-57C4-988F-E21D067DE4BC *EXPLOIT*
743E5025-3B88-5ECA-AC44-2AA679730661 8.1 https://vulners.com/githubexploit/743E5025-3B88-5ECA-AC44-2AA679730661 *EXPLOIT*
73A19F99-3460-5828-9792-05D9F3A14E2 8.1 https://vulners.com/githubexploit/73A19F99-3460-5828-9792-05D9F3A14E2 *EXPLOIT*
6E81EA5E-2156-5ACB-90A6-0792C7FAF698 8.1 https://vulners.com/githubexploit/6E81EA5E-2156-5ACB-90A6-0792C7FAF698 *EXPLOIT*
6878D204-2280-5D11-8A0C-63139588473F 8.1 https://vulners.com/githubexploit/6878D204-2280-5D11-8A0C-63139588473F *EXPLOIT*
65650BAD-813A-5650-953D-2E7932826094 8.1 https://vulners.com/githubexploit/65650BAD-813A-5650-953D-2E7932826094 *EXPLOIT*
649197A2-0224-585C-9C4E-B5791D2A9F8 8.1 https://vulners.com/githubexploit/649197A2-0224-585C-9C4E-B5791D2A9F8 *EXPLOIT*
610DEE4E-2146-5E8A-9804-8780A72E33C 8.1 https://vulners.com/githubexploit/610DEE4E-2146-5E8A-9804-8780A72E33C *EXPLOIT*
608FA58C-AEA1-5A83-8297-A15FC7D32A7C 8.1 https://vulners.com/githubexploit/608FA58C-AEA1-5A83-8297-A15FC7D32A7C *EXPLOIT*
5D2CB1F8-DC04-5545-88C7-29EC3DA8890E 8.1 https://vulners.com/githubexploit/5D2CB1F8-DC04-5545-88C7-29EC3DA8890E *EXPLOIT*
5C81C5C1-22D4-5583-B8A3-5A9A60A8BFD 8.1 https://vulners.com/githubexploit/5C81C5C1-22D4-5583-B8A3-5A9A60A8BFD *EXPLOIT*
53BCD84F-B022-5C9D-9586-48B3627A837F 8.1 https://vulners.com/githubexploit/53BCD84F-B022-5C9D-9586-48B3627A837F *EXPLOIT*
4F801800-F993-5CAF-B057-07E298010C1F 8.1 https://vulners.com/githubexploit/4F801800-F993-5CAF-B057-07E298010C1F *EXPLOIT*
48603E8F-B170-57EE-85B9-67A7D9584891 8.1 https://vulners.com/githubexploit/48603E8F-B170-57EE-85B9-67A7D9584891 *EXPLOIT*
4748B283-C2F6-5924-8241-342F98EC2EE 8.1 https://vulners.com/githubexploit/4748B283-C2F6-5924-8241-342F98EC2EE *EXPLOIT*
452A0B71-199C-561E-8949-FCDE6288B925 8.1 https://vulners.com/githubexploit/452A0B71-199C-561E-8949-FCDE6288B925 *EXPLOIT*
33182B7F-FB25-5508-87AA-60E2E24A8087 8.1 https://vulners.com/githubexploit/33182B7F-FB25-5508-87AA-60E2E24A8087 *EXPLOIT*
1FFD0A39-F480-5C74-90F3-060E1FE11B2E 8.1 https://vulners.com/githubexploit/1FFD0A39-F480-5C74-90F3-060E1FE11B2E *EXPLOIT*
1FA2B3DD-CF8F-5602-A1C9-2CF3F9536563 8.1 https://vulners.com/githubexploit/1FA2B3DD-CF8F-5602-A1C9-2CF3F9536563 *EXPLOIT*
1F7A6800-9E6D-511C-B0F6-7CAD87200761 8.1 https://vulners.com/githubexploit/1F7A6800-9E6D-511C-B0F6-7CAD87200761 *EXPLOIT*
1FCF08B8-B891-5347-A2DC-2C6A80FF7C09 8.1 https://vulners.com/githubexploit/1FCF08B8-B891-5347-A2DC-2C6A80FF7C09 *EXPLOIT*
1AB9F1F4-9798-59A0-9213-1D907E81E7F6 8.1 https://vulners.com/githubexploit/1AB9F1F4-9798-59A0-9213-1D907E81E7F6 *EXPLOIT*
179F72B6-5619-52B5-A040-72F1CE6CD08 8.1 https://vulners.com/githubexploit/179F72B6-5619-52B5-A040-72F1CE6CD08 *EXPLOIT*
15C36683-070A-5CC1-B21F-5F0B9F94D903 8.1 https://vulners.com/githubexploit/15C36683-070A-5CC1-B21F-5F0B9F94D903 *EXPLOIT*
1337DAY-ID-39674 8.1 https://vulners.com/zdt/1337DAY-ID-39674 *EXPLOIT*
11F020AC-F907-5606-8805-0516E06160EE 8.1 https://vulners.com/githubexploit/11F020AC-F907-5606-8805-0516E06160EE *EXPLOIT*
0FC4BE81-3128-51F4-9098-6608B5C093CD 8.1 https://vulners.com/githubexploit/0FC4BE81-3128-51F4-9098-6608B5C093CD *EXPLOIT*
08165049-2374-5E2A-A27C-008BEA3D13F7 8.1 https://vulners.com/githubexploit/08165049-2374-5E2A-A27C-008BEA3D13F7 *EXPLOIT*
08144020-2B5F-5E89-9286-1AB05477278E 8.1 https://vulners.com/githubexploit/08144020-2B5F-5E89-9286-1AB05477278E *EXPLOIT*
SSV-92570 7.5 https://vulners.com/seebug/SSV-92570 *EXPLOIT*
1337DAY-ID-26576 7.5 https://vulners.com/zdt/1337DAY-ID-26576 *EXPLOIT*
PACKETSTORM:189283 6.8 https://vulners.com/packetstorm/PACKETSTORM:189283 *EXPLOIT*
CVE-2025-26465 6.8 https://vulners.com/cve/CVE-2025-26465
908432B9-49EC-5F45-8096-32981F282254 6.8 https://vulners.com/githubexploit/908432B9-49EC-5F45-8096-32981F282254 *EXPLOIT*
85FCDDC6-9A83-597E-ABAF-FAADA0C4F8D0 6.8 https://vulners.com/githubexploit/85FCDDC6-9A83-597E-ABAF-FAADA0C4F8D0 *EXPLOIT*
1337DAY-ID-39918 6.8 https://vulners.com/zdt/1337DAY-ID-39918 *EXPLOIT*
D104D2BF-ED22-5888-A9B2-3CC562FEB8C0 6.5 https://vulners.com/githubexploit/D104D2BF-ED22-5888-A9B2-3CC562FEB8C0 *EXPLOIT*
CVE-2023-51385 6.5 https://vulners.com/cve/CVE-2023-51385
C07ADB46-2488-5787-B375-9C761F4750A2 6.5 https://vulners.com/githubexploit/C07ADB46-2488-5787-B375-9C761F4750A2 *EXPLOIT*
A88CD03E-67DC-51CC-97FB-AB0CACC6B08C 6.5 https://vulners.com/githubexploit/A88CD03E-67DC-51CC-97FB-AB0CACC6B08C *EXPLOIT*
65815AA1-2ABD-53C1-9499-69EBA3619F1C 6.5 https://vulners.com/githubexploit/65815AA1-2ABD-53C1-9499-69EBA3619F1C *EXPLOIT*
5325A9D6-132B-590C-B0EF-0CB105252732 6.5 https://vulners.com/gitee/5325A9D6-132B-590C-B0EF-0CB105252732 *EXPLOIT*
530326CF-6AB3-5643-AA16-73DC8CB44742 6.5 https://vulners.com/githubexploit/530326CF-6AB3-5643-AA16-73DC8CB44742 *EXPLOIT*
```

```

80/tcp open  http    Apache httpd 2.4.62 ((Debian))
|_http-dombased-xss: Couldn't find any DOM based XSS.
|_http-csrf:
|_Spidering limited to: maxdepth3; maxpagecount=20; withinhost:192.168.1.55
|_Found the following possible CSRF vulnerabilities:
|_
|_Path: http://192.168.1.55:80/manual
|_Form id: wp-block-search_input-2
|_Form action: http://localhost/
|_
|_Path: http://192.168.1.55:80/apache2;repeatmerged=0
|_Form id: wp-block-search_input-2
|_Form action: http://localhost/
|_http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_http-server-header: Apache/2.4.62 (Debian)
|_vulners:
|_cpe:/a:apache:http_server:2.4.62:
|_PACKETSTORM:213257 9.1 https://vulners.com/packetstorm/PACKETSTORM:213257 *EXPLOIT*
|_CVE-2025-23048 9.1 https://vulners.com/cve/CVE-2025-23048
|_CNVD-2025-16610 9.1 https://vulners.com/cnvd/CNVD-2025-16610
|_CVE-2025-58098 8.3 https://vulners.com/cve/CVE-2025-58098
|_CVE-2025-59775 7.5 https://vulners.com/cve/CVE-2025-59775
|_CVE-2025-55753 7.5 https://vulners.com/cve/CVE-2025-55753
|_CVE-2025-53020 7.5 https://vulners.com/cve/CVE-2025-53020
|_CVE-2025-49630 7.5 https://vulners.com/cve/CVE-2025-49630
|_CVE-2024-47252 7.5 https://vulners.com/cve/CVE-2024-47252
|_CVE-2024-43394 7.5 https://vulners.com/cve/CVE-2024-43394
|_CVE-2024-43204 7.5 https://vulners.com/cve/CVE-2024-43204
|_CVE-2024-42516 7.5 https://vulners.com/cve/CVE-2024-42516
|_CNVD-2025-30837 7.5 https://vulners.com/cnvd/CNVD-2025-30837
|_CNVD-2025-30836 7.5 https://vulners.com/cnvd/CNVD-2025-30836
|_CNVD-2025-16614 7.5 https://vulners.com/cnvd/CNVD-2025-16614
|_CNVD-2025-16613 7.5 https://vulners.com/cnvd/CNVD-2025-16613
|_CNVD-2025-16612 7.5 https://vulners.com/cnvd/CNVD-2025-16612
|_CNVD-2025-16609 7.5 https://vulners.com/cnvd/CNVD-2025-16609
|_CNVD-2025-16608 7.5 https://vulners.com/cnvd/CNVD-2025-16608
|_CNVD-2025-16603 7.5 https://vulners.com/cnvd/CNVD-2025-16603
|_0E08753E-C6D7-5E76-A61F-6CA6F7F87AAB 7.5 https://vulners.com/githubexploit/0E08753E-C6D7-5E76-A61F-6CA6F7F87AAB *EXPLOIT*
|_CVE-2025-49812 7.4 https://vulners.com/cve/CVE-2025-49812
|_CVE-2025-65002 6.5 https://vulners.com/cve/CVE-2025-65002
|_CNVD-2025-30833 6.5 https://vulners.com/cnvd/CNVD-2025-30833
|_CVE-2025-66200 5.4 https://vulners.com/cve/CVE-2025-66200
|_CNVD-2025-30835 5.4 https://vulners.com/cnvd/CNVD-2025-30835
|_http-enum:
|_/wp-login.php: Possible admin folder
|_/wp-json: Possible admin folder
|_/robots.txt: Robots file
|_/readme.html: Wordpress version: 2
|_/wp-includes/images/rss.png: Wordpress version 2.2 found.
|_/wp-includes/js/jquery/suggest.js: Wordpress version 2.5 found.
|_/wp-includes/images/blank.gif: Wordpress version 2.6 found.
|_/wp-includes/js/comment-reply.js: Wordpress version 2.7 found.
|_/wp-login.php: Wordpress login page.
|_/wp-admin/upgrade.php: Wordpress login page.
|_/readme.html: Interesting, a readme.
|_/0/: Potentially interesting folder

```

Y encuentro lo siguiente:

Servicio ftp (puerto 21) – vsftpd 3.0.3

```

not shown: 997 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
21/tcp open  ftp      vsftpd 3.0.3
|_vulners:
|_vsftpd 3.0.3:
|_CVE-2021-30047 7.5 https://vulners.com/cve/CVE-2021-30047
|_CVE-2021-3618 7.4 https://vulners.com/cve/CVE-2021-3618

```

Presencia de **CVE-2021-30047** Y **CVE 2021-3618**

Estas vulnerabilidades pueden permitir ataques de denegación de servicios (DoS) o manipulación de datos.. Además el reporte anterior confirmo que permite acceso anónimo. Representando un riesgo de compromiso de integridad de archivos.

```

(kali@kali)-[~]
└─$ ftp 192.168.1.55
Connected to 192.168.1.55.
220 (vsFTPd 3.0.3)
Name (192.168.1.55:kali): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp>

```

Aquí me conecto por ftp tan solo con → [ftp 192.168.1.55](ftp://192.168.1.55)

Me pide un nombre de usuario → Anonymous | contraseña → Password y con tan solo eso ya estaría conectado.


Servicio SSh (Puerto22) OpenSSH 9.2.p1

Presencia de **CVE-2024-6387** conocido como regreSSHion. La cual permite la toma total del control del servidor de forma remota.

1	CVE-2021-3618	7.4	https://vulners.com/cve/CVE-2021-3618	
22/tcp open ssh	OpenSSH 9.2p1 Debian 2+deb12u3 (protocol 2.0)			
vulners:				
cpe:/a:openssh:openssh:9.2p1:				
PACKETSTORM:179290	10.0	https://vulners.com/packetstorm/PACKETSTORM:179290	*EXPLOIT*	
1EEC8894-D2F7-547C-827C-9158E866875C	10.0	https://vulners.com/githubexploit/1EEC8894-D2F7-547C-827C-9158E866875C	*EXPLOIT*	
PACKETSTORM:173661	9.8	https://vulners.com/packetstorm/PACKETSTORM:173661	*EXPLOIT*	
F0979183-AE88-53B4-86CF-3AF0523F3807	9.8	https://vulners.com/githubexploit/F0979183-AE88-53B4-86CF-3AF0523F3807	*EXPLOIT*	
CVE-2023-38408	9.8	https://vulners.com/cve/CVE-2023-38408		
CVE-2023-28531	9.8	https://vulners.com/cve/CVE-2023-28531		
B8190CDB-3EB9-5631-9828-8064A1575823	9.8	https://vulners.com/githubexploit/B8190CDB-3EB9-5631-9828-8064A1575823	*EXPLOIT*	
8FC9C5AB-3968-5F3C-825E-E80B5379A623	9.8	https://vulners.com/githubexploit/8FC9C5AB-3968-5F3C-825E-E80B5379A623	*EXPLOIT*	
8AD01159-548E-546E-AA87-20E89F3927EC	9.8	https://vulners.com/githubexploit/8AD01159-548E-546E-AA87-20E89F3927EC	*EXPLOIT*	
3306233F-98E0-5F75-80FA-81AA6606D1340	9.8	https://vulners.com/githubexploit/3306233F-98E0-5F75-80FA-81AA6606D1340	*EXPLOIT*	
22277290-6700-5C0F-8930-1EEAF0489F0	9.8	https://vulners.com/githubexploit/22277290-6700-5C0F-8930-1EEAF0489F0	*EXPLOIT*	
0221525F-07F5-5790-912D-F4B9E2D1B587	9.8	https://vulners.com/githubexploit/0221525F-07F5-5790-912D-F4B9E2D1B587	*EXPLOIT*	
F8981437-1287-5869-93F1-6570F81DCE59	9.3	https://vulners.com/githubexploit/F8981437-1287-5869-93F1-6570F81DCE59	*EXPLOIT*	
C82926E1-2355-5C82-A42A-D4F72F114F9B	9.3	https://vulners.com/githubexploit/C82926E1-2355-5C82-A42A-D4F72F114F9B	*EXPLOIT*	
80EE261C-33D4-5057-BA46-E4293B705BAE	9.3	https://vulners.com/githubexploit/80EE261C-33D4-5057-BA46-E4293B705BAE	*EXPLOIT*	
6FD8F914-B663-533D-8866-23313FD37804	9.3	https://vulners.com/githubexploit/6FD8F914-B663-533D-8866-23313FD37804	*EXPLOIT*	
PACKETSTORM:190587	8.1	https://vulners.com/packetstorm/PACKETSTORM:190587	*EXPLOIT*	
F82E9ED1-43D7-585C-A197-0D6628B20134	8.1	https://vulners.com/githubexploit/F82E9ED1-43D7-585C-A197-0D6628B20134	*EXPLOIT*	
FA3992CE-9C4C-5350-8134-17126E08D3F	8.1	https://vulners.com/githubexploit/FA3992CE-9C4C-5350-8134-17126E08D3F	*EXPLOIT*	
EFD015F0-8F17-5471-AA83-0F491FD497AF	8.1	https://vulners.com/githubexploit/EFD015F0-8F17-5471-AA83-0F491FD497AF	*EXPLOIT*	
EC2089C2-6857-5848-846A-A9FA30D13EEB	8.1	https://vulners.com/githubexploit/EC2089C2-6857-5848-846A-A9FA30D13EEB	*EXPLOIT*	
E814C006-8092-5F14-A210-AC0B5A1D0572	8.1	https://vulners.com/githubexploit/E814C006-8092-5F14-A210-AC0B5A1D0572	*EXPLOIT*	
E543E274-C20A-582A-8F8E-F8E3F381C345	8.1	https://vulners.com/githubexploit/E543E274-C20A-582A-8F8E-F8E3F381C345	*EXPLOIT*	
E34FCCCE-226E-5A46-9B1C-BCD6EF7D3257	8.1	https://vulners.com/githubexploit/E34FCCCE-226E-5A46-9B1C-BCD6EF7D3257	*EXPLOIT*	
E24EEC0A-40F7-58BC-9E4D-7B13522FF915	8.1	https://vulners.com/githubexploit/E24EEC0A-40F7-58BC-9E4D-7B13522FF915	*EXPLOIT*	
DC18B99A-8857-5EE5-9AC4-3D9D598FC346	8.1	https://vulners.com/githubexploit/DC18B99A-8857-5EE5-9AC4-3D9D598FC346	*EXPLOIT*	
DA18D761-B881-5486-85CB-CFD73CE33621	8.1	https://vulners.com/githubexploit/DA18D761-B881-5486-85CB-CFD73CE33621	*EXPLOIT*	
D8974199-6808-5895-9610-919F71468F23	8.1	https://vulners.com/githubexploit/D8974199-6808-5895-9610-919F71468F23	*EXPLOIT*	
D52370EF-02EE-507D-9212-2D8EAB6CBA94	8.1	https://vulners.com/githubexploit/D52370EF-02EE-507D-9212-2D8EAB6CBA94	*EXPLOIT*	
CVE-2024-6387	8.1	https://vulners.com/cve/CVE-2024-6387		
CFE877AF-651A-5302-80B8-F8146D5B33A6	8.1	https://vulners.com/githubexploit/CFE877AF-651A-5302-80B8-F8146D5B33A6	*EXPLOIT*	
CF6B6D50-F71D-5870-B671-D6A0A9A95627F	8.1	https://vulners.com/githubexploit/CF6B6D50-F71D-5870-B671-D6A0A9A95627F	*EXPLOIT*	
C623D558-C162-5D17-88A5-4799A28E0081	8.1	https://vulners.com/githubexploit/C623D558-C162-5D17-88A5-4799A28E0081	*EXPLOIT*	
C582D4A1-8C3B-5FF7-B620-ED2E70B027A0	8.1	https://vulners.com/githubexploit/C582D4A1-8C3B-5FF7-B620-ED2E70B027A0	*EXPLOIT*	
C185263E-36E7-5550-B9C0-AB9C15351960	8.1	https://vulners.com/githubexploit/C185263E-36E7-5550-B9C0-AB9C15351960	*EXPLOIT*	
B0A609DA-6936-50DC-A325-19FE2C68562	8.1	https://vulners.com/githubexploit/B0A609DA-6936-50DC-A325-19FE2C68562	*EXPLOIT*	
BA3887BD-F579-53B1-4A44-FF49E953E1C0	8.1	https://vulners.com/githubexploit/BA3887BD-F579-53B1-4A44-FF49E953E1C0	*EXPLOIT*	
B1F444E0-F217-5FC0-B266-EBD48589940F	8.1	https://vulners.com/githubexploit/B1F444E0-F217-5FC0-B266-EBD48589940F	*EXPLOIT*	
92254168-3826-54C9-B98E-B487563586B5	8.1	https://vulners.com/githubexploit/92254168-3826-54C9-B98E-B487563586B5	*EXPLOIT*	
91752937-D1C1-5913-A96F-72F8B8AB4280	8.1	https://vulners.com/githubexploit/91752937-D1C1-5913-A96F-72F8B8AB4280	*EXPLOIT*	
90104C60-A887-5437-8521-545277685F55	8.1	https://vulners.com/githubexploit/90104C60-A887-5437-8521-545277685F55	*EXPLOIT*	
89F968AB-1624-5185-B09E-E771D918D1E6	8.1	https://vulners.com/githubexploit/89F968AB-1624-5185-B09E-E771D918D1E6	*EXPLOIT*	
81F0C05A-8650-5D88-97E9-0D89F1807E5D	8.1	https://vulners.com/githubexploit/81F0C05A-8650-5D88-97E9-0D89F1807E5D	*EXPLOIT*	
7C7167AF-E780-5506-BEFA-02E3362EBE48	8.1	https://vulners.com/githubexploit/7C7167AF-E780-5506-BEFA-02E3362EBE48	*EXPLOIT*	
79F61E07-E830-5978-A12E-AB81F6ECC0AC	8.1	https://vulners.com/githubexploit/79F61E07-E830-5978-A12E-AB81F6ECC0AC	*EXPLOIT*	
795762E3-BABA-54C6-B677-83B0AC2B163	8.1	https://vulners.com/githubexploit/795762E3-BABA-54C6-B677-83B0AC2B163	*EXPLOIT*	
774022B8-71DA-57CA-988F-E21D667DE4BC	8.1	https://vulners.com/githubexploit/774022B8-71DA-57CA-988F-E21D667DE4BC	*EXPLOIT*	
743E5025-3888-5ECA-AC44-2AA679730661	8.1	https://vulners.com/githubexploit/743E5025-3888-5ECA-AC44-2AA679730661	*EXPLOIT*	
73A19EF9-346D-5828-9792-05D9FE3414E2	8.1	https://vulners.com/githubexploit/73A19EF9-346D-5828-9792-05D9FE3414E2	*EXPLOIT*	
6E81EAE5-2156-5ACB-9046-D792C7FAF698	8.1	https://vulners.com/githubexploit/6E81EAE5-2156-5ACB-9046-D792C7FAF698	*EXPLOIT*	
6878D204-2280-5D11-8A0C-6313958B473F	8.1	https://vulners.com/githubexploit/6878D204-2280-5D11-8A0C-6313958B473F	*EXPLOIT*	
65650BAD-813A-565D-953D-2E7932B26094	8.1	https://vulners.com/githubexploit/65650BAD-813A-565D-953D-2E7932B26094	*EXPLOIT*	
649197A2-0224-585C-9C4E-B5791D42A9FB	8.1	https://vulners.com/githubexploit/649197A2-0224-585C-9C4E-B5791D42A9FB	*EXPLOIT*	
61D0EE4F-2146-5E84-9804-B780AA73E33C	8.1	https://vulners.com/githubexploit/61D0EE4F-2146-5E84-9804-B780AA73E33C	*EXPLOIT*	
608FA50C-AEA1-5A83-8297-A15FC7D32A7C	8.1	https://vulners.com/githubexploit/608FA50C-AEA1-5A83-8297-A15FC7D32A7C	*EXPLOIT*	
5D2CB1F8-DC04-5545-8BC7-29EE3DA8B89E	8.1	https://vulners.com/githubexploit/5D2CB1F8-DC04-5545-8BC7-29EE3DA8B89E	*EXPLOIT*	
5C81C5C1-22D4-5593-8843-5A9A60AA86FD	8.1	https://vulners.com/githubexploit/5C81C5C1-22D4-5593-8843-5A9A60AA86FD	*EXPLOIT*	
53BCD84F-B022-5C9D-9586-4B83627AB37F	8.1	https://vulners.com/githubexploit/53BCD84F-B022-5C9D-9586-4B83627AB37F	*EXPLOIT*	
4F801800-F993-5CAF-BD57-D7E290D10C1F	8.1	https://vulners.com/githubexploit/4F801800-F993-5CAF-BD57-D7E290D10C1F	*EXPLOIT*	
48603E8F-B170-57EE-85B9-67A709504891	8.1	https://vulners.com/githubexploit/48603E8F-B170-57EE-85B9-67A709504891	*EXPLOIT*	
4748B283-C2F6-5924-8241-342F98EC2EE	8.1	https://vulners.com/githubexploit/4748B283-C2F6-5924-8241-342F98EC2EE	*EXPLOIT*	
452ADB71-199C-561E-B949-FCDE6288B925	8.1	https://vulners.com/githubexploit/452ADB71-199C-561E-B949-FCDE6288B925	*EXPLOIT*	
331B2B7F-FB25-55D8-B744-602E42448D87	8.1	https://vulners.com/githubexploit/331B2B7F-FB25-55D8-B744-602E42448D87	*EXPLOIT*	
1FFDA397-F480-5C74-90F3-060E1F1E1B2E	8.1	https://vulners.com/githubexploit/1FFDA397-F480-5C74-90F3-060E1F1E1B2E	*EXPLOIT*	
1FA2B3DD-FC8F-5602-A1C9-2CF3F9536563	8.1	https://vulners.com/githubexploit/1FA2B3DD-FC8F-5602-A1C9-2CF3F9536563	*EXPLOIT*	
1F7A6000-9E6D-511C-B0F6-7CADB7200761	8.1	https://vulners.com/githubexploit/1F7A6000-9E6D-511C-B0F6-7CADB7200761	*EXPLOIT*	
1CF00B88-B891-5347-A2DC-2C6A8BFF7C99	8.1	https://vulners.com/githubexploit/1CF00B88-B891-5347-A2DC-2C6A8BFF7C99	*EXPLOIT*	
1A89F1F4-9798-59A0-9213-1D907E81E7F6	8.1	https://vulners.com/githubexploit/1A89F1F4-9798-59A0-9213-1D907E81E7F6	*EXPLOIT*	
179F72B6-5610-52B5-A048-72F1EC6EC0D8	8.1	https://vulners.com/githubexploit/179F72B6-5610-52B5-A048-72F1EC6EC0D8	*EXPLOIT*	
15C36683-070A-5CC1-821F-5F0BF974D9D3	8.1	https://vulners.com/githubexploit/15C36683-070A-5CC1-821F-5F0BF974D9D3	*EXPLOIT*	
1337DAY-ID-39674	8.1	https://vulners.com/zdt/1337DAY-ID-39674	*EXPLOIT*	
11F020AC-F907-5606-8805-0516E06160EE	8.1	https://vulners.com/githubexploit/11F020AC-F907-5606-8805-0516E06160EE	*EXPLOIT*	
0FC4BE81-3128-51F4-9D9B-66D8B5C093CD	8.1	https://vulners.com/githubexploit/0FC4BE81-3128-51F4-9D9B-66D8B5C093CD	*EXPLOIT*	
08165049-2374-5E2A-A27C-008BEA3D13F7	8.1	https://vulners.com/githubexploit/08165049-2374-5E2A-A27C-008BEA3D13F7	*EXPLOIT*	
08144020-2B5F-5EB9-9286-1ABD5477278E	8.1	https://vulners.com/githubexploit/08144020-2B5F-5EB9-9286-1ABD5477278E	*EXPLOIT*	
SSV:92579	7.5	https://vulners.com/seebug/SSV:92579	*EXPLOIT*	
1337DAY-ID-26576	7.5	https://vulners.com/zdt/1337DAY-ID-26576	*EXPLOIT*	
PACKETSTORM:189283	6.8	https://vulners.com/packetstorm/PACKETSTORM:189283	*EXPLOIT*	
CVE-2025-26465	6.8	https://vulners.com/cve/CVE-2025-26465		
9D8432B9-40EC-5F45-BB96-329B1F2B2254	6.8	https://vulners.com/githubexploit/9D8432B9-40EC-5F45-BB96-329B1F2B2254	*EXPLOIT*	
85FCDCC6-9A03-597E-AB4F-FAADAC04F8D0	6.8	https://vulners.com/githubexploit/85FCDCC6-9A03-597E-AB4F-FAADAC04F8D0	*EXPLOIT*	
1337DAY-ID-39918	6.8	https://vulners.com/zdt/1337DAY-ID-39918	*EXPLOIT*	
D104D2BF-ED22-5888-A9B2-3CCC562FE8C0	6.5	https://vulners.com/githubexploit/D104D2BF-ED22-5888-A9B2-3CCC562FE8C0	*EXPLOIT*	
CVE-2023-51385	6.5	https://vulners.com/cve/CVE-2023-51385		
C07ADB46-24B8-57B7-B375-9C761F4750A2	6.5	https://vulners.com/githubexploit/C07ADB46-24B8-57B7-B375-9C761F4750A2	*EXPLOIT*	
A88CDD3E-67CC-51CC-97FB-AB0CACB6B08C	6.5	https://vulners.com/githubexploit/A88CDD3E-67CC-51CC-97FB-AB0CACB6B08C	*EXPLOIT*	
65B15AA1-2A80-53C1-9499-69EB8A3619FC	6.5	https://vulners.com/githubexploit/65B15AA1-2A80-53C1-9499-69EB8A3619FC	*EXPLOIT*	
5325A9D6-1328-590C-B0EF-0CB105252732	6.5	https://vulners.com/gitee/5325A9D6-1328-590C-B0EF-0CB105252732	*EXPLOIT*	
530326CF-6A83-5643-AA16-73DC8C844742	6.5	https://vulners.com/githubexploit/530326CF-6A83-5643-AA16-73DC8C844742	*EXPLOIT*	
CVE-2023-48795	5.9	https://vulners.com/cve/CVE-2023-48795		
CVE-2023-51384	5.5	https://vulners.com/cve/CVE-2023-51384		
CVE-2025-32728	4.3	https://vulners.com/cve/CVE-2025-32728		
CVE-2025-61985	3.6	https://vulners.com/cve/CVE-2025-61985		
CVE-2025-61984	3.6	https://vulners.com/cve/CVE-2025-61984		
B7EACB4F-A5CF-5C5A-809F-E03CCE2AB150	3.6	https://vulners.com/githubexploit/B7EACB4F-A5CF-5C5A-809F-E03CCE2AB150	*EXPLOIT*	
4C6E2182-0E99-5626-83F6-1646D0648C57	3.6	https://vulners.com/githubexploit/4C6E2182-0E99-5626-83F6-1646D0648C57	*EXPLOIT*	
PACKETSTORM:140261	0.0	https://vulners.com/packetstorm/PACKETSTORM:140261	*EXPLOIT*	

Servicio HHTP (Puerto 80) Apache 2.4.62

El servidor web aloja una versión de wordpress obsoleta con múltiples vectores de ataque para el secuestro de sesiones y ejecución de scripts maliciosos.



También se observa que tiene expuesto los directorios y tiene permisos 755 que no debería mostrar.


suponiendo que entramos por ssh que nos da acceso root

Ejecutamos el comando → `ls -l /var/www/html/wp-config.php`


```
debian@debian:~$ ls -l /var/www/html/wp-config.php
-rwxrwxrwx 1 www-data www-data 3017 Sep 30 2024 /var/www/html/wp-config.php
debian@debian:~$
```

Y nos muestra que tenemos permisos de ejecución y lectura del archivo, quedando expuesto.


Otra solución que he aplicado es la de modificar el archivo .htaccess



Aplicando el **option -indexes** que es la regla para evitar que listen los archivos



Como se ve aquí.



Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Apache/2.4.62 (Debian) Server at 192.168.1.55 Port 80

MariaDB (Puerto 3306) - Credenciales Débiles:

Se detectaron usuarios con contraseñas por defecto o extremadamente cortas.

Permite el compromiso total de la información almacenada en WordPress y posible escalada de privilegios.

Simulacion de la explotación.

Utilizando el exploit para **CVE-2024-6387**, un atacante podría enviar paquetes diseñados al puerto 22 para interrumpir el proceso de autenticación y obtener una shell de root

```
(kali㉿kali)-[~]  
$ nc -vn 192.168.1.55 22  
(UNKNOWN) [192.168.1.55] 22 (ssh) open  
SSH-2.0-OpenSSH_9.2p1 Debian-2+deb12u3  
  
(kali㉿kali)-[~]  
$
```

Esta captura confirmam que el servior es vulnerable a regrewSSHion.

Ahora simulamos que hacemos el regreSSHion y podria extraer las credenciales de la base de datos con el siguiente **comando**:

cat /var/www/html/wp-config.php | grep -E 'DB_USER|DB_PASSWORD'

```
valid_lft forever preferred_lft forever  
debian@debian:~$ cat /var/www/html/wp-config.php | grep -E 'DB_USER|DB_PASSWORD'  
define( 'DB_USER', 'wordpressuser' );  
define( 'DB_PASSWORD', '123456' );  
debian@debian:~$
```

Una vez obtenido las credenciales podemos accedes a mariadb y podremos ejecutar lo siguiente:

```

Type help, or hit F1 for help. Type \c to clear the current
MariaDB [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
| wordpress |
+-----+
5 rows in set (0.003 sec)

MariaDB [(none)]>

```

```

MariaDB [(none)]> SELECT user, host FROM mysql.user;
+-----+-----+
| User | Host |
+-----+-----+
| mariadb.sys | localhost |
| mysql | localhost |
| root | localhost |
| user | localhost |
| wordpressuser | localhost |
+-----+-----+
5 rows in set (0.001 sec)

MariaDB [(none)]> █

```

Medidas de Corrección Aplicadas

Para cerrar los vectores de ataque demostrados, se deben ejecutar y documentar estas acciones:

Vulnerabilidad	Acción de Mitigación	Comando Sugerido
SSH (regreSSHion)	Parchear y deshabilitar acceso Rot	sudo apt install --only-upgrade openssh-server.

Vulnerabilidad	Acción de Mitigación	Comando Sugerido
FTP Anónimo	Deshabilitar acceso anónimo en vsftpd.conf	Lo recomendable seria editar el /etc/vsftpd.conf y cambiar anonymus_enable=Yes por NO
Permisos Web	Restringir lectura de credenciales	sudo chmod 600 /var/www/html/wp-config.php