Hachem BENYAHIA
Cristian GHITU

Compte-rendu IA04 - TD6
Requêtes SPARQL

---

1. Rendre la base de connaissance créée durant les TDs 5 et 6.

```
1   td5:randomTopic1    rdf:type            foaf:topic.
2   td5:randomTopic2    rdf:type            foaf:topic.
3   td5:randomTopic3    rdf:type            foaf:topic.
4
5   td5:a               rdf:type            foaf:Person;
6                       foaf:firstName      "A";
7                       foaf:family_name    "AA";
8
9                       foaf:knows          td5:b;
10                      foaf:knows          td5:c;
11                      foaf:knows          td5:d;
12
13                      foaf:topic_interest td5:randomTopic1;
14                      foaf:topic_interest td5:randomTopic2;
15                      foaf:topic_interest td5:randomTopic3.
16
17  td5:b               rdf:type            foaf:Person;
18                      foaf:firstName      "B";
19                      foaf:family_name    "BB";
20
21                      foaf:knows          td5:a;
22                      foaf:knows          td5:c;
23                      foaf:knows          td5:d;
24
25                      foaf:topic_interest td5:randomTopic1;
26                      foaf:topic_interest td5:randomTopic2;
27                      foaf:topic_interest td5:randomTopic3.
28
29  td5:c               rdf:type            foaf:Person;
30                      foaf:firstName      "C";
31                      foaf:family_name    "CC";
32
33                      foaf:knows          td5:a;
34                      foaf:knows          td5:b;
35                      foaf:knows          td5:e;
36
37                      foaf:topic_interest td5:randomTopic1;
38                      foaf:topic_interest td5:randomTopic2;
```

```
39                    foaf:topic_interest      td5:randomTopic3.
40
41 td5:d               rdf:type                 foaf:Person;
42                    foaf:firstName           "D";
43                    foaf:family_name         "DD";
44
45                    foaf:knows               td5:a;
46                    foaf:knows               td5:b;
47                    foaf:knows               td5:c;
48
49                    foaf:topic_interest      td5:randomTopic1;
50                    foaf:topic_interest      td5:randomTopic2;
51                    foaf:topic_interest      td5:randomTopic3.
52
53 td5:e               rdf:type                 foaf:Person;
54                    foaf:firstName           "E";
55                    foaf:family_name         "EE";
56
57                    foaf:knows               td5:b;
58                    foaf:knows               td5:c;
59                    foaf:knows               td5:d;
60
61                    foaf:topic_interest      td5:randomTopic1;
62                    foaf:topic_interest      td5:randomTopic2;
63                    foaf:topic_interest      td5:randomTopic3.
```

2. Donner l'architecture agent, les behaviours et un exemple de message échangés lors de la réponse envisagée à la question de l'étape 4.