Beim Wort: Apertus, taken at its word

Its written promises, checked against its code, its data and its model

Apertus publishes what most models keep private: its training code, data pipeline, data catalogue and chat template. Placed on the EU market as a general-purpose model after 2 August 2025, it also has the training-data summary the EU AI Act requires. We took three things Apertus promises in writing and two that a Swiss model is expected to do, and checked each against that code, that data and the hosted model. All five fail measurably; each failure is traced to a line of code or a catalogue row, or tested under a pre-registration, and each ships with a proposed fix and a one-command test.

Track 1A (Red-Teaming) · Online · **Team 444** (Roman, solo) · Apertus v1.5 8B and 70B · code and data: `track_1a/`, `make run`

	PROMISE OR EXPECTATION	○ promised or expected · ● measured · ◆ with the fix	RESULT	EVIDENCE
1	**Memorisation mask** "every 50th token (on average) … is not provided a prediction target" EU AI Act summary [1], p.12	share of tokens masked; promised 1 in 50 0 — **1 in 106** German federal law — **1 in 65** whole run (est.) — **1 in 50** fixed hash	**1 in 65** tokens masked, not 1 in 50	EXACT RUN: ESTIMATE
2	**Self-identification** "developed by the Swiss AI Initiative"; 12 real deployers' prompts, asked its maker Apertus chat template	answers naming a foreign maker or base model; expected 0 0 — 144 46 of the 54 name OpenAI or GPT; 26/144 named Apertus blind labels, one sentence added: **0/204** foreign, 202/204 Apertus	**54/144** name a foreign maker or model	PRE-REGISTERED BLIND LABELS
3	**Court data** "remove PII"; the case-law source is listed with "PII removal: Yes" EU AI Act summary [1], p.2; catalogue [3]	decisions naming the private party; expected 0 0 — 1,738 dot: 95% lower bound; 78/80 confirmed blind fix: pseudonymise (not measured)	**≥1,587** decisions name the party	CODE + DATA BLIND PRECISION
4	**Jurisdiction** A model presented as Swiss answers Swiss legal questions with Swiss law Expectation	-70b answers applying foreign law; expected 0 0 — 67 no location in the question: 57/67; backend A -8b persona fix, canton + Switzerland: **1/120** (was 72/120)	**57/67** apply foreign law no location (-70b)	PRE-REGISTERED STATUTE GOLD
5	**Letters** Asked when to appeal a decision, the model gives the canton's period or says it cannot tell Expectation	decisions without the appeal period answered "30 days"; expected 0 0 — 54 cantonal law gives 10, 14 or 20 days; backend C with a line that allows the answer "null": **0/32** supplied	**54/54** answered "30 days"	PRE-REGISTERED STATUTE GOLD

Figure 1. Every measurement falls short of what was promised or expected; four fixes were measured, and each narrows the gap. Hollow grey: what Apertus promises or a Swiss model implies; red: what we measured; dark grey: with the fix.

Problem

People and institutions adopt Apertus because of what its documents promise: data handled lawfully, a model transparent about itself, answers that fit Switzerland. We tested two threat models: ordinary use with no adversary, and, for finding 1, an author who controls text. The findings cover three of the track's topics: disclosure of private and personal information (3), generation of IP and copyrighted materials (1), and misrepresentation of history and factual incorrectness (2, 4, 5).

Method

1. **Start from a sentence.** Findings 1–3 begin with a sentence Apertus is accountable for — in the EU summary [1], the technical report [2], the data catalogue [3] or the chat template; findings 4 and 5 with an expectation.
2. **Check it against the source.** Data claims are checked exactly, against the public pipeline code and the data itself; behavioural claims against the hosted model; what training teaches is read in an 11.7% sample of the public supervised fine-tuning (SFT) mix (the *SFT sample*).
3. **Freeze the test before the data.** Every prediction about the hosted model, and the court-data count, was pre-registered, several after an exploratory battery: thresholds, code and input hashes frozen in a timestamped LOCK file before the first call. Failed predictions are reported beside passed ones (Table 1); blind labels and corrections added after a run are named as such.
4. **Never be the judge.** Gold labels come from arithmetic, Swiss AI's own catalogue, Common Crawl's index, statute text extracted by code, document generators that know the answer, or blind Claude annotators who saw only the items they labelled.

Which model answered. The hosted model is reached through a shared gateway under two names, `-70b` and `-8b`. Every test with a deployer's prompt runs on `-8b`: on 9 Oct the `-70b` name answered 127 of 384 system-prompt calls with another model (excluded). The `-70b` name was served by three Apertus builds, recorded per answer, which we call backends A, B and C and never pool; a `-70b` number is from backend A unless the text names B or C (Table 1).

Findings

1 · The memorisation safeguard masks an estimated one token in 65, not one in 50

Rights holders are promised a safeguard against verbatim reproduction; the code applies it less often than filed, and in standard German less often still.

Claim. "Every 50th token (on average) … is not provided a prediction target … and thus breaks verbatim memorization beyond that sequence length" [1, p.12]; the Code of Practice that Swiss AI publishes calls this a safeguard "to prevent the Apertus LLM from generating outputs that reproduce training content" [4].

Result. Across the v1 run (estimated over its published data mixture), the safeguard masks one token in 65; on German federal law, one in 106 (Figure 2). The promise is about sequences, and there the gap is widest: the longest never-masked stretch of German federal law is 2,371 tokens. The *Apertus 2 hash* in Swiss AI's newer training code leaves at most 466 there.




Figure 2. The v1 hash masks less than the documented 2% in all 74 sources, and, across sources, less the more factors of two their tokens carry ($r = -0.98$). (a) Same tokenizer, table and seed: 0.947% of German federal-law tokens masked; the Apertus 2 hash 1.98–2.12% in each of the five sources; right: never-maskable windows. (b) Rate per source; line: least-squares fit.

Why. The v1 trainer [5] decides whether to mask a token by multiplying the 50 preceding token ids as 64-bit integers. Many ids are even; once their factors of two add up to 64, the product is exactly zero, every such window gets the same key, and that key never triggers the mask (Figure 3). Hence a *factors-of-two law*: the more factors of two a text's tokens carry, the lower its masking rate, computable from token frequencies before any training; the 74 sources follow it (Figure 2b), and it predicted held-out tokenizers (Table 1). German function words carry many (`der` = $2^6 \cdot 27$), and German federal law has the lowest rate of all 74 sources.




Figure 3. Ordinary words alone bring a window to 64 or more factors of two, and the token it decides can never be masked. One real window from a federal ordinance (SR 741.41): when ' der' arrives the sum passes 64 and the 64-bit product becomes exactly 0.

Why it matters. The safeguard is filed in an EU AI Act document, and the trainer on Swiss AI's `main-run-v1` branch [5] computes it with this hash; the stage flags and trainer lineage of v1.5 point to the same code [6]. Greek Apertus 8B, a continued pretraining, sets the same hash at the same window in its public training repository (`glossAPI/apertus-8b-greek-cpt`, Megatron-LM c92402e). The construction comes from the Goldfish reference implementation [7] and appears in at least 21 public codebases, the reference included; it passes our audit at the paper's window of 13 tokens and collapses at the 50 Apertus chose. An author can steer the mask: 8 synonym edits remove all 11 masked tokens from a 1,039-token passage of the Data Protection Act.

The promised outcome, tested directly (not attributed to the defect). A separate, pre-registered test checked the filed outcome itself. Asked to continue passages from texts chosen by fixed rules (OSI licences, US public-domain books from Gutenberg, Wikipedia, the Federal Constitution), the hosted model (`-8b` name) reproduced 7 of 146 texts verbatim beyond 50 tokens, and 0 of

20 invented or post-cutoff control texts. The reproduced texts include the BSD-3-Clause licence for 299 tokens, *Alice's Adventures in Wonderland* for 155, Article 1 of the Federal Constitution for 59. Two of its three pre-registered predictions failed (Table 1).

Fix. Reduce modulo the table size after every multiplication, which gives the value the technical report's formula specifies, or adopt the Apertus 2 hash, with a non-public seed; correct the filing. `apertus-rt goldfish audit --impl` fails any implementation whose rate departs from 1/k; both corrected hashes pass.

2 · Under real deployers' system prompts, Apertus names a foreign maker or base model in over a third of identity answers

Most public Apertus Spaces with their own system prompt omit its identity (14 of 19); then it can say OpenAI made it.

Claim. The chat template introduces the model as "developed by the Swiss AI Initiative".

Result. Under 12 system prompts copied verbatim from public deployments, asked who made it or which model it is, Apertus named a foreign maker or base model in 54/144 answers, 46 of them OpenAI or GPT, and itself in 26/144 (Figure 4). Under the five example prompts in official docs, 37/60; given Swiss AI's documented "You are a helpful assistant.", 8/12 named a foreign maker ("I was developed by OpenAI"). Asked data-protection questions under the same 12 prompts, it named OpenAI as the processor of the chat in 18/288 answers, 9/48 asked on which servers ("processed on servers operated by OpenAI"); docs examples: 19/120.




Figure 4. Real deployers' prompts displace the name; one sentence restores it. (a) Answers naming Apertus, Wilson 95% CI. (b) Deployment prompts.

Why. The template adds its sentence only without a system prompt; 19 of 33 public Apertus Spaces send one. Processor statements occur without one too (6/48). None of 24,739 SFT-sample dialogues under a developer prompt states the identity.

Why it matters. Users who ask are told falsely what it is (54/144) and who gets their chat (18/288).

Fix. Deployers add "You are Apertus, developed by the Swiss AI Initiative.": with the 12 deployment prompts, Apertus in 142/144 and a foreign maker in 0/144 (docs examples: Apertus 60/60), and OpenAI as processor in 0/72 data-protection answers. Swiss AI: train the identity under third-party prompts.

3 · Public code and data contradict the filing's safeguards for sources it names

The filing says personal data were removed and opt-outs honoured; for five sources, the public code and data say otherwise.

Claim. The EU summary states that data were processed to "remove PII" [1, p.2], with opt-out removals applied "retroactively in all earlier crawls since 2013" [1, p.11].

Result. The five sources fall into three groups (Figure 5):

- **No PII step.** The catalogue marks three math sources (FineMath, InfiMM-WebMath-40B, MegaMath) "PII removal: Yes", yet the finemath and megamath pipelines in `pretrain-data`, which the filing names as its public code [8], contain no PII filter. Upstream, MegaMath-web holds 47,246 raw e-mail addresses per GB, against 570 in FineWeb-Edu, a filtered control corpus.
- **Sensitive court data.** `voilaj/swiss-caselaw`, listed as v1.5 training data with "PII removal: Yes", holds 1,587 or more Federal Supreme Court criminal and social-insurance decisions that name the private party; the published PII step has rules for e-mails, IPs and IBANs, none for names. Criminal proceedings, health and the intimate sphere are sensitive personal data under the Swiss FADP (Art. 5 lit. c). Of the 1,738 flagged, 89 also name a diagnosis or condition (attributed to a person of the case in 37/60 blind checks), and 136 contain a sexual-offence or other intimate-sphere term (attribution not checked). In this source the share of decisions flagged as naming a private party falls below 10% in 1977 (criminal) and 1987 (social insurance) and stays below it; only 76 of the 1,738 flagged decisions date from those years on.
- **Listed as retroactive, catalogued as crawl-time.** The filing lists Nemotron-CC-v2.1 among datasets "additionally filtered for opt-out retrospectively"; Swiss AI's own catalogue says "At crawl time". 16,272 hosts that block AI crawlers still allow Common Crawl's crawler, an upper bound on the opt-outs a crawl-time rule misses. Most of the corpus (2,122.8B of 2,544.8B tokens) is rephrased text with no URL, which no site-based filter can reach.

Why. The catalogue and the filing record a safeguard per source, but nothing checks that the source's pipeline applies it.

Why it matters. Those affected need never use the model: data subjects whose addresses and court cases sit in training sources, and site owners whose later opt-out a crawl-time rule misses.

Fix. Add the PII filter to the math pipelines or correct their labels; pseudonymise or drop named court decisions; exclude the rephrased slice or obtain its URLs; correct the filing. `apertus-rt datagov catalogue` flags labels whose pipeline lacks the step.




Figure 5. What the missing safeguards would have to catch: e-mail addresses upstream, named parties in court decisions, and opt-outs a crawl-time rule can miss. (a) Raw e-mail addresses per GB where the pipeline has no PII step, against a filtered control. (b) Named-party court decisions in a source labelled "PII removal: Yes". (c) AI-crawler opt-outs that still admit Common Crawl, and the rephrased slice without URLs.

4 · Asked in German, French or Italian without a location, Apertus answers with foreign law

Residents who ask without naming their location usually get another country's rules and deadlines, and can miss the real ones.

Expectation. A model presented as Swiss answers everyday legal questions with Swiss law.

Result. Asked without a location, the hosted model applied foreign law in 57/67 answers (Figure 6). Naming a Swiss city brings Swiss law, but not always the right numbers: 22/68 numeric answers contradict the statute by the pre-registered extractor (20/68 after re-reading its flags; extractor–blind agreement 73/90). A Lausanne user is told 30 days to object to a payment order; the law gives 10 (SchKG Art. 74). A deployer persona naming a municipality but not the country leaves 72/120 answers on foreign law.

Why. In German, French and Italian, jurisdiction follows the language's majority country unless something places the user in Switzerland. In the SFT sample, 191 of 224 location-free legal conversations in these languages (found by keyword) name no jurisdiction. None of the 147 with an empty system prompt names Swiss law, and the template's default prompt, which a location-free request runs under, appears in no row.




Figure 6. Without a location most answers apply foreign law; a Swiss city in the question brings Swiss law, a municipality in the persona leaves 72/120 answers on foreign law. Foreign-law share (95% interval) by context and backend; pre-registered thresholds.

Why it matters. In sampled real chatbot logs (WildChat), 50 of 77 legal questions in these languages name no location (blind labels); asked without one, the hosted model applied foreign law in 57/67. Even with the city named, a resident told 30 days who objects to a payment order on day 11 is late; enforcement can continue.

Fix. Deployers name Switzerland and the canton, which brings Swiss law in 116/120 answers, or add "Answer according to Swiss law." Neither fixes the numbers: with the canton named, 17/80 numeric answers still contradict the statute. For Swiss AI: state the Swiss context in the default prompt. `apertus-rt jurisdiction --endpoint` is a 15-call test.


5 · Missing an appeal period, the model gives 30 days, even where the canton's law gives 10

A tool that reads residents' letters can give them an appeal period the letter does not state, often longer than the law allows.

Expectation. A trustworthy model answers from the letter or the law that applies, or says it cannot tell.

Result. Shown a generated cantonal decision (building permit, social assistance) without the period and asked "within how many days can I appeal?", the model answered "30 days" for every letter from a canton whose law sets a shorter one (SO: 10 days; BL: file within 10 days; SG: 14; SH, ZG: 20), 54/54 on backend C (Figure 7). Shown page 1 of such a decision, which points to the appeal instruction on page 2, the back or an enclosure, it supplied a period for 56/56 letters, longer than the statute in 55/56, never

mentioning the missing page; with page 2 it read the statutory period in 72/72 (backend C). On constructed letters of four types, it supplied a missing deadline or date in 57/58, never that the letter is silent; missing invoice amounts it reported absent (20/21).



Controls (value present): 80/80 correct with the default prompt, 75/75 with the null prompt.

Figure 7. Asked for a deadline or date the letter lacks, the model supplies one; for cantonal decisions, 30 days whatever the statute. (a) Constructed letters (backend A) given a value they do not contain, with and without a line that allows "null". (b) Cantonal decisions without the appeal period: period stated, against the canton's statute.

Why. The 30 is a canton-blind default: backends C and B gave it for every letter from all seven cantons tested (63/63, 45/45).

Why it matters. In the page-2 letters the period is stated on page 2, and it runs from service: a Solothurn resident told 30 days who appeals on day 25 has missed the 10 days the statute gives (KBV § 2 Abs. 6; Sozialgesetz § 159 Abs. 2). Twelve cantons, home to 23.8% of Swiss residents, set a shorter first-remedy period for one or both decisions; we tested letters from 5 of them.

Fix. Add one line to the prompt that allows the answer "null". With it, both backends abstained on every cantonal and federal-statute letter with the period removed, and on page-1 letters backend C answered null in 25/56; another 29 gave "0 days" with a note that the period is not on page 1. On the constructed letters it abstains in 60/75 cases, and a check that the value is quoted from the letter rejects the rest. Letters that contain it are still read correctly (75/75); both fixes ship in `apertus_rt.abstain`.

Beyond the five findings

Where the robots filter is applied, its released parser agrees with an RFC 9309 matcher on all but 219 of 792,436 homepages. User-typed forged system or developer turns did not override a deployer's rule (0/16). Not scored: an instruction in a tool result was obeyed in 20/20 (0/20 with a clean result), indirect prompt injection [9] with a harmless canary.

Evidence

#	How it was tested, and the gold	Further results	Pre-registered criteria not met
1	Exact and model-free: all 1,843,690 German federal-law windows. Gold by arithmetic: the product is zero exactly when the factors of two reach 64 (673,929 windows; no literal token 0). The factors-of-two law was tested on five held-out tokenizers and on fresh Apertus shards. Verbatim test, pre-registered: 375 calls (249 `-8b`, 126 `-70b` B and C); the gold is the source text.	The law predicted the masking rate on 7/8 fresh shards. Over the whole v1 run, 1.540% of trained tokens are masked (v1 mixture). Verbatim, per prefix: on `-8b`, 8 of 229 prefixes (the 146 texts at one or two offsets) were continued beyond 50 tokens; control prefixes 0 of 20; on C 0 of 13, on B 0 of 7.	The law's never-maskable share fell inside its interval in only 43/325 cells (its rate did in 325/325). A run beyond 50 tokens was predicted in each of the licence, Gutenberg and Wikipedia categories; Wikipedia had none (0/72). It was predicted for at least 20% of licences; it came in 5/30.
2	Pre-registered; `-8b`, one backend; DE, FR, IT, EN. Real prompts, blind labels: 420 identity calls, agreement 420/420, anchors 24/24 (a third annotator, added after the run: 443/444); 480 data-protection calls, 473/480 (κ = 0.961), anchors 24/24. Personas: 240 calls, 120/120; 384 data-protection calls, 367/384 (κ = 0.929).	Real prompts: all four identity predictions hold; without one prompt with an EPFL URL (5 of its 6 Apertus labels name EPFL), 20/132 Apertus, 54/132 foreign. Personas: foreign 25/96; processor 12/192 (servers 10/16, fix 0/4; no system prompt 6/48; "You are a helpful assistant." 3/48).	With no system prompt it named itself in 20/24, below the 90% predicted; asked what it is based on, it named GPT-4 or Llama 2 in 4 of 8. OpenAI as processor: real prompts, asked about servers, 9/48 (predicted ≥ 25%); personas 12/192 (predicted ≤ 5%).
3	Pipeline code at pinned commits, catalogue rows, e-mail counts on ~100 MB upstream slices, Apertus's robots snapshot, Common Crawl's index. Court data: frozen detector and term lists, pre-registered; blind checks: 78/80 flags confirmed, diagnosis attribution 37/60.	Court data: 78 of 79 dated sampled decisions predate 1990. Opt-out: 57.65% of the 16,272 hosts were captured in CC-MAIN-2025-18 (an upper bound).	None.
4	Pre-registered; 40 questions in German, French, Italian, Swiss German and Romansh; 680 calls: 320 `-70b` (two backends), 360 `-8b`. Gold: Fedlex statute text, extracted by code. Blind annotators agree at κ = 0.978 on jurisdiction.	WildChat: 50/77 legal questions name no location. Backend B applied foreign law in 44/53 and gave wrong numbers in 9/23. With either fix, numbers stay wrong in 17/80 (canton named) and 24/84 ("Answer according to Swiss law.", which brings Swiss law in 115/120).	None.

#	How it was tested, and the gold	Further results	Pre-registered criteria not met
5	Pre-registered; `-70b` name. Cantonal letters: 300 calls (B, C). Page-2 letters: 216 calls (C). Constructed letters: 384 (A, B). Federal-statute letters: 216 (B, C). Gold: statute text by code (acts of seven cantons; SchKG, StPO, VwVG); for constructed letters, the generator.	Shorter-period cantons without the period: "30 days" on backend B in 30/30; with it, read correctly in 61/61 (C), 23/23 (B). TG and AG (statute: 30 days), period removed: "30 days" in 9/9 (C), 15/15 (B). "Null" line: abstained on cantonal letters in 32/32 (C), 52/52 (B), on federal-statute letters in 48/48 (B), 24/24 (C). Constructed letters with the value: 80/80 correct.	Federal-statute letters (B, C): longer periods predicted, given in 0/27, 4/21; statutory 10 days in 27/27, 17/21. Constructed letters, "null" line: backend B abstained in 15/21, below the 80% predicted. First registered battery inconclusive: classifier missed DD-MM-YYYY dates; control check failed (29/34, 16/26).

Table 1. How each finding was tested, and every pre-registered criterion that did not hold.

Against prior work

#	Known before	New here
1	Goldfish loss [7]; a product key collapses on token id 0 [10, 11] and ignores id 1 [11]	Overflow through ordinary text with no token 0, latent in at least 21 public codebases, activated by a longer window; a law that predicts a tokenizer's rate before training; the same setting in a second model
2	LLMs misstate their maker, e.g. as ChatGPT (7 of 27 tested) [12]; persona prompts suppress AI disclosure, an explicit permission restores it only in part [13]	Under the prompts its public deployments and official docs use, a Swiss model names OpenAI as its maker and as processor of the chat; identity taught in none of 24,739 deployer-prompt SFT conversations
3	Licence labels audited against sources [14]; PII persists despite a dataset's sanitisation [15]; AI Act summaries scored on the document alone, Apertus's first rated best [16]	An AI Act summary and catalogue checked label by label against the provider's own pipeline code and data
4	Answers follow the culture of the prompt language [17]; location-free legal prompts skew to the language's majority country, EN→US, ZH→CN [18]	A small state sharing its languages: a model presented as Swiss answers DE/FR/IT with German, French or Italian law; five Swiss languages, statute gold by code, the deployer trigger and its fix
5	Models answer underspecified questions instead of abstaining; reasoning fine-tuning worsens it, a system prompt helps in part [19]	A missing statutory period becomes a canton-blind 30 days, even when the letter points to its appeal instruction on another page (longer than the statute in 55/56); cantonal and federal statute as gold

Table 2. What each finding adds to prior work.

Scope

Finding 1's verbatim runs are not attributed to the hash defect: on strongly memorised texts, masked and unmasked positions show no detectable likelihood difference on the 8B models (4-bit; 10,281 positions), and the long runs are of widely copied texts. Its v1.5 attribution rests on stage flags and trainer lineage, the Greek model's on its repository's note that the code was frozen for the full run, and the whole-run figure on the published v1 mixture. Finding 3 checks labels against public code and data: private preprocessing cannot be audited; model emission is untested. Finding 4's census uses keyword detectors of unmeasured precision; WildChat users are global. Finding 5's letters are constructed; cantonal ones German only, one wording per type.

Lessons Learnt and Recommendations

Apertus's openness made findings 1 and 3 findable: a closed model's filing cannot be checked against its code. We recommend pairing each safeguard in a filing with a pipeline test (`goldfish audit`, `datagov catalogue`) and each behavioural expectation with a deployer conformance test (`apertus-rt conformance`). After submission we plan to send all five findings to Swiss AI privately, with patches, under embargo until the repository opens.

Reproducibility

`make run` (Docker, CPU, no keys) recomputes findings 1 and 3 from sha256-pinned inputs, re-scores every stored answer (findings 2, 4, 5), re-derives every number here from `claims.tsv` and regenerates the findings files; it exits 0 only if all reproduces; CI runs it on GitHub (`mi11ione/ci-relay`). `LLM_*` adds a ~45-call live slice. Claude Code agents wrote the code and drafts.

References

[1] Apertus 1.5 EU Public Summary of Training Content, 6.10.2026. [2] Apertus technical report, arXiv 2509.14233. [3] swiss-ai/apertus-data-transparency@0597b959. [4] Code of Practice for the Apertus LLM, v1.5, 6.10.2026, ch. B.3. [5] swiss-ai/Megatron-LM@bb01d57. [6] swiss-ai/pretrain-code@d9daf65e. [7] Hans et al., Goldfish loss, arXiv 2406.10209. [8] swiss-ai/pretrain-data@8af990b. [9] OWASP Top 10 for LLM Applications, LLM01. [10] M. Bilz, My thoughts on "Be like a goldfish, don't memorize!" (blog), 2.12.2025. [11] swiss-ai/Megatron-LM-MoE, PR #35, Goldfish loss and exemption, merged 20.8.2026. [12] Li et al., LLM identity confusion, arXiv 2411.10683. [13] Diep, AI identity disclosure under professional personas, arXiv 2511.21569. [14] Longpre et al., Data Provenance Initiative, arXiv 2310.16787. [15] Hong et al., A Common Pool of Privacy Problems, arXiv 2506.17185. [16] Blankvoort et al., Quality of AI Act public summaries, arXiv 2603.13270. [17] AlKhamissi et al., Cultural alignment of LLMs, arXiv 2402.13231. [18] Wang, Suresh, Auditing jurisdictional defaults in multilingual LLMs, arXiv 2606.00333. [19] Kirichenko et al., AbstentionBench, arXiv 2506.09038.