

# Smart Contract Security Audit Report

### BlossomCoin

November 2022



### Audit Details



### Audited project

BlossomCoin



**Deployer address**0xa3ed0f722d3c8468c07976e8557b99d4391be575



### Client contacts

BlossomCoin Team



Binance smart chain



### Website

Not provided

www.hacksafe.io Page No. 02

### Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/ or printed by you. This report is provided for information purposes only and on a nonreliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (HackSafe) owe no duty of care towards you or any other person, nor does HackSafe make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and HackSafe hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, HackSafe hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against HackSafe, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

Page No. 03 www.hacksafe.io

### Procedure

### Step 1 - In-Depth Manual Review

Manual line-by-line code reviews to ensure the logic behind each function is sound and safe from various attack vectors. This is the most important and lengthy portion of the audit process (as automated tools often cannot find the nuances that lead to exploits such as flash loan attacks).

#### Step 2 - Automated Testing

Simulation of a variety of interactions with your Smart Contract on a test blockchain leveraging a combination of automated test tools and manual testing to determine if any security vulnerabilities exist.

#### Step 3 – Leadership Review

The engineers assigned to the audit will schedule meetings with our leadership team to review the contracts, any comments or findings, and ask questions to further apply adversarial thinking to discuss less common attack vectors.

#### Step 4 - Resolution of Issues

Consulting with the team to provide our recommendations to ensure the code's security and optimize its gas efficiency, if possible. We assist project team's in resolving any outstanding issues or implementing our recommendations.

#### Step 5 - Published Audit Report

Boiling down results and findings into an easy-to-read report tailored to the project. Our audit reports highlight resolved issues and any risks that exist to the project or its users, along with any remaining suggested remediation measures. Diagrams are included at the end of each report to help users understand the interactions which occur within the project.

Page No. 04 www.hacksafe.io

## Background

#### HackSafe was commissioned by BlossomCoin to perform an audit of smart contracts:

• https://bscscan.com/token/0x8d03e069840D6Fb103abC4F640C8cc07F7F4bc10#code

### The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

Page No. 05 www.hacksafe.io

### Contract Details

### Token contract details for 19.11.2022

Token Type	: Charity
Contract name	: BlossomCoin
Contract address	: 0x8d03e069840D6Fb103abC4F640C8cc07F7F4bc10
Total supply	: 787,075,283,188,161.400597
Token Ticker	: BLOSM
Decimals	: 9
Token Holders	: 9,943
Transactions count	: 68,177
Compiler version	: v0.8.2+commit.661d1103
Contract deployer address	: 0xa3ed0f722d3c8468c07976e8557b99d4391be575
Owner address	: 0x00000000000000000000000000000000000

Page No. 06 www.hacksafe.io

## Audit Summary

According to the standard audit assessment, Customer`s solidity smart contracts are **"Secure".** This token contract does contain owner control, which do not make it fully decentralized as owner does have control over smart contract.

Insecure Poor secured Secure Well-secured



You are here

We used various tools like Slither, Mythril and Remix IDE. At the same time this finding is based on critical analysis of the manual audit. All issues found during automated analysis were manually reviewed and applicable vulnerabilities are presented in the issues checking status.

We found 0 critical, 0 high, 1 medium and 1 low.

Page No. 07 www.hacksafe.io


### BlossomCoin Distribution

The top 100 holders collectively own 99.33% (781,767,870,163,756.00 Tokens) of BlossomCoin

Token Total Supply: 787,075,283,188,161.40 Token | Total Token Holders: 9,943

#### BlossomCoin Top 100 Token Holders

Source: BscScan.com




### BlossomCoin Top 20 Token Holders

(A total of 781,767,870,163,756.00 tokens held by the top 100 accounts from the total supply of 787,075,283,188,161.40 token)

Rank	Address	Quantity (Token)	Percentage
1	Null Address: 0x000dEaD	300,002,506,831,976.046228513	38.1161%
2	PancakeSwap V2: BLOSM	253,527,293,962,479.032487928	32.2113%
3	Blossom Coin: Charity	44,594,954,611,069.002673139	5.6659%
4	0x5b6e7da5ed3de5afcbc140082ab3668946a4aa9a	12,540,045,596,734.436554934	1.5932%
5	0x18f339c417dde0cdf3ae6396c291c2cc83d1c370	10,833,004,080,482.29852761	1.3764%
6	0x0c26420af2e63c4cfcb84e0b990ab3edfae08d54	10,705,288,663,954.507218653	1.3601%
7	0x3decf2cf720c84815605e1cddcc6ae03af017f4e	10,564,001,310,521.20296666	1.3422%
8	0x43af9501b67c306be73f7d15eb45269e28e85ae3	9,657,585,517,461.229102348	1.2270%
9	0x2f63d1f84109d9e6a580a32e56b0e7f028261719	7,334,029,759,278.343563238	0.9318%
10	0x06945b4e0992e5826e6249c7c1b80174ddbfc1e1	7,232,714,895,463.805767481	0.9189%
11	0xe84727a9b2eb2a7daf2df4e732f2128baa61cda4	7,116,246,923,822.16969534	0.9041%
12	0xe1d248bca1ae3bde033fe381aac7bcfee71f7ef0	6,645,357,224,889.516187187	0.8443%
13	0x36d249a28aee39812c3b66992f13a6e1c45b9a12	6,588,586,293,472.881596388	0.8371%
14	0xffae3245315fcfdbe71f901b83e264c88ab804dc	6,147,752,033,593.758530979	0.7811%
15	0x86e4ef01c18e4a5486cc8647168b2e2c8cbe7f5b	5,876,479,614,024.908445155	0.7466%
16	0xd4c3c2d1d589b3a07761c2f4f894f893de55e1b9	5,614,349,568,450.206785119	0.7133%
17	0x8957ff9f2582c3310157e8443233cfc8b606a9f4	5,148,208,762,381.512613436	0.6541%
18	0x1376e709b382c0619e251b7ea9fe2c2cad220023	5,070,496,100,286.95089584	0.6442%
19	Blossom Coin: Deployer	4,514,619,435,547	0.5736%
20	0xa419b5ec629e01720612043afc00b67aad63d8a5	4,048,426,845,555.947583219	0.5144%

### BlossomCoin Distribution

#### **BlossomCoin Contract Overview**



Page No. 08 www.hacksafe.io

### Contract functions details

```
+ Context
    - [Int] _msgSender
    - [Int] _msgData
+ [Int] IBEP20
    [Ext] totalSupply
    [Ext] balanceOf
    - [Ext] transfer #
    [Ext] allowance
    [Ext] approve #
    - [Ext] transferFrom #
+ [Lib] SafeMath
    - [Int] add
    - [Int] sub
    - [Int] sub
    - [Int] mul
    - [Int] div
    - [Int] div
    - [Int] mod
    - [Int] mod
+ [Lib] Address
    - [Int] isContract
    - [Int] sendValue #
    - [Int] functionCall #
    - [Int] functionCall #
    - [Int] functionCallWithValue #
    - [Int] functionCallWithValue #
    - [Pvt] _functionCallWithValue #
+ Ownable (Context)
    - [Pub] <constructor>#
    - [Pub] owner
    - [Pub] renounceOwnership #
      - modifiers: onlyOwner
    - [Pub] transferOwnership #
      - modifiers: onlyOwner
```

### Contract functions details

+ BlossomCoin (Context, IBEP20, Ownable) - [Pub] <constructor># - [Pub] name - [Pub] symbol - [Pub] decimals - [Pub] totalSupply - [Pub] balanceOf - [Pub] transfer # - [Pub] allowance - [Pub] approve # - [Pub] transferFrom # - [Pub] increaseAllowance # - [Pub] decreaseAllowance # - [Pub] isExcluded - [Pub] isCharity - [Pub] totalFees - [Pub] totalBurn - [Pub] totalCharity - [Pub] deliver # - [Pub] reflectionFromToken - [Pub] tokenFromReflection - [Ext] excludeAccount # - modifiers: onlyOwner - [Ext] includeAccount # - modifiers: onlyOwner [Ext] setAsCharityAccount # - modifiers: onlyOwner - [Prv] \_approve # - [Prv] \_transfer # - [Prv] \_transferStandard # - [Prv] \_standardTransferContent # - [Prv] \_transferToExcluded # - [Prv] \_excludedFromTransferContent # [Prv] \_transferFromExcluded # - [Prv] \_excludedToTransferContent # [Prv] \_transferBothExcluded # - [Prv] \_bothTransferContent #

- [Prv] \_reflectFee #

### Contract functions details

- [Prv] \_getValues
- [Prv] \_getTBasics
- [Prv] getTTransferAmount
- [Prv] \_getRBasics
- [Prv] \_getRTransferAmount
- [Prv] \_getRate
- [Prv] \_getCurrentSupply
- [Prv] \_sendToCharity #
- [Prv] removeAllFee #
- [Prv] restoreAllFee #
- [Prv] \_getTaxFee
- [Prv] \_getMaxTxAmount

(\$) = payable function
# = non-constant function

Page No. 09 www.hacksafe.io

# Issues Checking Status

No.	Title	Status
1.	Unlocked Compiler Version	Low issue
2.	Missing Input Validation	Passed
3.	Race conditions and Reentrancy. Cross-function race conditions.	Passed
4.	Possible delays in data delivery	Passed
5.	Oracle calls.	Passed
6.	Timestamp dependence.	Passed
7.	Integer Overflow and Underflow	Passed
8.	DoS with Revert.	Passed
9.	DoS with block gas limit.	Medium issue
10.	Methods execution permissions.	Passed
11.	Economy model of the contract.	Passed
12.	Private use data leaks.	Passed
13.	Malicious Event log.	Passed
14.	Scoping and Declarations.	Passed
15.	Uninitialized storage pointers.	Passed
16.	Arithmetic accuracy.	Passed
17.	Design Logic.	Passed
18.	Safe Open Zeppelin contracts implementation and usage.	Passed
19.	Incorrect Naming State Variable	Passed
20.	Too old version	Passed

Page No. 10 www.hacksafe.io

# Severity Definitions

Risk Level	Description
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to assets loss or data manipulations.
High	High-level vulnerabilities are difficult to exploit; however, they also have a significant impact on smart contract execution, e.g., public access to crucial functions
Medium	Medium-level vulnerabilities are important to fix; however, they can't lead to assets loss or data manipulations.
Low	Low-level vulnerabilities are mostly related to outdated, unused, etc. code snippets that can't have a significant impact on execution.

Page No. 11 www.hacksafe.io

### Security Issues

### Critical Severity Issues

No critical severity issue found.

### High Severity Issues

No high severity issue found.

#### Medium Severity Issues

One medium severity issue found.

### 1. Out of gas Issue.

#### Description

The function includeAccount uses the loop to find and remove addresses from the \_excluded list. Function will be aborted with OUT\_OF\_GAS exception if there will be a long excluded addresses list.

The function \_getCurrentSupply also uses the loop for evaluating total supply. It also could be aborted with OUT\_OF\_GAS exception if there will be a long excluded addresses list.

#### Recommendation

Check that the excluded accounts list is not too big.

#### Low Severity Issues

One low severity issue found.

#### 1. Unlocked Compiler Version.

#### Description

The contract utilizes an unlocked compiler version. An unlocked compiler version in the contract's source code permits the user to compile it at or above a particular version. This, in turn, leads to differences in the generated bytecode between compilations due to differing compiler version numbers. This can lead to ambiguity when debugging as compiler-specific bugs may occur in the codebase that would be difficult to identify over a span of multiple compiler versions rather than a specific one.

#### Recommendation

It is advisable that the compiler version is alternatively locked at the lowest version possible so that the contract can be compiled. For example, for version ^0.8.2 the contract should contain the following line:

pragma solidity 0.8.2;

Page No. 12 www.hacksafe.io

### Centralization

### Owner Privileges:

- BlossomCoin Contract:
  - Owner can transfer and renounce ownership.
  - Owner can exclude and include account.
  - Owner can set charity address.

This smart contract has some functions which can be executed by the admin (Owner) only. If the admin wallet private key would be compromised, then it would create trouble as smart contract ownership has not been renounced. Following are Admin functions:

- transferOwnership
- renounceOwnership
- excludeAccount
- includeAccount
- setasCharityAccount

Page No. 13 www.hacksafe.io

### Conclusion

Smart contract contains low and medium severity issues! The further transfer and operations with the fund raised are not related to this particular contract.

HackSafe note: Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.

Page No. 14 www.hacksafe.io