



# Smart Contract Security Audit Report

---

## **SkyBorn**

November 2022

Security Status



[www.hacksafe.io](https://www.hacksafe.io)



# Audit Details



## Audited project

SkyBorn



## Deployer address

0x113ade8e010c930aedac53c2482552a260979341



## Client contacts

SkyBorn Team



## Blockchain

Binance smart chain



## Website

Not provided



# Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

**DISCLAIMER:** By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (HackSafe) owe no duty of care towards you or any other person, nor does HackSafe make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and HackSafe hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, HackSafe hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against HackSafe, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.



# Procedure

## **Step 1 - In-Depth Manual Review**

Manual line-by-line code reviews to ensure the logic behind each function is sound and safe from various attack vectors. This is the most important and lengthy portion of the audit process (as automated tools often cannot find the nuances that lead to exploits such as flash loan attacks).

## **Step 2 - Automated Testing**

Simulation of a variety of interactions with your Smart Contract on a test blockchain leveraging a combination of automated test tools and manual testing to determine if any security vulnerabilities exist.

## **Step 3 – Leadership Review**

The engineers assigned to the audit will schedule meetings with our leadership team to review the contracts, any comments or findings, and ask questions to further apply adversarial thinking to discuss less common attack vectors.

## **Step 4 - Resolution of Issues**

Consulting with the team to provide our recommendations to ensure the code's security and optimize its gas efficiency, if possible. We assist project team's in resolving any outstanding issues or implementing our recommendations.

## **Step 5 - Published Audit Report**

Boiling down results and findings into an easy-to-read report tailored to the project. Our audit reports highlight resolved issues and any risks that exist to the project or its users, along with any remaining suggested remediation measures. Diagrams are included at the end of each report to help users understand the interactions which occur within the project.

# Background

HackSafe was commissioned by SkyBorn to perform an audit of smart contracts:

- <https://bscscan.com/token/0xf78Bbc835b52D7f0e9538C3566997bA2bf050B85#code>

The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.

The information in this report should be understood to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

# Contract Details


## Token contract details for 22.11.2022

Token Type	: DEFI
Contract name	: skyborn
Contract address	: 0xf78Bbc835b52D7f0e9538C3566997bA2bf050B85
Total supply	: 1,000,000,000,000
Token ticker	: SKYBORN
Decimals	: 18
Token Holders	: 3,176
Transactions count	: 27,149
Compiler version	: v0.8.4+commit.c7e474f2
Contract deployer address	: 0x113ade8e010c930aedac53c2482552a260979341
Owner address	: 0x00dead



# Audit Summary

According to the standard audit assessment, Customer`s solidity smart contracts are **“Poor Secure”**. This token contract does contain owner control, which do not make it fully decentralized as owner does have control over smart contract.




We used various tools like Slither, Mythril and Remix IDE. At the same time this finding is based on critical analysis of the manual audit. All issues found during automated analysis were manually reviewed and applicable vulnerabilities are presented in the issues checking status.

We found 0 critical, 1 high, 1 medium and 1 low.

# Skyborn Distribution



 The top 100 holders collectively own 86.37% (863,725,222,487.96 Tokens) of SkyBorn

 Token Total Supply: 1,000,000,000,000.00 Token | Total Token Holders: 3,176



## Skyborn Top 20 Token Holders


(A total of 863,725,222,487.96 tokens held by the top 100 accounts from the total supply of 1,000,000,000,000.00 token)

Rank	Address	Quantity (Token)	Percentage
1	<a href="#">Null Address: 0x000...dEaD</a>	495,872,510,390.526128942549675993	49.5873%
2	<a href="#">0x113ade8e010c930aedac53c2482552a260979341</a>	217,093,638,212.948966359917837848	21.7094%
3	<a href="#">0x962a0116d9762b9deecbe8a7cf3cc3feede8f03d</a>	34,357,836,794.186408656189108984	3.4358%
4	<a href="#">0x1e14f4ad9579d1e866217e696bf061ad81047320</a>	20,625,949,744.302305786544266292	2.0626%
5	<a href="#">0x14a2f73d379720e1ef05da930dcad6fb48d4573a</a>	8,329,249,487.370485838543555472	0.8329%
6	<a href="#">0x548e03c19a175a66912685f71e157706fee6a04d</a>	8,108,343,054.043371526330668364	0.8108%
7	<a href="#">0x5cf3e2e6bb325e6b4b5bff2e71b1c4d1ea4fd0a4</a>	5,337,238,884.557962160435776729	0.5337%
8	 <a href="#">PancakeSwap V2: SKYBORN</a>	4,181,874,180.314109692368447239	0.4182%
9	<a href="#">0x18e4a597178398e529e92caa195d07c138b565c3</a>	4,169,846,233.439384499136922698	0.4170%
10	<a href="#">0x60e8c66637a40a18c3be71598656dec6670942dd</a>	3,313,793,581.634878999202057702	0.3314%
11	 <a href="#">0xf78bbc835b52d7f0e9538c3566997ba2bf050b85</a>	2,648,022,365.133452439919277156	0.2648%
12	<a href="#">0x018f801cde5d9c69a09cbc29ae39bc24e6957f8</a>	2,600,029,621.9032434106234321	0.2600%
13	<a href="#">0x5569204b19c772ada65c3d7485b3ed14a0d3f170</a>	2,258,449,103.238265346416120589	0.2258%
14	<a href="#">0x55aff8021d6de973d373f7a2e86183a180502e1d</a>	2,197,940,075.920120380767638026	0.2198%
15	<a href="#">0x81e7c62e59d2de5af654b83ada12b7e936a00963</a>	2,054,684,518.422198562199379152	0.2055%
16	<a href="#">0x3ec37a19e7eadff36b6cec44622cfe574fb8c4c6</a>	1,828,631,948.918973232531679376	0.1829%
17	<a href="#">0xffae3245315fcfbe71f901b83e264c88ab804dc</a>	1,764,549,133.963831318033181701	0.1765%
18	<a href="#">0x46d239c1954add1d4eb9141c79a8341df400e54</a>	1,690,243,999.720152393468123776	0.1690%
19	<a href="#">0xfed7a2147852f4a5253ba4ec5690f51ff2f682d7</a>	1,549,375,741.46605812342870915	0.1549%
20	<a href="#">0xd1eed456d6e4697440b3cdeb9347fd5d3c6dd864</a>	1,407,664,800.720884535526131446	0.1408%



# Skyborn Distribution

## Skyborn Contract Overview



# Contract functions details

## +[Int] IERC20

- [Ext] totalSupply
- [Ext] balanceOf
- [Ext] transfer
- [Ext] allowance
- [Ext] approve
- [Ext] transferFrom

## +Address

- [Int] isContract
- [Int] sendValue
- [Int] functionCall
- [Int] functionCall
- [Int] functionCallWithValue
- [Int] functionCallWithValue
- [Int] functionStaticCall
- [Int] functionStaticCall
- [Int] functionDelegateCall
- [Int] functionDelegateCall
- [Pvt] \_verifyCallResult

## +Context

- [Int] \_msgSender
- [Int] \_msgData

## +Ownable (Context)

- <constructor>
- [Pub] owner
- [Pub] renounceOwnership #  
-modifiers: onlyOwner
- [Pub] transferOwnership #  
-modifiers: onlyOwner
- [Pub] geUnlockTime
- [Pub] lock #  
-modifiers: onlyOwner
- [Pub] unlock #

## +skyborn (Context, IERC20, Ownable)

- <constructor>



# Contract functions details

- [Pub] name
- [Pub] symbol
- [Pub] decimals
- [Pub] totalSupply
- [Pub] balanceOf
- [Pub] transfer #
- [Pub] allowance
- [Pub] approve #
- [Pub] transferFrom #
- [Pub] increaseAllowance #
- [Pub] decreaseAllowance #
- [Int] \_transfer #
- [Pvt] getTransferFee
- [Pub] tokenFromReflection
- [Pub] \_getRate
- [Pub] \_getSupply
- [Pvt] \_getCurrentSupply
- [Int] \_approve #
- [Pub] excludeFromFees #
  - modifiers: onlyOwner
- [Pub] includeInFees #
  - modifiers: onlyOwner
- [Pub] excludeFromReward #
  - modifiers: onlyOwner
- [Ext] includeInReward #
  - modifiers: onlyOwner
- [Pub] setFeesState #
  - modifiers: onlyOwner
- [Pub] getFeeInfo
- [Pub] isExcludedFromFee
- [Pub] isExcludedFromReward

(\$) = payable function

# = non-constant function

# Issues Checking Status

No.	Title	Status
1.	Unlocked Compiler Version	Low issue
2.	Missing Input Validation	Passed
3.	Race conditions and Reentrancy. Cross-function race conditions.	Passed
4.	Possible delays in data delivery	Passed
5.	Oracle calls.	Passed
6.	Timestamp dependence.	High issue
7.	Integer Overflow and Underflow	Passed
8.	DoS with Revert.	Passed
9.	DoS with block gas limit.	Medium issue
10.	Methods execution permissions.	Passed
11.	Economy model of the contract.	Passed
12.	Private use data leaks.	Passed
13.	Malicious Event log.	Passed
14.	Scoping and Declarations.	Passed
15.	Uninitialized storage pointers.	Passed
16.	Arithmetic accuracy.	Passed
17.	Design Logic.	Passed
18.	Safe Open Zeppelin contracts implementation and usage.	Passed
19.	Incorrect Naming State Variable	Passed
20.	Too old version	Passed



# Severity Definitions

Risk Level	Description
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to assets loss or data manipulations.
High	High-level vulnerabilities are difficult to exploit; however, they also have a significant impact on smart contract execution, e.g., public access to crucial functions
Medium	Medium-level vulnerabilities are important to fix; however, they can't lead to assets loss or data manipulations.
Low	Low-level vulnerabilities are mostly related to outdated, unused, etc. code snippets that can't have a significant impact on execution.

# Security Issues

## ✔ Critical Severity Issues

No critical severity issue found.

## ✔ High Severity Issues

One high severity issue found.

### 1. Timestamp dependence.

- **Description**

The contract have used `block.timestamp` many times in some functions such as `lock`, `unlock` as the miners here can manipulate the smart contract in order to attack the contract.

- **Recommendation**

We advise you to not use `block.timestamp` in your contract and apply the 15-second rule which says that If the scale of your time-dependent event can vary by 15 seconds and maintain integrity, it is safe to use a `block.timestamp`.

## ✔ Medium Severity Issues

One medium severity issue found.

### 1. Out of gas limit.

- **Description**

The smart contract has functions which has used for `includeInReward`. Large length of `_excluded` can cause an error of out of gas for these two functions.

- **Recommendation**

It is advisable to either remove for loop or use smaller length to avoid the gas limit error while transaction.

## ✔ Low Severity Issues

One low severity issue found.

### 1. Unlocked Compiler Version

- **Description**

The contract utilizes an unlocked compiler version. An unlocked compiler version in the contract's source code permits the user to compile it at or above a particular version. This, in turn, leads to differences in the generated bytecode between compilations due to differing compiler version numbers. This can lead to ambiguity when debugging as compiler-specific bugs may occur in the codebase that would be difficult to identify over a span of multiple compiler versions rather than a specific one.



# Security Issues

- **Recommendation**

It is advisable that the compiler version is alternatively locked at the lowest version possible so that the contract can be compiled. For example, for version ^0.8.0 the contract should contain the following line:

```
pragma solidity 0.8.4;
```

# Centralization

## Owner Privileges :

- SkyBorn Contract:
  - Owner can renounce and transfer ownership.
  - Owner can exclude account from rewards.
  - Owner can exclude and include account from fee.
  - Owner can set lock time.

This smart contract has some functions which can be executed by the admin (Owner) only. If the admin wallet private key would be compromised, then it would create trouble as smart contract ownership has not been renounced. Following are Admin functions:

- renounceOwnership
- transferOwnership
- lock
- excludeFromFees
- excludeFromReward
- includeInReward
- setFeesState



# Conclusion

Smart contract contains low, medium, high severity issues! The further transfer and operations with the fund raised are not related to this particular contract.

HackSafe note: Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.