


Navigation and Ancillary Information Facility

An Overview of SPICE

**NASA's Observation Geometry System
for Space Science Missions**


January 2018



What Can One Do With SPICE?


Navigation and Ancillary Information Facility

Compute many kinds of “observation geometry” parameters



Examples

- Positions and velocities of planets, satellites, comets, asteroids and spacecraft
- Size, shape and orientation of planets, satellites, comets and asteroids
- Orientation of a spacecraft and its various moving structures
- Instrument field-of-view location on a planet’s surface or atmosphere






What Can One Do With SPICE?

Navigation and Ancillary Information Facility

Find times when a specified “geometric event” occurs


Examples






Examples of How SPICE Is Used

Navigation and Ancillary Information Facility



Evaluation of a planned trajectory




Mission engineering analyses


Angular size of Phobos
As seen from the MEX spacecraft




Planning an instrument pointing profile




Observation geometry visualization



Science data archiving and analysis





SPICE Pictorial Summary


Navigation and Ancillary Information Facility


From assorted sources

Planet ephemeris

S/C trajectory


S/C orientation






What are “Ancillary Data?”

Navigation and Ancillary Information Facility






How Use Ancillary Data?

Navigation and Ancillary Information Facility


- **Ancillary data** are those that help scientists and engineers determine **observation geometry**, such as:
 - where the spacecraft was located
 - how the spacecraft and its instruments were oriented (pointed)
 - what was the location, size, shape and orientation of the target being observed
 - where on the surface the instrument was looking
- The text above uses past tense, but doing the same functions for future times to support mission planning is equally applicable



From Where do Ancillary Data Come?

Navigation and Ancillary Information Facility

- From the spacecraft



- From the mission control center




- From the spacecraft and instrument builders



- From science organizations




- SPICE is used to organize and package these data in a collection of stable file types—called "kernels"—used by scientists and engineers



Why Use SPICE?

Navigation and Ancillary Information Facility

- **Knowing observation geometry and geometric events is an important element of:**
 - space mission design,
 - selection of observation opportunities,
 - analysis of the science data returned from the instruments,
 - mission engineering activities, and
 - preparation of science data archives.
- **Having a proven, extensive and reusable means for producing and using ancillary data reduces cost and risk, and can help scientists and engineers achieve more substantive, accurate and timely results.**



SPICE System Components

Navigation and Ancillary Information Facility

Ancillary data files (“kernels”)

1100
1010
0101



Software (SPICE Toolkit)



Documentation



Tutorials



Programming lessons



Training classes



User consultation



Origin of the SPICE Acronym*

Navigation and Ancillary Information Facility

S

Spacecraft

P

Planet

I

Instrument


C

C-matrix (“Camera matrix”)

E

Events


* Coined by Dr. Hugh Kieffer, USGS Astrogeology Branch, Flagstaff AZ, circa 1985



SPICE Data Overview

Navigation and Ancillary Information Facility

Logical Components



Kernels

Contents


Space vehicle or target body trajectory (ephemeris)


Target body size, shape and orientation

Instrument field-of-view size, shape and orientation

Orientation of space vehicle or any articulating structure on it

Events information:
- Science Plan (ESP)
- Sequence of events (ESQ)
- Experimenter's Notebook (ENB)





SPICE Kernels Details- 1

Navigation and Ancillary Information Facility

SPK


- Space vehicle ephemeris (trajectory)
- Planet, satellite, comet and asteroid ephemerides
- More generally, position of something relative to something else

PcK

- Planet, satellite, comet and asteroid orientations, sizes, shapes
 - See also DSK
- Possibly other similar “constants” such as parameters for gravitational model, atmospheric model or rings model

IK

- Instrument field-of-view size, shape, orientation
- Possibly additional information, such as internal timing



SPICE Kernels Details- 2

Navigation and Ancillary Information Facility

CK


- Instrument platform (e.g. spacecraft) attitude
- More generally, orientation of something relative to a specified reference frame

EK

3 components

- “Events,” broken into three components:
 - ESP: Science observation plans
 - ESQ: Spacecraft & instrument commands
 - ENB: Experiment “notebooks” and ground data system logs

EK is not much used



SPICE System Data - 3

Navigation and Ancillary Information Facility

FK

- **Frames**

- Definitions of and specification of relationships between reference frames (coordinate systems)
 - Both “fixed” and “dynamic” frames are available

LSK

- **Leapseconds Tabulation**

- Used for UTC <--> TDB (ET) time conversions

SCLK

- **Spacecraft Clock Coefficients**


- Used for SCLK <--> TDB (ET) time conversions

DSK

- **Shape models (tessellated plate model and digital elevation model*) (DSK)**

*DEM portion under development

UTC = Coordinated Universal Time TDB = Barycentric Dynamical Time ET = Ephemeris Time SCLK = Spacecraft Clock Time



SPICE Toolkit Software

Navigation and Ancillary Information Facility


Contents

- **Library of subroutines (~1400)**
 - But typically just a few are used within a customer's program to compute quantities derived from SPICE data files
- **Programs (17*)**
 - SPICE data production
 - SPICE data management
- **Documentation**
 - Highly annotated source code
 - Technical Reference Manuals (26)
 - User Guides

Versions


- **Five languages**
 - Fortran 77
 - C
 - Interactive Data Language (IDL)
 - MATLAB
 - Java Native Interface (beta-test version) is also available
 - Python (provided by others)
- **Four platforms**
 - PC/Linux
 - PC/Windows
 - Sun/Solaris
 - Mac/OSX
- **Several compilers**
 - For the Fortran and C Toolkits


* 36 are available from the NAIF website



Using SPICE: Mission Planning Example




Navigation and Ancillary Information Facility






Using SPICE: Science Data Analysis Example

Navigation and Ancillary Information Facility




Select kernel types and specific kernels as needed



Using SPICE: Science Data Peer Review Example

Navigation and Ancillary Information Facility




Tabular Results

Click a value to save it for a subsequent calculation.


	UTC calendar date	Angular Size (deg)
1	2009-03-10 12:00:00.000000 UTC	0.20212256
2	2009-03-10 12:01:00.000000 UTC	0.20294481
3	2009-03-10 12:02:00.000000 UTC	0.20377024
4	2009-03-10 12:03:00.000000 UTC	0.20459871
5	2009-03-10 12:04:00.000000 UTC	0.20543007
6	2009-03-10 12:05:00.000000 UTC	0.20626418
7	2009-03-10 12:06:00.000000 UTC	0.20710088
8	2009-03-10 12:07:00.000000 UTC	0.20794000
9	2009-03-10 12:08:00.000000 UTC	0.20878138
10	2009-03-10 12:09:00.000000 UTC	0.20962484
11	2009-03-10 12:10:00.000000 UTC	0.21047019
12	2009-03-10 12:11:00.000000 UTC	0.21131725
13	2009-03-10 12:12:00.000000 UTC	0.21216581

Numeric Results

Graphic Results




Angular size of Phobos as seen from the Mars rover "SPIRIT"



SPICE System Characteristics - 1

Navigation and Ancillary Information Facility

- SPICE Toolkit software is portable between computers
- New Toolkits are released irregularly, when enough new capability warrants it
- Code is very well tested before being released to users
- New Toolkits are always 100% backwards compatible
- Source code is provided, and is well documented
- Extensive user-oriented documentation is provided
- Software includes built-in exception handling
 - Catches most invalid inputs




SPICE System Characteristics - 2

Navigation and Ancillary Information Facility

- All numeric computations are double precision
- Kernel files are portable between computers
- Kernel files are separable
 - Use only those you need for a particular application
- SPICE kernels and software are free of licensing and U.S. ITAR restrictions
 - Everyone is free to use SPICE
- No cost to individual end users






Supported Environments

Navigation and Ancillary Information Facility

- **The SPICE Toolkit has been ported to many popular “environments”**
 - Each environment is characterized by...
 - » Language
 - » Hardware type (platform)
 - » Operating System
 - » Compiler (where applicable)
 - » Selected compilation options (32-bit or 64-bit)
- **NAIF provides separate, ready-built SPICE Toolkit packages for each supported environment**
 - If you need to port the Toolkit to a new environment yourself, consult with NAIF staff first




What “Vehicle” Types Can Be Supported?

Navigation and Ancillary Information Facility

- **Cruise/Flyby**
 - Remote sensing
 - In-situ measurement
 - Instrument calibration
- **Orbiters**
 - Remote sensing
 - In-situ measurement
 - Communications relay
- **Balloons and aircraft***
 - Remote sensing
 - In-situ measurements
- **Landers**
 - Remote sensing
 - In-situ measurements
 - Rover or balloon relay
- **Rovers**
 - Remote sensing
 - In-situ sensing
 - Local terrain characterization
- **Terrestrial applications**
 - Ephemerides for telescopes
 - Radiometric tracking & comm
 - Optical tracking & comm


* Not yet demonstrated



More Than Just Planetary Science

Navigation and Ancillary Information Facility


- Today SPICE is used well beyond just planetary science missions.
 - Heliophysics
 - Earth science
 - Observations from terrestrial observatories
 - Space technology demos
 - Probably still more...?



History

Navigation and Ancillary Information Facility


- A SPICE precursor was initiated in 1984 as part of a major initiative to improve archiving and distribution of space science data in all NASA disciplines
- Responsibility for leading SPICE development was assigned to the newly-created Navigation and Ancillary Information Facility (NAIF), located at the Jet Propulsion Laboratory
- Today's SPICE system dates from about 1991



Original Purpose for SPICE

Navigation and Ancillary Information Facility

- The original focus of SPICE was on ancillary data and associated software needed by planetary scientists for:
 - science data analysis, both during and after the mission operations
 - science archive preparation







Large Breadth of Use

Navigation and Ancillary Information Facility

- The original focus of SPICE was on ancillary data and associated software needed by planetary scientists for:
 - science data analysis, both during and after the mission operations
 - science archive preparation
- The scope of SPICE usage has grown to cover the full mission lifecycle.
- Also education and public outreach.






Ancillary Data Archives

Navigation and Ancillary Information Facility

- **SPICE is the U.S. Planetary Data System's recommendation for archiving ancillary data**
 - But its use is not a requirement
- **Use of SPICE is recommended by the International Planetary Data Alliance**
 - But its use is not a requirement
- **SPICE data for European planetary missions are archived in ESA's Planetary Science Archive**
 - Some of these data are also mirrored on the NAIF server
- **SPICE data for some Japanese, Indian and Russian missions may be available from their local archives**



SPICE Users

Navigation and Ancillary Information Facility

Data Restorations	Selected Past Users	Current/Pending Users	Examples of Possible Future Users
Apollo 15, 16 [L]	Magellan [L]	Cassini Orbiter	Some EM-1 CubeSats
Mariner 2 [L]	Clementine (NRL)	Mars Odyssey	NASA Discovery Program
Mariner 9 [L]	Mars 96 (RSA)	Mars Exploration Rover	NASA New Frontiers Program
Mariner 10 [L]	Mars Pathfinder	Mars Reconnaissance Orbiter	ExoMars 2018 (ESA, RSA)
Viking Orbiters [L]	NEAR	DAWN	Luna-Glob (RSA)
Viking Landers [L]	Deep Space 1	Mars Science Lab	
Pioneer 10/11/12 [L]	Galileo	Juno	
Haley armada [L]	Genesis	MAVEN	<i>Examples of Users not Requesting NAIF Help</i>
Phobos 2 [L] (RSA)	Deep Impact	SMAP (Earth Science)	Emmirates Mars Mission (UAE via LASP)
Ulysses [L]	Huygens Probe (ESA) [L]	OSIRIS REx	Proba-3 (ESA)
Voyagers [L]	Stardust/NExT	InSight	Solar Probe Plus
Lunar Orbiter [L]	Mars Global Surveyor	Mars 2020	EUMETSAT GEO satellites [L]
Helios 1,2 [L]	Phoenix	Europa Clipper and Lander	MOM (ISRO)
	EPOXI	NISAR (NASA and ISRO)	BepiColombo (ESA, JAXA)
	GRAIL	Lunar Reconnaissance Orbiter	JUICE (ESA)
	Messenger	New Horizons	Solar Orbiter (ESA)
	Phobos Sample Return (RSA)	Mars Express (ESA)	Van Allen Probes [L]
	Venus Express (ESA)	ExoMars 2016 (ESA, RSA)	STEREO [L]
	Rosetta (ESA)	Akatsuki (JAXA)	Spitzer Space Telescope [L]
	Chandrayaan-1 (ISRO)	Hayabusa-2 (JAXA)	Kepler [L]
[L] = limited use	Hayabusa (JAXA)	Korean Pathfinder Lunar Orbiter (KARI)	Hubble Space Telescope [S][L]
[S] = special services	Kaguya (JAXA)		Radioastron (RSA) [L]
	LADEE	Planetary Data System	IBEX [L]
	ISO [S] (ESA)	Planetary Science Archive (ESA)	James Webb Space Telescope [S][L]
	Space VLBI [L] (multinational)	JPL Solar System Dynamics	Altius (Belgian earth science satellite)
Last updated: 9/25/17	Smart-1 (ESA)	NASA Deep Space Network [S]	Armadillo (cube sat, by UT)

NAIF has or had project-supplied funding to support mission operations, consultation for flight team members, and SPICE data archive preparation. NAIF also has PDS funding to help scientists and students with using SPICE data that have been officially archived at the NAIF

NAIF has or had NASA funding to support a foreign partner in SPICE deployment and archive review, and to consult with flight team

NAIF has token funding to consult with kernel producers at APL. APL provides support to science teams.

NAIF has or had modest PDS-supplied funding to consult on assembly of a SPICE archive.

NAIF has PDS funding to help NASA funded scientists use SPICE data archived at the NAIF Node of the PDS.



Building Blocks for Your Applications

Navigation and Ancillary Information Facility

The “SPICE” observation geometry system can serve as a set of building blocks for constructing tools supporting multi-mission, international space exploration programs.

