

```
In [1]: import numpy as np
import pandas as pd
```

```
In [2]: x=pd.read_csv(r"C:\Users\user\Downloads\6_Salesworkload1 - 6_Salesworkload1.csv")
x
```

Out[2]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLea
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	
2	10.2016	1.0	United Kingdom	88253.0	London (I)	3.0	other	47.205	
3	10.2016	1.0	United Kingdom	88253.0	London (I)	4.0	Fish	1623.852	
4	10.2016	1.0	United Kingdom	88253.0	London (I)	5.0	Fruits & Vegetables	1759.173	
...	...	...	...	...	...	...	...	...	...
7653	6.2017	9.0	Sweden	29650.0	Gothenburg	12.0	Checkout	6322.323	
7654	6.2017	9.0	Sweden	29650.0	Gothenburg	16.0	Customer Services	4270.479	
7655	6.2017	9.0	Sweden	29650.0	Gothenburg	11.0	Delivery	0	
7656	6.2017	9.0	Sweden	29650.0	Gothenburg	17.0	others	2224.929	
7657	6.2017	9.0	Sweden	29650.0	Gothenburg	18.0	all	39652.2	

7658 rows × 14 columns

```
In [6]: x=x.head(500)
x
```

Out[6]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0
2	10.2016	1.0	United Kingdom	88253.0	London (I)	3.0	other	47.205	0.0
3	10.2016	1.0	United Kingdom	88253.0	London (I)	4.0	Fish	1623.852	0.0
4	10.2016	1.0	United Kingdom	88253.0	London (I)	5.0	Fruits & Vegetables	1759.173	0.0
...	...	...	...	...	...	...	...	...	...
495	10.2016	1.0	Italy	64983.0	Milano	3.0	other	47.205	0.0
496	10.2016	1.0	Italy	64983.0	Milano	4.0	Fish	2451.513	0.0
497	10.2016	1.0	Italy	64983.0	Milano	5.0	Fruits & Vegetables	1944.846	0.0
498	10.2016	1.0	Italy	64983.0	Milano	6.0	Meat	11980.629	122.0
499	10.2016	1.0	Italy	64983.0	Milano	13.0	Food	23665.44	122.0

500 rows × 14 columns



```
In [7]: x.dtypes
```

```
Out[7]: MonthYear      object
Time index    float64
Country       object
StoreID       float64
City          object
Dept_ID       float64
Dept. Name    object
HoursOwn      object
HoursLease    float64
Sales units   float64
Turnover      float64
Customer      float64
Area (m2)     object
Opening hours object
dtype: object
```

In [8]: `x.head()`

Out[8]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0	39
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0	8
2	10.2016	1.0	United Kingdom	88253.0	London (I)	3.0	other	47.205	0.0	43
3	10.2016	1.0	United Kingdom	88253.0	London (I)	4.0	Fish	1623.852	0.0	30
4	10.2016	1.0	United Kingdom	88253.0	London (I)	5.0	Fruits & Vegetables	1759.173	0.0	16

In [9]: `x.tail()`

Out[9]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	
495	10.2016	1.0	Italy	64983.0	Milano	3.0	other	47.205	0.0	
496	10.2016	1.0	Italy	64983.0	Milano	4.0	Fish	2451.513	0.0	
497	10.2016	1.0	Italy	64983.0	Milano	5.0	Fruits & Vegetables	1944.846	0.0	
498	10.2016	1.0	Italy	64983.0	Milano	6.0	Meat	11980.629	122.0	2
499	10.2016	1.0	Italy	64983.0	Milano	13.0	Food	23665.44	122.0	4

In [10]: `x.columns`

Out[10]: Index(['MonthYear', 'Time index', 'Country', 'StoreID', 'City', 'Dept\_ID', 'Dept. Name', 'HoursOwn', 'HoursLease', 'Sales units', 'Turnover', 'Customer', 'Area (m2)', 'Opening hours'], dtype='object')

In [11]: `x.index`

Out[11]: RangeIndex(start=0, stop=500, step=1)

In [12]: `x.describe()`

Out[12]:

	Time index	StoreID	Dept_ID	HoursLease	Sales units	Turnover	Customer
<b>count</b>	500.0	500.000000	500.000000	500.000000	5.000000e+02	5.000000e+02	0.0
<b>mean</b>	1.0	57412.764000	9.406000	31.520000	9.397837e+05	3.153113e+06	NaN
<b>std</b>	0.0	32104.273482	5.350366	142.134408	1.486945e+06	5.165524e+06	NaN
<b>min</b>	1.0	15552.000000	1.000000	0.000000	0.000000e+00	0.000000e+00	NaN
<b>25%</b>	1.0	20891.000000	5.000000	0.000000	5.200250e+04	2.345122e+05	NaN
<b>50%</b>	1.0	71991.000000	9.000000	0.000000	2.555375e+05	7.053345e+05	NaN
<b>75%</b>	1.0	88253.000000	14.000000	0.000000	8.903900e+05	2.542147e+06	NaN
<b>max</b>	1.0	96857.000000	18.000000	1896.000000	7.476680e+06	2.571973e+07	NaN

In [13]: `x["StoreID"]`

Out[13]:

0	88253.0
1	88253.0
2	88253.0
3	88253.0
4	88253.0
...	
495	64983.0
496	64983.0
497	64983.0
498	64983.0
499	64983.0

Name: StoreID, Length: 500, dtype: float64

In [14]: `x[0:2]`

Out[14]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sal un
<b>0</b>	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0	398560
<b>1</b>	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0	827250

In [15]: `x.loc[0:2]`

Out[15]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sales units
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0	398560
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0	827250
2	10.2016	1.0	United Kingdom	88253.0	London (I)	3.0	other	47.205	0.0	438400

In [16]: `x.iloc[0:2]`

Out[16]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sales units
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0	398560
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0	827250

In [17]: `x.loc["StoreID":"City"]`

Out[17]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sales units	Turn
--	-----------	------------	---------	---------	------	---------	------------	----------	------------	-------------	------

In [18]: `x[x["StoreID"]<=2]`

Out[18]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sales units	Turn
--	-----------	------------	---------	---------	------	---------	------------	----------	------------	-------------	------

In [19]:

x.fillna(value=5)

Out[19]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease
0	10.2016	1.0	United Kingdom	88253.0	London (I)	1.0	Dry	3184.764	0.0
1	10.2016	1.0	United Kingdom	88253.0	London (I)	2.0	Frozen	1582.941	0.0
2	10.2016	1.0	United Kingdom	88253.0	London (I)	3.0	other	47.205	0.0
3	10.2016	1.0	United Kingdom	88253.0	London (I)	4.0	Fish	1623.852	0.0
4	10.2016	1.0	United Kingdom	88253.0	London (I)	5.0	Fruits & Vegetables	1759.173	0.0
...	...	...	...	...	...	...	...	...	...
495	10.2016	1.0	Italy	64983.0	Milano	3.0	other	47.205	0.0
496	10.2016	1.0	Italy	64983.0	Milano	4.0	Fish	2451.513	0.0
497	10.2016	1.0	Italy	64983.0	Milano	5.0	Fruits & Vegetables	1944.846	0.0
498	10.2016	1.0	Italy	64983.0	Milano	6.0	Meat	11980.629	122.0
499	10.2016	1.0	Italy	64983.0	Milano	13.0	Food	23665.44	122.0

500 rows × 14 columns

In [20]:


x.dropna()

Out[20]:

	MonthYear	Time index	Country	StoreID	City	Dept_ID	Dept. Name	HoursOwn	HoursLease	Sales units	Turn


```
In [21]: x.plot.line()
```

```
Out[21]: <AxesSubplot:>
```




```
In [22]: x.plot.bar()
```

```
Out[22]: <AxesSubplot:>
```




```
In [23]: x.plot.hist()
```

```
Out[23]: <AxesSubplot:ylabel='Frequency'>
```




```
In [24]: x.plot.pie(y='StoreID')
```






```
In [25]: x.plot.box()
```

```
Out[25]: <AxesSubplot:>
```



```
In [29]: x.plot.scatter(x='StoreID',y='Dept_ID')
```

```
Out[29]: <AxesSubplot:xlabel='StoreID', ylabel='Dept_ID'>
```



```
In [ ]:
```