

Files in Linux

Project description

In this scenario, the analyst team tasked me to execute some organizational tasks. The following are as follows:

1. Find and search files
2. Create and remove a directory
3. Move and remove a file
4. Create and edit a file

The operating system is Linux, indicating that the tasks require a command-line interface (Linux Bash shell) approach via Linux Terminal.

```
analyst@ec0337e39025:~$ ls
logs project reports temp
analyst@ec0337e39025:~$ ls -la
total 44
drwxr-xr-x 6 analyst analyst 4096 Dec 20 06:40 .
drwxr-xr-x 1 root    root    4096 Dec 20 05:24 ..
-rw----- 1 analyst analyst   9 Dec 20 06:40 .bash_history
-rw-r--r-- 1 analyst analyst 220 Apr 18 2019 .bash_logout
-rw-r--r-- 1 analyst analyst 3597 Dec 20 05:24 .bashrc
-rw-r--r-- 1 analyst analyst 3597 Dec 20 05:24 .profile
drwxr-xr-x 2 analyst root    4096 Dec 20 05:24 logs
drwxr-xr-x 2 analyst root    4096 Dec 20 05:24 project
drwxr-xr-x 3 analyst root    4096 Dec 20 05:24 reports
drwxr-xr-x 2 analyst root    4096 Dec 20 05:24 temp
analyst@ec0337e39025:~$
```

Find and search files

The analyst team asked me to locate a log file whose lines contain the text string `error`. The file is `server_logs.txt` within the directory `logs`. We can examine the actual lines within the file by using `cat server_logs.txt` after `cd logs / cat` `/home/analyst/logs/server_logs.txt` command. The image below shows the entire lines of the text.

```
analyst@ec0337e39025:~/logs$ cat server_logs.txt
2022-09-28 13:55:55 info User logged on successfully
2022-09-28 13:56:22 error The password is incorrect
2022-09-28 13:56:48 warning The file storage is 75% full
2022-09-28 15:55:55 info User logged on successfully
2022-09-28 15:56:22 error The username is incorrect
2022-09-28 15:56:48 warning The file storage is 90% full
2022-09-28 16:55:55 info User navigated to settings page
2022-09-28 16:56:22 error The password is incorrect
2022-09-28 16:56:48 warning The current user's password expires in 15 days
2022-09-29 13:55:55 info User logged on successfully
2022-09-29 13:56:22 error An unexpected error occurred
2022-09-29 13:56:48 warning The file storage is 90% full
2022-09-29 15:55:55 info User navigated to settings page
2022-09-29 15:56:22 error Unauthorized access
2022-09-29 15:56:48 warning The file storage is 75% full
2022-09-29 16:55:55 info User requested security reports
2022-09-29 16:56:22 error Unauthorized access
2022-09-29 16:56:48 warning The current user's password expires in 15 daysanalyst@ec0337e39025:~/logs$
```

Now, let's filter this file so it will return a list of the lines that match the text string "error" in that file. The command `grep error server_logs.txt` will make it happen. As the result shows below, there are six lines that match the text string "error".

```
analyst@ec0337e39025:~/logs$ grep error server_logs.txt
2022-09-28 13:56:22 error The password is incorrect
2022-09-28 15:56:22 error The username is incorrect
2022-09-28 16:56:22 error The password is incorrect
2022-09-29 13:56:22 error An unexpected error occurred
2022-09-29 15:56:22 error Unauthorized access
2022-09-29 16:56:22 error Unauthorized access
```

The analyst team also would like me to locate files whose names contain `Q1` and `access` within the `users` directory. First, let's write the command `cd /home/analyst/reports/users` to enter `users` directory and `ls /ls -la` commands to view all the files within the directory.

```
analyst@ec0337e39025:~/logs$ cd /home/analyst/reports/users
analyst@ec0337e39025:~/reports/users$ ls
Q1_access.txt      Q2_access.txt      Q3_access.txt      Q4_access.txt
Q1_added_users.txt Q2_added_users.txt Q3_added_users.txt Q4_added_users.txt
Q1_deleted_users.txt Q2_deleted_users.txt Q3_deleted_users.txt Q4_deleted_users.txt
analyst@ec0337e39025:~/reports/users$ ls -la
total 56
drwxr-xr-x 2 analyst root 4096 Dec 20 05:24 .
drwxr-xr-x 3 analyst root 4096 Dec 20 05:24 ..
-rw-r--r-- 1 analyst root 85 Dec 20 05:24 Q1_access.txt
-rw-r--r-- 1 analyst root 251 Dec 20 05:24 Q1_added_users.txt
-rw-r--r-- 1 analyst root 219 Dec 20 05:24 Q1_deleted_users.txt
-rw-r--r-- 1 analyst root 86 Dec 20 05:24 Q2_access.txt
-rw-r--r-- 1 analyst root 251 Dec 20 05:24 Q2_added_users.txt
-rw-r--r-- 1 analyst root 220 Dec 20 05:24 Q2_deleted_users.txt
-rw-r--r-- 1 analyst root 85 Dec 20 05:24 Q3_access.txt
-rw-r--r-- 1 analyst root 251 Dec 20 05:24 Q3_added_users.txt
-rw-r--r-- 1 analyst root 220 Dec 20 05:24 Q3_deleted_users.txt
-rw-r--r-- 1 analyst root 86 Dec 20 05:24 Q4_access.txt
-rw-r--r-- 1 analyst root 251 Dec 20 05:24 Q4_added_users.txt
-rw-r--r-- 1 analyst root 220 Dec 20 05:24 Q4_deleted_users.txt
```

This command (`grep`) will allow us to find the files whose names contain `Q1`:

`ls | grep Q1` (make sure you're already in the directory) or `ls`

`/home/analyst/reports/users | grep Q1`. There are three files associated with `Q1`.

```
analyst@ec0337e39025:~/reports/users$ ls | grep Q1
Q1_access.txt
Q1_added_users.txt
Q1_deleted_users.txt
```

Using the same logic, we can locate a file whose name contains `access`:

`ls | grep access` (make sure you're already in the directory) or `ls`

`/home/analyst/reports/users | grep access`

As the result shows, there are four files associated with `access`.

```
analyst@ec0337e39025:~/reports/users$ ls | grep access
Q1_access.txt
Q2_access.txt
Q3_access.txt
Q4_access.txt
analyst@ec0337e39025:~/reports/users$
```

Last but not least, the analyst team would like to search information contained in user files and report on users that were added and deleted from the system. They would like to search the `Q2_deleted_users.txt` file within the `users` directory for the username `jhill`. As the result shows, we found `jhill` in this file.

`grep jhill Q2_deleted_users.txt`

```
analyst@ec0337e39025:~/reports/users$ grep jhill Q2_deleted_users.txt
1025      jhill      Sales
```

To see whose people have been added to the `Human Resources` department, we can use `grep` command. For more than one word, we should use `"` to execute the command.

`grep "Human Resources" Q4_added_users.txt`

```
analyst@ec0337e39025:~/reports/users$ grep "Human Resources" Q4_added_users.txt
1151      sshah      Human Resources
1145      msosa      Human Resources
analyst@ec0337e39025:~/reports/users$
```

Create and remove a directory

The analyst team would like me to create a new directory named `logs` and remove `temp` directory from the system. Here's the command line to create and remove directory:

`mkdir logs` (create)

`rmdir temp` (remove)

```
analyst@95cc38ed66c7:~$ mkdir logs
analyst@95cc38ed66c7:~$ ls
logs notes reports temp
analyst@95cc38ed66c7:~$
```

```
analyst@95cc38ed66c7:~$ rmdir temp
analyst@95cc38ed66c7:~$ ls
logs notes reports
analyst@95cc38ed66c7:~$
```

Move and remove a file

The team would like to move `Q3patches.txt` file to another directory. In the `Notes` directory (please navigate here), the command `mv Q3patches.txt /home/analyst/report` will move the file to the `notes` directory.

```
analyst@95cc38ed66c7:~$ cd /home/analyst/notes
analyst@95cc38ed66c7:~/notes$ cd /home/analyst/notes
analyst@95cc38ed66c7:~/notes$ cd notes
-bash: cd: notes: No such file or directory
analyst@95cc38ed66c7:~/notes$ mv Q3patches.txt /home/analyst/reports/
analyst@95cc38ed66c7:~/notes$ ls /home/analyst/reports/
Q1patches.txt Q2patches.txt Q3patches.txt
analyst@95cc38ed66c7:~/notes$
```

The team would like me to remove `tempnotes` as it is no longer required in the `notes` directory. The command `rm tempnotes.txt` will allow us to delete it (please make sure to use `cd` command to navigate to notes directory).

```
analyst@95cc38ed66c7:~/notes$ rm tempnotes.txt
analyst@95cc38ed66c7:~/notes$ ls
analyst@95cc38ed66c7:~/notes$
```

Create and edit a file

The analyst team would like me to create a new file and edit it. The command `touch tasks.txt` allows us to create a file. On the other hand, the command `nano tasks.txt` allows us to edit a file. Make sure to press CTRL + X to exit from the nano editor. When being asked "Save modified buffer", press Y to save the new data to the file. Then, please press enter to confirm that the file name to write is tasks.txt. Use `cat tasks.txt` command to display the contents of the tasks.txt.

```
analyst@95cc38ed66c7:~/notes$ touch tasks.txt
analyst@95cc38ed66c7:~/notes$ ls
tasks.txt
analyst@95cc38ed66c7:~/notes$
```

Completed tasks

1. Managed file structure in /home/analyst

^G Get Help	^O Write Out	^W Where Is	^K Cut Text	^J Justify	^C Cur Pos
^X Exit	^R Read File	^N Replace	^U Uncut Text	^I To Spell	^_ Go To Line

```
Completed tasks
1. Managed file structure in /home/analyst

Save modified buffer? (Answering "No" will DISCARD changes.)
Y Yes
N No      ^C Cancel
```

```
analyst@95cc38ed66c7:~/notes$ cat tasks.txt
Completed tasks
1. Managed file structure in /home/analyst
analyst@95cc38ed66c7:~/notes$
```

Summary

Here, I successfully found and searched files, created and removed a directory, moved and removed a file, and created and edited a file on Linux Terminal.