

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**Cambridge International General Certificate of Secondary Education**

**MARK SCHEME for the October/November 2015 series**

**0444 MATHEMATICS (US)**

**0444/33**

Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b> <b>Cambridge IGCSE – October/November 2015</b>	<b>Syllabus</b> <b>0444</b>	<b>Paper</b> <b>33</b>
---------------	--	--------------------------------	---------------------------

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
1 (a) (i)	6800	1	
	$\frac{1}{4}$	1	Accept equivalent fraction
	6	1	
	$6.87 \times 10^8$	1	
	9	1	Accept $\pm 9$
	343	1	
	1	1	
	11	1	
	17	3	M1 for $8y + 28 = 164$ or $2y + 7 = 41$ M1 FT for a correct further step
	$48x^5$	2	M1 for $48x^k$ or $jx^5$

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0444</b>	<b>33</b>

<b>2</b>	<b>(a)</b>	9 hours 5 minutes	<b>2</b>	<b>B1</b> for 17 hrs 5 mins or using 10 30 or 11 35
	<b>(b) (i)</b>	12034	<b>3</b>	<b>M2</b> for $290 \times 37 + 163 \times 8$ or <b>M1</b> for either $290 \times 37$ or $163 \times 8$
	<b>(ii)</b>	84.9	<b>2</b>	<b>M1</b> for $(37 + 8) \div 53$ or better
	<b>(iii)</b>	9628	<b>1</b>	
	<b>(c) (i)</b>	Copenhagen 3 Helsinki 5 St Petersburg 10 Stockholm 4 Tallinn 8	<b>2</b>	<b>B1</b> for 3 or 4 correct or fully correct tallies if frequency column blank or correct frequencies in tally column
	<b>(ii)</b>	Correct bar chart	<b>3FT</b>	<b>B3</b> for all bars correct height same width and same gaps between bars and linear scale  <b>B2</b> for all bars correct height same width and same gaps between bars  <b>B1</b> for linear scale on $y$ -axis  <b>B1 FT</b> 3 or 4 correct heights

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0444</b>	<b>33</b>

3 (a)	4800 7200 9600	3	<b>M2</b> for 1 correct value in correct place  <b>M1</b> for $21600 \div (2 + 3 + 4)$ or better  If zero scored <b>SC1</b> for all correct values in incorrect order
(b) (i)	4200	2	<b>M1</b> for $0.3 \times 14000$ oe
(ii)	$\frac{4}{7}$ cao	2	<b>B1</b> for correct fraction other than $\frac{8000}{14000}$
(iii)	1200	2FT	<b>M1FT</b> for $(14000 - \text{their (b)(i)} - 8000 - 600)$
(c)	20	3	<b>M2</b> for $(1 - 17280 \div 21600) \times 100$ oe  or <b>M1</b> for $(17280 \div 21600) \times 100$ oe  Alternative method  <b>M2</b> for $\frac{21600 - 17280}{21600} \times 100$ or <b>B1</b> for $21600 - 17280$ soi 4320
(d)	422.9[0] or 422.89	3	<b>M2</b> for $5500 \times 1.025^3 [-5500]$ oe  <b>M1</b> for $5500 \times 1.025^2$ oe

<b>Page 5</b>	<b>Mark Scheme</b> <b>Cambridge IGCSE – October/November 2015</b>	<b>Syllabus</b> <b>0444</b>	<b>Paper</b> <b>33</b>
---------------	--	--------------------------------	---------------------------

<b>4 (a)</b>	Correct explanation	<b>1</b>	eg 2200 is one of the larger engine sizes so the distance is probably less
<b>(b) (i)</b>	4 points correctly plotted	<b>2</b>	<b>B1</b> for 3 points correctly plotted
<b>(ii)</b>	$\frac{737}{11}$	<b>1</b>	
<b>(iii)</b>	Mean point plotted and line drawn through Correct ruled line of best fit	<b>1</b> <b>1dep</b>	
<b>(iv)</b>	Negative	<b>1</b>	
<b>(c)</b>	50 to 56	<b>1FT</b>	FT <i>their</i> straight line of best fit if negative
<b>5 (a) (i)</b>	90	<b>1</b>	
	Angle [ in a ] semi-circle	<b>1</b>	
<b>(ii)</b>	25	<b>1</b>	
	Angles [ in a ] triangle [add to] 180°	<b>1</b>	
<b>(iii)</b>	65	<b>1FT</b>	
	Angle [between] radius and tangent is 90° oe	<b>1</b>	
<b>(iv)</b>	65	<b>1FT</b>	
	Alternate angles	<b>1</b>	
<b>(b) (i)</b>	Radius	<b>1</b>	
<b>(ii)</b>	Chord	<b>1</b>	

<b>Page 6</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0444</b>	<b>33</b>

<b>6</b>	(a) (i)  (ii)	Blue  $\frac{2}{16}$ oe	1 1	
	(b) (i)  (ii)  (iii)	4.52 or 4.523 to 4.524...  9.42 or 9.43 or 9.424 to 9.426  2.6[0]	3 2 2	<b>M2</b> for $1.5^2\pi - 0.9^2\pi$ or better  or <b>M1</b> for either $1.5^2\pi$ or $0.9^2\pi$ or better  <b>M1</b> for $2 \times 1.5\pi$ or better  <b>M1</b> for $20 - (12 \times 1.45)$
<b>7</b>	(a) (i)  (ii)	8  6	1  <b>2FT</b>	
	(b) (i)  (ii) (a)  (b)	[trapezoidal] prism  49.6 or 49.63 to 49.64  52.49 to 52.5[0]	1 2 2	<b>M1</b> for $\frac{\text{their } 8 \times 15}{20}$ or $\frac{2}{5} \times 15$ oe  <b>M1</b> for $\tan(\dots) = \frac{40}{34}$ oe  <b>M1</b> for $\sqrt{40^2 + 34^2}$ oe
<b>8</b>	(a) (i)  (ii)  (iii)	Correct rotation  Correct reflection  Enlargement [Scale factor] 0.5 oe [Centre] (7, 4)	2 2 1 1 1	<b>B1</b> for correct rotation with incorrect centre used  <b>B1</b> for reflection in $x = k$ or $y = -1$
	(b) (i)  (ii)  (iii)	(5, -2)  $\begin{pmatrix} -3 \\ -5 \end{pmatrix}$  Z plotted at (3, 4)	1 1 1	

<b>Page 7</b>	<b>Mark Scheme</b> <b>Cambridge IGCSE – October/November 2015</b>	<b>Syllabus</b> <b>0444</b>	<b>Paper</b> <b>33</b>
---------------	--	--------------------------------	---------------------------

<b>9</b>	(a) (i)	10, 3, -5	<b>3</b>	<b>B1</b> for each correct
	(ii)	Correct curve	<b>4</b>	<b>B3FT</b> for 7 or 8 points correctly plotted <b>B2FT</b> for 5 or 6 points correctly plotted <b>B1FT</b> for 3 or 4 points correctly plotted
	(iii)	-0.5 to -0.4 and 4.4. to 4.5	<b>2FT</b>	<b>B1FT</b> for each correct
	(b)	$5x + 3$	<b>3</b>	<b>B2</b> for $5x + c$ or $kx + 3$ , $k$ not equal 0 or <b>M1</b> for attempt at $\frac{Rise}{Run}$
<b>10</b>	(a)	15 20 16 21	<b>2</b>	<b>B1</b> for 1 correct row or column
	(b) (i)	$5n$ oe final answer	<b>1</b>	
	(ii)	$5n + 1$ oe final answer	<b>1FT</b>	<b>FT</b> algebraic expression
	(c)	100 101	<b>1</b> <b>1</b>	