

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0444 MATHEMATICS (US)

0444/31

Paper 3, maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

	Answer	Mark	Part marks
1 (a) (i)	At least two of 1, 2, 3, 4, 6, 12	1	No incorrect factors
(ii)	23	1	
(iii)	4	1	
(iv)	2000507	1	
(v)	e.g. 75, 150	1	Accept any $75k$, $k > 0$
(vi)	3.1416	1	
(b) (i)	163	1	
(ii)	7.5	1	
(c) (i)	63521.8	1	
(ii)	63500 cao	1	
(d) (i)	[0].234	1	
(ii)	8 760 000	1	
2 (a) (i)	6	1	
(ii)	0.21	2	M1 for $\frac{220}{38}$ or better
(b) (i)	5, 15, 20	2	B1 for 1 correct answer in the right place or M1 for $40 \div (1+3+4)[\times k]$ soi where k is 1 or 3 or 4
(ii)	2 : 3 : 5	2	M1 for (16,24,40) or better or M1FT for ‘their (5,15,20)’ + (11,9,20) or better
(c) (i)	570	1	
(ii)	$b + 2t = 240$	2	B1 for $b + 2t$ seen

(iii)	[b] 90 [t] 75 Working must be shown	3	M1FT for correct elimination of one variable A1 for $b = 90$ A1 for $t = 75$ If zero is scored SC1 for 2 values satisfying one of their equations (ft) SC1 if no working shown, but 2 correct answers given
(d)	16.83	3	B1 for 340 or 0.2 or 5 seen M1 for figs 340 ÷ figs 20 × figs 99 or figs 340 × figs 5 × figs 99
3 (a) (i)	292	1	
(ii)	380	2	B1 for (9.5 ± 0.2) If zero scored, SC1 for figs '372 to 388'
(iii)	125	2	M1 for $\frac{450 \times 1000}{60 \times 60}$ or better
(b) (i)	0.85	1	
(ii)	36	1	
(c) (i)	6	1	
(ii)	16	1	
(iii)	17	1	
(iv)	17.5	2	M1 for $(15+16+16+18+19+21) \div 6$
(v)	$\frac{2}{6}$ oe	1	
(d)	2.62	2	M1 for $3.25 \div 1.24$
4 (a) (i)	rotation [centre] $(0, 0)$ oe 90° clockwise oe	1 1 1	
(ii)	reflection y axis or $x = 0$	1 1	
(iii)	translation $\begin{pmatrix} -8 \\ -5 \end{pmatrix}$	1 1	
(b)	correct enlargement shown	2	B1 for enlargement of sf 2 anywhere on the grid
5 (a) (i)	2	1	
(ii)	0	1	

	(iii)	360	1	
	(b) (i)	correct bisector drawn with 2 pairs of correct arcs reaching DC	2	B1 for correct bisector without arcs reaching or correct bisector with 2 pairs of arcs not reaching DC
	(ii)	alternate [angles]	1	
	(iii)	isosceles [angle] $DAB = $ [angle] DEA oe	1 1	
	(iv)	trapezoid or trapezium	1	
6	(a) (i)	$(0, 1\frac{1}{2})$	2	B1 for each co-ordinate
	(ii)	$\begin{pmatrix} 6 \\ -7 \end{pmatrix}$	1	
	(iii)	$(2, 3)$	1	
	(b) (i)	Ruled straight line parallel to $f(x)$ through $(0, 1)$	2	B1 for ruled straight line parallel to $f(x)$
	(ii)	Correct horizontal translation through $(0, 0)$ and $(1, 0)$	2	B1 for any horizontal translation
7	(a)	153 two correct geometrical reasons	2 2	M1 for $90 + 63$ or $180 - (90 + 63)$ oe or [angle $BCA =]27$ B1 for angle [in] semi-circle [is 90] B1 for angles [in a] triangle [sum to] 180 or angles [on a] straight line [sum to] 180
	(b)	14.8 or 14.79 to 14.80	5	M2 for $\frac{3}{4} \times \pi \times 3^2$ or M1 for $\pi \times 3^2$ M1 for 6×6 or 36 M1dep for <i>their</i> $6 \times 6 - $ <i>their</i> $k \times \pi \times 3^2$
	(c) (i)	36	3	M2 for $\sqrt{45^2 - 27^2}$ or better or M1 for $45^2 = GH^2 + 27^2$ or better
	(ii)	108	1FT	
	(iii)	486	2FT	M1FT for $0.5 \times 27 \times $ <i>their</i> (c)(i)

(iv)	36.9 or 36.86 to 36.87	2	M1 for $\sin(\dots) = \frac{27}{45}$ or $\cos(\dots) = \frac{\text{their}}{45}$ $\tan(\dots) = \frac{27}{\text{their(c)(i)}}$ or better
8 (a) (i)	0 , 6 , 6 , -6	2	B1 for any 3 correct
	(ii) 8 points correctly plotted correct smooth curve	4	B3FT for 7 or 8 correct B2FT for 5 or 6 correct B1FT for 3 or 4 correct
	(b) $(2.5, k)$ where $6 < k \leq 6.5$	1	
	(c) 5.4 to 5.7 -0.4 to -0.7	1FT 1FT	
	(d) (i) correct line drawn	1	
	(ii) $x = 2.5$	1	
	(iii) 15	1	
9 (a)	green	1	
	(b) 72	3	B1 for $135^\circ \pm 2^\circ$ seen M1 for $\frac{360 \times 27}{\text{their } 135}$ oe
	(c) 22.2	2	M1 for $\frac{80 \pm 2}{360} \times 100$ or M1FT for $\frac{\text{their red}}{\text{their total}} \times 100$