


Coding Theory: Linear Codes

Lecture Notes in LaTeX



Scope of these notes. These notes reorganize the “Linear Codes” slide deck into a continuous lecture-note format. They cover finite fields, linear encodings, (n, k) linear codes, generator matrices, systematic form, repetition and parity-check codes, and parity-check matrices.

April 3, 2026

Contents

1	What is coding theory?	2
1.1	Encoding	2
2	Discrete alphabets and finite fields	2
2.1	Arithmetic modulo p	2
2.2	What goes wrong modulo a composite number?	3
2.3	The finite field $\mathbb{F}_p$	3
2.4	Another finite field: $\mathbb{F}_4$	4
3	Linear encoding and linear codes	4
3.1	Linear encoding	4
3.2	Basic properties	5
4	Generator matrices	5
4.1	Systematic form	5
4.2	Example: repetition code	6
4.3	Example: single parity-check code	6
5	Worked exercises on linearity	7
5.1	A codebook that is not linear	7
5.2	A codebook that is linear	7
6	Parity-check matrices	8
6.1	Parity-check matrix from a systematic generator matrix	8
6.2	Example: parity-check matrix of the repetition code	9
7	Final summary	10

1. What is coding theory?

Coding theory studies how to transmit or store information reliably in the presence of corruption. In a communication setting, a sender starts with information symbols, transforms them into an encoded word, sends that word through a noisy channel, and the receiver tries to recover the original data from the corrupted output.

Key idea

The central principle is redundancy: we intentionally add structured extra symbols so that the receiver can detect or correct corruption.

A generic communication model has the form

$$\mathbf{x} = (x_1, \dots, x_k) \xrightarrow{\text{encoder}} \mathbf{c} = (c_1, \dots, c_n) \xrightarrow{\text{noise } \mathbf{e}} \mathbf{y} = \mathbf{c} + \mathbf{e} \xrightarrow{\text{decoder}} \hat{\mathbf{x}} = (\hat{x}_1, \dots, \hat{x}_k),$$

where usually $n \geq k$. The vector $\mathbf{c}$ is called a *codeword*.

1.1 Encoding

Let A be an alphabet. An *encoding* is a map

$$A^k \longrightarrow A^n, \quad (x_1, \dots, x_k) \longmapsto (c_1, \dots, c_n),$$

with $n \geq k$. The output vector $\mathbf{c} = (c_1, \dots, c_n)$ is the transmitted codeword.

Example 1.1 (A first encoding). *When $k = 1$, a very simple encoding repeats the same symbol:*

$$(x_1) \longmapsto (x_1, x_1, \dots, x_1) \in A^n.$$

If the alphabet is binary, $A = \{0, 1\}$, then

$$(0) \mapsto (0, 0, \dots, 0), \quad (1) \mapsto (1, 1, \dots, 1).$$

This is called the repetition code.

2. Discrete alphabets and finite fields

In linear coding theory, alphabets are usually finite fields. The first examples come from arithmetic modulo a prime.

2.1 Arithmetic modulo p

For a prime number p , arithmetic modulo p means that every computation is reduced by taking its remainder upon division by p . The resulting set is

$$\mathbb{F}_p = \{0, 1, \dots, p-1\}.$$

Addition and multiplication modulo 2

+	0	1
0	0	1
1	1	0

·	0	1
0	0	0
1	0	1

Addition and multiplication modulo 3

+	0	1	2
0	0	1	2
1	1	2	0
2	2	0	1

·	0	1	2
0	0	0	0
1	0	1	2
2	0	2	1

2.2 What goes wrong modulo a composite number?

If we work modulo a non-prime integer, arithmetic no longer behaves like field arithmetic.

For example, modulo 4:

$$2 \cdot 2 \equiv 0 \pmod{4}.$$

This has several consequences:

- from $2x = 0$, we cannot conclude $x = 0$, because $x = 2$ also works;
- a degree-1 equation may have more than one solution;
- two nonzero numbers can multiply to zero, so *zero divisors* appear;
- equations such as $2x = 1$ can have no solution at all.

Exercise 2.1. Prove that if m is not prime, then integers modulo m do not form a field.

Solution

If m is composite, then $m = ab$ for some integers a, b with $1 < a < m$ and $1 < b < m$. Modulo m , we have

$$ab \equiv 0 \pmod{m}.$$

Hence the class of a is nonzero and the class of b is nonzero, but their product is zero. In a field, this cannot happen: nonzero elements must be invertible, and a product of two nonzero elements cannot be zero. Therefore $\mathbb{Z}/m\mathbb{Z}$ is not a field when m is composite.

2.3 The finite field $\mathbb{F}_p$

Definition 2.2. For a prime p , the set of integers modulo p , denoted $\mathbb{F}_p$, is a finite field. This means:

- it has exactly p elements;

- addition, subtraction, and multiplication are defined and satisfy the usual commutative laws;
- every nonzero element has a multiplicative inverse.

Example 2.3 (Inverse modulo 5). In $\mathbb{F}_5$, the inverse of 3 is 2 because

$$3 \cdot 2 = 6 \equiv 1 \pmod{5}.$$

Example 2.4 (Elements that are their own inverse modulo 7). In $\mathbb{F}_7$, the elements 1 and 6 are self-inverse because

$$1 \cdot 1 \equiv 1 \pmod{7}, \quad 6 \cdot 6 = 36 \equiv 1 \pmod{7}.$$

2.4 Another finite field: $\mathbb{F}_4$

Finite fields do not only exist when the number of elements is prime. There is also a field with four elements. One way to describe it is to introduce an element ω satisfying

$$\omega^2 + \omega + 1 = 0 \quad \text{over } \mathbb{F}_2.$$

Equivalently,

$$\omega^2 = \omega + 1, \quad \omega^3 = 1.$$

Then

$$\mathbb{F}_4 = \{0, 1, \omega, \omega^2\}.$$

Its addition and multiplication tables are:

+	0	1	ω	ω^2	·	0	1	ω	ω^2
0	0	1	ω	ω^2	0	0	0	0	0
1	1	0	ω^2	ω	1	0	1	ω	ω^2
ω	ω	ω^2	0	1	ω	0	ω	ω^2	1
ω^2	ω^2	ω	1	0	ω^2	0	ω^2	1	ω

From now on we write $\mathbb{F}_q$ for a finite field with q elements. Typical examples are $\mathbb{F}_p$ for prime p , and also extension fields such as $\mathbb{F}_4$.

3. Linear encoding and linear codes

Once the alphabet is a finite field $\mathbb{F}_q$, the ambient space $\mathbb{F}_q^n$ becomes a vector space. This allows us to use linear algebra to design codes.

3.1 Linear encoding

Definition 3.1. A linear encoding over $\mathbb{F}_q$ is a linear map

$$\mathbb{F}_q^k \longrightarrow \mathbb{F}_q^n, \quad \mathbf{x} \longmapsto \mathbf{c}.$$

Because the map is linear:

- the sum of two codewords is again a codeword;
- any scalar multiple of a codeword is again a codeword.

Definition 3.2. A subset $\mathcal{C} \subseteq \mathbb{F}_q^n$ is called a linear code if it is a linear subspace of $\mathbb{F}_q^n$.

If $\mathcal{C}$ is a linear subspace of dimension k , then $\mathcal{C}$ is called an (n, k) linear code over $\mathbb{F}_q$. The integer n is the *length*, and k is the *dimension*.

3.2 Basic properties

If $\mathcal{C}$ is a linear code, then automatically:

- the zero codeword $\mathbf{0}$ belongs to $\mathcal{C}$;
- whenever $\mathbf{c} \in \mathcal{C}$, also $-\mathbf{c} \in \mathcal{C}$;
- every codeword is a linear combination of basis vectors of $\mathcal{C}$.

Proposition 3.3. If $\mathcal{C}$ is an (n, k) linear code over $\mathbb{F}_q$, then

$$|\mathcal{C}| = q^k.$$

Proof. Choose a basis $\mathbf{b}_1, \dots, \mathbf{b}_k$ of $\mathcal{C}$. Every codeword can be written uniquely as

$$x_1 \mathbf{b}_1 + \dots + x_k \mathbf{b}_k, \quad x_i \in \mathbb{F}_q.$$

Each coefficient x_i has q choices, and there are k independent coefficients. Therefore the number of codewords is q^k . $\square$

4. Generator matrices

Linear maps between finite-dimensional vector spaces are represented by matrices. In coding theory, the matrix representing the encoding map is called a generator matrix.

Definition 4.1. Let $\mathcal{C}$ be an (n, k) linear code over $\mathbb{F}_q$. A generator matrix for $\mathcal{C}$ is a $k \times n$ matrix G whose rows form a basis of $\mathcal{C}$.

If $\mathbf{x} = (x_1, \dots, x_k) \in \mathbb{F}_q^k$, then encoding is given by

$$\mathbf{c} = \mathbf{x}G.$$

4.1 Systematic form

A particularly convenient generator matrix has the form

$$G = [I_k \mid A],$$

where I_k is the $k \times k$ identity matrix and A is a $k \times (n - k)$ matrix.

Definition 4.2. A code is said to be in systematic form if it has a generator matrix of the form $G = [I_k \mid A]$.

In this case, the first k coordinates of the codeword are exactly the information symbols. If

$$\mathbf{x} = (x_1, \dots, x_k),$$

then

$$\mathbf{x}G = (x_1, \dots, x_k, c_{k+1}, \dots, c_n).$$

So the information symbols appear explicitly in the transmitted codeword, followed by the parity symbols.

4.2 Example: repetition code

The $(n, 1)$ repetition code sends

$$(x_1) \mapsto (x_1, x_1, \dots, x_1).$$

Its generator matrix is simply

$$G = [1 \ 1 \ \dots \ 1].$$

Indeed,

$$(x_1)G = (x_1, x_1, \dots, x_1).$$

4.3 Example: single parity-check code

The $(n, n - 1)$ single parity-check code is defined by

$$(x_1, \dots, x_k) \mapsto (x_1, \dots, x_k, x_1 + \dots + x_k),$$

where $k = n - 1$.

A generator matrix in systematic form is

$$G = \begin{bmatrix} 1 & 0 & \dots & 0 & 1 \\ 0 & 1 & \dots & 0 & 1 \\ \vdots & \vdots & \ddots & \vdots & \vdots \\ 0 & 0 & \dots & 1 & 1 \end{bmatrix} = [I_k \mid \mathbf{1}],$$

where the last column consists entirely of ones.

Multiplying gives

$$(x_1, \dots, x_k)G = (x_1, \dots, x_k, x_1 + \dots + x_k).$$

Key idea

In systematic form, the generator matrix shows exactly how redundancy is added to the original data.

5. Worked exercises on linearity

5.1 A codebook that is not linear

Exercise 5.1. Consider the codebook of length 4 over $\mathbb{F}_2$:

$$\{(1, 0, 0, 0), (0, 1, 0, 1), (1, 1, 0, 1), (0, 0, 0, 1)\}.$$

Is this a linear code? If so, provide a generator matrix.

Solution

This codebook is *not* linear.

First, a linear code must contain the zero vector $(0, 0, 0, 0)$, but this vector is not in the codebook.

Second, linear codes must be closed under addition. In $\mathbb{F}_2$,

$$(1, 1, 0, 1) + (0, 0, 0, 1) = (1, 1, 0, 0),$$

and this vector also does not belong to the codebook. Therefore the set is not a linear code.

5.2 A codebook that is linear

Exercise 5.2. Consider the following codebook of length 5 over $\mathbb{F}_2$:

$$\begin{aligned} &(0, 0, 0, 0, 0), (1, 0, 0, 1, 0), (0, 1, 0, 1, 1), (1, 1, 0, 0, 1), \\ &(0, 0, 1, 0, 1), (1, 0, 1, 1, 1), (0, 1, 1, 1, 0), (1, 1, 1, 0, 0). \end{aligned}$$

Is this a linear code? If so, provide a generator matrix.

Solution

Yes, this is a linear code. Notice that the first three coordinates run through all vectors of $\mathbb{F}_2^3$:

$$(0, 0, 0), (1, 0, 0), (0, 1, 0), (1, 1, 0), (0, 0, 1), (1, 0, 1), (0, 1, 1), (1, 1, 1).$$

This strongly suggests a systematic generator matrix of the form

$$G = \begin{bmatrix} 1 & 0 & 0 & a_{11} & a_{12} \\ 0 & 1 & 0 & a_{21} & a_{22} \\ 0 & 0 & 1 & a_{31} & a_{32} \end{bmatrix}.$$

We read off the last two coordinates from the codewords corresponding to the basis vectors:

$$(1, 0, 0) \mapsto (1, 0, 0, 1, 0),$$

so the first row is $(1, 0, 0, 1, 0)$;

$$(0, 1, 0) \mapsto (0, 1, 0, 1, 1),$$

so the second row is $(0, 1, 0, 1, 1)$;

$$(0, 0, 1) \mapsto (0, 0, 1, 0, 1),$$

so the third row is $(0, 0, 1, 0, 1)$.

Hence a generator matrix is

$$G = \begin{bmatrix} 1 & 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 1 & 0 & 1 \end{bmatrix}.$$

Now every codeword is of the form $\mathbf{x}G$ with $\mathbf{x} \in \mathbb{F}_2^3$, so the codebook is indeed linear.

6. Parity-check matrices

A linear code can be described either by its generators or by the linear equations that all codewords satisfy.

Definition 6.1. Let $\mathcal{C}$ be an (n, k) linear code over $\mathbb{F}_q$. A matrix H of size $(n - k) \times n$ is called a parity-check matrix for $\mathcal{C}$ if

$$\mathcal{C} = \{\mathbf{v} \in \mathbb{F}_q^n : H\mathbf{v}^T = 0\}.$$

Thus codewords are exactly the vectors satisfying a system of $n - k$ homogeneous linear equations.

6.1 Parity-check matrix from a systematic generator matrix

Suppose

$$G = [I_k \mid A]$$

is a generator matrix in systematic form, where A is a $k \times (n - k)$ matrix. Then define

$$H = [-A^\top \mid I_{n-k}].$$

Proposition 6.2. *If $G = [I_k \mid A]$, then $H = [-A^\top \mid I_{n-k}]$ is a parity-check matrix for the code generated by G .*

Proof. First compute

$$G^\top = \begin{bmatrix} I_k \\ A^\top \end{bmatrix}.$$

Therefore

$$HG^\top = [-A^\top \mid I_{n-k}] \begin{bmatrix} I_k \\ A^\top \end{bmatrix} = -A^\top + A^\top = 0.$$

If $\mathbf{c} \in \mathcal{C}$, then $\mathbf{c} = \mathbf{x}G$ for some $\mathbf{x} \in \mathbb{F}_q^k$. Taking transposes,

$$\mathbf{c}^\top = G^\top \mathbf{x}^\top.$$

Hence

$$H\mathbf{c}^\top = HG^\top \mathbf{x}^\top = 0.$$

So every codeword lies in the kernel of the linear map $\mathbf{v} \mapsto H\mathbf{v}^\top$.

Now H has rank $n - k$ because its last $n - k$ columns form the identity matrix. Therefore its kernel has dimension

$$n - (n - k) = k.$$

But $\mathcal{C}$ is already a k -dimensional subspace contained in this kernel, so they must be equal:

$$\mathcal{C} = \ker(H).$$

Thus H is a parity-check matrix for $\mathcal{C}$. □

6.2 Example: parity-check matrix of the repetition code

For the $(n, 1)$ repetition code, the generator matrix in systematic form is

$$G = [1 \mid 1 \ 1 \ \cdots \ 1].$$

Hence A is the row vector of all ones, so a parity-check matrix is

$$H = [-A^\top \mid I_{n-1}] = \begin{bmatrix} -1 & 1 & 0 & \cdots & 0 \\ -1 & 0 & 1 & \cdots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ -1 & 0 & 0 & \cdots & 1 \end{bmatrix}.$$

Over $\mathbb{F}_2$, we have $-1 = 1$, so this becomes

$$H = \begin{bmatrix} 1 & 1 & 0 & \cdots & 0 \\ 1 & 0 & 1 & \cdots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ 1 & 0 & 0 & \cdots & 1 \end{bmatrix}.$$

These equations force all coordinates to be equal, exactly as expected for the repetition code.

7. Final summary

Main ideas from this lecture.

- A code adds structured redundancy so that corrupted data can still be recovered.
- For linear coding theory, the alphabet is usually a finite field $\mathbb{F}_q$.
- A linear (n, k) code is a k -dimensional subspace of $\mathbb{F}_q^n$.
- Such a code contains exactly q^k codewords.
- A generator matrix G describes encoding by $\mathbf{c} = \mathbf{x}G$.
- In systematic form, $G = [I_k \mid A]$, so the data symbols appear directly in the codeword.
- A parity-check matrix H describes the code as the solution space of linear equations:

$$\mathcal{C} = \{\mathbf{v} \in \mathbb{F}_q^n : H\mathbf{v}^\top = 0\}.$$

- If $G = [I_k \mid A]$, then a compatible parity-check matrix is $H = [-A^\top \mid I_{n-k}]$.