

# **CSave: Installation, Configuration, and Operation**

*HS Software*

## **1. Installation - Unix, Linux, BSD, and Windows (Cygwin)**

The first thing you need to do is set up your build environment - install protobuf, gcc, pkg-config, make, and git. After you've installed everything, retrieve the source code for protobuf-c by executing "git clone <https://github.com/protobuf-c/protobuf-c.git>". Next, enter the source code directory (cd protobuf-c) and execute "./autogen.sh", "./configure", "make -j4", and "make install". If the shell script isn't executable, do a "chmod +x autogen.sh" before attempting to compile. Once you have successfully installed protobuf-c, return to your home directory - execute "cd" - and download the CSave source code with "git clone <https://github.com/HackerSmacker/CSave.git>". Enter the CSave source code directory with "cd CSave" and compile it with "make". Continue to the Operations section.

## **2. Installation - Windows (Native)**

You need to compile libprotobuf-c with MINGW64 and use the headers/libraries/executables from that and put them into the Lib, Include, and Bin folders, respectively, of your VSC installation.

## **3. Installation - OS/2 (Watcom C/C++ 11)**

Download the source code and transfer it to your OS/2 machine. Please note that you will have to cross-compile libprotobuf-c with GCC targeting OS/2. Transfer libprotobuf-c.lib and the header files over to OS/2. You may need to compile the C protobuf files with GCC, the rest will compile cleanly with Watcom.

## **4. Installation - OS/2 (EMX/ArcaOS Packages)**

Follow the Unix installation instructions written above. The same process should apply. You might need to edit the Makefile to

## **5. Installation - OpenVMS 8.4 (DEC C/C++)**

CSave does not cleanly compile with the DEC C compiler. Use a cross compiler or use GNV. Make sure your GCC version in GNV is 8.0.0 or newer, as the protobuf-c outputs will not compile.

## **6. Operation**

### **6.1. Quick start**

Start by running "SaveToProto XXX.sav" and then "SaveUnpack XXX.sav.proto" to get information about a save file. You can then use "SaveGenerate XXX.sav.proto" and then "ProtoToSave XXX.proto" to get a usable file. If you have CSaveGUI installed, please just use that.

## 6.2. Converting saves

The included utilities "SaveToProto" and "ProtoToSave" to convert to and from "binary format" (i.e. a normal save file) and "protobuf format" (the data actually in the save file) with ease. These programs take one parameter each - the name of the save file.

To convert a save to protobuf format: "SaveToProto original.sav"

To edit the file: "SaveGenerate original.sav.proto edited.proto"

To convert from protobuf format to binary format: "ProtoToSave edited.proto original.sav"

## 6.3. Dumping save information

### 6.3.1. Getting XP information

To determine what level the save file is at, run this command: "SaveUnpack in.proto | grep SKL | head -n 3". The XP value will coorespond to the level. Examine CommonVars.h to figure out the base XP required to be at that level.

### 6.3.2. Getting Mayhem Mode information

The editor can display Mayhem Mode stats with "SaveUnpack in.sav | grep MHM". Playthrough 0 is NVHM and playthrough 1 is TVHM. Of course, you could always add another playthrough and set it active, because UVHM can't come soon enough.

### 6.3.3. Getting name, GUID, ID, slot number, and TVHM status

This info appears at the top of SaveUnpack. Specifically, you can run "SaveUnpack in.sav | grep GEN" to pull the info off of the top.

### 6.3.4. Getting SDU info

"SaveUnpack in.sav | grep SDU"

### 6.3.5. Getting quest info

"SaveUnpack in.sav | grep MSN". The listing will include the quest class path, completion status, current objective, and completion status for each objective. The editor (at the moment of writing this sentence) does not permit the user to directly manipulate quest states, as the software author needs to acquire data to identify each quest state for easy usability.

## 6.4. Editing saves

## 6.5. Comprehensive List of SaveGenerate commands

### 6.5.1. quit, exit

Exit from SaveGenerate. The output file will be generated and saved. Please now run ProtoToSave to pack the save file into a BL3 binary format save.

#### **6.5.2. set name**

Set the player's preferred name. It will prompt for a string.

#### **6.5.3. set class**

Sets the player's class. Takes an integer. 0 is Amara, 1 is FL4K, 2 is Moze, and 3 is Zane.

#### **6.5.4. set sdu**

Sets SDU values. Iterates through each SDU and prompts for a new level. Press Enter to use the previous value, or specify a blank line if using a script file. If you are using a script file and you have too many blank lines, the editor will ignore them. If you don't have enough blank lines, the editor will set that SDU to zero.

#### **6.5.5. set mayhemlevel**

Set the Mayhem Mode level for any playthrough you want. It will first prompt for the Mayhem level you want, then it will prompt for what playthrough you want to update. Playthrough 0 is NVMH, and 1 is TVHM.

#### **6.5.6. set expoints**

Set the total amount of experience points. This does not mean set the level - setting the EXP level affects the level because you need a certain amount of EXP to clear that level. Prompts for an integer value.

#### **6.5.7. set level**

Sets the player level by getting the level, and setting the EXP to the minimum required to clear that level. Prompts for an integer. The max accepted value is 80, although this will not be accepted by the game, and will instead drop you down to the current level cap.

#### **6.5.8. set quest**

This command will prompt the user for three things: first, the quest path. Use "SaveUnpack name.proto | grep CSAV001MSN" to find the quest. Copy and paste the class path for the mission into the editor. When prompted for the playthrough, enter 0 for NVHM or 1 for TVHM. Next, enter the quest state like this: 0 is Not Started, 1 is Active, 2 is Completed, 3 is Failed, and 4 is Unknown. Do not enter 4, your game will most likely crash.

#### **6.5.9. set guardianrank**

This feature is currently not implemented. Check back later for an update.

#### **6.5.10. set money**

Set how much money you have. Takes an integer.

#### **6.5.11. set eridium**

Sets how much Eridium you have. Takes an integer.

#### **6.5.12. unlock skilltree**

Enable the selection of all skills on the tree. Does not coorespond to how many skill points you have.

#### **6.5.13. set skillpoints**

Sets how many skill points you have. Takes an integer - there does not appear to be a cap on this value.

### **6.6. Comprehensive list of SaveUnpack message prefixes**

CSAV001GEN - General information

CSAV001CLS - Player class information

CSAV001SKL - Skill points, XP, skills, and tree information

CSAV001SDU - SDU information

CSAV001VEH - Vehicle parts, loadouts, and configurations

CSAV001MSN - Missions/quests

CSAV001AMO - Ammo and grenades

CSAV001GRD - Guardian rank, level, perks, and rewards

CSAV001ROM - Crew quarters/bedroom information (including guns on the rack)

CSAV001ECH - ECHO logs

CSAV001FTM - Fast Travel machines: blacklisted, active, and reachable

CSAV001INV - Inventory: backpack and equipped

CSAV001CUS - Customizations: color, skin, emotes

CSAV001CHL - Challenge information

CSAV001ICL - Money (ICL means Inventory Category List)

CSAV001MHM - Mayhem Mode information

CSAV001ILT - Item Lookup Test program

CSAV001FIL - CSave file processing messages

CSAV001ABD - Abnormal End (crash)

CSAV001RWS - Read Write Save operations: loading and saving files

CSAV001CNV - Conversion functions