



Double Trouble

Tue, 25 Nov 2025 15:35:23 UTC

TABLE OF CONTENTS

Vulnerabilities by Host

- 10.67.253.121

Compliance 'FAILED'

Compliance 'SKIPPED'

Compliance 'PASSED'

Compliance 'INFO', 'WARNING', 'ERROR'

Remediations

- Suggested Remediations

Vulnerabilities by Host

[Collapse All](#) | [Expand All](#)

10.67.253.121



Scan Information

Start time: Tue Nov 25 15:28:35 2025
End time: Tue Nov 25 15:35:22 2025

Host Information

IP: 10.67.253.121
MAC Address: 08:00:27:46:A8:5C
OS: Linux Kernel 4.19.0-13-amd64 on Debian 10.7

Vulnerabilities

161329 - Debian DSA-5139-1 : openssl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5139 advisory.

Elison Niven discovered that the c_rehash script included in OpenSSL did not sanitise shell meta characters which could result in the execution of arbitrary commands. For the oldstable distribution (buster), this problem has been fixed in version 1.1.1n-0+deb10u2. For the stable distribution (bullseye), this problem has been fixed in version 1.1.1n-0+deb11u2. We recommend that you upgrade your openssl packages. For the detailed security status of openssl please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/openssl>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://www.debian.org/security/2022/dsa-5139>
<https://security-tracker.debian.org/tracker/CVE-2022-1292>
<https://packages.debian.org/source/buster/openssl>
<https://packages.debian.org/source/bullseye/openssl>

Solution

Upgrade the openssl packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.1.1n-0+deb11u2.

Risk Factor

Critical

CVSS v3.0 Base Score

7.3 (CVSS:3.0/AV:L/AC:L/PR:L/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

6.6 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-1292
XREF	IAVA:2022-A-0186-S

Plugin Information

Published: 2022/05/18, Modified: 2025/08/12

Plugin Output

tcp/0

Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1n-0+deb10u2
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1n-0+deb10u2

162549 - Debian DSA-5169-1 : openssl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5169 advisory.

- In addition to the c_rehash shell command injection identified in CVE-2022-1292, further circumstances where the c_rehash script does not properly sanitise shell metacharacters to prevent command injection were found by code review. When the CVE-2022-1292 was fixed it was not discovered that there are other places in the script where the file names of certificates being hashed were possibly passed to a command executed through the shell. This script is distributed by some operating systems in a manner where it is automatically executed. On such operating systems, an attacker could execute arbitrary commands with the privileges of the script. Use of the c_rehash script is considered obsolete and should be replaced by the OpenSSL rehash command line tool. Fixed in OpenSSL 3.0.4 (Affected 3.0.0,3.0.1,3.0.2,3.0.3). Fixed in OpenSSL 1.1.1p (Affected 1.1.1-1.1.1o). Fixed in OpenSSL 1.0.2zf (Affected 1.0.2-1.0.2ze). (CVE-2022-2068)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://www.debian.org/security/2022/dsa-5169>
<https://security-tracker.debian.org/tracker/CVE-2022-2068>
<https://packages.debian.org/source/buster/openssl>
<https://packages.debian.org/source/bullseye/openssl>

Solution

Upgrade the openssl packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.1.1n-0+deb11u3.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

9.1 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

8.3 (CVSS2#E:F/RL:OF/RC:C)

References

CVE [CVE-2022-2068](#)

Plugin Information

Published: 2022/06/27, Modified: 2023/10/19

Plugin Output

tcp/0

```
Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1n-0+deb10u3
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1n-0+deb10u3
```

201450 - Debian Linux SEoL (10.x)

Synopsis

An unsupported version of Debian Linux is installed on the remote host.

Description

According to its version, Debian Linux is 10.x. It is, therefore, no longer maintained by its vendor or provider.

Lack of support implies that no new security patches for the product will be released by the vendor. As a result, it may contain security vulnerabilities.

See Also

<https://www.debian.org/News/2022/20220910>

Solution

Upgrade to a version of Debian Linux that is currently supported.

Risk Factor

Critical

CVSS v3.0 Base Score

10.0 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

Plugin Information

Published: 2024/07/03, Modified: 2025/03/26

Plugin Output

tcp/0

OS : Debian GNU/Linux 10 (buster)
Security End of Life : September 10, 2022
Time since Security End of Life (Est.) : >= 2 years

164946 - Debian dla-3103 : lib32z1 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3103 advisory.

- ----- Debian LTS Advisory DLA-3103-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort September 12, 2022 <https://wiki.debian.org/LTS>
- -----

Package : zlib Version : 1:1.2.11.dfsg-1+deb10u2 CVE ID : CVE-2022-37434 Debian Bug : 1016710

Evgeny Legerov reported a heap-based buffer overflow vulnerability in the inflate operation in zlib, which could result in denial of service or potentially the execution of arbitrary code if specially crafted input is processed.

For Debian 10 buster, this problem has been fixed in version 1:1.2.11.dfsg-1+deb10u2.

We recommend that you upgrade your zlib packages.

For the detailed security status of zlib please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/zlib>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/zlib>
<https://security-tracker.debian.org/tracker/CVE-2022-37434>
<https://packages.debian.org/source/buster/zlib>

Solution

Upgrade the lib32z1 packages.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-37434](#)

Plugin Information

Published: 2022/09/12, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : zlib1g_1:1.2.11.dfsg-1
Should be : zlib1g_1:1.2.11.dfsg-1+deb10u2
```

164992 - Debian dla-3107 : lemon - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3107 advisory.

- ----- Debian LTS Advisory DLA-3107-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Chris Lamb
September 13, 2022 <https://wiki.debian.org/LTS>
- -----

Package : sqlite3 Version : 3.27.2-3+deb10u2 CVE IDs : CVE-2020-35525 CVE-2020-35527 CVE-2021-20223

It was discovered that there were three issues in SQLite:

- * CVE-2020-35525: Prevent a potential null pointer deference issue in INTERSEC query processing.
- * CVE-2020-35527: Prevent an out-of-bounds access issue that could be exploited via ALTER TABLE in views that have a nested FROM clauses.
- * CVE-2021-20223: Prevent an issue with the unicode61 tokenizer related to Unicode control characters (class Cc) and embedded NUL characters being misinterpreted as tokens.

For Debian 10 buster, these problems have been fixed in version 3.27.2-3+deb10u2.

We recommend that you upgrade your sqlite3 packages.

For the detailed security status of sqlite3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/sqlite3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2020-35525>
<https://security-tracker.debian.org/tracker/CVE-2020-35527>
<https://security-tracker.debian.org/tracker/CVE-2021-20223>
<https://security-tracker.debian.org/tracker/source-package/sqlite3>
<https://packages.debian.org/source/buster/sqlite3>

Solution

Upgrade the lemon packages.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.4 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2020-35525](#)
CVE [CVE-2020-35527](#)
CVE [CVE-2021-20223](#)

Plugin Information

Published: 2022/09/13, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libsqlite3-0_3.27.2-3+deb10u1
Should be : libsqlite3-0_3.27.2-3+deb10u2

166779 - Debian dla-3175 : idle-python3.7 - security update**Synopsis**

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3175 advisory.

----- Debian LTS Advisory DLA-3175-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Stefano
Rivera November 01, 2022 <https://wiki.debian.org/LTS>

Package : python3.7 Version : 3.7.3-2+deb10u4 CVE ID : CVE-2022-37454

Nicky Mouha discovered a buffer overflow in '_sha3', the SHA-3 hashing function module used by 'hashlib' in Python 3.7.

While the attacks require a large volume of data, they could potentially result in remote code execution.

For Debian 10 buster, this problem has been fixed in version 3.7.3-2+deb10u4.

We recommend that you upgrade your python3.7 packages.

For the detailed security status of python3.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python3.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python3.7>
<https://security-tracker.debian.org/tracker/CVE-2022-37454>
<https://packages.debian.org/source/buster/python3.7>

Solution

Upgrade the idle-python3.7 packages.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-37454](#)

Plugin Information

Published: 2022/11/01, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpython3.7-minimal_3.7.3-2+deb10u2
Should be : libpython3.7-minimal_3.7.3-2+deb10u4
Remote package installed : libpython3.7-stdlib_3.7.3-2+deb10u2
Should be : libpython3.7-stdlib_3.7.3-2+deb10u4
Remote package installed : python3.7_3.7.3-2+deb10u2
Should be : python3.7_3.7.3-2+deb10u4
Remote package installed : python3.7-minimal_3.7.3-2+deb10u2
Should be : python3.7-minimal_3.7.3-2+deb10u4

174685 - Debian dla-3398 : curl - security update -

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3398 advisory.

----- Debian LTS Advisory DLA-3398-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus
Koschany April 21, 2023 <https://wiki.debian.org/LTS>

Package : curl Version : 7.64.0-4+deb10u6 CVE ID : CVE-2023-27533 CVE-2023-27535 CVE-2023-27536 CVE-2023-27538

Several security vulnerabilities have been found in cURL, an easy-to-use client-side URL transfer library.

CVE-2023-27533

A vulnerability in input validation exists in curl during communication using the TELNET protocol may allow an attacker to pass on maliciously crafted user name and telnet options during server negotiation. The lack of proper input scrubbing allows an attacker to send content or perform option negotiation without the application's intent.
This vulnerability could be exploited if an application allows user input, thereby enabling attackers to execute arbitrary code on the system.

CVE-2023-27535

An authentication bypass vulnerability exists in libcurl in the FTP connection reuse feature that can result in wrong credentials being used during subsequent transfers. Previously created connections are kept in a connection pool for reuse if they match the current setup. However, certain FTP settings such as CURLOPT_FTP_ACCOUNT, CURLOPT_FTP_ALTERNATIVE_TO_USER, CURLOPT_FTP_SSL_CCC, and CURLOPT_USE_SSL were not included in the configuration match checks, causing them to match too easily. This could lead to libcurl using the wrong credentials when performing a transfer, potentially allowing unauthorized access to sensitive information.

CVE-2023-27536

An authentication bypass vulnerability exists in libcurl in the connection reuse feature which can reuse previously established connections with incorrect user permissions due to a failure to check for changes in the CURLOPT_GSSAPI_DELEGATION option. This vulnerability affects krb5/kerberos/negotiate/GSSAPI transfers and could potentially result in unauthorized access to sensitive information. The safest option is to not reuse connections if the CURLOPT_GSSAPI_DELEGATION option has been changed.

CVE-2023-27538

An authentication bypass vulnerability exists in libcurl where it reuses a previously established SSH connection despite the fact that an SSH option was modified, which should have prevented reuse. libcurl maintains a pool of previously used connections to reuse them for subsequent transfers if the configurations match. However, two SSH settings were omitted from the configuration check, allowing them to match easily, potentially leading to the reuse of an inappropriate connection.

For Debian 10 buster, these problems have been fixed in version 7.64.0-4+deb10u6.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2023-27533>
<https://security-tracker.debian.org/tracker/CVE-2023-27535>
<https://security-tracker.debian.org/tracker/CVE-2023-27536>
<https://security-tracker.debian.org/tracker/CVE-2023-27538>
<https://packages.debian.org/source/buster/curl>

Solution

Upgrade the curl packages.

Risk Factor

Critical

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-27533
CVE	CVE-2023-27535
CVE	CVE-2023-27536
CVE	CVE-2023-27538
XREF	IAVA:2023-A-0153-S

Plugin Information

Published: 2023/04/25, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u6
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u6
```

174709 - Debian dla-3401 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3401 advisory.

----- Debian LTS Advisory DLA-3401-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastien Roucaris April 24, 2023 <https://wiki.debian.org/LTS>

Package : apache2 Version : 2.4.38-3+deb10u10 CVE ID : CVE-2023-25690 CVE-2023-27522 Debian Bug : 1032476

Several vulnerabilities have been discovered in apache2, a webserver that may be used as front-end proxy for other applications. These vulnerabilities may lead to HTTP request smuggling, and thus to front-end security controls being bypassed.

Unfortunately, fixing these security vulnerabilities may require changes to configuration files. Some out-of-specification RewriteRule directives that were previously silently accepted, are now rejected with error AH10409. For instance, some RewriteRules that included a back-reference and the flags [L,NC] will need to be written with extra escaping flags such as [B= ?,BNP,QSA].

CVE-2023-25690

Some mod_proxy configurations allow an HTTP request Smuggling attack. Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution.

CVE-2023-27522

HTTP Response Smuggling in mod_proxy_uwsgi

For Debian 10 buster, these problems have been fixed in version 2.4.38-3+deb10u10.

We recommend that you upgrade your apache2 packages.

For the detailed security status of apache2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/apache2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/apache2>
<https://security-tracker.debian.org/tracker/CVE-2023-25690>
<https://security-tracker.debian.org/tracker/CVE-2023-27522>
<https://packages.debian.org/source/buster/apache2>

Solution

Upgrade the apache2 packages.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-25690
CVE	CVE-2023-27522
XREF	IAVA:2023-A-0124-S

Plugin Information

Published: 2023/04/25, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.38-3+deb10u10
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.38-3+deb10u10
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.38-3+deb10u10
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.38-3+deb10u10
```

179924 - Debian dla-3532 : openssh-client - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3532 advisory.

----- Debian LTS Advisory DLA-3532-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Utkarsh Gupta August 17, 2023 <https://wiki.debian.org/LTS>

Package : openssh Version : 1:7.9p1-10+deb10u3 CVE ID : CVE-2023-38408 Debian Bug : 1042460

It was discovered that OpenSSH incorrectly handled loading certain PKCS#11 providers. If a user forwarded their ssh-agent to an untrusted system, a remote attacker could possibly use this issue to load arbitrary libraries from the users system and execute arbitrary code.

In addition to the above security issue, this update also fixed another bug - bad interaction between the ssh_config ConnectTimeout and ConnectionAttempts directives - connection attempts after the first attempt were ignoring the requested timeout. More details about this can be found at https://bugzilla.mindrot.org/show_bug.cgi?id=2918.

For Debian 10 buster, this problem has been fixed in version 1:7.9p1-10+deb10u3.

We recommend that you upgrade your openssh packages.

For the detailed security status of openssh please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/openssh>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssh>
<https://security-tracker.debian.org/tracker/CVE-2023-38408>
<https://packages.debian.org/source/buster/openssh>

Solution

Upgrade the openssh-client packages.

Risk Factor

Critical

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-38408
XREF	IAVA:2023-A-0377-S

Plugin Information

Published: 2023/08/17, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : openssh-client_1:7.9p1-10+deb10u2
Should be : openssh-client_1:7.9p1-10+deb10u3
Remote package installed : openssh-server_1:7.9p1-10+deb10u2
Should be : openssh-server_1:7.9p1-10+deb10u3
Remote package installed : openssh-sftp-server_1:7.9p1-10+deb10u2
Should be : openssh-sftp-server_1:7.9p1-10+deb10u3
```

180518 - Debian dla-3555 : libapache2-mod-php7.3 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3555 advisory.

----- Debian LTS Advisory DLA-3555-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin September 05, 2023 <https://wiki.debian.org/LTS>

Package : php7.3 Version : 7.3.31-1~deb10u5 CVE ID : CVE-2023-3823 CVE-2023-3824

Security issues were found in PHP, a widely-used open source general purpose scripting language, which could result in information disclosure, denial of service or potentially remote code execution.

CVE-2023-3823

Various XML functions rely on libxml global state to track configuration variables, like whether external entities are loaded. This state is assumed to be unchanged unless the user explicitly changes it by calling appropriate function. Joas Schilling and Baptista Katapi discovered that, since

the state is process-global, other modules such as ImageMagick may also use this library within the same process and change that global state for their internal purposes, and leave it in a state where external entities loading is enabled. This can lead to the situation where external XML is parsed with external entities loaded, which can lead to disclosure of any local files accessible to PHP. This vulnerable state may persist in the same process across many requests, until the process is shut down.

CVE-2023-3824

Niels Dossche discovered that when loading a Phar file, while reading PHAR directory entries, insufficient length checking may lead to a stack buffer overflow, leading potentially to memory corruption or RCE.

For Debian 10 buster, these problems have been fixed in version 7.3.31-1~deb10u5.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/php7.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://security-tracker.debian.org/tracker/CVE-2023-3823>
<https://security-tracker.debian.org/tracker/CVE-2023-3824>
<https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

Critical

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-3823](#)
CVE [CVE-2023-3824](#)

Plugin Information

Published: 2023/09/06, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u5
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u5
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u5
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u5
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u5
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
```



```
Should be : php7.3-mysql_7.3.31-1~deb10u5
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u5
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u5
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u5
```

182942 - Debian dla-3614 : idle-python3.7 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3614 advisory.

----- Debian LTS Advisory DLA-3614-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Sean Whitton
October 11, 2023 <https://wiki.debian.org/LTS>

Package : python3.7 Version : 3.7.3-2+deb10u6 CVE ID : CVE-2022-48560 CVE-2022-48564 CVE-2022-48565 CVE-2022-48566 CVE-2023-40217

Several vulnerabilities were discovered in Python 3.7.

CVE-2022-48560

A use-after-free problem was found in the heappushpop function in the heapq module.

CVE-2022-48564

A potential denial-of-service vulnerability was discovered in the read_ints function used when processing certain malformed Apple Property List files in binary format.

CVE-2022-48565

An XML External Entity (XXE) issue was discovered. In order to avoid possible vulnerabilities, the plistlib module no longer accepts entity declarations in XML plist files.

CVE-2022-48566

Possible constant-time-defeating compiler optimisations were discovered in the accumulator variable in hmac.compare_digest.

CVE-2023-40217

It was discovered that it might be possible to bypass some of the protections implemented by the TLS handshake in the ssl.SSLSocket class. For example, unauthenticated data might be read by a program expecting data authenticated by client certificates.

For Debian 10 buster, these problems have been fixed in version 3.7.3-2+deb10u6.

We recommend that you upgrade your python3.7 packages.

For the detailed security status of python3.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python3.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python3.7>
<https://security-tracker.debian.org/tracker/CVE-2022-48560>
<https://security-tracker.debian.org/tracker/CVE-2022-48564>
<https://security-tracker.debian.org/tracker/CVE-2022-48565>
<https://security-tracker.debian.org/tracker/CVE-2022-48566>
<https://security-tracker.debian.org/tracker/CVE-2023-40217>
<https://packages.debian.org/source/buster/python3.7>

Solution

Upgrade the idle-python3.7 packages.

Risk Factor

Critical

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

10.0 (CVSS2#AV:N/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2022-48560
CVE	CVE-2022-48564
CVE	CVE-2022-48565
CVE	CVE-2022-48566
CVE	CVE-2023-40217

Plugin Information

Published: 2023/10/11, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpython3.7-minimal_3.7.3-2+deb10u2
Should be : libpython3.7-minimal_3.7.3-2+deb10u6
Remote package installed : libpython3.7-stdlib_3.7.3-2+deb10u2
Should be : libpython3.7-stdlib_3.7.3-2+deb10u6
Remote package installed : python3.7_3.7.3-2+deb10u2
Should be : python3.7_3.7.3-2+deb10u6
Remote package installed : python3.7-minimal_3.7.3-2+deb10u2
Should be : python3.7-minimal_3.7.3-2+deb10u6

146052 - Debian DSA-4843-1 : linux - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Several vulnerabilities have been discovered in the Linux kernel that may lead to a privilege escalation, denial of service or information leaks.

- CVE-2020-27815 A flaw was reported in the JFS filesystem code allowing a local attacker with the ability to set extended attributes to cause a denial of service.
- CVE-2020-27825 Adam 'pi3' Zabrocki reported a use-after-free flaw in the ftrace ring buffer resizing logic due to a race condition, which could result in denial of service or information leak.
- CVE-2020-27830 Shisong Qin reported a NULL pointer dereference flaw in the Speakup screen reader core driver.
- CVE-2020-28374 David Disseldorp discovered that the LIO SCSI target implementation performed insufficient checking in certain XCOPY requests. An attacker with access to a LUN and knowledge of Unit Serial Number assignments can take advantage of this flaw to read and write to any LIO backstore, regardless of the SCSI transport settings.
- CVE-2020-29568 (XSA-349) Michael Kurth and Pawel Wieczorkiewicz reported that frontends can trigger OOM in backends by updating a watched path.
- CVE-2020-29569 (XSA-350) Olivier Benjamin and Pawel Wieczorkiewicz reported a use-after-free flaw which can be triggered by a block frontend in Linux blkback. A misbehaving guest can trigger a dom0 crash by continuously connecting / disconnecting a block frontend.
- CVE-2020-29660 Jann Horn reported a locking inconsistency issue in the tty subsystem which may allow a local attacker to mount a read-after-free attack against

TIOCGSID.

- CVE-2020-29661 Jann Horn reported a locking issue in the tty subsystem which can result in a use-after-free. A local attacker can take advantage of this flaw for memory corruption or privilege escalation.
- CVE-2020-36158 A buffer overflow flaw was discovered in the mwifiex WiFi driver which could result in denial of service or the execution of arbitrary code via a long SSID value.
- CVE-2021-3347 It was discovered that PI futexes have a kernel stack use-after-free during fault handling. An unprivileged user could use this flaw to crash the kernel (resulting in denial of service) or for privilege escalation.
- CVE-2021-20177 A flaw was discovered in the Linux implementation of string matching within a packet. A privileged user (with root or CAP_NET_ADMIN) can take advantage of this flaw to cause a kernel panic when inserting iptables rules.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=970736>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=972345>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=977048>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=977615>
<https://security-tracker.debian.org/tracker/CVE-2020-27815>
<https://security-tracker.debian.org/tracker/CVE-2020-27825>
<https://security-tracker.debian.org/tracker/CVE-2020-27830>
<https://security-tracker.debian.org/tracker/CVE-2020-28374>
<https://security-tracker.debian.org/tracker/CVE-2020-29568>
<https://security-tracker.debian.org/tracker/CVE-2020-29569>
<https://security-tracker.debian.org/tracker/CVE-2020-29660>
<https://security-tracker.debian.org/tracker/CVE-2020-29661>
<https://security-tracker.debian.org/tracker/CVE-2020-36158>
<https://security-tracker.debian.org/tracker/CVE-2021-3347>
<https://security-tracker.debian.org/tracker/CVE-2021-20177>
<https://security-tracker.debian.org/tracker/source-package/linux>
<https://packages.debian.org/source/buster/linux>
<https://www.debian.org/security/2021/dsa-4843>

Solution

Upgrade the linux packages.

For the stable distribution (buster), these problems have been fixed in version 4.19.171-2.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2020-27815
CVE	CVE-2020-27825
CVE	CVE-2020-27830
CVE	CVE-2020-28374
CVE	CVE-2020-29568
CVE	CVE-2020-29569
CVE	CVE-2020-29660
CVE	CVE-2020-29661
CVE	CVE-2020-36158
CVE	CVE-2021-20177
CVE	CVE-2021-3347
XREF	DSA:4843

Plugin Information

Published: 2021/02/02, Modified: 2024/03/27

Plugin Output

tcp/0

Remote package installed : linux-image-4.19.0-13-amd64_4.19.160-2
Should be : linux-image-4.19.0-<ANY>-amd64_4.19.171-2

Because Debian/Ubuntu linux packages increment their package name numbers as well as their version numbers, an update may not be available for the current kernel level, but the package will still be vulnerable. You may need to update the kernel level in order to get the latest security fixes available.

146389 - Debian DSA-4850-1 : libzstd - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

It was discovered that zstd, a compression utility, temporarily exposed a world-readable version of its input even if the original file had restrictive permissions.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=981404>
<https://security-tracker.debian.org/tracker/source-package/libzstd>
<https://packages.debian.org/source/buster/libzstd>
<https://www.debian.org/security/2021/dsa-4850>

Solution

Upgrade the libzstd packages.

For the stable distribution (buster), this problem has been fixed in version 1.3.8+dfsg-3+deb10u1.

Risk Factor

High

References

XREF	DSA:4850
------	----------

Plugin Information

Published: 2021/02/11, Modified: 2021/02/11

Plugin Output

tcp/0

Remote package installed : libzstd1_1.3.8+dfsg-3
Should be : libzstd1_1.3.8+dfsg-3+deb10u1

146787 - Debian DSA-4859-1 : libzstd - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

It was discovered that zstd, a compression utility, was vulnerable to a race condition: it temporarily exposed, during a very short timeframe, a world-readable version of its input even if the original file had restrictive permissions.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=982519>
<https://security-tracker.debian.org/tracker/source-package/libzstd>
<https://packages.debian.org/source/buster/libzstd>
<https://www.debian.org/security/2021/dsa-4859>

Solution

Upgrade the libzstd packages.

For the stable distribution (buster), this problem has been fixed in version 1.3.8+dfsg-3+deb10u2.

Risk Factor

High

References

XREF DSA:4859

Plugin Information

Published: 2021/02/23, Modified: 2021/02/23

Plugin Output

tcp/0

```
Remote package installed : libzstd1_1.3.8+dfsg-3
Should be : libzstd1_1.3.8+dfsg-3+deb10u2
```

146986 - Debian DSA-4867-1 : grub2 - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

Several vulnerabilities have been discovered in the GRUB2 bootloader.

- CVE-2020-14372 It was discovered that the acpi command allows a privileged user to load crafted ACPI tables when Secure Boot is enabled.
- CVE-2020-25632 A use-after-free vulnerability was found in the rmmod command.
- CVE-2020-25647 An out-of-bound write vulnerability was found in the grub_usb_device_initialize() function, which is called to handle USB device initialization.
- CVE-2020-27749 A stack-based buffer overflow flaw was found in grub_parser_split_cmdline.
- CVE-2020-27779 It was discovered that the cutmem command allows a privileged user to remove memory regions when Secure Boot is enabled.
- CVE-2021-20225 A heap out-of-bounds write vulnerability was found in the short form option parser.
- CVE-2021-20233 A heap out-of-bound write flaw was found caused by mis-calculation of space required for quoting in the menu rendering.

Further detailed information can be found at <https://www.debian.org/security/2021-GRUB-UEFI-SecureBoot>

See Also

<https://security-tracker.debian.org/tracker/CVE-2020-14372>
<https://security-tracker.debian.org/tracker/CVE-2020-25632>
<https://security-tracker.debian.org/tracker/CVE-2020-25647>
<https://security-tracker.debian.org/tracker/CVE-2020-27749>
<https://security-tracker.debian.org/tracker/CVE-2020-27779>
<https://security-tracker.debian.org/tracker/CVE-2021-20225>
<https://security-tracker.debian.org/tracker/CVE-2021-20233>
<https://www.debian.org/security/2021-GRUB-UEFI-SecureBoot>
<https://security-tracker.debian.org/tracker/source-package/grub2>
<https://packages.debian.org/source/buster/grub2>
<https://www.debian.org/security/2021/dsa-4867>

Solution

Upgrade the grub2 packages.

For the stable distribution (buster), these problems have been fixed in version 2.02+dfsg1-20+deb10u4.

Risk Factor

High

CVSS v3.0 Base Score

8.2 (CVSS:3.0/AV:L/AC:L/PR:H/UI:N/S:C/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.4 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2020-14372
CVE	CVE-2020-25632
CVE	CVE-2020-25647
CVE	CVE-2020-27749
CVE	CVE-2020-27779
CVE	CVE-2021-20225
CVE	CVE-2021-20233
XREF	DSA:4867

Plugin Information

Published: 2021/03/03, Modified: 2024/01/18

Plugin Output

tcp/0

```
Remote package installed : grub-common_2.02+dfsg1-20+deb10u2
Should be : grub-common_2.02+dfsg1-20+deb10u4
Remote package installed : grub-pc_2.02+dfsg1-20+deb10u2
Should be : grub-pc_2.02+dfsg1-20+deb10u4
Remote package installed : grub-pc-bin_2.02+dfsg1-20+deb10u2
Should be : grub-pc-bin_2.02+dfsg1-20+deb10u4
Remote package installed : grub2-common_2.02+dfsg1-20+deb10u2
Should be : grub2-common_2.02+dfsg1-20+deb10u4
```

149855 - Debian DSA-4919-1 : lz4 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Jasper Lievisse Adriaanse reported an integer overflow flaw in lz4, a fast LZ compression algorithm library, resulting in memory corruption.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=987856>
<https://security-tracker.debian.org/tracker/source-package/lz4>
<https://packages.debian.org/source/buster/lz4>
<https://www.debian.org/security/2021/dsa-4919>

Solution

Upgrade the lz4 packages.

For the stable distribution (buster), this problem has been fixed in version 1.8.3-1+deb10u1.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.5 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2021-3520
XREF	DSA:4919

Plugin Information

Published: 2021/05/24, Modified: 2021/06/15

Plugin Output

tcp/0

```
Remote package installed : liblz4-1_1.8.3-1
Should be : liblz4-1_1.8.3-1+deb10u1
```

149897 - Debian DSA-4920-1 : libx11 - security update**Synopsis**

The remote Debian host is missing a security-related update.

Description

Roman Fiedler reported that missing length validation in various functions provided by libx11, the X11 client-side library, allow to inject X11 protocol commands on X clients, leading to authentication bypass, denial of service or potentially the execution of arbitrary code.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=988737>
<https://security-tracker.debian.org/tracker/source-package/libx11>
<https://packages.debian.org/source/buster/libx11>
<https://www.debian.org/security/2021/dsa-4920>

Solution

Upgrade the libx11 packages.

For the stable distribution (buster), this problem has been fixed in version 2:1.6.7-1+deb10u2.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2021-31535
XREF	DSA:4920

Plugin Information

Published: 2021/05/25, Modified: 2021/06/14

Plugin Output

tcp/0

```
Remote package installed : libx11-6_2:1.6.7-1+deb10u1
Should be : libx11-6_2:1.6.7-1+deb10u2
Remote package installed : libx11-data_2:1.6.7-1+deb10u1
Should be : libx11-data_2:1.6.7-1+deb10u2
```

151485 - Debian DSA-4937-1 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-4937 advisory.

- Apache HTTP Server versions 2.4.0 to 2.4.46 A specially crafted Digest nonce can cause a stack overflow in mod_auth_digest. There is no report of this overflow being exploitable, nor the Apache HTTP Server team could create one, though some particular compiler and/or compilation option might make it possible, with limited consequences anyway due to the size (a single byte) and the value (zero byte) of the overflow (CVE-2020-35452)
- Apache HTTP Server versions 2.4.0 to 2.4.46 A specially crafted Cookie header handled by mod_session can cause a NULL pointer dereference and crash, leading to a possible Denial Of Service (CVE-2021-26690)
- In Apache HTTP Server versions 2.4.0 to 2.4.46 a specially crafted SessionHeader sent by an origin server could cause a heap overflow (CVE-2021-26691)
- Apache HTTP Server versions 2.4.39 to 2.4.46 Unexpected matching behavior with 'MergeSlashes OFF' (CVE-2021-30641)
- Apache HTTP Server protocol handler for the HTTP/2 protocol checks received request headers against the size limitations as configured for the server and used for the HTTP/1 protocol as well. On violation of these restrictions and HTTP response is sent to the client with a status code indicating why the request was rejected. This rejection response was not fully initialised in the HTTP/2 protocol handler if the offending header was the very first one received or appeared in a footer. This led to a NULL pointer dereference on initialised memory, crashing reliably the child process. Since such a triggering HTTP/2 request is easy to craft and submit, this can be exploited to DoS the server. This issue affected mod_http2 1.15.17 and Apache HTTP Server version 2.4.47 only. Apache HTTP Server 2.4.47 was never released. (CVE-2021-31618)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/apache2>
<https://www.debian.org/security/2021/dsa-4937>
<https://security-tracker.debian.org/tracker/CVE-2020-35452>
<https://security-tracker.debian.org/tracker/CVE-2021-26690>
<https://security-tracker.debian.org/tracker/CVE-2021-26691>
<https://security-tracker.debian.org/tracker/CVE-2021-30641>
<https://security-tracker.debian.org/tracker/CVE-2021-31618>
<https://packages.debian.org/source/buster/apache2>

Solution

Upgrade the apache2 packages.

For the stable distribution (buster), these problems have been fixed in version 2.4.38-3+deb10u5.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.5 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2020-35452
CVE	CVE-2021-26690
CVE	CVE-2021-26691
CVE	CVE-2021-30641
CVE	CVE-2021-31618
XREF	IAVA:2021-A-0259-S

Plugin Information

Published: 2021/07/09, Modified: 2021/09/24

Plugin Output

tcp/0

```
Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.38-3+deb10u5
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.38-3+deb10u5
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.38-3+deb10u5
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.38-3+deb10u5
```

152783 - Debian DSA-4963-1 : openssl - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-4963 advisory.

Multiple vulnerabilities have been discovered in OpenSSL, a Secure Sockets Layer toolkit. CVE-2021-3711 John Ouyang reported a buffer overflow vulnerability in the SM2 decryption. An attacker able to present SM2 content for decryption to an application can take advantage of this flaw to change application behaviour or cause the application to crash (denial of service). CVE-2021-3712 Ingo Schwarze reported a buffer overrun flaw when processing ASN.1 strings in the X509_aux_print() function, which can result in denial of service. Additional details can be found in the upstream advisory: <https://www.openssl.org/news/secadv/20210824.txt> For the oldstable distribution (buster), these problems have been fixed in version 1.1.1d-0+deb10u7. For the stable distribution (bullseye), these problems have been fixed in version 1.1.1k-1+deb11u1. We recommend that you upgrade your openssl packages. For the detailed security status of openssl please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/openssl>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://www.debian.org/security/2021/dsa-4963>
<https://security-tracker.debian.org/tracker/CVE-2021-3711>
<https://security-tracker.debian.org/tracker/CVE-2021-3712>
<https://packages.debian.org/source/buster/openssl>
<https://packages.debian.org/source/bullseye/openssl>

Solution

Upgrade the openssl packages.

For the stable distribution (bullseye), these problems have been fixed in version 1.1.1k-1+deb11u1.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.5 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-3711
CVE	CVE-2021-3712
XREF	IAVA:2021-A-0395-S

Plugin Information

Published: 2021/08/24, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1d-0+deb10u7
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1d-0+deb10u7
```

153970 - Debian DSA-4982-1 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-4982 advisory.

Several vulnerabilities have been found in the Apache HTTP server, which could result in denial of service. In addition a vulnerability was discovered in mod_proxy with which an attacker could trick the server to forward requests to arbitrary origin servers. For the oldstable distribution (buster), these problems have been fixed in version 2.4.38-3+deb10u6. For the stable distribution (bullseye), these problems have been fixed in version 2.4.51-1~deb11u1. We recommend that you upgrade your apache2 packages.

For the detailed security status of apache2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/apache2>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/apache2>
- <https://www.debian.org/security/2021/dsa-4982>
- <https://security-tracker.debian.org/tracker/CVE-2021-34798>
- <https://security-tracker.debian.org/tracker/CVE-2021-36160>
- <https://security-tracker.debian.org/tracker/CVE-2021-39275>
- <https://security-tracker.debian.org/tracker/CVE-2021-40438>
- <https://packages.debian.org/source/buster/apache2>
- <https://packages.debian.org/source/bullseye/apache2>

Solution

Upgrade the apache2 packages.

For the stable distribution (bullseye), these problems have been fixed in version 2.4.51-1~deb11u1.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

9.1 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

6.2 (CVSS2#E:F/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-34798
CVE	CVE-2021-36160
CVE	CVE-2021-39275
CVE	CVE-2021-40438
XREF	IAVA:2021-A-0440-S
XREF	CISA-KNOWN-EXPLOITED:2021/12/15

Plugin Information

Published: 2021/10/10, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.38-3+deb10u6
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.38-3+deb10u6
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.38-3+deb10u6
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.38-3+deb10u6
```

156466 - Debian DSA-5035-1 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5035 advisory.

- A crafted URI sent to httpd configured as a forward proxy (ProxyRequests on) can cause a crash (NULL pointer dereference) or, for configurations mixing forward and reverse proxy declarations, can allow for requests to be directed to a declared Unix Domain Socket endpoint (Server Side Request Forgery). This issue affects Apache HTTP Server 2.4.7 up to 2.4.51 (included). (CVE-2021-44224)

- A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody()) called from Lua scripts). The Apache httpd team is not aware of an exploit for the vulnerability though it might be possible to craft one. This issue affects Apache HTTP Server 2.4.51 and earlier. (CVE-2021-44790)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/apache2>
- <https://www.debian.org/security/2022/dsa-5035>
- <https://security-tracker.debian.org/tracker/CVE-2021-44224>
- <https://security-tracker.debian.org/tracker/CVE-2021-44790>
- <https://packages.debian.org/source/buster/apache2>
- <https://packages.debian.org/source/bullseye/apache2>

Solution

Upgrade the apache2 packages.

For the stable distribution (bullseye), these problems have been fixed in version 2.4.52-1~deb11u2.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

9.1 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

6.2 (CVSS2#E:F/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-44224
CVE	CVE-2021-44790
XREF	IAVA:2021-A-0604-S

Plugin Information

Published: 2022/01/05, Modified: 2023/11/21

Plugin Output

tcp/0

```
Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.38-3+deb10u7
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.38-3+deb10u7
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.38-3+deb10u7
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.38-3+deb10u7
```

158031 - Debian DSA-5073-1 : expat - security update -

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5073 advisory.

- In Expat (aka libexpat) before 2.4.3, a left shift by 29 (or more) places in the storeAtts function in xmlparse.c can lead to realloc misbehavior (e.g., allocating too few bytes, or only freeing memory). (CVE-2021-45960)
- In doProlog in xmlparse.c in Expat (aka libexpat) before 2.4.3, an integer overflow exists for m_groupSize. (CVE-2021-46143)
- addBinding in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22822)
- build_model in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22823)
- defineAttribute in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22824)
- lookup in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22825)
- nextScaffoldPart in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22826)
- storeAtts in xmlparse.c in Expat (aka libexpat) before 2.4.3 has an integer overflow. (CVE-2022-22827)
- Expat (aka libexpat) before 2.4.4 has a signed integer overflow in XML_GetBuffer, for configurations with a nonzero XML_CONTEXT_BYTES. (CVE-2022-23852)
- Expat (aka libexpat) before 2.4.4 has an integer overflow in the doProlog function. (CVE-2022-23990)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1002994>
<https://security-tracker.debian.org/tracker/source-package/expat>
<https://www.debian.org/security/2022/dsa-5073>
<https://security-tracker.debian.org/tracker/CVE-2021-45960>
<https://security-tracker.debian.org/tracker/CVE-2021-46143>
<https://security-tracker.debian.org/tracker/CVE-2022-22822>
<https://security-tracker.debian.org/tracker/CVE-2022-22823>
<https://security-tracker.debian.org/tracker/CVE-2022-22824>
<https://security-tracker.debian.org/tracker/CVE-2022-22825>
<https://security-tracker.debian.org/tracker/CVE-2022-22826>
<https://security-tracker.debian.org/tracker/CVE-2022-22827>
<https://security-tracker.debian.org/tracker/CVE-2022-23852>
<https://security-tracker.debian.org/tracker/CVE-2022-23990>
<https://packages.debian.org/source/buster/expat>
<https://packages.debian.org/source/bullseye/expat>

Solution

Upgrade the expat packages.

For the stable distribution (bullseye), these problems have been fixed in version 2.2.10-2+deb11u1.

For the oldstable distribution (buster), these problems have been fixed in version 2.2.6-2+deb10u2.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.0 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2021-45960
CVE	CVE-2021-46143
CVE	CVE-2022-22822
CVE	CVE-2022-22823
CVE	CVE-2022-22824
CVE	CVE-2022-22825
CVE	CVE-2022-22826
CVE	CVE-2022-22827
CVE	CVE-2022-23852
CVE	CVE-2022-23990

Plugin Information

Published: 2022/02/13, Modified: 2023/11/09

Plugin Output

tcp/0

Remote package installed : libexpat1_2.2.6-2+deb10u1
Should be : libexpat1_2.2.6-2+deb10u2

158270 - Debian DSA-5085-1 : expat - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

- The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5085 advisory.
- xmltok_impl.c in Expat (aka libexpat) before 2.4.5 lacks certain validation of encoding, such as checks for whether a UTF-8 character is valid in a certain context. (CVE-2022-25235)
 - xmlparse.c in Expat (aka libexpat) before 2.4.5 allows attackers to insert namespace-separator characters into namespace URIs. (CVE-2022-25236)
 - In Expat (aka libexpat) before 2.4.5, an attacker can trigger stack exhaustion in build_model via a large nesting depth in the DTD element. (CVE-2022-25313)
 - In Expat (aka libexpat) before 2.4.5, there is an integer overflow in copyString. (CVE-2022-25314)
 - In Expat (aka libexpat) before 2.4.5, there is an integer overflow in storeRawNames. (CVE-2022-25315)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1005894>
<https://security-tracker.debian.org/tracker/source-package/expat>
<https://www.debian.org/security/2022/dsa-5085>
<https://security-tracker.debian.org/tracker/CVE-2022-25235>
<https://security-tracker.debian.org/tracker/CVE-2022-25236>
<https://security-tracker.debian.org/tracker/CVE-2022-25313>
<https://security-tracker.debian.org/tracker/CVE-2022-25314>
<https://security-tracker.debian.org/tracker/CVE-2022-25315>
<https://packages.debian.org/source/buster/expat>
<https://packages.debian.org/source/bullseye/expat>

Solution

Upgrade the expat packages.

For the stable distribution (bullseye), these problems have been fixed in version 2.2.10-2+deb11u2.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

9.1 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

6.2 (CVSS2#E:F/RL:OF/RC:C)

References

CVE	CVE-2022-25235
CVE	CVE-2022-25236
CVE	CVE-2022-25313
CVE	CVE-2022-25314
CVE	CVE-2022-25315

Plugin Information

Published: 2022/02/23, Modified: 2023/11/07

Plugin Output

tcp/0

Remote package installed : libexpat1_2.2.6-2+deb10u1
Should be : libexpat1_2.2.6-2+deb10u3

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5096 advisory.

- An issue was discovered in the Linux kernel before 5.7.3, related to mm/gup.c and mm/huge_memory.c. The get_user_pages (aka gup) implementation, when used for a copy-on-write page, does not properly consider the semantics of read operations and therefore can grant unintended write access, aka CID-17839856fd58. (CVE-2020-29374)
- An issue was discovered in the FUSE filesystem implementation in the Linux kernel before 5.10.6, aka CID-5d069dbe8aaf. fuse_do_getattr() calls make_bad_inode() in inappropriate situations, causing a system crash. NOTE: the original fix for this vulnerability was incomplete, and its incompleteness is tracked as CVE-2021-28950. (CVE-2020-36322)
- A flaw was found in the Linux kernel. A corrupted timer tree caused the task wakeup to be missing in the timerqueue_add function in lib/timerqueue.c. This flaw allows a local attacker with special user privileges to cause a denial of service, slowing and eventually stopping the system while running OSP. (CVE-2021-20317)
- A race condition accessing file object in the Linux kernel OverlayFS subsystem was found in the way users do rename in specific way with OverlayFS. A local user could use this flaw to crash the system. (CVE-2021-20321)
- A flaw in the processing of received ICMP errors (ICMP fragment needed and ICMP redirect) in the Linux kernel functionality was found to allow the ability to quickly scan open UDP ports. This flaw allows an off-path remote user to effectively bypass the source port UDP randomization. The highest threat from this vulnerability is to confidentiality and possibly integrity, because software that relies on UDP source port randomization are indirectly affected as well. (CVE-2021-20322)
- A double free bug in packet_set_ring() in net/packet/af_packet.c can be exploited by a local user through crafted syscalls to escalate privileges or deny service. We recommend upgrading kernel past the effected versions or rebuilding past ec6af094ea28f0f2dda1a6a33b14cd57e36a9755 (CVE-2021-22600)
- Rogue backends can cause DoS of guests via high frequency events T[his CNA information record relates to multiple CVEs; the text explains which aspects/vulnerabilities correspond to which CVE.] Xen offers the ability to run PV backends in regular unprivileged guests, typically referred to as driver domains. Running PV backends in driver domains has one primary security advantage: if a driver domain gets compromised, it doesn't have the privileges to take over the system. However, a malicious driver domain could try to attack other guests via sending events at a high frequency leading to a Denial of Service in the guest due to trying to service interrupts for elongated amounts of time. There are three affected backends: * blkfront patch 1, CVE-2021-28711 * netfront patch 2, CVE-2021-28712 * hvc_xen (console) patch 3, CVE-2021-28713 (CVE-2021-28711, CVE-2021-28712, CVE-2021-28713)
- Guest can force Linux netback driver to hog large amounts of kernel memory T[his CNA information record relates to multiple CVEs; the text explains which aspects/vulnerabilities correspond to which CVE.] Incoming data packets for a guest in the Linux kernel's netback driver are buffered until the guest is ready to process them. There are some measures taken for avoiding to pile up too much data, but those can be bypassed by the guest: There is a timeout how long the client side of an interface can stop consuming new packets before it is assumed to have stalled, but this timeout is rather long (60 seconds by default). Using a UDP connection on a fast interface can easily accumulate gigabytes of data in that time. (CVE-2021-28715) The timeout could even never trigger if the guest manages to have only one free slot in its RX queue ring page and the next package would require more than one free slot, which may be the case when using GSO, XDP, or software hashing. (CVE-2021-28714) (CVE-2021-28714, CVE-2021-28715)
- An issue was discovered in fs/fuse/fuse_i.h in the Linux kernel before 5.11.8. A stall on CPU can occur because a retry loop continually finds the same bad inode, aka CID-775c5033a0d1. (CVE-2021-28950)
- A flaw use-after-free in function sco_sock_sendmsg() of the Linux kernel HCI subsystem was found in the way user calls ioctl UFFDIO_REGISTER or other way triggers race condition of the call sco_conn_del() together with the call sco_sock_sendmsg() with the expected controllable faulting memory page. A privileged local user could use this flaw to crash the system or escalate their privileges on the system. (CVE-2021-3640)
- A memory leak flaw was found in the Linux kernel in the ccp_run_aes_gcm_cmd() function in drivers/crypto/ccp/ccp-ops.c, which allows attackers to cause a denial of service (memory consumption). This vulnerability is similar with the older CVE-2019-18808. (CVE-2021-3744)
- A use-after-free flaw was found in the Linux kernel's Bluetooth subsystem in the way user calls connect to the socket and disconnect simultaneously due to a race condition. This flaw allows a user to crash the system or escalate their privileges. The highest threat from this vulnerability is to confidentiality, integrity, as well as system availability. (CVE-2021-3752)
- A flaw was found in the Linux kernel. A use-after-free vulnerability in the NFC stack can lead to a threat to confidentiality, integrity, and system availability. (CVE-2021-3760)
- A flaw was found in the Linux SCTP stack. A blind attacker may be able to kill an existing SCTP association through invalid chunks if the attacker knows the IP-addresses and port numbers being used and the attacker can send packets with spoofed IP addresses. (CVE-2021-3772)
- arch/mips/net/bpf_jit.c in the Linux kernel before 5.4.10 can generate undesirable machine code when transforming unprivileged CBPF programs, allowing execution of arbitrary code within the kernel context. This occurs because conditional branches can exceed the 128 KB limit of the MIPS architecture. (CVE-2021-38300)
- A memory leak flaw in the Linux kernel's hugetlbfs memory usage was found in the way the user maps some regions of memory twice using shmget() which are aligned to PUD alignment with the fault of some of the memory pages. A local user could use this flaw to get unauthorized access to some data. (CVE-2021-4002)

- A read-after-free memory flaw was found in the Linux kernel's garbage collection for Unix domain socket file handlers in the way users call `close()` and `fget()` simultaneously and can potentially trigger a race condition. This flaw allows a local user to crash the system or escalate their privileges on the system. This flaw affects Linux kernel versions prior to 5.16-rc4. (CVE-2021-4083)
- `prealloc_elems_and_freelist` in `kernel/bpf/stackmap.c` in the Linux kernel before 5.14.12 allows unprivileged users to trigger an eBPF multiplication integer overflow with a resultant out-of-bounds write. (CVE-2021-41864)
- The firewire subsystem in the Linux kernel through 5.14.13 has a buffer overflow related to `drivers/media/firewire/firedtv-avc.c` and `drivers/media/firewire/firedtv-ci.c`, because `avc_ca_pmt` mishandles bounds checking. (CVE-2021-42739)
- An issue was discovered in the Linux kernel before 5.14.15. There is an array-index-out-of-bounds flaw in the `detach_capi_ctr` function in `drivers/isdn/capi/kcapi.c`. (CVE-2021-43389)
- In the Linux kernel through 5.15.2, `hw_atl_utils_fw_rpc_wait` in `drivers/net/ethernet/aquantia/atlantic/hw_atl/hw_atl_utils.c` allows an attacker (who can introduce a crafted device) to trigger an out-of-bounds write via a crafted length value. (CVE-2021-43975)
- In the Linux kernel through 5.15.2, `mwifiex_usb_rcv` in `drivers/net/wireless/marvell/mwifiex/usb.c` allows an attacker (who can connect a crafted USB device) to cause a denial of service (`skb_over_panic`). (CVE-2021-43976)
- A use-after-free exists in `drivers/tee/tee_shm.c` in the TEE subsystem in the Linux kernel through 5.15.11. This occurs because of a race condition in `tee_shm_get_from_id` during an attempt to free a shared memory object. (CVE-2021-44733)
- `pep_sock_accept` in `net/phonet/pep.c` in the Linux kernel through 5.15.8 has a refcount leak. (CVE-2021-45095)
- In `__f2fs_setxattr` in `fs/f2fs/xattr.c` in the Linux kernel through 5.15.11, there is an out-of-bounds memory access when an inode has an invalid last xattr entry. (CVE-2021-45469)
- An issue was discovered in the Linux kernel before 5.15.11. There is a memory leak in the `__rds_conn_create()` function in `net/rds/connection.c` in a certain combination of circumstances. (CVE-2021-45480)
- A use-after-free vulnerability was found in `rttsx_usb_ms_drv_remove` in `drivers/memstick/host/rttsx_usb_ms.c` in `memstick` in the Linux kernel. In this flaw, a local attacker with a user privilege may impact system Confidentiality. This flaw affects kernel versions prior to 5.14 rc1. (CVE-2022-0487)
- A vulnerability was found in the Linux kernel's `cgroup_release_agent_write` in the `kernel/cgroup/cgroup-v1.c` function. This flaw, under certain circumstances, allows the use of the `cgroups v1 release_agent` feature to escalate privileges and bypass the namespace isolation unexpectedly. (CVE-2022-0492)
- A flaw null pointer dereference in the Linux kernel UDF file system functionality was found in the way user triggers `udf_file_write_iter` function for the malicious UDF image. A local user could use this flaw to crash the system. Actual from Linux kernel 4.2-rc1 till 5.17-rc2. (CVE-2022-0617)
- An issue was discovered in `fs/nfs/dir.c` in the Linux kernel before 5.16.5. If an application sets the `O_DIRECTORY` flag, and tries to open a regular file, `nfs_atomic_open()` performs a regular lookup. If a regular file is found, `ENOTDIR` should occur, but the server instead returns uninitialized data in the file descriptor. (CVE-2022-24448)
- An issue was discovered in the Linux kernel before 5.16.5. There is a memory leak in `yam_siocdevprivate` in `drivers/net/hamradio/yam.c`. (CVE-2022-24959)
- An issue was discovered in `drivers/usb/gadget/composite.c` in the Linux kernel before 5.16.10. The USB Gadget subsystem lacks certain validation of interface OS descriptor requests (ones with a large array index and ones associated with NULL function pointer retrieval). Memory corruption might occur. (CVE-2022-25258)
- An issue was discovered in `drivers/usb/gadget/function/rndis.c` in the Linux kernel before 5.16.10. The RNDIS USB gadget lacks validation of the size of the `RNDIS_MSG_SET` command. Attackers can obtain sensitive information from kernel memory. (CVE-2022-25375)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=988044>
<https://security-tracker.debian.org/tracker/source-package/linux>
<https://www.debian.org/security/2022/dsa-5096>
<https://security-tracker.debian.org/tracker/CVE-2020-29374>
<https://security-tracker.debian.org/tracker/CVE-2020-36322>
<https://security-tracker.debian.org/tracker/CVE-2021-20317>
<https://security-tracker.debian.org/tracker/CVE-2021-20321>
<https://security-tracker.debian.org/tracker/CVE-2021-20322>
<https://security-tracker.debian.org/tracker/CVE-2021-22600>
<https://security-tracker.debian.org/tracker/CVE-2021-28711>
<https://security-tracker.debian.org/tracker/CVE-2021-28712>
<https://security-tracker.debian.org/tracker/CVE-2021-28713>
<https://security-tracker.debian.org/tracker/CVE-2021-28714>
<https://security-tracker.debian.org/tracker/CVE-2021-28715>

<https://security-tracker.debian.org/tracker/CVE-2021-28950>
<https://security-tracker.debian.org/tracker/CVE-2021-3640>
<https://security-tracker.debian.org/tracker/CVE-2021-3744>
<https://security-tracker.debian.org/tracker/CVE-2021-3752>
<https://security-tracker.debian.org/tracker/CVE-2021-3760>
<https://security-tracker.debian.org/tracker/CVE-2021-3764>
<https://security-tracker.debian.org/tracker/CVE-2021-3772>
<https://security-tracker.debian.org/tracker/CVE-2021-38300>
<https://security-tracker.debian.org/tracker/CVE-2021-39685>
<https://security-tracker.debian.org/tracker/CVE-2021-39686>
<https://security-tracker.debian.org/tracker/CVE-2021-39698>
<https://security-tracker.debian.org/tracker/CVE-2021-39713>
<https://security-tracker.debian.org/tracker/CVE-2021-4002>
<https://security-tracker.debian.org/tracker/CVE-2021-4083>
<https://security-tracker.debian.org/tracker/CVE-2021-4135>
<https://security-tracker.debian.org/tracker/CVE-2021-4155>
<https://security-tracker.debian.org/tracker/CVE-2021-41864>
<https://security-tracker.debian.org/tracker/CVE-2021-4202>
<https://security-tracker.debian.org/tracker/CVE-2021-4203>
<https://security-tracker.debian.org/tracker/CVE-2021-42739>
<https://security-tracker.debian.org/tracker/CVE-2021-43389>
<https://security-tracker.debian.org/tracker/CVE-2021-43975>
<https://security-tracker.debian.org/tracker/CVE-2021-43976>
<https://security-tracker.debian.org/tracker/CVE-2021-44733>
<https://security-tracker.debian.org/tracker/CVE-2021-45095>
<https://security-tracker.debian.org/tracker/CVE-2021-45469>
<https://security-tracker.debian.org/tracker/CVE-2021-45480>
<https://security-tracker.debian.org/tracker/CVE-2022-0001>
<https://security-tracker.debian.org/tracker/CVE-2022-0002>
<https://security-tracker.debian.org/tracker/CVE-2022-0322>
<https://security-tracker.debian.org/tracker/CVE-2022-0330>
<https://security-tracker.debian.org/tracker/CVE-2022-0435>
<https://security-tracker.debian.org/tracker/CVE-2022-0487>
<https://security-tracker.debian.org/tracker/CVE-2022-0492>
<https://security-tracker.debian.org/tracker/CVE-2022-0617>
<https://security-tracker.debian.org/tracker/CVE-2022-0644>
<https://security-tracker.debian.org/tracker/CVE-2022-22942>
<https://security-tracker.debian.org/tracker/CVE-2022-24448>
<https://security-tracker.debian.org/tracker/CVE-2022-24959>
<https://security-tracker.debian.org/tracker/CVE-2022-25258>
<https://security-tracker.debian.org/tracker/CVE-2022-25375>
<https://packages.debian.org/source/buster/linux>

Solution

Upgrade the linux packages.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.4 (CVSS:3.0/E:H/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.8 (CVSS2#E:H/RL:OF/RC:C)

References

CVE	CVE-2020-29374
CVE	CVE-2020-36322
CVE	CVE-2021-3640
CVE	CVE-2021-3744
CVE	CVE-2021-3752
CVE	CVE-2021-3760
CVE	CVE-2021-3764
CVE	CVE-2021-3772
CVE	CVE-2021-4002
CVE	CVE-2021-4083
CVE	CVE-2021-4135
CVE	CVE-2021-4155
CVE	CVE-2021-4202

CVE	CVE-2021-4203
CVE	CVE-2021-20317
CVE	CVE-2021-20321
CVE	CVE-2021-20322
CVE	CVE-2021-22600
CVE	CVE-2021-28711
CVE	CVE-2021-28712
CVE	CVE-2021-28713
CVE	CVE-2021-28714
CVE	CVE-2021-28715
CVE	CVE-2021-28950
CVE	CVE-2021-38300
CVE	CVE-2021-39685
CVE	CVE-2021-39686
CVE	CVE-2021-39698
CVE	CVE-2021-39713
CVE	CVE-2021-41864
CVE	CVE-2021-42739
CVE	CVE-2021-43389
CVE	CVE-2021-43975
CVE	CVE-2021-43976
CVE	CVE-2021-44733
CVE	CVE-2021-45095
CVE	CVE-2021-45469
CVE	CVE-2021-45480
CVE	CVE-2022-0001
CVE	CVE-2022-0002
CVE	CVE-2022-0322
CVE	CVE-2022-0330
CVE	CVE-2022-0435
CVE	CVE-2022-0487
CVE	CVE-2022-0492
CVE	CVE-2022-0617
CVE	CVE-2022-0644
CVE	CVE-2022-22942
CVE	CVE-2022-24448
CVE	CVE-2022-24959
CVE	CVE-2022-25258
CVE	CVE-2022-25375
XREF	CISA-KNOWN-EXPLOITED:2022/05/02

Exploitable With

Metasploit (true)

Plugin Information

Published: 2022/03/09, Modified: 2024/03/27

Plugin Output

tcp/0

Remote package installed : linux-image-4.19.0-13-amd64_4.19.160-2
Should be : linux-image-4.19.0-<ANY>-amd64_4.19.232-1

Because Debian/Ubuntu linux packages increment their package name numbers as well as their version numbers, an update may not be available for the current kernel level, but the package will still be vulnerable. You may need to update the kernel level in order to get the latest security fixes available.

159906 - Debian DSA-5122-1 : gzip - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5122 advisory.

cleemy desu wayo reported that incorrect handling of filenames by zgrep in gzip, the GNU compression utilities, can result in overwrite of arbitrary files or execution of arbitrary code if a file with a specially crafted filename is processed. For the oldstable distribution (buster), this problem has been fixed in version 1.9-3+deb10u1. For the stable distribution (bullseye), this problem has been fixed in version 1.10-4+deb11u1. We recommend that you upgrade your gzip packages. For the detailed security status of gzip please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/gzip>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1009168>
<https://security-tracker.debian.org/tracker/source-package/gzip>
<https://www.debian.org/security/2022/dsa-5122>
<https://security-tracker.debian.org/tracker/CVE-2022-1271>
<https://packages.debian.org/source/buster/gzip>
<https://packages.debian.org/source/bullseye/gzip>

Solution

Upgrade the gzip packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.10-4+deb11u1.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

6.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-1271
XREF	IAVA:2024-A-0327

Plugin Information

Published: 2022/04/19, Modified: 2025/01/24

Plugin Output

tcp/0

Remote package installed : gzip_1.9-3
Should be : gzip_1.9-3+deb10u1

159904 - Debian DSA-5123-1 : xz-utils - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5123 advisory.

- An arbitrary file write vulnerability was found in GNU gzip's zgrep utility. When zgrep is applied on the attacker's chosen file name (for example, a crafted file name), this can overwrite an attacker's content to an arbitrary attacker-selected file. This flaw occurs due to insufficient validation when processing filenames with two or more newlines where selected content and the target file names are embedded in crafted multi-line file names. This flaw allows a remote, low privileged attacker to force zgrep to write arbitrary files on the system. (CVE-2022-1271)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1009167>
<https://security-tracker.debian.org/tracker/source-package/xz-utils>
<https://www.debian.org/security/2022/dsa-5123>
<https://security-tracker.debian.org/tracker/CVE-2022-1271>
<https://packages.debian.org/source/buster/xz-utils>
<https://packages.debian.org/source/bullseye/xz-utils>

Solution

Upgrade the xz-utils packages.

For the stable distribution (bullseye), this problem has been fixed in version 5.2.5-2.1~deb11u1.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

6.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-1271
XREF	IAVA:2024-A-0327

Plugin Information

Published: 2022/04/19, Modified: 2024/06/07

Plugin Output

tcp/0

Remote package installed : liblzma5_5.2.4-1
Should be : liblzma5_5.2.4-1+deb10u1
Remote package installed : xz-utils_5.2.4-1
Should be : xz-utils_5.2.4-1+deb10u1

161404 - Debian DSA-5140-1 : openldap - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5140 advisory.

- In OpenLDAP 2.x before 2.5.12 and 2.6.x before 2.6.2, a SQL injection vulnerability exists in the experimental back-sql backend to slapd, via a SQL statement within an LDAP query. This can occur during an LDAP search operation when the search filter is processed, due to a lack of proper escaping. (CVE-2022-29155)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openldap>
<https://www.debian.org/security/2022/dsa-5140>
<https://security-tracker.debian.org/tracker/CVE-2022-29155>
<https://packages.debian.org/source/buster/openldap>
<https://packages.debian.org/source/bullseye/openldap>

Solution

Upgrade the openldap packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.4.57+dfsg-3+deb11u1.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-29155](#)

Plugin Information

Published: 2022/05/20, Modified: 2023/10/26

Plugin Output

tcp/0

Remote package installed : libldap-2.4-2_2.4.47+dfsg-3+deb10u4
Should be : libldap-2.4-2_2.4.47+dfsg-3+deb10u7
Remote package installed : libldap-common_2.4.47+dfsg-3+deb10u4
Should be : libldap-common_2.4.47+dfsg-3+deb10u7

161513 - Debian DSA-5147-1 : dpkg - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5147 advisory.

- Dpkg::Source::Archive in dpkg, the Debian package management system, before version 1.21.8, 1.20.10, 1.19.8, 1.18.26 is prone to a directory traversal vulnerability. When extracting untrusted source packages in v2 and v3 source package formats that include a debian.tar, the in-place extraction can lead to directory traversal situations on specially crafted orig.tar and debian.tar tarballs. (CVE-2022-1664)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/dpkg>
<https://www.debian.org/security/2022/dsa-5147>
<https://security-tracker.debian.org/tracker/CVE-2022-1664>
<https://packages.debian.org/source/buster/dpkg>
<https://packages.debian.org/source/bullseye/dpkg>

Solution

Upgrade the dpkg packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.20.10.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.5 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-1664](#)

Plugin Information

Published: 2022/05/26, Modified: 2022/06/08

Plugin Output

tcp/0

```
Remote package installed : dpkg_1.19.7
Should be : dpkg_1.19.8
```

164081 - Debian dla-3070 : gnutls-bin - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3070 advisory.

----- Debian LTS Advisory DLA-3070-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort August 11, 2022 <https://wiki.debian.org/LTS>

Package : gnutls28 Version : 3.6.7-4+deb10u9 CVE ID : CVE-2021-4209 CVE-2022-2509

Two issues were found in GnuTLS, a library implementing the TLS and SSL protocols. A remote attacker could take advantage of these flaws to cause an application using the GnuTLS library to crash (denial of service), or potentially, to execute arbitrary code.

For Debian 10 buster, these problems have been fixed in version 3.6.7-4+deb10u9.

We recommend that you upgrade your gnutls28 packages.

For the detailed security status of gnutls28 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/gnutls28>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/gnutls28>
<https://security-tracker.debian.org/tracker/CVE-2021-4209>
<https://security-tracker.debian.org/tracker/CVE-2022-2509>
<https://packages.debian.org/source/buster/gnutls28>

Solution

Upgrade the gnutls-bin packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

References

- CVE [CVE-2021-4209](#)
- CVE [CVE-2022-2509](#)

Plugin Information

Published: 2022/08/11, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libgnutls30_3.6.7-4+deb10u5
Should be : libgnutls30_3.6.7-4+deb10u9

165217 - Debian dla-3112 : bzip2 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3112 advisory.

----- Debian LTS Advisory DLA-3112-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort September 16, 2022 <https://wiki.debian.org/LTS>

Package : bzip2 Version : 1.0.6-9.2~deb10u2 Debian Bug : 944557 965309

This update fixes bzdiff when using it with two compressed files. It also includes a fix to support large files on 32 bit systems.

For Debian 10 buster, this problem has been fixed in version 1.0.6-9.2~deb10u2.

We recommend that you upgrade your bzip2 packages.

For the detailed security status of bzip2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/bzip2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/bzip2>
- <https://packages.debian.org/source/buster/bzip2>

Solution

Upgrade the bzip2 packages.

Risk Factor

High

Plugin Information

Published: 2022/09/16, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : bzip2_1.0.6-9.2~deb10u1
Should be : bzip2_1.0.6-9.2~deb10u2
Remote package installed : libbz2-1.0_1.0.6-9.2~deb10u1
Should be : libbz2-1.0_1.0.6-9.2~deb10u2
```

165477 - Debian dla-3119 : expat - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3119 advisory.

----- Debian LTS Advisory DLA-3119-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Thorsten Altholz September 25, 2022 <https://wiki.debian.org/LTS>

Package : expat Version : 2.2.6-2+deb10u5 CVE ID : CVE-2022-40674

Rhodri James discovered a heap use-after-free vulnerability in the doContent function in Expat, an XML parsing C library, which could result in denial of service or potentially the execution of arbitrary code, if a malformed XML file is processed.

For Debian 10 buster, this problem has been fixed in version 2.2.6-2+deb10u5.

We recommend that you upgrade your expat packages.

For the detailed security status of expat please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/expat>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/expat>
<https://security-tracker.debian.org/tracker/CVE-2022-40674>
<https://packages.debian.org/source/buster/expat>

Solution

Upgrade the expat packages.

Risk Factor

High

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.1 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.6 (CVSS2#AV:N/AC:H/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-40674](#)

Plugin Information

Published: 2022/09/26, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libexpat1_2.2.6-2+deb10u1
Should be : libexpat1_2.2.6-2+deb10u5
```

165642 - Debian dla-3134 : tzdata - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3134 advisory.

----- Debian LTS Advisory DLA-3134-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort October 03, 2022 <https://wiki.debian.org/LTS>

Package : tzdata Version : 2021a-0+deb10u7

This update includes the changes in tzdata 2022d. Notable changes are:

- - Palestine now switches back to standard time on October 29.
- - Updated leap second list, which was set to expire by the end of December.

For Debian 10 buster, this problem has been fixed in version 2021a-0+deb10u7.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tzdata>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tzdata>
<https://packages.debian.org/source/buster/tzdata>

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2022/10/05, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2021a-0+deb10u7

165715 - Debian dla-3138 : bind9 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3138 advisory.

----- Debian LTS Advisory DLA-3138-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort October 05, 2022 <https://wiki.debian.org/LTS>

Package : bind9 Version : 1:9.11.5.P4+dfsg-5.1+deb10u8 CVE ID : CVE-2022-2795 CVE-2022-38177 CVE-2022-38178

Several vulnerabilities were discovered in BIND, a DNS server implementation.

CVE-2022-2795

Yehuda Afek, Anat Bremner-Barr and Shani Stajner discovered that a flaw in the resolver code can cause named to spend excessive amounts of time on processing large delegations, significantly degrade resolver performance and result in denial of service.

CVE-2022-38177

It was discovered that the DNSSEC verification code for the ECDSA algorithm is susceptible to a memory leak flaw. A remote attacker can take advantage of this flaw to cause BIND to consume resources, resulting in a denial of service.

CVE-2022-38178

It was discovered that the DNSSEC verification code for the EdDSA algorithm is susceptible to a memory leak flaw. A remote attacker can take advantage of this flaw to cause BIND to consume resources, resulting in a denial of service.

For Debian 10 buster, these problems have been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u8.

We recommend that you upgrade your bind9 packages.

For the detailed security status of bind9 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/bind9>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://security-tracker.debian.org/tracker/CVE-2022-2795>
<https://security-tracker.debian.org/tracker/CVE-2022-38177>
<https://security-tracker.debian.org/tracker/CVE-2022-38178>
<https://packages.debian.org/source/buster/bind9>

Solution

Upgrade the bind9 packages.

Risk Factor

High

CVSS v4.0 Base Score

6.3 (CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:N/VC:N/VI:N/VA:L/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-2795
CVE	CVE-2022-38177
CVE	CVE-2022-38178
XREF	IAVA:2022-A-0387-S

Plugin Information

Published: 2022/10/05, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u8
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u8
```

166426 - Debian dla-3152 : glibc-doc - security update -

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3152 advisory.

----- Debian LTS Advisory DLA-3152-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Helmut Grohne October 17, 2022 https://wiki.debian.org/LTS -----

Package : glibc Version : 2.28-10+deb10u2 CVE ID : CVE-2016-10228 CVE-2019-19126 CVE-2019-25013 CVE-2020-1752 CVE-2020-6096 CVE-2020-10029 CVE-2020-27618 CVE-2021-3326 CVE-2021-3999 CVE-2021-27645 CVE-2021-33574 CVE-2021-35942 CVE-2022-23218 CVE-2022-23219 Debian Bug : 856503 945250 953108 953788 961452 973914 979273 981198 983479 989147 990542

This update fixes a wide range of vulnerabilities. A significant portion affects character set conversion.

CVE-2016-10228

The iconv program in the GNU C Library when invoked with multiple suffixes in the destination encoding (TRANSLATE or IGNORE) along with the -c option, enters an infinite loop when processing invalid multi-byte input sequences, leading to a denial of service.

CVE-2019-19126

On the x86-64 architecture, the GNU C Library fails to ignore the LD_PREFER_MAP_32BIT_EXEC environment variable during program execution after a security transition, allowing local attackers to restrict the possible mapping addresses for loaded libraries and thus bypass ASLR for a setuid program.

CVE-2019-25013

The iconv feature in the GNU C Library, when processing invalid multi-byte input sequences in the EUC-KR encoding, may have a buffer over-read.

CVE-2020-10029

The GNU C Library could overflow an on-stack buffer during range reduction if an input to an 80-bit long double function contains a non-canonical bit pattern, as seen when passing a 0x5d414141414141410000 value to sinl on x86 targets. This is related to sysdeps/ieee754/ldbl-96/e_rem_pio2l.c.

CVE-2020-1752

A use-after-free vulnerability introduced in glibc was found in the way the tilde expansion was carried out. Directory paths containing an initial tilde followed by a valid username were affected by this issue. A local attacker could exploit this flaw by creating a specially crafted path that, when processed by the glob function, would potentially lead to arbitrary code execution.

CVE-2020-27618

The iconv function in the GNU C Library, when processing invalid multi-byte input sequences in IBM1364, IBM1371, IBM1388, IBM1390, and IBM1399 encodings, fails to advance the input state, which could lead to an infinite loop in applications, resulting in a denial of service, a different vulnerability from CVE-2016-10228.

CVE-2020-6096

An exploitable signed comparison vulnerability exists in the ARMv7 memcpy() implementation of GNU glibc. Calling memcpy() (on ARMv7 targets that utilize the GNU glibc implementation) with a negative value for the 'num' parameter results in a signed comparison vulnerability. If an attacker underflows the 'num' parameter to memcpy(), this vulnerability could lead to undefined behavior such as writing to out-of-bounds memory and potentially remote code execution. Furthermore, this memcpy() implementation allows for program execution to continue in scenarios where a segmentation fault or crash should have occurred. The dangers occur in that subsequent execution and iterations of this code will be executed with this corrupted data.

CVE-2021-27645

The nameserver caching daemon (nscd) in the GNU C Library, when processing a request for netgroup lookup, may crash due to a double-free, potentially resulting in degraded service or Denial of Service on the local system. This is related to netgroupcache.c.

CVE-2021-3326

The iconv function in the GNU C Library, when processing invalid input sequences in the ISO-2022-JP-3 encoding, fails an assertion in the code path and aborts the program, potentially resulting in a denial of service.

CVE-2021-33574

The mq_notify function in the GNU C Library has a use-after-free. It may use the notification thread attributes object (passed through its struct sigevent parameter) after it has been freed by the caller, leading to a denial of service (application crash) or possibly unspecified other impact.

CVE-2021-35942

The wordexp function in the GNU C Library may crash or read arbitrary memory in parse_param (in posix/wordexp.c) when called with an untrusted, crafted pattern, potentially resulting in a denial of service or disclosure of information. This occurs because atoi was used but strtoul should have been used to ensure correct calculations.

CVE-2021-3999

An off-by-one buffer overflow and underflow in getcwd() may lead to memory corruption when the size of the buffer is exactly 1. A local attacker who can control the input buffer and size passed to getcwd() in a setuid program could use this flaw to potentially execute arbitrary code and escalate their privileges on the system.

CVE-2022-23218

The deprecated compatibility function svcunix_create in the sunrpc module of the GNU C Library copies its path argument on the stack without validating its length, which may result in a buffer overflow, potentially resulting in a denial of service or (if an application is not built with a stack protector enabled) arbitrary code execution.

CVE-2022-23219

The deprecated compatibility function clnt_create in the sunrpc module of the GNU C Library copies its hostname argument on the stack without validating its length, which may result in a buffer overflow, potentially resulting in a denial of service or (if an application is not built with a stack protector enabled) arbitrary code execution.

For Debian 10 buster, these problems have been fixed in version 2.28-10+deb10u2.

We recommend that you upgrade your glibc packages.

For the detailed security status of glibc please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/glibc>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/glibc>
<https://security-tracker.debian.org/tracker/CVE-2016-10228>
<https://security-tracker.debian.org/tracker/CVE-2019-19126>
<https://security-tracker.debian.org/tracker/CVE-2019-25013>
<https://security-tracker.debian.org/tracker/CVE-2020-10029>
<https://security-tracker.debian.org/tracker/CVE-2020-1752>
<https://security-tracker.debian.org/tracker/CVE-2020-27618>
<https://security-tracker.debian.org/tracker/CVE-2020-6096>
<https://security-tracker.debian.org/tracker/CVE-2021-27645>
<https://security-tracker.debian.org/tracker/CVE-2021-3326>
<https://security-tracker.debian.org/tracker/CVE-2021-33574>
<https://security-tracker.debian.org/tracker/CVE-2021-35942>
<https://security-tracker.debian.org/tracker/CVE-2021-3999>
<https://security-tracker.debian.org/tracker/CVE-2022-23218>
<https://security-tracker.debian.org/tracker/CVE-2022-23219>
<https://packages.debian.org/source/buster/glibc>

Solution

Upgrade the glibc-doc packages.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2016-10228
CVE	CVE-2019-19126
CVE	CVE-2019-25013
CVE	CVE-2020-1752
CVE	CVE-2020-6096
CVE	CVE-2020-10029
CVE	CVE-2020-27618
CVE	CVE-2021-3326
CVE	CVE-2021-3999
CVE	CVE-2021-27645
CVE	CVE-2021-33574
CVE	CVE-2021-35942
CVE	CVE-2022-23218
CVE	CVE-2022-23219

Plugin Information

Published: 2022/10/23, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libc-bin_2.28-10
Should be : libc-bin_2.28-10+deb10u2
Remote package installed : libc-l10n_2.28-10
Should be : libc-l10n_2.28-10+deb10u2

```
Remote package installed : libc6_2.28-10
Should be : libc6_2.28-10+deb10u2
Remote package installed : locales_2.28-10
Should be : locales_2.28-10+deb10u2
```

166562 - Debian dla-3161 : tzdata - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3161 advisory.

----- Debian LTS Advisory DLA-3161-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort October 26, 2022 <https://wiki.debian.org/LTS>

Package : tzdata Version : 2021a-0+deb10u8

This update includes the changes in tzdata 2022e. Notable changes are:

-- Syria and Jordan are abandoning the DST regime and are changing to permanent +03, so they will not fall back from +03 to +02 on 2022-10-28.

For Debian 10 buster, this problem has been fixed in version 2021a-0+deb10u8.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tzdata>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tzdata>
<https://packages.debian.org/source/buster/tzdata>

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2022/10/26, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2021a-0+deb10u8
```

166671 - Debian dla-3165 : expat - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3165 advisory.

----- Debian LTS Advisory DLA-3165-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Utkarsh

Gupta October 28, 2022 <https://wiki.debian.org/LTS>

Package : expat Version : 2.2.6-2+deb10u6 CVE ID : CVE-2022-43680 Debian Bug : 1022743

In src:expat, an XML parsing C library, there is a use-after free caused by overeager destruction of a shared DTD in XML_ExternalEntityParserCreate in out-of-memory situations.

For Debian 10 buster, this problem has been fixed in version 2.2.6-2+deb10u6.

We recommend that you upgrade your expat packages.

For the detailed security status of expat please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/expat>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/expat>
<https://security-tracker.debian.org/tracker/CVE-2022-43680>
<https://packages.debian.org/source/buster/expat>

Solution

Upgrade the expat packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-43680](#)

Plugin Information

Published: 2022/10/28, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libexpat1_2.2.6-2+deb10u1
Should be : libexpat1_2.2.6-2+deb10u6

166732 - Debian dla-3171 : distro-info-data - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3171 advisory.

----- Debian LTS Advisory DLA-3171-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Stefano Rivera October 30, 2022 <https://wiki.debian.org/LTS>

Package : distro-info-data Version : 0.41+deb10u6

This is a routine update of the distro-info-data database for Debian LTS users.

It includes a correction to some historical data, and adds Ubuntu 23.04, Lunar Lobster.

For Debian 10 buster, these issues have been fixed in version 0.41+deb10u6.

We recommend that you upgrade your distro-info-data packages.

For the detailed security status of distro-info-data please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/distro-info-data>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS> Attachment: signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?9851c5ba>
<https://packages.debian.org/source/buster/distro-info-data>

Solution

Upgrade the distro-info-data packages.

For Debian 10 buster, these issues have been fixed in version 0.41+deb10u6.

Risk Factor

High

Plugin Information

Published: 2022/10/31, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : distro-info-data_0.41+deb10u3
Should be : distro-info-data_0.41+deb10u6

166734 - Debian dla-3172 : libxml2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3172 advisory.

----- Debian LTS Advisory DLA-3172-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus Koschany October 30, 2022 <https://wiki.debian.org/LTS>

Package : libxml2 Version : 2.9.4+dfsg1-7+deb10u5 CVE ID : CVE-2022-40303 CVE-2022-40304 Debian Bug : 1022224 1022225

It was discovered that libxml2, the GNOME XML library, was vulnerable to integer overflows and memory corruption.

CVE-2022-40303

Parsing a XML document with the XML_PARSE_HUGE option enabled can result in an integer overflow because safety checks were missing in some functions. Also,

the xmlParseEntityValue function did not have any length limitation.

CVE-2022-40304

When a reference cycle is detected in the XML entity cleanup function the XML entity data can be stored in a dictionary. In this case, the dictionary becomes corrupted resulting in logic errors, including memory errors like double free.

For Debian 10 buster, these problems have been fixed in version 2.9.4+dfsg1-7+deb10u5.

We recommend that you upgrade your libxml2 packages.

For the detailed security status of libxml2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libxml2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/libxml2>
<https://security-tracker.debian.org/tracker/CVE-2022-40303>
<https://security-tracker.debian.org/tracker/CVE-2022-40304>
<https://packages.debian.org/source/buster/libxml2>

Solution

Upgrade the libxml2 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-40303](#)
CVE [CVE-2022-40304](#)

Plugin Information

Published: 2022/10/31, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libxml2_2.9.4+dfsg1-7+deb10u1
Should be : libxml2_2.9.4+dfsg1-7+deb10u5

167748 - Debian dla-3190 : grub-common - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3190 advisory.

----- Debian LTS Advisory DLA-3190-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Steve McIntyre November 16, 2022 https://wiki.debian.org/LTS -----

Package : grub2 Version : 2.06-3~deb10u2 CVE ID : CVE-2022-2601 CVE-2022-3775

Several issues were found in GRUB2's font handling code, which could result in crashes and potentially execution of arbitrary code. These could lead to by-pass of UEFI Secure Boot on affected systems.

Further, issues were found in image loading that could potentially lead to memory overflows.

For Debian 10 buster, these problems have been fixed in version 2.06-3~deb10u2.

We recommend that you upgrade your grub2 packages.

For the detailed security status of grub2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/grub2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/grub2>
<https://security-tracker.debian.org/tracker/CVE-2022-2601>
<https://security-tracker.debian.org/tracker/CVE-2022-3775>
<https://packages.debian.org/source/buster/grub2>

Solution

Upgrade the grub-common packages.

Risk Factor

High

CVSS v3.0 Base Score

8.6 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-2601](#)
CVE [CVE-2022-3775](#)

Plugin Information

Published: 2022/11/16, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : grub-common_2.02+dfsg1-20+deb10u2
Should be : grub-common_2.06-3~deb10u2
Remote package installed : grub-pc_2.02+dfsg1-20+deb10u2
Should be : grub-pc_2.06-3~deb10u2
Remote package installed : grub-pc-bin_2.02+dfsg1-20+deb10u2
Should be : grub-pc-bin_2.06-3~deb10u2
Remote package installed : grub2-common_2.02+dfsg1-20+deb10u2
Should be : grub2-common_2.06-3~deb10u2
```

168183 - Debian dla-3204 : vim - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3204 advisory.

----- Debian LTS Advisory DLA-3204-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Helmut Grohne November 24, 2022 <https://wiki.debian.org/LTS>

Package : vim Version : 2:8.1.0875-5+deb10u4 CVE ID : CVE-2022-0318 CVE-2022-0392 CVE-2022-0629 CVE-2022-0696 CVE-2022-1619 CVE-2022-1621 CVE-2022-1785 CVE-2022-1897 CVE-2022-1942 CVE-2022-2000 CVE-2022-2129 CVE-2022-3235 CVE-2022-3256 CVE-2022-3352

This update fixes multiple memory access violations in vim.

CVE-2022-0318

Heap-based Buffer Overflow

CVE-2022-0392

Heap-based Buffer Overflow

CVE-2022-0629

Stack-based Buffer Overflow

CVE-2022-0696

NULL Pointer Dereference

CVE-2022-1619

Heap-based Buffer Overflow in function cmdline_erase_chars. This vulnerabilities are capable of crashing software, modify memory, and possible remote execution

CVE-2022-1621

Heap buffer overflow in vim_strncpy find_word. This vulnerability is capable of crashing software, Bypass Protection Mechanism, Modify Memory, and possible remote execution

CVE-2022-1785

Out-of-bounds Write

CVE-2022-1897

Out-of-bounds Write

CVE-2022-1942

Heap-based Buffer Overflow

CVE-2022-2000

Out-of-bounds Write

CVE-2022-2129

Out-of-bounds Write

CVE-2022-3235

Use After Free

CVE-2022-3256

Use After Free

CVE-2022-3352

Use After Free

For Debian 10 buster, these problems have been fixed in version 2:8.1.0875-5+deb10u4.

We recommend that you upgrade your vim packages.

For the detailed security status of vim please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/vim>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/vim>
<https://security-tracker.debian.org/tracker/CVE-2022-0318>
<https://security-tracker.debian.org/tracker/CVE-2022-0392>
<https://security-tracker.debian.org/tracker/CVE-2022-0629>
<https://security-tracker.debian.org/tracker/CVE-2022-0696>
<https://security-tracker.debian.org/tracker/CVE-2022-1619>
<https://security-tracker.debian.org/tracker/CVE-2022-1621>
<https://security-tracker.debian.org/tracker/CVE-2022-1785>
<https://security-tracker.debian.org/tracker/CVE-2022-1897>
<https://security-tracker.debian.org/tracker/CVE-2022-1942>
<https://security-tracker.debian.org/tracker/CVE-2022-2000>
<https://security-tracker.debian.org/tracker/CVE-2022-2129>
<https://security-tracker.debian.org/tracker/CVE-2022-3235>
<https://security-tracker.debian.org/tracker/CVE-2022-3256>
<https://security-tracker.debian.org/tracker/CVE-2022-3352>
<https://packages.debian.org/source/buster/vim>

Solution

Upgrade the vim packages.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.5 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2022-0318
CVE	CVE-2022-0392
CVE	CVE-2022-0629
CVE	CVE-2022-0696
CVE	CVE-2022-1619
CVE	CVE-2022-1621
CVE	CVE-2022-1785
CVE	CVE-2022-1897
CVE	CVE-2022-1942
CVE	CVE-2022-2000
CVE	CVE-2022-2129
CVE	CVE-2022-3235
CVE	CVE-2022-3256
CVE	CVE-2022-3352

Plugin Information

Published: 2022/11/24, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : vim-common_2:8.1.0875-5
Should be : vim-common_2:8.1.0875-5+deb10u4
Remote package installed : vim-tiny_2:8.1.0875-5
Should be : vim-tiny_2:8.1.0875-5+deb10u4
Remote package installed : xxd_2:8.1.0875-5
Should be : xxd_2:8.1.0875-5+deb10u4
```

168264 - Debian dla-3213 : krb5-admin-server - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3213 advisory.

----- Debian LTS Advisory DLA-3213-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Chris Lamb
November 29, 2022 <https://wiki.debian.org/LTS>

Package : krb5 Version : 1.17-3+deb10u5 CVE ID : CVE-2022-42898 Debian Bug : 1024267

It was discovered that there was a potential Denial of Service (DoS) attack against krb5, a suite of tools implementing the Kerberos authentication system. An integer overflow in PAC parsing could have been exploited if a cross-realm entity acted maliciously.

For Debian 10 buster, this problem has been fixed in version 1.17-3+deb10u5.

We recommend that you upgrade your krb5 packages.

For the detailed security status of krb5 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/krb5>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2022-42898>
<https://security-tracker.debian.org/tracker/source-package/krb5>
<https://packages.debian.org/source/buster/krb5>

Solution

Upgrade the krb5-admin-server packages.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.0 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-42898](#)

Plugin Information

Published: 2022/11/29, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : krb5-locales_1.17-3+deb10u1
Should be : krb5-locales_1.17-3+deb10u5
Remote package installed : libgssapi-krb5-2_1.17-3+deb10u1
Should be : libgssapi-krb5-2_1.17-3+deb10u5
Remote package installed : libk5crypto3_1.17-3+deb10u1
Should be : libk5crypto3_1.17-3+deb10u5
Remote package installed : libkrb5-3_1.17-3+deb10u1
Should be : libkrb5-3_1.17-3+deb10u5
Remote package installed : libkrb5support0_1.17-3+deb10u1
Should be : libkrb5support0_1.17-3+deb10u5
```

169736 - Debian dla-3263 : libtasn1-6 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3263 advisory.

----- Debian LTS Advisory DLA-3263-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Chris Lamb
January 09, 2023 <https://wiki.debian.org/LTS>

Package : libtasn1-6 Version : 4.13-3+deb10u1 CVE ID : CVE-2021-46848

It was discovered that there was an off-by-one array size issue in libtasn1-6, a library to manage the generic ASN.1 data structure.

For Debian 10 buster, this problem has been fixed in version 4.13-3+deb10u1.

We recommend that you upgrade your libtasn1-6 packages.

For the detailed security status of libtasn1-6 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libtasn1-6>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2021-46848>
<https://security-tracker.debian.org/tracker/source-package/libtasn1-6>
<https://packages.debian.org/source/buster/libtasn1-6>

Solution

Upgrade the libtasn1-6 packages.

Risk Factor

High

CVSS v3.0 Base Score

9.1 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H)

CVSS v3.0 Temporal Score

8.2 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

9.4 (CVSS2#AV:N/AC:L/Au:N/C:C/I:N/A:C)

CVSS v2.0 Temporal Score

7.4 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2021-46848

Plugin Information

Published: 2023/01/10, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libtasn1-6_4.13-3
Should be : libtasn1-6_4.13-3+deb10u1

171626 - Debian dla-3321 : gnutls-bin - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3321 advisory.

Debian LTS Advisory DLA-3321-1

debian-lts@lists.debian.org

<https://www.debian.org/lts/security/>

Markus

Koschany February 18, 2023 <https://wiki.debian.org/LTS>

Package : gnutls28 Version : 3.6.7-4+deb10u10 CVE ID : CVE-2023-0361

Hubert Kario discovered a timing side channel in the RSA decryption implementation of the GNU TLS library.

For Debian 10 buster, this problem has been fixed in version 3.6.7-4+deb10u10.

We recommend that you upgrade your gnutls28 packages.

For the detailed security status of gnutls28 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/gnutls28>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/gnutls28>
<https://security-tracker.debian.org/tracker/CVE-2023-0361>
<https://packages.debian.org/source/buster/gnutls28>

Solution

Upgrade the gnutls-bin packages.

Risk Factor

High

CVSS v3.0 Base Score

7.4 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.1 (CVSS2#AV:N/AC:H/Au:N/C/I:C/A:N)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-0361](#)

Plugin Information

Published: 2023/02/18, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libgnutls30_3.6.7-4+deb10u5
Should be : libgnutls30_3.6.7-4+deb10u10

214477 - Debian dla-3326 : isc-dhcp-client - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3326 advisory.

----- Debian LTS Advisory DLA-3326-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastian Blank
February 20, 2023 <https://wiki.debian.org/LTS>

Package : isc-dhcp Version : 4.4.1-2+deb10u3 Debian Bug : 1022969

Under not completely understood conditions, dhclient completely removes IPv6 addresses from use and is unable to restore them.

For Debian 10 buster, this problem has been fixed in version 4.4.1-2+deb10u3.

We recommend that you upgrade your isc-dhcp packages.

For the detailed security status of isc-dhcp please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/isc-dhcp>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/isc-dhcp>
<https://packages.debian.org/source/buster/isc-dhcp>

Solution

Upgrade the isc-dhcp-client packages.

Risk Factor

High

Plugin Information

Published: 2025/01/22, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : isc-dhcp-client_4.4.1-2
Should be : isc-dhcp-client_4.4.1-2+deb10u3
Remote package installed : isc-dhcp-common_4.4.1-2
Should be : isc-dhcp-common_4.4.1-2+deb10u3
```

171861 - Debian dla-3337 : libmariadb-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3337 advisory.

----- Debian LTS Advisory DLA-3337-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Otto Keklinen February 23, 2023 <https://wiki.debian.org/LTS>

Package : mariadb-10.3 Version : 1:10.3.38-0+deb10u1 Debian Bug : 1008629

A new MariaDB minor maintenance release 10.3.38 has been released. It includes fix for a major performance/memory consumption issue (MDEV-29988).

For further details, see the MariaDB 10.3 release notes:

<https://mariadb.com/kb/en/mariadb-10-3-37-release-notes/> <https://mariadb.com/kb/en/mariadb-10-3-38-release-notes/>

For Debian 10 buster, this problem has been fixed in version 1:10.3.38-0+deb10u1.

We recommend that you upgrade your mariadb-10.3 packages.

For the detailed security status of mariadb-10.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/mariadb-10.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?cb6537b5>
<https://packages.debian.org/source/buster/mariadb-10.3>

Solution

Upgrade the libmariadb-dev packages.

Risk Factor

High

Plugin Information

Published: 2023/02/23, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libmariadb3_1:10.3.27-0+deb10u1
Should be : libmariadb3_1:10.3.38-0+deb10u1
Remote package installed : mariadb-client-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-10.3_1:10.3.38-0+deb10u1
Remote package installed : mariadb-client-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-core-10.3_1:10.3.38-0+deb10u1
Remote package installed : mariadb-common_1:10.3.27-0+deb10u1
Should be : mariadb-common_1:10.3.38-0+deb10u1
Remote package installed : mariadb-server-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-10.3_1:10.3.38-0+deb10u1
Remote package installed : mariadb-server-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-core-10.3_1:10.3.38-0+deb10u1
```

171901 - Debian dla-3341 : curl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3341 advisory.

----- Debian LTS Advisory DLA-3341-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Adrian Bunk
February 24, 2023 https://wiki.debian.org/LTS

Package : curl Version : 7.64.0-4+deb10u5 CVE ID : CVE-2023-23916 Debian Bug : 1031371

HTTP multi-header compression denial of service has been fixed in curl, a command line tool and library for transferring data with URLs.

For Debian 10 buster, this problem has been fixed in version 7.64.0-4+deb10u5.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
https://security-tracker.debian.org/tracker/curl

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
https://wiki.debian.org/LTS

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

https://security-tracker.debian.org/tracker/source-package/curl
https://security-tracker.debian.org/tracker/CVE-2023-23916
https://packages.debian.org/source/buster/curl

Solution

Upgrade the curl packages.

Risk Factor

High

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-23916
XREF	IAVA:2023-A-0008-S

Plugin Information

Published: 2023/02/24, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u5
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u5
```

171925 - Debian dla-3345 : libapache2-mod-php7.3 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3345 advisory.

----- Debian LTS Advisory DLA-3345-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin February 26, 2023 <https://wiki.debian.org/LTS>

Package : php7.3 Version : 7.3.31-1~deb10u3 CVE ID : CVE-2022-31631 CVE-2023-0567 CVE-2023-0568 CVE-2023-0662 Debian Bug : 1031368

Multiple security issues were found in PHP, a widely-used open source general purpose scripting language, which could result in denial of service or incorrect validation of BCrypt hashes.

CVE-2022-31631

Due to an uncaught integer overflow, `PDO::quote()` of PDO_SQLite may return an improperly quoted string. The exact details likely depend on the implementation of `sqlite3\_snprintf()`, but with some versions it is possible to force the function to return a single apostrophe, if the function is called on user supplied input without any length restrictions in place.

CVE-2023-0567

Tim Dsterhus discovered that malformed BCrypt hashes that include a `\$` within their salt part trigger a buffer overread and may erroneously validate any password as valid. (`Password\_verify()`) always return `true` with such inputs.)

CVE-2023-0568

1-byte array overrun when appending slash to paths during path resolution.

CVE-2023-0662

Jakob Ackermann discovered a Denial of Service vulnerability when parsing multipart request body: the request body parsing in PHP allows any unauthenticated attacker to consume a large amount of CPU time and trigger excessive logging.

For Debian 10 buster, these problems have been fixed in version 7.3.31-1~deb10u3.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/php7.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://security-tracker.debian.org/tracker/CVE-2022-31631>
<https://security-tracker.debian.org/tracker/CVE-2023-0567>
<https://security-tracker.debian.org/tracker/CVE-2023-0568>
<https://security-tracker.debian.org/tracker/CVE-2023-0662>
<https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

High

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.6 (CVSS2#AV:N/AC:H/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

6.0 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-31631
CVE	CVE-2023-0567
CVE	CVE-2023-0568
CVE	CVE-2023-0662
XREF	IAVA:2023-A-0105-S

Plugin Information

Published: 2023/02/26, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u3
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u3
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u3
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u3
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u3
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u3
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u3
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u3
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u3
```

173399 - Debian dla-3366 : tzdata - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3366 advisory.

- ----- Debian LTS Advisory DLA-3366-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort March 24, 2023 <https://wiki.debian.org/LTS>
- -----

Package : tzdata Version : 2021a-0+deb10u10

This update includes the changes in tzdata 2023b. Notable changes are:

- - Egypt uses DST again, starting on April.
- - Palestine and Lebanon delay the start of DST this year.
- - Morocco DST will happen a week earlier on April 23.
- - Adjustments to Greenland's timezones and DST rules.

For Debian 10 buster, this problem has been fixed in version 2021a-0+deb10u10.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tzdata>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tzdata>
<https://packages.debian.org/source/buster/tzdata>

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2023/03/24, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2021a-0+deb10u10

174964 - Debian dla-3405 : libxml2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3405 advisory.

----- Debian LTS Advisory DLA-3405-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Thorsten Altholz April 30, 2023 <https://wiki.debian.org/LTS>

Package : libxml2 Version : 2.9.4+dfsg1-7+deb10u6 CVE ID : CVE-2023-28484 CVE-2023-29469

Several vulnerabilities were discovered in libxml2, a library providing support to read, modify and write XML and HTML files.

CVE-2023-28484

A NULL pointer dereference flaw when parsing invalid XML schemas may result in denial of service.

CVE-2023-29469

It was reported that when hashing empty strings which aren't null-terminated, xmlDictComputeFastKey could produce inconsistent results, which may lead to various logic or memory errors.

For Debian 10 buster, these problems have been fixed in version 2.9.4+dfsg1-7+deb10u6.

We recommend that you upgrade your libxml2 packages.

For the detailed security status of libxml2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libxml2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/libxml2>
<https://security-tracker.debian.org/tracker/CVE-2023-28484>
<https://security-tracker.debian.org/tracker/CVE-2023-29469>
<https://packages.debian.org/source/buster/libxml2>

Solution

Upgrade the libxml2 packages.

Risk Factor

High

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-28484](#)
CVE [CVE-2023-29469](#)

Plugin Information

Published: 2023/05/01, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libxml2_2.9.4+dfsg1-7+deb10u1
Should be : libxml2_2.9.4+dfsg1-7+deb10u6

174968 - Debian dla-3411 : distro-info-data - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3411 advisory.

----- Debian LTS Advisory DLA-3411-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Stefano
Rivera April 30, 2023 <https://wiki.debian.org/LTS>

Package : distro-info-data Version : 0.41+deb10u7

This is a routine update of the distro-info-data database for Debian LTS users.

It includes the expected release date for Debian 12, adds Debian 14, adds Ubuntu 23.10, and some minor updates to EoL dates for Ubuntu releases.

For Debian 10 buster, these issues have been fixed in version 0.41+deb10u6.

We recommend that you upgrade your distro-info-data packages.

For the detailed security status of distro-info-data please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/distro-info-data>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?9851c5ba>
<https://packages.debian.org/source/buster/distro-info-data>

Solution

Upgrade the distro-info-data packages.

Risk Factor

High

Plugin Information

Published: 2023/05/01, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : distro-info-data_0.41+deb10u3
Should be : distro-info-data_0.41+deb10u6

175048 - Debian dla-3412 : tzdata - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3412 advisory.

- ----- Debian LTS Advisory DLA-3412-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort May 02, 2023 <https://wiki.debian.org/LTS>
- -----

Package : tzdata Version : 2021a-0+deb10u11

This update includes the changes in tzdata 2023c. Notable changes are:

- - Revert Lebanon DST changes.
- - Updated leap second list.

For Debian 10 buster, this problem has been fixed in version 2021a-0+deb10u11.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tzdata>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tzdata>
<https://packages.debian.org/source/buster/tzdata>

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2023/05/03, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2021a-0+deb10u11

176347 - Debian dla-3432 : idle-python2.7 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3432 advisory.

----- Debian LTS Advisory DLA-3432-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Sylvain
Beucler May 24, 2023 <https://wiki.debian.org/LTS>

Package : python2.7 Version : 2.7.16-2+deb10u2 CVE ID : CVE-2015-20107 CVE-2019-20907 CVE-2020-8492 CVE-2020-26116 CVE-2021-3177 CVE-2021-3733 CVE-
2021-3737 CVE-2021-4189 CVE-2022-45061 Debian Bug : 970099

Multiple security issues were discovered in Python, an interactive high-level object-oriented language. An attacker may cause command injection, denial of service (DoS), request smuggling and port scanning.

CVE-2015-20107

The mailcap module does not add escape characters into commands discovered in the system mailcap file. This may allow attackers to inject shell commands into applications that call mailcap.findmatch with untrusted input (if they lack validation of user-provided filenames or arguments).

CVE-2019-20907

In Lib/tarfile.py, an attacker is able to craft a TAR archive leading to an infinite loop when opened by tarfile.open, because _proc_pax lacks header validation.

CVE-2020-8492

Python allows an HTTP server to conduct Regular Expression Denial of Service (ReDoS) attacks against a client because of urllib.request.AbstractBasicAuthHandler catastrophic backtracking.

CVE-2020-26116

http.client allows CRLF injection if the attacker controls the HTTP request method, as demonstrated by inserting CR and LF control characters in the first argument of HTTPConnection.request.

CVE-2021-3177

Python has a buffer overflow in PyCArg_repr in _ctypes/callproc.c, which may lead to remote code execution in certain Python applications that accept floating-point numbers as untrusted input, as demonstrated by a 1e300 argument to c_double.from_param. This occurs because sprintf is used unsafely.

CVE-2021-3733

There's a flaw in urllib's AbstractBasicAuthHandler class. An attacker who controls a malicious HTTP server that an HTTP client (such as web browser) connects to, could trigger a Regular Expression Denial of Service (ReDOS) during an authentication request with a specially crafted payload that is sent by the server to the client.

CVE-2021-3737

An improperly handled HTTP response in the HTTP client code of python may allow a remote attacker, who controls the HTTP server, to make the client script enter an infinite loop, consuming CPU time.

CVE-2021-4189

The FTP (File Transfer Protocol) client library in PASV (passive) mode trusts the host from the PASV response by default. This flaw allows an attacker to set up a malicious FTP server that can trick FTP clients into connecting back to a given IP address and port. This vulnerability could lead to FTP client scanning ports. For the rare user who wants the previous behavior, set a `'trust_server_pasv_ipv4_address'` attribute on your `'ftplib.FTP'` instance to `True`.

CVE-2022-45061

An unnecessary quadratic algorithm exists in one path when processing some inputs to the IDNA (RFC 3490) decoder, such that a crafted, unreasonably long name being presented to the decoder could lead to a CPU denial of service.

For Debian 10 buster, these problems have been fixed in version 2.7.16-2+deb10u2.

We recommend that you upgrade your python2.7 packages.

For the detailed security status of python2.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python2.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python2.7>
<https://security-tracker.debian.org/tracker/CVE-2015-20107>
<https://security-tracker.debian.org/tracker/CVE-2019-20907>
<https://security-tracker.debian.org/tracker/CVE-2020-26116>
<https://security-tracker.debian.org/tracker/CVE-2020-8492>
<https://security-tracker.debian.org/tracker/CVE-2021-3177>
<https://security-tracker.debian.org/tracker/CVE-2021-3733>
<https://security-tracker.debian.org/tracker/CVE-2021-3737>
<https://security-tracker.debian.org/tracker/CVE-2021-4189>
<https://security-tracker.debian.org/tracker/CVE-2022-45061>
<https://packages.debian.org/source/buster/python2.7>

Solution

Upgrade the idle-python2.7 packages.

Risk Factor

High

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

8.0 (CVSS2#AV:N/AC:L/Au:S/C:P/I:C/A:P)

CVSS v2.0 Temporal Score

6.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2015-20107
CVE	CVE-2019-20907
CVE	CVE-2020-8492
CVE	CVE-2020-26116
CVE	CVE-2021-3177
CVE	CVE-2021-3733
CVE	CVE-2021-3737
CVE	CVE-2021-4189
CVE	CVE-2022-45061

Plugin Information

Published: 2023/05/25, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libpython2.7-minimal_2.7.16-2+deb10u1
Should be : libpython2.7-minimal_2.7.16-2+deb10u2
Remote package installed : libpython2.7-stdlib_2.7.16-2+deb10u1
Should be : libpython2.7-stdlib_2.7.16-2+deb10u2
Remote package installed : python2.7_2.7.16-2+deb10u1
Should be : python2.7_2.7.16-2+deb10u2
Remote package installed : python2.7-minimal_2.7.16-2+deb10u1
Should be : python2.7-minimal_2.7.16-2+deb10u2
```

177218 - Debian dla-3453 : vim - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3453 advisory.

----- Debian LTS Advisory DLA-3453-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus
Koschany June 12, 2023 <https://wiki.debian.org/LTS>

Package : vim Version : 2:8.1.0875-5+deb10u5 CVE ID : CVE-2022-4141 CVE-2023-0054 CVE-2023-1175 CVE-2023-2610 Debian Bug : 1027146 1031875 1035955

Multiple security vulnerabilities have been discovered in vim, an enhanced vi editor. Buffer overflows and out-of-bounds reads may lead to a denial-of-service (application crash) or other unspecified impact.

For Debian 10 buster, these problems have been fixed in version 2:8.1.0875-5+deb10u5.

We recommend that you upgrade your vim packages.

For the detailed security status of vim please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/vim>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/vim>
<https://security-tracker.debian.org/tracker/CVE-2022-4141>
<https://security-tracker.debian.org/tracker/CVE-2023-0054>
<https://security-tracker.debian.org/tracker/CVE-2023-1175>
<https://security-tracker.debian.org/tracker/CVE-2023-2610>
<https://packages.debian.org/source/buster/vim>

Solution

Upgrade the vim packages.

Risk Factor

High

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:I/C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-4141
CVE	CVE-2023-0054
CVE	CVE-2023-1175
CVE	CVE-2023-2610
XREF	IAVB:2022-B-0058-S
XREF	IAVB:2023-B-0016-S
XREF	IAVB:2023-B-0018-S
XREF	IAVB:2023-B-0033-S

Plugin Information

Published: 2023/06/13, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : vim-common_2:8.1.0875-5
Should be : vim-common_2:8.1.0875-5+deb10u5
Remote package installed : vim-tiny_2:8.1.0875-5
Should be : vim-tiny_2:8.1.0875-5+deb10u5
Remote package installed : xxd_2:8.1.0875-5
Should be : xxd_2:8.1.0875-5+deb10u5
```

177636 - Debian dla-3472 : libx11-6 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3472 advisory.

----- Debian LTS Advisory DLA-3472-1 [debian-lts@lists.debian.org](#) <https://www.debian.org/lts/security/> Adrian Bunk
June 26, 2023 <https://wiki.debian.org/LTS>

Package : libx11 Version : 2:1.6.7-1+deb10u3 CVE ID : CVE-2023-3138 Debian Bug : 1038133

Missing input validation in various functions may have resulted in denial of service in various functions provided by libx11, the X11 client-side library.

For Debian 10 buster, this problem has been fixed in version 2:1.6.7-1+deb10u3.

We recommend that you upgrade your libx11 packages.

For the detailed security status of libx11 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libx11>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/libx11>
<https://security-tracker.debian.org/tracker/CVE-2023-3138>
<https://packages.debian.org/source/buster/libx11>

Solution

Upgrade the libx11-6 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-3138](#)

Plugin Information

Published: 2023/06/26, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libx11-6_2:1.6.7-1+deb10u1
Should be : libx11-6_2:1.6.7-1+deb10u3
Remote package installed : libx11-data_2:1.6.7-1+deb10u1
Should be : libx11-data_2:1.6.7-1+deb10u3
```

177875 - Debian dla-3477 : idle-python3.7 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3477 advisory.

- ----- Debian LTS Advisory DLA-3477-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
June 30, 2023 <https://wiki.debian.org/LTS>
- -----

Package : python3.7 Version : 3.7.3-2+deb10u5 CVE ID : CVE-2015-20107 CVE-2020-10735 CVE-2021-3426 CVE-2021-3733 CVE-2021-3737 CVE-2021-4189 CVE-2022-45061

Several vulnerabilities were fixed in the Python3 interpreter.

CVE-2015-20107

The mailcap module did not add escape characters into commands discovered in the system mailcap file.

CVE-2020-10735

Prevent DoS with very large int.

CVE-2021-3426

Remove the pydoc getfile feature which could be abused to read arbitrary files on the disk.

CVE-2021-3733

Regular Expression Denial of Service in urllib's AbstractBasicAuthHandler class.

CVE-2021-3737

Infinite loop in the HTTP client code.

CVE-2021-4189

Make ftplib not trust the PASV response.

CVE-2022-45061

Quadratic time in the IDNA decoder.

For Debian 10 buster, these problems have been fixed in version 3.7.3-2+deb10u5.

We recommend that you upgrade your python3.7 packages.

For the detailed security status of python3.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python3.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python3.7>
<https://security-tracker.debian.org/tracker/CVE-2015-20107>
<https://security-tracker.debian.org/tracker/CVE-2020-10735>
<https://security-tracker.debian.org/tracker/CVE-2021-3426>
<https://security-tracker.debian.org/tracker/CVE-2021-3733>
<https://security-tracker.debian.org/tracker/CVE-2021-3737>
<https://security-tracker.debian.org/tracker/CVE-2021-4189>
<https://security-tracker.debian.org/tracker/CVE-2022-45061>
<https://packages.debian.org/source/buster/python3.7>

Solution

Upgrade the idle-python3.7 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.6 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:H/A:L)

CVSS v3.0 Temporal Score

6.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

8.0 (CVSS2#AV:N/AC:L/Au:S/C:P/I:C/A:P)

CVSS v2.0 Temporal Score

6.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2015-20107
CVE	CVE-2020-10735
CVE	CVE-2021-3426
CVE	CVE-2021-3733
CVE	CVE-2021-3737
CVE	CVE-2021-4189
CVE	CVE-2022-45061

Plugin Information

Published: 2023/07/01, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpython3.7-minimal_3.7.3-2+deb10u2
Should be : libpython3.7-minimal_3.7.3-2+deb10u5
Remote package installed : libpython3.7-stdlib_3.7.3-2+deb10u2

```
Should be : libpython3.7-stdlib_3.7.3-2+deb10u5
Remote package installed : python3.7_3.7.3-2+deb10u2
Should be : python3.7_3.7.3-2+deb10u5
Remote package installed : python3.7-minimal_3.7.3-2+deb10u2
Should be : python3.7-minimal_3.7.3-2+deb10u5
```

178638 - Debian dla-3482 : debian-archive-keyring - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3482 advisory.

----- Debian LTS Advisory DLA-3482-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Jochen Sprickerhof July 07, 2023 <https://wiki.debian.org/LTS>

Package : debian-archive-keyring Version : 2019.1+deb10u2 CVE ID :
Debian Bug :

debian-archive-keyring is a package containing GnuPG archive keys of the Debian archive. New GPG-keys are being constantly added with every new Debian release.

For Debian 10 buster, GPG-keys for 12/bullseye Debian release are added in the version 2019.1+deb10u2.

We recommend that you upgrade your debian-archive-keyring packages only if you need to work with packages from 12/bullseye release.

For the detailed security status of debian-archive-keyring please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/debian-archive-keyring>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?fdde0805>
<https://packages.debian.org/source/buster/debian-archive-keyring>

Solution

Upgrade the debian-archive-keyring packages.

Risk Factor

High

Plugin Information

Published: 2023/07/20, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : debian-archive-keyring_2019.1
Should be : debian-archive-keyring_2019.1+deb10u2
```

178479 - Debian dla-3498 : bind9 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3498 advisory.

----- Debian LTS Advisory DLA-3498-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Chris Lamb
July 18, 2023 <https://wiki.debian.org/LTS>

Package : bind9 Version : 1:9.11.5.P4+dfsg-5.1+deb10u9 CVE ID : CVE-2023-2828

It was discovered that there was a potential denial of service (DoS) in bind9, the popular Domain Name Server (DNS) server.

Shoham Danino, Anat Bremner-Barr, Yehuda Afek and Yuval Shavitt discovered that a flaw in the cache-cleaning algorithm used in named can cause that named's configured cache size limit can be significantly exceeded, potentially resulting in a denial of service attack.

For Debian 10 buster, this problem has been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u9.

We recommend that you upgrade your bind9 packages.

For the detailed security status of bind9 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/bind9>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2023-2828>
<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://packages.debian.org/source/buster/bind9>

Solution

Upgrade the bind9 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-2828
XREF	IAVA:2023-A-0320-S

Plugin Information

Published: 2023/07/19, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
```

```
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : libiscfcg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libiscfcg163_1:9.11.5.P4+dfsg-5.1+deb10u9
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u9
```

182157 - Debian dla-3586 : lib32ncurses-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3586 advisory.

----- Debian LTS Advisory DLA-3586-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Sean Whitton
September 28, 2023 https://wiki.debian.org/LTS

Package : ncurses Version : 6.1+20181013-2+deb10u4 CVE ID : CVE-2020-19189

An out-of-bounds read problem was found in the postprocess_terminfo function of ncurses, a text-based user interface toolkit, which could potentially lead to an exposure of sensitive information or denial of service.

For Debian 10 buster, these problems have been fixed in version 6.1+20181013-2+deb10u4.

We recommend that you upgrade your ncurses packages.

For the detailed security status of ncurses please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/ncurses>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/ncurses>
<https://security-tracker.debian.org/tracker/CVE-2020-19189>
<https://packages.debian.org/source/buster/ncurses>

Solution

Upgrade the lib32ncurses-dev packages.

Risk Factor

High

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2020-19189

Plugin Information

Published: 2023/09/28, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libncurses6_6.1+20181013-2+deb10u2
Should be : libncurses6_6.1+20181013-2+deb10u4
Remote package installed : libncursesw6_6.1+20181013-2+deb10u2
Should be : libncursesw6_6.1+20181013-2+deb10u4
Remote package installed : libtinfo6_6.1+20181013-2+deb10u2
Should be : libtinfo6_6.1+20181013-2+deb10u4
Remote package installed : ncurses-base_6.1+20181013-2+deb10u2
Should be : ncurses-base_6.1+20181013-2+deb10u4
Remote package installed : ncurses-bin_6.1+20181013-2+deb10u2
Should be : ncurses-bin_6.1+20181013-2+deb10u4
Remote package installed : ncurses-term_6.1+20181013-2+deb10u2
Should be : ncurses-term_6.1+20181013-2+deb10u4
```

182369 - Debian dla-3588 : vim - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3588 advisory.

----- Debian LTS Advisory DLA-3588-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Bastien Roucaris September 29, 2023 https://wiki.debian.org/LTS

Package : vim Version : 2:8.1.0875-5+deb10u6 CVE ID : CVE-2023-4752 CVE-2023-4781

Multiple vulnerabilities were found in vim a text editor.

CVE-2023-4752

A heap use after free was found in ins_compl_get_exp()

CVE-2023-4781

A heap-buffer-overflow was found in vim_regsub_both()

For Debian 10 buster, these problems have been fixed in version 2:8.1.0875-5+deb10u6.

We recommend that you upgrade your vim packages.

For the detailed security status of vim please refer to its security tracker page at: https://security-tracker.debian.org/tracker/vim

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- https://security-tracker.debian.org/tracker/source-package/vim
- https://security-tracker.debian.org/tracker/CVE-2023-4752
- https://security-tracker.debian.org/tracker/CVE-2023-4781
- https://packages.debian.org/source/buster/vim

Solution

Upgrade the vim packages.

Risk Factor

High

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.6 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-4752
CVE	CVE-2023-4781
XREF	IABV:2023-B-0066-S

Plugin Information

Published: 2023/09/29, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : vim-common_2:8.1.0875-5
Should be : vim-common_2:8.1.0875-5+deb10u6
Remote package installed : vim-tiny_2:8.1.0875-5
Should be : vim-tiny_2:8.1.0875-5+deb10u6
Remote package installed : xxd_2:8.1.0875-5
Should be : xxd_2:8.1.0875-5+deb10u6
```

184024 - Debian dla-3639 : distro-info-data - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3639 advisory.

----- Debian LTS Advisory DLA-3639-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Stefano Rivera October 30, 2023 <https://wiki.debian.org/LTS>

Package : distro-info-data Version : 0.41+deb10u8

This is a routine update of the distro-info-data database for Debian LTS users.

It includes Ubuntu 24.10, and makes some minor updates to older EoL dates.

For Debian 10 buster, this problem has been fixed in version 0.41+deb10u8.

We recommend that you upgrade your distro-info-data packages.

For the detailed security status of distro-info-data please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/distro-info-data>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS> Attachment: signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?9851c5ba>
<https://packages.debian.org/source/buster/distro-info-data>

Solution

Upgrade the distro-info-data packages.

Risk Factor

High

Plugin Information

Published: 2023/10/30, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : distro-info-data_0.41+deb10u3
Should be : distro-info-data_0.41+deb10u8
```

186288 - Debian dla-3666 : python3-reportbug - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3666 advisory.

----- Debian LTS Advisory DLA-3666-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastien
Roucaris November 26, 2023 <https://wiki.debian.org/LTS>

Package : reportbug Version : 7.5.3~deb10u2

Python version reported by reportbug, a debian tool for bug reporting was incorrect (not PEP440 compliant) and may break unrelated software like pip, a python package manager, used for local development of python packages.

For Debian 10 buster, this problem has been fixed in version 7.5.3~deb10u2.

We recommend that you upgrade your reportbug packages.

For the detailed security status of reportbug please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/reportbug>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/reportbug>
<https://packages.debian.org/source/buster/reportbug>

Solution

Upgrade the python3-reportbug packages.

Risk Factor

High

Plugin Information

Published: 2023/11/26, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : python3-reportbug_7.5.3~deb10u1
Should be : python3-reportbug_7.5.3~deb10u2
Remote package installed : reportbug_7.5.3~deb10u1
Should be : reportbug_7.5.3~deb10u2
```

186663 - Debian dla-3684 : tzdata - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3684 advisory.

-

Debian LTS Advisory DLA-3684-1
debian-lts@lists.debian.org
https://www.debian.org/lts/security/
Emilio Pozuelo Monfort
December 07, 2023
https://wiki.debian.org/LTS

Package : tzdata Version : 2021a-0+deb10u12 Debian Bug : 1036104 1057185 1057186

This update includes the latest changes to the leap second list, including an update to its expiry date, which was set for the end of December.

For Debian 10 buster, this problem has been fixed in version 2021a-0+deb10u12.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tzdata>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tzdata>
<https://packages.debian.org/source/buster/tzdata>

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2023/12/07, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2021a-0+deb10u12
```

189836 - Debian dla-3726 : bind9 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3726 advisory.

----- Debian LTS Advisory DLA-3726-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Thorsten Alteholz January 30, 2024 https://wiki.debian.org/LTS -----

Package : bind9 Version : 1:9.11.5.P4+dfsg-5.1+deb10u10 CVE ID : CVE-2023-3341

An issue has been discovered in BIND, a DNS server implementation.

A stack exhaustion flaw was discovered in the control channel code which may result in denial of service (named daemon crash).

For Debian 10 buster, this problem has been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u10.

We recommend that you upgrade your bind9 packages.

For the detailed security status of bind9 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/bind9>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://security-tracker.debian.org/tracker/CVE-2023-3341>
<https://packages.debian.org/source/buster/bind9>

Solution

Upgrade the bind9 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-3341
XREF	IAVA:2023-A-0500-S

Plugin Information

Published: 2024/01/31, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u10

```
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u10
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u10
```

189916 - Debian dla-3731 : man-db - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3731 advisory.

----- Debian LTS Advisory DLA-3731-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Colin Watson
February 01, 2024 https://wiki.debian.org/LTS

Package : man-db Version : 2.8.5-2+deb10u1 CVE ID :
Debian Bug : 926450 948238 1061870

man-db provides the man command used for reading manual pages.

man-db 2.7.6.1-3 added AppArmor confinement for filter programs called by man, and man-db 2.8.0 added a seccomp sandbox to confine subprocesses that handle untrusted data. These hardening measures caused various problems that have been fixed in more recent releases: the AppArmor confinement broke the ability to save compressed cat pages under /var/cache/man/, while the seccomp sandbox broke Hardened Malloc as well as systems using mksh-derived shells.

For Debian 10 buster, these problems have been fixed in version 2.8.5-2+deb10u1.

We recommend that you upgrade your man-db packages.

For the detailed security status of man-db please refer to its security tracker page at:
https://security-tracker.debian.org/tracker/man-db

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
https://wiki.debian.org/LTS Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

https://security-tracker.debian.org/tracker/source-package/man-db
https://packages.debian.org/source/buster/man-db

Solution

Upgrade the man-db packages.

Risk Factor

High

Plugin Information

Published: 2024/02/01, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : man-db_2.8.5-2
Should be : man-db_2.8.5-2+deb10u1
```

189972 - Debian dla-3732 : sudo - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3732 advisory.

----- Debian LTS Advisory DLA-3732-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastien Roucaris February 03, 2024 <https://wiki.debian.org/LTS>

Package : sudo Version : 1.8.27-1+deb10u6 CVE ID : CVE-2023-7090 CVE-2023-28486 CVE-2023-28487

Sudo, a program designed to allow a sysadmin to give limited root privileges to users and log root activity, was vulnerable.

CVE-2023-7090

A flaw was found in sudo in the handling of ipa_hostname, where ipa_hostname from /etc/sss/sss.conf was not propagated in sudo. Therefore, it leads to privilege mismanagement vulnerability in applications, where client hosts retain privileges even after retracting them.

CVE-2023-28486

Sudo did not escape control characters in log messages.

CVE-2023-28487

Sudo did not escape control characters in sudoreplay output.

For Debian 10 buster, these problems have been fixed in version 1.8.27-1+deb10u6.

We recommend that you upgrade your sudo packages.

For the detailed security status of sudo please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/sudo>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/sudo>
<https://security-tracker.debian.org/tracker/CVE-2023-28486>
<https://security-tracker.debian.org/tracker/CVE-2023-28487>
<https://security-tracker.debian.org/tracker/CVE-2023-7090>
<https://packages.debian.org/source/buster/sudo>

Solution

Upgrade the sudo packages.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

6.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

II

References

CVE	CVE-2023-7090
CVE	CVE-2023-28486
CVE	CVE-2023-28487
XREF	IAVA:2023-A-0121-S

Plugin Information

Published: 2024/02/03, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : sudo_1.8.27-1+deb10u3
Should be : sudo_1.8.27-1+deb10u6

190998 - Debian dla-3740 : gnutls-bin - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3740 advisory.

----- Debian LTS Advisory DLA-3740-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin February 26, 2024 <https://wiki.debian.org/LTS>

Package : gnutls28 Version : 3.6.7-4+deb10u12 CVE ID : CVE-2024-0553 Debian Bug : 1061046

Hubert Kario discovered that GnuTLS, a portable library which implements the Transport Layer Security and Datagram Transport Layer Security protocols, was vulnerable to timing side-channel attack in the RSA-PSK key exchange, which could lead to leakage of sensitive data. The issue stems from an incomplete resolution for CVE-2023-5981.

This vulnerability is also known as GNUTLS-SA-2024-01-14.

For Debian 10 buster, this problem has been fixed in version 3.6.7-4+deb10u12.

We recommend that you upgrade your gnutls28 packages.

For the detailed security status of gnutls28 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/gnutls28>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS> Attachment: signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/gnutls28>
<https://security-tracker.debian.org/tracker/CVE-2023-5981>
<https://security-tracker.debian.org/tracker/CVE-2024-0553>
<https://packages.debian.org/source/buster/gnutls28>

Solution

Upgrade the gnutls-bin packages.

Risk Factor

High

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:C/I:N/A:N)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-5981](#)
CVE [CVE-2024-0553](#)

Plugin Information

Published: 2024/02/26, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libgnutls30_3.6.7-4+deb10u5
Should be : libgnutls30_3.6.7-4+deb10u12

192185 - Debian dla-3763 : curl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3763 advisory.

- ----- Debian LTS Advisory DLA-3763-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastien
Roucaris March 17, 2024 <https://wiki.debian.org/LTS>
- -----

Package : curl Version : 7.64.0-4+deb10u9 CVE ID : CVE-2023-27534

curl was affected by a path traversal vulnerability.
SFTP implementation causes the tilde (~) character to be wrongly replaced when used as a prefix in the first path element, in addition to its intended use as the first element to indicate a path relative to the user's home directory. Attackers can exploit this flaw to bypass filtering or execute arbitrary code by crafting a path like /~2/foo while accessing a server with a specific user.

For Debian 10 buster, this problem has been fixed in version 7.64.0-4+deb10u9.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2023-27534>

<https://packages.debian.org/source/buster/curl>

Solution

Upgrade the curl packages.

Risk Factor

High

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.0 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-27534
XREF	IAVA:2023-A-0153-S
XREF	IAVA:2023-A-0531-S

Plugin Information

Published: 2024/03/17, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u9
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u9
```

192520 - Debian dla-3772 : idle-python3.7 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3772 advisory.

----- Debian LTS Advisory DLA-3772-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
March 24, 2024 <https://wiki.debian.org/LTS>

Package : python3.7 Version : 3.7.3-2+deb10u7 CVE ID : CVE-2023-6597 CVE-2024-0450

Two vulnerabilities have been fixed in the Python 3 interpreter.

CVE-2023-6597

tempfile.TemporaryDirectory failure to remove dir

CVE-2024-0450

quoted-overlap zipbomb DoS

For Debian 10 buster, these problems have been fixed in version 3.7.3-2+deb10u7.

We recommend that you upgrade your python3.7 packages.

For the detailed security status of python3.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python3.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python3.7>
<https://security-tracker.debian.org/tracker/CVE-2023-6597>
<https://security-tracker.debian.org/tracker/CVE-2024-0450>
<https://packages.debian.org/source/buster/python3.7>

Solution

Upgrade the idle-python3.7 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:N)

CVSS v3.0 Temporal Score

6.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-6597](#)
CVE [CVE-2024-0450](#)

Plugin Information

Published: 2024/03/24, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpython3.7-minimal_3.7.3-2+deb10u2
Should be : libpython3.7-minimal_3.7.3-2+deb10u7
Remote package installed : libpython3.7-stdlib_3.7.3-2+deb10u2
Should be : libpython3.7-stdlib_3.7.3-2+deb10u7
Remote package installed : python3.7_3.7.3-2+deb10u2
Should be : python3.7_3.7.3-2+deb10u7
Remote package installed : python3.7-minimal_3.7.3-2+deb10u2
Should be : python3.7-minimal_3.7.3-2+deb10u7

193076 - Debian dla-3783 : expat - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3783 advisory.

----- Debian LTS Advisory DLA-3783-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Tobias Frost
April 07, 2024 <https://wiki.debian.org/LTS>

Package : expat Version : 2.2.6-2+deb10u7 CVE ID : CVE-2023-52425 Debian Bug : 1063238

Expat, an XML parsing C library has been found to have an vulnerability that allows an attacker to perform a denial of service (resource consumption, when many full reparsings are required in the case of a large tokens.

When parsing a really big token that requires multiple buffer fills to complete, expat has to re-parse the token from start multiple times, which takes time. These patches introduce a heuristic that, when having failed on the same token multiple times, defers further parsing until there's significantly more data available.

The patch also introduces an optiional API, XML_SetReparseDeferralEnabled(), to disable the new heuristic.

For Debian 10 buster, this problem has been fixed in version 2.2.6-2+deb10u7.

We recommend that you upgrade your expat packages.

For the detailed security status of expat please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/expat>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/expat>
<https://security-tracker.debian.org/tracker/CVE-2023-52425>
<https://packages.debian.org/source/buster/expat>

Solution

Upgrade the expat packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-52425
XREF	IAVA:2024-A-0134-S

Plugin Information

Published: 2024/04/09, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libexpat1_2.2.6-2+deb10u1
Should be : libexpat1_2.2.6-2+deb10u7

193461 - Debian dla-3788 : tzdata - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3788 advisory.

----- Debian LTS Advisory DLA-3788-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Emilio Pozuelo Monfort April 18, 2024 https://wiki.debian.org/LTS

Package : tzdata Version : 2024a-0+deb10u1

This update includes the changes in tzdata 2024a. Notable changes are:

- - Kazakhstan unifies on UTC+5 beginning 2024-03-01.
- - Palestine springs forward a week later after Ramadan.

For Debian 10 buster, this problem has been fixed in version 2024a-0+deb10u1.

We recommend that you upgrade your tzdata packages.

For the detailed security status of tzdata please refer to its security tracker page at: https://security-tracker.debian.org/tracker/tzdata

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

https://security-tracker.debian.org/tracker/source-package/tzdata
https://packages.debian.org/source/buster/tzdata

Solution

Upgrade the tzdata packages.

Risk Factor

High

Plugin Information

Published: 2024/04/18, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : tzdata_2020d-0+deb10u1
Should be : tzdata_2024a-0+deb10u1

194852 - Debian dla-3804 : libnghttp2-14 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3804 advisory.

----- Debian LTS Advisory DLA-3804-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Guilhem Moulin April 30, 2024 https://wiki.debian.org/LTS

Package : nghttp2 Version : 1.36.0-2+deb10u3 CVE ID : CVE-2024-28182 Debian Bug : 1068415

Bartek Nowotarskis discovered that nghttp2, a set of programs implementing the HTTP/2, keeps reading CONTINUATION frames even after a stream is reset to keep HPACK context in sync. This causes excessive CPU usage to decode HPACK stream, which could lead to Denial of Service.

The issue is mitigated by limiting the number of CONTINUATION frames it can accept after a HEADERS frame. The limit is configurable and defaults to 8.

For Debian 10 buster, this problem has been fixed in version 1.36.0-2+deb10u3.

We recommend that you upgrade your nghttp2 packages.

For the detailed security status of nghttp2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/nghttp2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/nghttp2>
<https://security-tracker.debian.org/tracker/CVE-2024-28182>
<https://packages.debian.org/source/buster/nghttp2>

Solution

Upgrade the libnghttp2-14 packages.

Risk Factor

High

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2024-28182](#)

Plugin Information

Published: 2024/04/30, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libnghttp2-14_1.36.0-2+deb10u1
Should be : libnghttp2-14_1.36.0-2+deb10u3

194891 - Debian dla-3806 : distro-info-data - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has a package installed that is affected by a vulnerability as referenced in the dla-3806 advisory.

----- Debian LTS Advisory DLA-3806-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Stefano

Rivera May 01, 2024 <https://wiki.debian.org/LTS>

Package : distro-info-data Version : 0.41+deb10u9

This is a routine update of the distro-info-data database for Debian LTS users.

It adds Ubuntu 24.10.

Also included are LTS and ELTS columns for Debian, and ESM columns for Ubuntu. The version of distro-info in buster is not able to display the data from these columns, but they are present in the CSV.

For Debian 10 buster, this problem has been fixed in version 0.41+deb10u9.

We recommend that you upgrade your distro-info-data packages.

For the detailed security status of distro-info-data please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/distro-info-data>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?9851c5ba>
<https://packages.debian.org/source/buster/distro-info-data>

Solution

Upgrade the distro-info-data packages.

Risk Factor

High

Plugin Information

Published: 2024/05/01, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : distro-info-data_0.41+deb10u3
Should be : distro-info-data_0.41+deb10u9

194968 - Debian dla-3807 : glibc-doc - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3807 advisory.

- ----- Debian LTS Advisory DLA-3807-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
May 04, 2024 <https://wiki.debian.org/LTS>

Package : glibc Version : 2.28-10+deb10u3 CVE ID : CVE-2024-2961 Debian Bug : 1069191

Out-of-bounds write in the iconv ISO-2022-CN-EXT module has been fixed in the GNU C library.

For Debian 10 buster, this problem has been fixed in version 2.28-10+deb10u3.

We recommend that you upgrade your glibc packages.

For the detailed security status of glibc please refer to its security tracker page at:

<https://security-tracker.debian.org/tracker/glibc>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/glibc>
<https://security-tracker.debian.org/tracker/CVE-2024-2961>
<https://packages.debian.org/source/buster/glibc>

Solution

Upgrade the glibc-doc packages.

Risk Factor

High

CVSS v3.0 Base Score

7.3 (CVSS:3.0/AV:L/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:H)

CVSS v3.0 Temporal Score

6.8 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

9.0 (CVSS2#AV:N/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

7.4 (CVSS2#E:F/RL:OF/RC:C)

References

CVE [CVE-2024-2961](#)

Exploitable With

Metasploit (true)

Plugin Information

Published: 2024/05/04, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libc-bin_2.28-10
Should be : libc-bin_2.28-10+deb10u3
Remote package installed : libc-l10n_2.28-10
Should be : libc-l10n_2.28-10+deb10u3
Remote package installed : libc6_2.28-10
Should be : libc6_2.28-10+deb10u3
Remote package installed : locales_2.28-10
Should be : locales_2.28-10+deb10u3

195146 - Debian dla-3810 : libapache2-mod-php7.3 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3810 advisory.

----- Debian LTS Advisory DLA-3810-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem
Moulin May 07, 2024 <https://wiki.debian.org/LTS>

Package : php7.3 Version : 7.3.31-1~deb10u6 CVE ID : CVE-2024-2756 CVE-2024-3096

Security issues were found in PHP, a widely-used open source general purpose scripting language, which could result in information disclosure or incorrect validation of password hashes.

CVE-2024-2756

Marco Squarcina discovered that network and same-site attackers can set a standard insecure cookie in the victim's browser which is treated as a `__Host-` or `__Secure-` cookie by PHP applications.

This issue stems from an incomplete fix to CVE-2022-31629.

CVE-2024-3096

Eric Stern discovered that if a password stored with `password_hash()` starts with a null byte (`\x00`), testing a blank string as the password via `password_verify()` incorrectly returns true.

If a user were able to create a password with a leading null byte (unlikely, but syntactically valid), the issue would allow an attacker to trivially compromise the victim's account by attempting to sign in with a blank string.

For Debian 10 buster, these problems have been fixed in version 7.3.31-1~deb10u6.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/php7.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS> Attachment: `signature.asc` Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/php7.3>
- <https://security-tracker.debian.org/tracker/CVE-2022-31629>
- <https://security-tracker.debian.org/tracker/CVE-2024-2756>
- <https://security-tracker.debian.org/tracker/CVE-2024-3096>
- <https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

High

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:C/A:N)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

- | | |
|-----|--------------------------------|
| CVE | CVE-2022-31629 |
| CVE | CVE-2024-2756 |
| CVE | CVE-2024-3096 |

Plugin Information

Published: 2024/05/08, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u6
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u6
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u6
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u6
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u6
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u6
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u6
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u6
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u6
```

195178 - Debian dla-3811 : pypy-idna - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3811 advisory.

Moulin May 08, 2024

Debian LTS Advisory DLA-3811-1

debian-lts@lists.debian.org

https://www.debian.org/lts/security/

Guilhem

Package : python-idna Version : 2.6-1+deb10u1 CVE ID : CVE-2024-3651 Debian Bug : 1069127

Guido Vranken discovered an issue in python3-idna, a library to support the Internationalized Domain Names in Applications (IDNA) protocol. A specially crafted argument to the idna.encode() function could consume significant resources, which may lead to Denial of Service.

For Debian 10 buster, this problem has been fixed in version 2.6-1+deb10u1.

We recommend that you upgrade your python-idna packages.

For the detailed security status of python-idna please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python-idna>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/python-idna>
- <https://security-tracker.debian.org/tracker/CVE-2024-3651>
- <https://packages.debian.org/source/buster/python-idna>

Solution

Upgrade the pypy-idna packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

6.1 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2024-3651](#)

Plugin Information

Published: 2024/05/08, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : python3-idna_2.6-1
Should be : python3-idna_2.6-1+deb10u1

197488 - Debian dla-3816 : bind9 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3816 advisory.

----- Debian LTS Advisory DLA-3816-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Santiago
Ruano Rincn May 17, 2024 <https://wiki.debian.org/LTS>

Package : bind9 Version : 1:9.11.5.P4+dfsg-5.1+deb10u11 CVE ID : CVE-2023-50387 CVE-2023-50868 Debian Bug :

Two vulnerabilities were discovered in BIND, a DNS server implementation, which may result in denial of service.

CVE-2023-50387

Certain DNSSEC aspects of the DNS protocol allow remote attackers to cause a denial of service via DNSSEC queries. This is known as the KeyTrap issue.

CVE-2023-50868

The Closest Encloser Proof aspect of the DNS protocol allows remote attackers to cause a denial of service via DNSSEC queries in a random subdomain attack. This is known as the NSEC3 issue.

For Debian 10 buster, these problems have been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u11.

We recommend that you upgrade your bind9 packages.

For the detailed security status of bind9 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/bind9>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://security-tracker.debian.org/tracker/CVE-2023-50387>
<https://security-tracker.debian.org/tracker/CVE-2023-50868>
<https://packages.debian.org/source/buster/bind9>

Solution

Upgrade the bind9 packages.

Risk Factor

High

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.8 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.8 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-50387
CVE	CVE-2023-50868
XREF	IAVA:2024-A-0103-S

Plugin Information

Published: 2024/05/17, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u11
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u11
```

197941 - Debian dla-3823 : less - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has a package installed that is affected by multiple vulnerabilities as referenced in the dla-3823 advisory.

----- Debian LTS Advisory DLA-3823-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin May 27, 2024 <https://wiki.debian.org/LTS>

Package : less Version : 487-0.1+deb10u1 CVE ID : CVE-2022-48624 CVE-2024-32487 Debian Bug : 1064293 1068938

Security vulnerabilities were found in less, a pager program similar to more, which could result in arbitrary command execution when processing files with crafted names.

CVE-2022-48624

It was discovered that LESSCLOSE handling in less did not quote shell metacharacters.

CVE-2024-32487

It was discovered that filenames containing a newline character could result in arbitrary command execution during input preprocessor invocation.

For Debian 10 buster, these problems have been fixed in version 487-0.1+deb10u1.

We recommend that you upgrade your less packages.

For the detailed security status of less please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/less>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/less>
<https://security-tracker.debian.org/tracker/CVE-2022-48624>
<https://security-tracker.debian.org/tracker/CVE-2024-32487>
<https://packages.debian.org/source/buster/less>

Solution

Upgrade the less packages.

Risk Factor

High

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

6.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

7.2 (CVSS2#AV:L/AC:L/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2022-48624
CVE	CVE-2024-32487

Plugin Information

Published: 2024/05/27, Modified: 2025/03/28

Plugin Output

tcp/0

Remote package installed : less_487-0.1+b1
Should be : less_487-0.1+deb10u1

201168 - Debian dla-3850 : glibc-doc - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3850 advisory.

----- Debian LTS Advisory DLA-3850-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
June 30, 2024 <https://wiki.debian.org/LTS>

Package : glibc Version : 2.28-10+deb10u4 CVE ID : CVE-2024-33599 CVE-2024-33600 CVE-2024-33601 CVE-2024-33602

Multiple vulnerabilities have been fixed in the Name Service Cache Daemon that is built by the GNU C library and shipped in the nscd binary package.

CVE-2024-33599

nscd: Stack-based buffer overflow in netgroup cache

CVE-2024-33600

nscd: Null pointer crashes after notfound response

CVE-2024-33601

nscd: Daemon may terminate on memory allocation failure

CVE-2024-33602

nscd: Possible memory corruption

For Debian 10 buster, these problems have been fixed in version 2.28-10+deb10u4.

We recommend that you upgrade your glibc packages.

For the detailed security status of glibc please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/glibc>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/glibc>
- <https://security-tracker.debian.org/tracker/CVE-2024-33599>
- <https://security-tracker.debian.org/tracker/CVE-2024-33600>
- <https://security-tracker.debian.org/tracker/CVE-2024-33601>
- <https://security-tracker.debian.org/tracker/CVE-2024-33602>
- <https://packages.debian.org/source/buster/glibc>

Solution

Upgrade the glibc-doc packages.

Risk Factor

High

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.1 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

8.0 (CVSS2#AV:N/AC:L/Au:S/C:P/I:P/A:C)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

- CVE [CVE-2024-33599](#)
- CVE [CVE-2024-33600](#)
- CVE [CVE-2024-33601](#)

CVE

CVE-2024-33602

XREF

IAVA:2025-A-0062

Plugin Information

Published: 2024/06/30, Modified: 2025/03/27

Plugin Output

tcp/0

Remote package installed : libc-bin_2.28-10
Should be : libc-bin_2.28-10+deb10u4
Remote package installed : libc-l10n_2.28-10
Should be : libc-l10n_2.28-10+deb10u4
Remote package installed : libc6_2.28-10
Should be : libc6_2.28-10+deb10u4
Remote package installed : locales_2.28-10
Should be : locales_2.28-10+deb10u4

144691 - Debian DSA-4822-1 : p11-kit - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

David Cook reported several memory safety issues affecting the RPC protocol in p11-kit, a library providing a way to load and enumerate PKCS#11 modules.

See Also

<https://security-tracker.debian.org/tracker/source-package/p11-kit>
<https://packages.debian.org/source/buster/p11-kit>
<https://www.debian.org/security/2021/dsa-4822>

Solution

Upgrade the p11-kit packages.

For the stable distribution (buster), these problems have been fixed in version 0.23.15-2+deb10u1.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

References

CVE

CVE-2020-29361

CVE

CVE-2020-29362

CVE

CVE-2020-29363

XREF

DSA:4822

Plugin Information

Published: 2021/01/04, Modified: 2021/01/13

Plugin Output

tcp/0

Remote package installed : libp11-kit0_0.23.15-2
Should be : libp11-kit0_0.23.15-2+deb10u1

146122 - Debian DSA-4845-1 : slapd - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

Several vulnerabilities were discovered in OpenLDAP, a free implementation of the Lightweight Directory Access Protocol. An unauthenticated remote attacker can take advantage of these flaws to cause a denial of service (slapd daemon crash, infinite loops) via specially crafted packets.

See Also

<https://security-tracker.debian.org/tracker/source-package/openldap>
<https://packages.debian.org/source/buster/openldap>
<https://www.debian.org/security/2021/dsa-4845>

Solution

Upgrade the openldap packages.

For the stable distribution (buster), these problems have been fixed in version 2.4.47+dfsg-3+deb10u5.

Risk Factor

Medium

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2020-36221
CVE	CVE-2020-36222
CVE	CVE-2020-36223
CVE	CVE-2020-36224
CVE	CVE-2020-36225
CVE	CVE-2020-36226
CVE	CVE-2020-36227
CVE	CVE-2020-36228
CVE	CVE-2020-36229
CVE	CVE-2020-36230
XREF	DSA:4845
XREF	IAVB:2021-B-0014

Plugin Information

Published: 2021/02/04, Modified: 2024/01/24

Plugin Output

tcp/0

Remote package installed : libldap-2.4-2_2.4.47+dfsg-3+deb10u4
Should be : libldap-2.4-2_2.4.47+dfsg-3+deb10u5
Remote package installed : libldap-common_2.4.47+dfsg-3+deb10u4
Should be : libldap-common_2.4.47+dfsg-3+deb10u5

146599 - Debian DSA-4855-1 : openssl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Multiple vulnerabilities have been discovered in OpenSSL, a Secure Sockets Layer toolkit. An overflow bug in the x64_64 Montgomery squaring procedure, an integer overflow in CipherUpdate and a NULL pointer dereference flaw X509_issuer_and_serial_hash() were found, which could result in denial of service.

Additional details can be found in the upstream advisories <https://www.openssl.org/news/secadv/20191206.txt> and <https://www.openssl.org/news/secadv/20210216.txt>.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=947949>
<https://www.openssl.org/news/secadv/20191206.txt>
<https://www.openssl.org/news/secadv/20210216.txt>
<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://packages.debian.org/source/buster/openssl>
<https://www.debian.org/security/2021/dsa-4855>

Solution

Upgrade the openssl packages.

For the stable distribution (buster), these problems have been fixed in version 1.1.1d-0+deb10u5.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2019-1551
CVE	CVE-2021-23840
CVE	CVE-2021-23841
XREF	DSA:4855
XREF	CEA-ID:CEA-2021-0025

Plugin Information

Published: 2021/02/19, Modified: 2024/01/22

Plugin Output

tcp/0

Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1d-0+deb10u5
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1d-0+deb10u5

146613 - Debian DSA-4856-1 : php7.3 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Multiple security issues were found in PHP, a widely-used open source general purpose scripting language which could result in denial of service, information disclosure, cookie forgery or incorrect encryption.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://packages.debian.org/source/buster/php7.3>
<https://www.debian.org/security/2021/dsa-4856>

Solution

Upgrade the php7.3 packages.

For the stable distribution (buster), these problems have been fixed in version 7.3.27-1~deb10u1.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2020-7068
CVE	CVE-2020-7069
CVE	CVE-2020-7070
CVE	CVE-2020-7071
CVE	CVE-2021-21702
XREF	DSA:4856

Plugin Information

Published: 2021/02/19, Modified: 2024/01/22

Plugin Output

```
tcp/0

Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.27-1~deb10u1
```

146603 - Debian DSA-4857-1 : bind9 - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

A buffer overflow vulnerability was discovered in the SPNEGO implementation affecting the GSSAPI security policy negotiation in BIND, a DNS server implementation, which could result in denial of service (daemon crash), or potentially the execution of arbitrary code.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=983004>
<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://packages.debian.org/source/buster/bind9>
<https://www.debian.org/security/2021/dsa-4857>

Solution

Upgrade the bind9 packages.

For the stable distribution (buster), this problem has been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u3.

Risk Factor

Medium

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.1 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2020-8625
XREF	DSA:4857

Plugin Information

Published: 2021/02/19, Modified: 2021/03/02

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u3
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u3
```

146786 - Debian DSA-4860-1 : openldap - security update

-

Synopsis

The remote Debian host is missing a security-related update.

Description

A vulnerability in the Certificate List Exact Assertion validation was discovered in OpenLDAP, a free implementation of the Lightweight Directory Access Protocol. An unauthenticated remote attacker can take advantage of this flaw to cause a denial of service (slapd daemon crash) via specially crafted packets.

See Also

<https://security-tracker.debian.org/tracker/source-package/openldap>
<https://packages.debian.org/source/buster/openldap>
<https://www.debian.org/security/2021/dsa-4860>

Solution

Upgrade the openldap packages.

For the stable distribution (buster), this problem has been fixed in version 2.4.47+dfsg-3+deb10u6.

Risk Factor

Medium

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.7 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2021-27212
XREF	DSA:4860

Plugin Information

Published: 2021/02/23, Modified: 2024/01/19

Plugin Output

tcp/0

Remote package installed : libldap-2.4-2_2.4.47+dfsg-3+deb10u4
Should be : libldap-2.4-2_2.4.47+dfsg-3+deb10u6
Remote package installed : libldap-common_2.4.47+dfsg-3+deb10u4
Should be : libldap-common_2.4.47+dfsg-3+deb10u6

148170 - Debian DSA-4875-1 : openssl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

A NULL pointer dereference was found in the signature_algorithms processing in OpenSSL, a Secure Sockets Layer toolkit, which could result in denial of service.

Additional details can be found in the upstream advisory:
<https://www.openssl.org/news/secadv/20210325.txt>

See Also

<https://www.openssl.org/news/secadv/20210325.txt>
<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://packages.debian.org/source/buster/openssl>
<https://www.debian.org/security/2021/dsa-4875>

Solution

Upgrade the openssl packages.

For the stable distribution (buster), this problem has been fixed in version 1.1.1d-0+deb10u6.

Risk Factor

Medium

CVSS v3.0 Base Score

5.9 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.4 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-3449
XREF	DSA:4875
XREF	IAVA:2021-A-0149-S
XREF	CEA-ID:CEA-2021-0025

Plugin Information

Published: 2021/03/26, Modified: 2024/01/12

Plugin Output

tcp/0

Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1d-0+deb10u6
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1d-0+deb10u6

148277 - Debian DSA-4881-1 : curl - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Multiple vulnerabilities were discovered in cURL, an URL transfer library :

- CVE-2020-8169 Marek Szlagor reported that libcurl could be tricked into prepending a part of the password to the host name before it resolves it, potentially leaking the partial password over the network and to the DNS server(s).
- CVE-2020-8177 sn reported that curl could be tricked by a malicious server into overwriting a local file when using the -J (--remote-header-name) and -i (--include) options in the same command line.
- CVE-2020-8231 Marc Aldorasi reported that libcurl might use the wrong connection when an application using libcurl's multi API sets the option CURLOPT_CONNECT_ONLY, which could lead to information leaks.
- CVE-2020-8284 Varnavas Papaioannou reported that a malicious server could use the PASV response to trick curl into connecting back to an arbitrary IP address and port, potentially making curl extract information about services that are otherwise private and not disclosed.
- CVE-2020-8285 xnynx reported that libcurl could run out of stack space when using the FTP wildcard matching functionality (CURLOPT_CHUNK_BGN_FUNCTION).
- CVE-2020-8286 It was reported that libcurl didn't verify that an OCSP response actually matches the certificate it is intended to.
- CVE-2021-22876 Viktor Szakats reported that libcurl does not strip off user credentials from the URL when automatically populating the Referer HTTP request header field in outgoing HTTP requests.
- CVE-2021-22890 Mingtao Yang reported that, when using an HTTPS proxy and TLS 1.3, libcurl could confuse session tickets arriving from the HTTPS proxy as if they arrived from the remote server instead. This could allow an HTTPS proxy to trick libcurl into using the wrong session ticket for the host and thereby circumvent the server TLS certificate check.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=965280>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=965281>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=968831>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=977161>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=977162>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=977163>
<https://security-tracker.debian.org/tracker/CVE-2020-8169>
<https://security-tracker.debian.org/tracker/CVE-2020-8177>
<https://security-tracker.debian.org/tracker/CVE-2020-8231>
<https://security-tracker.debian.org/tracker/CVE-2020-8284>
<https://security-tracker.debian.org/tracker/CVE-2020-8285>
<https://security-tracker.debian.org/tracker/CVE-2020-8286>
<https://security-tracker.debian.org/tracker/CVE-2021-22876>
<https://security-tracker.debian.org/tracker/CVE-2021-22890>
<https://security-tracker.debian.org/tracker/source-package/curl>
<https://packages.debian.org/source/buster/curl>
<https://www.debian.org/security/2021/dsa-4881>

Solution

Upgrade the curl packages.

For the stable distribution (buster), these problems have been fixed in version 7.64.0-4+deb10u2.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2020-8169
CVE	CVE-2020-8177
CVE	CVE-2020-8231
CVE	CVE-2020-8284
CVE	CVE-2020-8285
CVE	CVE-2020-8286
CVE	CVE-2021-22876
CVE	CVE-2021-22890
XREF	DSA:4881
XREF	CEA-ID:CEA-2021-0025

Plugin Information

Published: 2021/04/01, Modified: 2024/01/16

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u2
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u2
```

149229 - Debian DSA-4909-1 : bind9 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Several vulnerabilities were discovered in BIND, a DNS server implementation.

- CVE-2021-25214 Greg Kuechle discovered that a malformed incoming IXFR transfer could trigger an assertion failure in named, resulting in denial of service.

- CVE-2021-25215 Siva Kakarla discovered that named could crash when a DNAME record placed in the ANSWER section during DNAME chasing turned out to be the final answer to a client query.

- CVE-2021-25216 It was discovered that the SPNEGO implementation used by BIND is prone to a buffer overflow vulnerability. This update switches to use the SPNEGO implementation from the Kerberos libraries.

See Also

- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=987741>
- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=987742>
- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=987743>
- <https://security-tracker.debian.org/tracker/CVE-2021-25214>
- <https://security-tracker.debian.org/tracker/CVE-2021-25215>
- <https://security-tracker.debian.org/tracker/CVE-2021-25216>

<https://security-tracker.debian.org/tracker/source-package/bind9>
<https://packages.debian.org/source/buster/bind9>
<https://www.debian.org/security/2021/dsa-4909>

Solution

Upgrade the bind9 packages.

For the stable distribution (buster), these problems have been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u5.

Risk Factor

Medium

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2021-25214
CVE	CVE-2021-25215
CVE	CVE-2021-25216
XREF	DSA:4909

Plugin Information

Published: 2021/05/03, Modified: 2021/05/14

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u5
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u5
```

150905 - Debian DSA-4933-1 : nettle - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

Multiple vulnerabilities were discovered in nettle, a low level cryptographic library, which could result in denial of service (remote crash in RSA decryption via specially crafted ciphertext, crash on ECDSA signature verification) or incorrect verification of ECDSA signatures.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=985652>
<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=989631>
<https://security-tracker.debian.org/tracker/source-package/nettle>
<https://packages.debian.org/source/buster/nettle>

<https://www.debian.org/security/2021/dsa-4933>

Solution

Upgrade the nettle packages.

For the stable distribution (buster), these problems have been fixed in version 3.4.1-1+deb10u1.

Risk Factor

Medium

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.1 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2021-20305
CVE	CVE-2021-3580
XREF	DSA:4933

Plugin Information

Published: 2021/06/21, Modified: 2023/12/21

Plugin Output

tcp/0

```
Remote package installed : libhogweed4_3.4.1-1
Should be : libhogweed4_3.4.1-1+deb10u1
Remote package installed : libnettle6_3.4.1-1
Should be : libnettle6_3.4.1-1+deb10u1
```

151423 - Debian DSA-4935-1 : php7.3 - security update

-

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-4935 advisory.

Multiple security issues were found in PHP, a widely-used open source general purpose scripting language which could result an SSRF bypass of the FILTER_VALIDATE_URL check and denial of service or potentially the execution of arbitrary code in the Firebird PDO. For the stable distribution (buster), these problems have been fixed in version 7.3.29-1~deb10u1. We recommend that you upgrade your php7.3 packages. For the detailed security status of php7.3 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/php7.3>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://www.debian.org/security/2021/dsa-4935>
<https://security-tracker.debian.org/tracker/CVE-2021-21704>
<https://security-tracker.debian.org/tracker/CVE-2021-21705>
<https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the php7.3 packages.

For the stable distribution (buster), these problems have been fixed in version 7.3.29-1~deb10u1.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2021-21704](#)

CVE [CVE-2021-21705](#)

Plugin Information

Published: 2021/07/06, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.29-1~deb10u1
```

151833 - Debian DSA-4942-1 : systemd - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dsa-4942 advisory.

The Qualys Research Labs discovered that an attacker-controlled allocation using the `alloca()` function could result in memory corruption, allowing to crash `systemd` and hence the entire operating system.

Details can be found in the Qualys advisory at <https://www.qualys.com/2021/07/20/cve-2021-33910/denial-of-service-systemd.txt> For the stable distribution (buster), this problem has been fixed in version 241-7~deb10u8. We recommend that you upgrade your `systemd` packages. For the detailed security status of `systemd` please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/systemd>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/systemd>

<https://www.debian.org/security/2021/dsa-4942>

<https://security-tracker.debian.org/tracker/CVE-2021-33910>

<https://packages.debian.org/source/buster/systemd>

Solution

Upgrade the `systemd` packages.

For the stable distribution (buster), this problem has been fixed in version 241-7~deb10u8.

Risk Factor

Medium

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.9 (CVSS2#AV:L/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

3.8 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

II

References

CVE	CVE-2021-33910
XREF	IAVA:2021-A-0350

Plugin Information

Published: 2021/07/20, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : libnss-systemd_241-7~deb10u5
Should be : libnss-systemd_241-7~deb10u8
Remote package installed : libpam-systemd_241-7~deb10u5
Should be : libpam-systemd_241-7~deb10u8
Remote package installed : libsystemd0_241-7~deb10u5
Should be : libsystemd0_241-7~deb10u8
Remote package installed : libudev1_241-7~deb10u5
Should be : libudev1_241-7~deb10u8
Remote package installed : systemd_241-7~deb10u5
Should be : systemd_241-7~deb10u8
Remote package installed : systemd-sysv_241-7~deb10u5
Should be : systemd-sysv_241-7~deb10u8
Remote package installed : udev_241-7~deb10u5
Should be : udev_241-7~deb10u8
```

152068 - Debian DSA-4944-1 : krb5 - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dsa-4944 advisory.

- ec_verify in kdc/kdc_preauth_ec.c in the Key Distribution Center (KDC) in MIT Kerberos 5 (aka krb5) before 1.18.4 and 1.19.x before 1.19.2 allows remote attackers to cause a NULL pointer dereference and daemon crash. This occurs because a return value is not properly managed in a certain situation. (CVE-2021-36222)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=991365>
- <https://security-tracker.debian.org/tracker/source-package/krb5>
- <https://www.debian.org/security/2021/dsa-4944>
- <https://security-tracker.debian.org/tracker/CVE-2021-36222>
- <https://packages.debian.org/source/buster/krb5>

Solution

Upgrade the krb5 packages.

For the stable distribution (buster), this problem has been fixed in version 1.17-3+deb10u2.

Risk Factor

Medium

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.5 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-36222
XREF	IABV:2021-B-0054-S

Plugin Information

Published: 2021/07/25, Modified: 2022/07/19

Plugin Output

tcp/0

```
Remote package installed : krb5-locales_1.17-3+deb10u1
Should be : krb5-locales_1.17-3+deb10u2
Remote package installed : libgssapi-krb5-2_1.17-3+deb10u1
Should be : libgssapi-krb5-2_1.17-3+deb10u2
Remote package installed : libk5crypto3_1.17-3+deb10u1
Should be : libk5crypto3_1.17-3+deb10u2
Remote package installed : libkrb5-3_1.17-3+deb10u1
Should be : libkrb5-3_1.17-3+deb10u2
Remote package installed : libkrb5support0_1.17-3+deb10u1
Should be : libkrb5support0_1.17-3+deb10u2
```

154428 - Debian DSA-4993-1 : php7.3 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dsa-4993 advisory.

An out-of-bounds read and write flaw was discovered in the PHP-FPM code, which could result in escalation of privileges from local unprivileged user to the root user. For the oldstable distribution (buster), this problem has been fixed in version 7.3.31-1~deb10u1. We recommend that you upgrade your php7.3 packages. For the detailed security status of php7.3 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/php7.3>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://www.debian.org/security/2021/dsa-4993>
<https://security-tracker.debian.org/tracker/CVE-2021-21703>
<https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the php7.3 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.0 (CVSS:3.0/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

6.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.9 (CVSS2#AV:L/AC:M/Au:N/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.4 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-21703
XREF	IAVA:2021-A-0503-S

Plugin Information

Published: 2021/10/26, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u1
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u1
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u1
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u1
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u1
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u1
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u1
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u1
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u1
```

154707 - Debian DSA-4994-1 : bind9 - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-4994 advisory.

- In BIND 9.3.0 -> 9.11.35, 9.12.0 -> 9.16.21, and versions 9.9.3-S1 -> 9.11.35-S1 and 9.16.8-S1 -> 9.16.21-S1 of BIND Supported Preview Edition, as well as release versions 9.17.0 -> 9.17.18 of the BIND 9.17 development branch, exploitation of broken authoritative servers using a flaw in response processing can cause degradation in BIND resolver performance. The way the lame cache is currently designed makes it possible for its internal data structures to grow almost infinitely, which may cause significant delays in client query processing. (CVE-2021-25219)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/bind9>
- <https://www.debian.org/security/2021/dsa-4994>
- <https://security-tracker.debian.org/tracker/CVE-2021-25219>
- <https://packages.debian.org/source/buster/bind9>
- <https://packages.debian.org/source/bullseye/bind9>

Solution

Upgrade the bind9 packages.

For the stable distribution (bullseye), this problem has been fixed in version 1

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-25219
XREF	IAVA:2021-A-0525-S

Plugin Information

Published: 2021/10/28, Modified: 2023/02/17

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libiscfg163_1:9.11.5.P4+dfsg-5.1+deb10u6
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u6
```

155709 - Debian DSA-5014-1 : icu - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dsa-5014 advisory.

- International Components for Unicode (ICU-20850) v66.1 was discovered to contain a use after free bug in the pkg_createWithAssemblyCode function in the file tools/pkgdata/pkgdata.cpp. (CVE-2020-21913)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/icu>
- <https://www.debian.org/security/2021/dsa-5014>
- <https://security-tracker.debian.org/tracker/CVE-2020-21913>
- <https://packages.debian.org/source/buster/icu>

Solution

Upgrade the icu packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.4 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2020-21913

Plugin Information

Published: 2021/11/29, Modified: 2023/11/22

Plugin Output

tcp/0

Remote package installed : libicu63_63.1-6+deb10u1
Should be : libicu63_63.1-6+deb10u2

158509 - Debian DSA-5087-1 : cyrus-sasl2 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5087 advisory.

- In Cyrus SASL 2.1.17 through 2.1.27 before 2.1.28, plugins/sql.c does not escape the password for a SQL INSERT or UPDATE statement. (CVE-2022-24407)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/cyrus-sasl2>
<https://www.debian.org/security/2022/dsa-5087>
<https://security-tracker.debian.org/tracker/CVE-2022-24407>
<https://packages.debian.org/source/buster/cyrus-sasl2>
<https://packages.debian.org/source/bullseye/cyrus-sasl2>

Solution

Upgrade the cyrus-sasl2 packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.1.27+dfsg-2.1+deb11u1.

Risk Factor

Medium

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.5 (CVSS2#AV:N/AC:L/Au:S/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

4.8 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-24407](#)

Plugin Information

Published: 2022/03/02, Modified: 2022/03/02

Plugin Output

tcp/0

```
Remote package installed : libsas12-2_2.1.27+dfsg-1+deb10u1
Should be : libsas12-2_2.1.27+dfsg-1+deb10u2
Remote package installed : libsas12-modules_2.1.27+dfsg-1+deb10u1
Should be : libsas12-modules_2.1.27+dfsg-1+deb10u2
Remote package installed : libsas12-modules-db_2.1.27+dfsg-1+deb10u1
Should be : libsas12-modules-db_2.1.27+dfsg-1+deb10u2
```

158979 - Debian DSA-5103-1 : openssl - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5103 advisory.

Tavis Ormandy discovered that the BN_mod_sqrt() function of OpenSSL could be tricked into an infinite loop. This could result in denial of service via malformed certificates. Additional details can be found in the upstream advisory: <https://www.openssl.org/news/secadv/20220315.txt> In addition this update corrects a carry propagation bug specific to MIPS architectures. For the oldstable distribution (buster), this problem has been fixed in version 1.1.1d-0+deb10u8. For the stable distribution (bullseye), this problem has been fixed in version 1.1.1k-1+deb11u2. We recommend that you upgrade your openssl packages.

For the detailed security status of openssl please refer to its security tracker page at:

<https://security-tracker.debian.org/tracker/openssl>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=989604>
<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://www.debian.org/security/2022/dsa-5103>
<https://security-tracker.debian.org/tracker/CVE-2021-4160>
<https://security-tracker.debian.org/tracker/CVE-2022-0778>
<https://packages.debian.org/source/buster/openssl>
<https://packages.debian.org/source/bullseye/openssl>

Solution

Upgrade the openssl packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.1.1k-1+deb11u2.

Risk Factor

Medium

CVSS v3.0 Base Score

5.9 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

5.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.4 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-4160
CVE	CVE-2022-0778
XREF	IAVA:2021-A-0602-S

Plugin Information

Published: 2022/03/16, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1d-0+deb10u8
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1d-0+deb10u8
```

159109 - Debian DSA-5105-1 : bind9 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 / 11 host has packages installed that are affected by multiple vulnerabilities as referenced in the dsa-5105 advisory.

Two vulnerabilities were found in the BIND DNS server, which could result in denial of service or cache poisoning. For the oldstable distribution (buster), this problem has been fixed in version 1:9.11.5.P4+dfsg-5.1+deb10u7. For the stable distribution (bullseye), this problem has been fixed in version 1:9.16.27-1~deb11u1. We recommend that you upgrade your bind9 packages. For the detailed security status of bind9 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/bind9>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/bind9>
- <https://www.debian.org/security/2022/dsa-5105>
- <https://security-tracker.debian.org/tracker/CVE-2021-25220>
- <https://security-tracker.debian.org/tracker/CVE-2022-0396>
- <https://packages.debian.org/source/buster/bind9>
- <https://packages.debian.org/source/bullseye/bind9>

Solution

Upgrade the bind9 packages.

For the stable distribution (bullseye), this problem has been fixed in version 1

Risk Factor

Medium

CVSS v3.0 Base Score

6.8 (CVSS:3.0/AV:N/AC:L/PR:H/UI:N/S:C/C:N/I:H/A:N)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

4.0 (CVSS2#AV:N/AC:L/Au:S/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.0 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-25220
CVE	CVE-2022-0396
XREF	IAVA:2022-A-0122-S

Plugin Information

Published: 2022/03/21, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : bind9-host_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libbind9-161_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns-export1104_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libdns1104_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc-export1100_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisc1100_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccc161_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : libisccfg163_1:9.11.5.P4+dfsg-5.1+deb10u7
Remote package installed : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u2
Should be : liblwres161_1:9.11.5.P4+dfsg-5.1+deb10u7
```

159466 - Debian DSA-5111-1 : zlib - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5111 advisory.

- zlib before 1.2.12 allows memory corruption when deflating (i.e., when compressing) if the input has many distant matches. (CVE-2018-25032)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1008265>
- <https://security-tracker.debian.org/tracker/source-package/zlib>
- <https://www.debian.org/security/2022/dsa-5111>
- <https://security-tracker.debian.org/tracker/CVE-2018-25032>
- <https://packages.debian.org/source/buster/zlib>
- <https://packages.debian.org/source/bullseye/zlib>

Solution

Upgrade the zlib packages.

For the stable distribution (bullseye), this problem has been fixed in version 1

Risk Factor

Medium

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

4.1 (CVSS2#E:F/RL:OF/RC:C)

References

CVE CVE-2018-25032

Plugin Information

Published: 2022/04/01, Modified: 2023/11/03

Plugin Output

tcp/0

Remote package installed : zlib1g_1:1.2.11.dfsg-1
Should be : zlib1g_1:1.2.11.dfsg-1+deb10u1

161434 - Debian DSA-5142-1 : libxml2 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5142 advisory.

- In libxml2 before 2.9.14, several buffer handling functions in buf.c (xmlBuf*) and tree.c (xmlBuffer*) don't check for integer overflows. This can result in out-of-bounds memory writes. Exploitation requires a victim to open a crafted, multi-gigabyte XML file. Other software using libxml2's buffer functions, for example libxslt through 1.1.35, is affected as well. (CVE-2022-29824)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1010526>
<https://security-tracker.debian.org/tracker/source-package/libxml2>
<https://www.debian.org/security/2022/dsa-5142>
<https://security-tracker.debian.org/tracker/CVE-2022-29824>
<https://packages.debian.org/source/buster/libxml2>
<https://packages.debian.org/source/bullseye/libxml2>

Solution

Upgrade the libxml2 packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.9.10+dfsg-6.7+deb11u2.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.0 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:F/RL:OF/RC:C)

References

CVE CVE-2022-29824

Plugin Information

Published: 2022/05/23, Modified: 2023/10/26

Plugin Output

tcp/0

Remote package installed : libxml2_2.9.4+dfsg1-7+deb10u1
Should be : libxml2_2.9.4+dfsg1-7+deb10u4

161689 - Debian DSA-5150-1 : rsyslog - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5150 advisory.

- Rsyslog is a rocket-fast system for log processing. Modules for TCP syslog reception have a potential heap buffer overflow when octet-counted framing is used. This can result in a segfault or some other malfunction. As of our understanding, this vulnerability can not be used for remote code execution. But there may still be a slight chance for experts to do that. The bug occurs when the octet count is read. While there is a check for the maximum number of octets, digits are written to a heap buffer even when the octet count is over the maximum, This can be used to overrun the memory buffer. However, once the sequence of digits stop, no additional characters can be added to the buffer. In our opinion, this makes remote exploits impossible or at least highly complex. Octet-counted framing is one of two potential framing modes. It is relatively uncommon, but enabled by default on receivers. Modules `imtcp`, `imptcp`, `imgssapi`, and `imhttp` are used for regular syslog message reception. It is best practice not to directly expose them to the public. When this practice is followed, the risk is considerably lower. Module `imdiag` is a diagnostics module primarily intended for testbench runs. We do not expect it to be present on any production installation. Octet-counted framing is not very common. Usually, it needs to be specifically enabled at senders. If users do not need it, they can turn it off for the most important modules. This will mitigate the vulnerability. (CVE-2022-24903)

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1010619>
<https://security-tracker.debian.org/tracker/source-package/rsyslog>
<https://www.debian.org/security/2022/dsa-5150>
<https://security-tracker.debian.org/tracker/CVE-2022-24903>
<https://packages.debian.org/source/buster/rsyslog>
<https://packages.debian.org/source/bullseye/rsyslog>

Solution

Upgrade the rsyslog packages.

For the stable distribution (bullseye), this problem has been fixed in version 8.2102.0-2+deb11u1.

Risk Factor

Medium

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.1 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-24903](#)

Plugin Information

Published: 2022/05/31, Modified: 2022/05/31

Plugin Output

tcp/0

```
Remote package installed : rsyslog_8.1901.0-1
Should be : rsyslog_8.1901.0-1+deb10u2
```

162701 - Debian DSA-5174-1 : gnupg2 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 / 11 host has packages installed that are affected by a vulnerability as referenced in the dsa-5174 advisory.

Demi Marie Obenour discovered a flaw in GnuPG, allowing for signature spoofing via arbitrary injection into the status line. An attacker who controls the secret part of any signing-capable key or subkey in the victim's keyring, can take advantage of this flaw to provide a correctly-formed signature that some software, including gpgme, will accept to have validity and signer fingerprint chosen from the attacker. For the oldstable distribution (buster), this problem has been fixed in version 2.2.12-1+deb10u2. For the stable distribution (bullseye), this problem has been fixed in version 2.2.27-2+deb11u2. We recommend that you upgrade your gnupg2 packages. For the detailed security status of gnupg2 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/gnupg2>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=1014157>
- <https://security-tracker.debian.org/tracker/source-package/gnupg2>
- <https://www.debian.org/security/2022/dsa-5174>
- <https://security-tracker.debian.org/tracker/CVE-2022-34903>
- <https://packages.debian.org/source/buster/gnupg2>
- <https://packages.debian.org/source/bullseye/gnupg2>

Solution

Upgrade the gnupg2 packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.2.27-2+deb11u2.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:N)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:N)

CVSS v2.0 Temporal Score

4.5 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-34903](#)

Plugin Information

Published: 2022/07/04, Modified: 2025/01/24

Plugin Output

tcp/0

```
Remote package installed : gpgv_2.2.12-1+deb10u1
Should be : gpgv_2.2.12-1+deb10u2
```

164482 - Debian dla-3085 : curl - security update**Synopsis**

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3085 advisory.

----- Debian LTS Advisory DLA-3085-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus Koschany August 29, 2022 <https://wiki.debian.org/LTS>

Package : curl Version : 7.64.0-4+deb10u3 CVE ID : CVE-2021-22898 CVE-2021-22924 CVE-2021-22946 CVE-2021-22947 CVE-2022-22576 CVE-2022-27776 CVE-2022-27781 CVE-2022-27782 CVE-2022-32206 CVE-2022-32208 Debian Bug : 989228 991492 1010295 1010254 1010253 1010252

Multiple security vulnerabilities have been discovered in cURL, an URL transfer library. These flaws may allow remote attackers to obtain sensitive information, leak authentication or cookie header data or facilitate a denial of service attack.

For Debian 10 buster, these problems have been fixed in version 7.64.0-4+deb10u3.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2021-22898>
<https://security-tracker.debian.org/tracker/CVE-2021-22924>
<https://security-tracker.debian.org/tracker/CVE-2021-22946>
<https://security-tracker.debian.org/tracker/CVE-2021-22947>
<https://security-tracker.debian.org/tracker/CVE-2022-22576>
<https://security-tracker.debian.org/tracker/CVE-2022-27776>
<https://security-tracker.debian.org/tracker/CVE-2022-27781>
<https://security-tracker.debian.org/tracker/CVE-2022-27782>
<https://security-tracker.debian.org/tracker/CVE-2022-32206>
<https://security-tracker.debian.org/tracker/CVE-2022-32208>
<https://packages.debian.org/source/buster/curl>

Solution

Upgrade the curl packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N)

CVSS v3.0 Temporal Score

7.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.5 (CVSS2#AV:N/AC:L/Au:S/C:P/I:P/A:N)

CVSS v2.0 Temporal Score

4.3 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

II

References

CVE	CVE-2021-22898
CVE	CVE-2021-22924
CVE	CVE-2021-22946
CVE	CVE-2021-22947
CVE	CVE-2022-22576
CVE	CVE-2022-27776
CVE	CVE-2022-27781
CVE	CVE-2022-27782
CVE	CVE-2022-32206
CVE	CVE-2022-32208
XREF	IAVA:2022-A-0224-S
XREF	IAVA:2022-A-0255-S
XREF	CEA-ID:CEA-2022-0026

Plugin Information

Published: 2022/08/29, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u3
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u3
```

164935 - Debian dla-3101 : libxslt1-dev - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3101 advisory.

- ----- Debian LTS Advisory DLA-3101-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort September 09, 2022 <https://wiki.debian.org/LTS>

Package : libxslt Version : 1.1.32-2.2~deb10u2 CVE ID : CVE-2019-5815 CVE-2021-30560

Two vulnerabilities were discovered in libxslt, an XSLT processing runtime library, that could result in denial of service or potentially the execution of arbitrary code if malicious files are processed.

For Debian 10 buster, these problems have been fixed in version 1.1.32-2.2~deb10u2.

We recommend that you upgrade your libxslt packages.

For the detailed security status of libxslt please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/libxslt>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/libxslt>
- <https://security-tracker.debian.org/tracker/CVE-2019-5815>
- <https://security-tracker.debian.org/tracker/CVE-2021-30560>
- <https://packages.debian.org/source/buster/libxslt>

Solution

Upgrade the libxslt1-dev packages.

Risk Factor

Medium

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

- CVE CVE-2019-5815
- CVE CVE-2021-30560

Plugin Information

Published: 2022/09/10, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libxslt1.1_1.1.32-2.2~deb10u1
Should be : libxslt1.1_1.1.32-2.2~deb10u2

165219 - Debian dla-3114 : libmariadb-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3114 advisory.

----- Debian LTS Advisory DLA-3114-2 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Emilio
Pozuelo Monfort September 30, 2022 https://wiki.debian.org/LTS

Package : mariadb-10.3 Version : 1:10.3.36-0+deb10u2 Debian Bug : 1020301

The update for mariadb-10.3 released as DLA-3114 introduced a bug in the mariadb-server-10.3 package, that could cause installation failures when installing or updating plugin packages.

For Debian 10 buster, this problem has been fixed in version 1:10.3.36-0+deb10u2.

We recommend that you upgrade your mariadb-10.3 packages.

For the detailed security status of mariadb-10.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/mariadb-10.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <http://www.nessus.org/u?cb6537b5>
- <https://packages.debian.org/source/buster/mariadb-10.3>

Solution

Upgrade the libmariadb-dev packages.

Risk Factor

Medium

Plugin Information

Published: 2022/09/16, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libmariadb3_1:10.3.27-0+deb10u1
Should be : libmariadb3_1:10.3.36-0+deb10u2
Remote package installed : mariadb-client-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-10.3_1:10.3.36-0+deb10u2
Remote package installed : mariadb-client-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-core-10.3_1:10.3.36-0+deb10u2
Remote package installed : mariadb-common_1:10.3.27-0+deb10u1
Should be : mariadb-common_1:10.3.36-0+deb10u2
Remote package installed : mariadb-server-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-10.3_1:10.3.36-0+deb10u2
Remote package installed : mariadb-server-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-core-10.3_1:10.3.36-0+deb10u2
```

165327 - Debian dla-3118 : unzip - security update**Synopsis**

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has a package installed that is affected by multiple vulnerabilities as referenced in the dla-3118 advisory.

----- Debian LTS Advisory DLA-3118-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort September 22, 2022 <https://wiki.debian.org/LTS>

Package : unzip Version : 6.0-23+deb10u3 CVE ID : CVE-2022-0529 CVE-2022-0530 Debian Bug : 1010355

Sandipan Roy discovered two vulnerabilities in InfoZIP's unzip program, a de-archiver for .zip files, which could result in denial of service or potentially the execution of arbitrary code.

For Debian 10 buster, these problems have been fixed in version 6.0-23+deb10u3.

We recommend that you upgrade your unzip packages.

For the detailed security status of unzip please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/unzip>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/unzip>
<https://security-tracker.debian.org/tracker/CVE-2022-0529>
<https://security-tracker.debian.org/tracker/CVE-2022-0530>
<https://packages.debian.org/source/buster/unzip>

Solution

Upgrade the unzip packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.4 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2022-0529
CVE CVE-2022-0530

Plugin Information

Published: 2022/09/22, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : unzip_6.0-23+deb10u1
Should be : unzip_6.0-23+deb10u3

165983 - Debian dla-3142 : dbus - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3142 advisory.

- ----- Debian LTS Advisory DLA-3142-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Emilio
Pozuelo Monfort October 10, 2022 https://wiki.debian.org/LTS
- -----

Package : dbus Version : 1.12.24-0+deb10u1 CVE ID : CVE-2022-42010 CVE-2022-42011 CVE-2022-42012

Evgeny Vereshchagin discovered multiple vulnerabilities in D-Bus, a simple interprocess messaging system, which may result in denial of service by an authenticated user.

For Debian 10 buster, these problems have been fixed in version 1.12.24-0+deb10u1.

We recommend that you upgrade your dbus packages.

For the detailed security status of dbus please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/dbus>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/dbus>
<https://security-tracker.debian.org/tracker/CVE-2022-42010>
<https://security-tracker.debian.org/tracker/CVE-2022-42011>
<https://security-tracker.debian.org/tracker/CVE-2022-42012>
<https://packages.debian.org/source/buster/dbus>

Solution

Upgrade the dbus packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:L/Au:S/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2022-42010
CVE	CVE-2022-42011
CVE	CVE-2022-42012

Plugin Information

Published: 2022/10/10, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : dbus_1.12.20-0+deb10u1
Should be : dbus_1.12.24-0+deb10u1
Remote package installed : libdbus-1-3_1.12.20-0+deb10u1
Should be : libdbus-1-3_1.12.24-0+deb10u1
```

166004 - Debian dla-3146 : isc-dhcp-client - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3146 advisory.

- ----- Debian LTS Advisory DLA-3146-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Utkarsh Gupta October 11, 2022 <https://wiki.debian.org/LTS>

Package : isc-dhcp Version : 4.4.1-2+deb10u2 CVE ID : CVE-2022-2928 CVE-2022-2929 Debian Bug : 1021320

Several vulnerabilities have been discovered in the ISC DHCP client, relay and server.

CVE-2022-2928

It was discovered that the DHCP server does not correctly perform option reference counting when configured with allow leasequery;. A remote attacker can take advantage of this flaw to cause a denial of service (daemon crash).

CVE-2022-2929

It was discovered that the DHCP server is prone to a memory leak flaw when handling contents of option 81 (fqdn) data received in a DHCP packet. A remote attacker can take advantage of this flaw to cause DHCP servers to consume resources, resulting in denial of service.

For Debian 10 buster, these problems have been fixed in version 4.4.1-2+deb10u2.

We recommend that you upgrade your isc-dhcp packages.

For the detailed security status of isc-dhcp please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/isc-dhcp>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/isc-dhcp>
<https://security-tracker.debian.org/tracker/CVE-2022-2928>
<https://security-tracker.debian.org/tracker/CVE-2022-2929>
<https://packages.debian.org/source/buster/isc-dhcp>

Solution

Upgrade the isc-dhcp-client packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:A/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.1 (CVSS2#AV:A/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

4.5 (CVSS2#E:U/RL:OF/RC:C)

References

CVE	CVE-2022-2928
CVE	CVE-2022-2929

Plugin Information

Published: 2022/10/11, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : isc-dhcp-client_4.4.1-2
Should be : isc-dhcp-client_4.4.1-2+deb10u2
Remote package installed : isc-dhcp-common_4.4.1-2
Should be : isc-dhcp-common_4.4.1-2+deb10u2
```

166708 - Debian dla-3167 : lib32ncurses-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3167 advisory.

- ----- Debian LTS Advisory DLA-3167-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Thorsten Altholz
October 29, 2022 <https://wiki.debian.org/LTS>
- -----

Package : ncurses Version : 6.1+20181013-2+deb10u3 CVE ID : CVE-2022-29458

An issue has been found in ncurses, a collection of shared libraries for terminal handling. This issue is about an out-of-bounds read in convert_strings in the terminfo library.

For Debian 10 buster, this problem has been fixed in version 6.1+20181013-2+deb10u3.

We recommend that you upgrade your ncurses packages.

For the detailed security status of ncurses please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/ncurses>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LT>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/ncurses>
<https://security-tracker.debian.org/tracker/CVE-2022-29458>
<https://packages.debian.org/source/buster/ncurses>

Solution

Upgrade the lib32ncurses-dev packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.1 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:H)

CVSS v3.0 Temporal Score

6.4 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:N/A:P)

CVSS v2.0 Temporal Score

4.5 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2022-29458](#)

Plugin Information

Published: 2022/10/30, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libncurses6_6.1+20181013-2+deb10u2
Should be : libncurses6_6.1+20181013-2+deb10u3
Remote package installed : libncursesw6_6.1+20181013-2+deb10u2
Should be : libncursesw6_6.1+20181013-2+deb10u3
Remote package installed : libtinfo6_6.1+20181013-2+deb10u2
Should be : libtinfo6_6.1+20181013-2+deb10u3
Remote package installed : ncurses-base_6.1+20181013-2+deb10u2
Should be : ncurses-base_6.1+20181013-2+deb10u3
Remote package installed : ncurses-bin_6.1+20181013-2+deb10u2
Should be : ncurses-bin_6.1+20181013-2+deb10u3
Remote package installed : ncurses-term_6.1+20181013-2+deb10u2
Should be : ncurses-term_6.1+20181013-2+deb10u3
```

167256 - Debian dla-3182 : vim - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3182 advisory.

----- Debian LTS Advisory DLA-3182-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus
Koschany November 08, 2022 <https://wiki.debian.org/LTS>

Package : vim Version : 2:8.1.0875-5+deb10u3 CVE ID : CVE-2021-3927 CVE-2021-3928 CVE-2021-3974 CVE-2021-3984 CVE-2021-4019 CVE-2021-4069 CVE-2021-4192 CVE-2021-4193 CVE-2022-0213 CVE-2022-0261 CVE-2022-0319 CVE-2022-0351 CVE-2022-0359 CVE-2022-0361 CVE-2022-0368 CVE-2022-0408 CVE-2022-0413 CVE-2022-0417 CVE-2022-0443 CVE-2022-0554 CVE-2022-0572 CVE-2022-0685 CVE-2022-0714 CVE-2022-0729 CVE-2022-0943 CVE-2022-1154 CVE-2022-1616 CVE-2022-1720 CVE-2022-1851 CVE-2022-1898 CVE-2022-1968 CVE-2022-2285 CVE-2022-2304 CVE-2022-2598 CVE-2022-2946 CVE-2022-3099 CVE-2022-3134 CVE-2022-3234 CVE-2022-3324 CVE-2022-3705

Multiple security vulnerabilities have been discovered in vim, an enhanced vi editor. Buffer overflows, out-of-bounds reads and use-after-free may lead to a denial-of-service (application crash) or other unspecified impact.

For Debian 10 buster, these problems have been fixed in version 2:8.1.0875-5+deb10u3.

We recommend that you upgrade your vim packages.

For the detailed security status of vim please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/vim>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/vim>
<https://security-tracker.debian.org/tracker/CVE-2021-3927>
<https://security-tracker.debian.org/tracker/CVE-2021-3928>
<https://security-tracker.debian.org/tracker/CVE-2021-3974>
<https://security-tracker.debian.org/tracker/CVE-2021-3984>
<https://security-tracker.debian.org/tracker/CVE-2021-4019>
<https://security-tracker.debian.org/tracker/CVE-2021-4069>
<https://security-tracker.debian.org/tracker/CVE-2021-4192>
<https://security-tracker.debian.org/tracker/CVE-2021-4193>
<https://security-tracker.debian.org/tracker/CVE-2022-0213>
<https://security-tracker.debian.org/tracker/CVE-2022-0261>
<https://security-tracker.debian.org/tracker/CVE-2022-0319>
<https://security-tracker.debian.org/tracker/CVE-2022-0351>
<https://security-tracker.debian.org/tracker/CVE-2022-0359>
<https://security-tracker.debian.org/tracker/CVE-2022-0361>
<https://security-tracker.debian.org/tracker/CVE-2022-0368>
<https://security-tracker.debian.org/tracker/CVE-2022-0408>
<https://security-tracker.debian.org/tracker/CVE-2022-0413>
<https://security-tracker.debian.org/tracker/CVE-2022-0417>
<https://security-tracker.debian.org/tracker/CVE-2022-0443>
<https://security-tracker.debian.org/tracker/CVE-2022-0554>
<https://security-tracker.debian.org/tracker/CVE-2022-0572>
<https://security-tracker.debian.org/tracker/CVE-2022-0685>
<https://security-tracker.debian.org/tracker/CVE-2022-0714>
<https://security-tracker.debian.org/tracker/CVE-2022-0729>
<https://security-tracker.debian.org/tracker/CVE-2022-0943>
<https://security-tracker.debian.org/tracker/CVE-2022-1154>
<https://security-tracker.debian.org/tracker/CVE-2022-1616>
<https://security-tracker.debian.org/tracker/CVE-2022-1720>
<https://security-tracker.debian.org/tracker/CVE-2022-1851>
<https://security-tracker.debian.org/tracker/CVE-2022-1898>
<https://security-tracker.debian.org/tracker/CVE-2022-1968>
<https://security-tracker.debian.org/tracker/CVE-2022-2285>
<https://security-tracker.debian.org/tracker/CVE-2022-2304>
<https://security-tracker.debian.org/tracker/CVE-2022-2598>
<https://security-tracker.debian.org/tracker/CVE-2022-2946>
<https://security-tracker.debian.org/tracker/CVE-2022-3099>
<https://security-tracker.debian.org/tracker/CVE-2022-3134>
<https://security-tracker.debian.org/tracker/CVE-2022-3234>
<https://security-tracker.debian.org/tracker/CVE-2022-3324>
<https://security-tracker.debian.org/tracker/CVE-2022-3705>
<https://packages.debian.org/source/buster/vim>

Solution

Upgrade the vim packages.

Risk Factor

Medium

CVSS v3.0 Base Score

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-3927
CVE	CVE-2021-3928
CVE	CVE-2021-3974
CVE	CVE-2021-3984
CVE	CVE-2021-4019
CVE	CVE-2021-4069
CVE	CVE-2021-4192
CVE	CVE-2021-4193
CVE	CVE-2022-0213
CVE	CVE-2022-0261
CVE	CVE-2022-0319
CVE	CVE-2022-0351
CVE	CVE-2022-0359
CVE	CVE-2022-0361
CVE	CVE-2022-0368
CVE	CVE-2022-0408
CVE	CVE-2022-0413
CVE	CVE-2022-0417
CVE	CVE-2022-0443
CVE	CVE-2022-0554
CVE	CVE-2022-0572
CVE	CVE-2022-0685
CVE	CVE-2022-0714
CVE	CVE-2022-0729
CVE	CVE-2022-0943
CVE	CVE-2022-1154
CVE	CVE-2022-1616
CVE	CVE-2022-1720
CVE	CVE-2022-1851
CVE	CVE-2022-1898
CVE	CVE-2022-1968
CVE	CVE-2022-2285
CVE	CVE-2022-2304
CVE	CVE-2022-2598
CVE	CVE-2022-2946
CVE	CVE-2022-3099
CVE	CVE-2022-3134
CVE	CVE-2022-3234
CVE	CVE-2022-3324
CVE	CVE-2022-3705
XREF	IAVB:2022-B-0049-S
XREF	IAVB:2023-B-0016-S

Plugin Information

Published: 2022/11/10, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : vim-common_2:8.1.0875-5
Should be : vim-common_2:8.1.0875-5+deb10u3
Remote package installed : vim-tiny_2:8.1.0875-5
Should be : vim-tiny_2:8.1.0875-5+deb10u3
Remote package installed : xxd_2:8.1.0875-5
Should be : xxd_2:8.1.0875-5+deb10u3
```

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3243 advisory.

----- Debian LTS Advisory DLA-3243-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort December 15, 2022 <https://wiki.debian.org/LTS>

Package : php7.3 Version : 7.3.31-1~deb10u2 CVE ID : CVE-2021-21707 CVE-2022-31625 CVE-2022-31626 CVE-2022-31628 CVE-2022-31629 CVE-2022-37454

Multiple security issues were discovered in PHP, a widely-used open source general purpose scripting language which could result in denial of service, information disclosure, insecure cooking handling or potentially the execution of arbitrary code.

For Debian 10 buster, these problems have been fixed in version 7.3.31-1~deb10u2.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/php7.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/php7.3>
<https://security-tracker.debian.org/tracker/CVE-2021-21707>
<https://security-tracker.debian.org/tracker/CVE-2022-31625>
<https://security-tracker.debian.org/tracker/CVE-2022-31626>
<https://security-tracker.debian.org/tracker/CVE-2022-31628>
<https://security-tracker.debian.org/tracker/CVE-2022-31629>
<https://security-tracker.debian.org/tracker/CVE-2022-37454>
<https://packages.debian.org/source/buster/php7.3>

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-21707
CVE	CVE-2022-31625
CVE	CVE-2022-31626
CVE	CVE-2022-31628
CVE	CVE-2022-31629
CVE	CVE-2022-37454
XREF	IAVA:2022-A-0515-S

Plugin Information

Published: 2022/12/16, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u2
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u2
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u2
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u2
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u2
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u2
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u2
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u2
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u2
```

170164 - Debian dla-3272 : sudo - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3272 advisory.

----- Debian LTS Advisory DLA-3272-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Thorsten Alteholz January 18, 2023 https://wiki.debian.org/LTS -----

Package : sudo Version : 1.8.27-1+deb10u5 CVE ID : CVE-2023-22809

Matthieu Barjole and Victor Cutillas discovered that sudoedit in sudo, a program designed to provide limited super user privileges to specific users, does not properly handle '-' to separate the editor and arguments from files to edit. A local user permitted to edit certain files can take advantage of this flaw to edit a file not permitted by the security policy, resulting in privilege escalation.

More information can be found at:
https://www.sudo.ws/security/advisories/sudoedit_any/

For Debian 10 buster, this problem has been fixed in version 1.8.27-1+deb10u5.

We recommend that you upgrade your sudo packages.

For the detailed security status of sudo please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/sudo>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/sudo>
<https://security-tracker.debian.org/tracker/CVE-2023-22809>
<https://packages.debian.org/source/buster/sudo>

Solution

Upgrade the sudo packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.5 (CVSS:3.0/E:H/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:L/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.9 (CVSS2#E:H/RL:OF/RC:C)

References

CVE [CVE-2023-22809](#)

Exploitable With

Metasploit (true)

Plugin Information

Published: 2023/01/19, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : sudo_1.8.27-1+deb10u3
Should be : sudo_1.8.27-1+deb10u5

170757 - Debian dla-3288 : curl - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3288 advisory.

----- Debian LTS Advisory DLA-3288-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Roberto C. Snchez January 28, 2023 <https://wiki.debian.org/LTS>

Package : curl Version : 7.64.0-4+deb10u4 CVE ID : CVE-2022-27774 CVE-2022-32221 CVE-2022-35252 CVE-2022-43552 Debian Bug :

Several vulnerabilities were discovered in Curl, an easy-to-use client-side URL transfer library, which could result in denial of service or information disclosure.

This update also revises the fix for CVE-2022-27782 released in DLA-3085-1.

For Debian 10 buster, these problems have been fixed in version 7.64.0-4+deb10u4.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2022-27774>

<https://security-tracker.debian.org/tracker/CVE-2022-27782>
<https://security-tracker.debian.org/tracker/CVE-2022-32221>
<https://security-tracker.debian.org/tracker/CVE-2022-35252>
<https://security-tracker.debian.org/tracker/CVE-2022-43552>
<https://packages.debian.org/source/buster/curl>

Solution

Upgrade the curl packages.

Risk Factor

Medium

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-27774
CVE	CVE-2022-27782
CVE	CVE-2022-32221
CVE	CVE-2022-35252
CVE	CVE-2022-43552
XREF	IAVA:2022-A-0451-S
XREF	IAVA:2022-A-0224-S
XREF	IAVA:2022-A-0350-S
XREF	IAVA:2023-A-0008-S

Plugin Information

Published: 2023/01/28, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u4
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u4

171643 - Debian dla-3325 : libssl-dev - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3325 advisory.

----- Debian LTS Advisory DLA-3325-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort February 20, 2023 <https://wiki.debian.org/LTS>

Package : openssl Version : 1.1.1n-0+deb10u4 CVE ID : CVE-2022-2097 CVE-2022-4304 CVE-2022-4450 CVE-2023-0215 CVE-2023-0286

Multiple vulnerabilities have been discovered in OpenSSL, a Secure Sockets Layer toolkit, which may result in incomplete encryption, side channel attacks, denial of service or information disclosure.

Additional details can be found in the upstream advisories at <https://www.openssl.org/news/secadv/20220705.txt> and

<https://www.openssl.org/news/secadv/20230207.txt>

For Debian 10 buster, these problems have been fixed in version 1.1.1n-0+deb10u4.

We recommend that you upgrade your openssl packages.

For the detailed security status of openssl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/openssl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://security-tracker.debian.org/tracker/CVE-2022-2097>
<https://security-tracker.debian.org/tracker/CVE-2022-4304>
<https://security-tracker.debian.org/tracker/CVE-2022-4450>
<https://security-tracker.debian.org/tracker/CVE-2023-0215>
<https://security-tracker.debian.org/tracker/CVE-2023-0286>
<https://packages.debian.org/source/buster/openssl>

Solution

Upgrade the libssl-dev packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

7.4 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:H)

CVSS v3.0 Temporal Score

6.4 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2022-2097
CVE	CVE-2022-4304
CVE	CVE-2022-4450
CVE	CVE-2023-0215
CVE	CVE-2023-0286
XREF	IAVA:2022-A-0265-S
XREF	IAVA:2022-A-0518-S

Plugin Information

Published: 2023/02/20, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1n-0+deb10u4
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1n-0+deb10u4

171753 - Debian dla-3332 : libaprutil1 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3332 advisory.

----- Debian LTS Advisory DLA-3332-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
February 21, 2023 <https://wiki.debian.org/LTS>

Package : apr-util Version : 1.6.1-4+deb10u1 CVE ID : CVE-2022-25147

An Integer Overflow or Wraparound vulnerability was fixed in apr_base64() in the Apache Portable Runtime Utility Library.

For Debian 10 buster, this problem has been fixed in version 1.6.1-4+deb10u1.

We recommend that you upgrade your apr-util packages.

For the detailed security status of apr-util please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/apr-util>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/apr-util>
<https://security-tracker.debian.org/tracker/CVE-2022-25147>
<https://packages.debian.org/source/buster/apr-util>

Solution

Upgrade the libaprutil1 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:L)

CVSS v3.0 Temporal Score

5.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:P)

CVSS v2.0 Temporal Score

4.7 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-25147](#)

Plugin Information

Published: 2023/02/21, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libaprutil1_1.6.1-4

```
Should be : libaprutil1_1.6.1-4+deb10u1
Remote package installed : libaprutil1-dbd-sqlite3_1.6.1-4
Should be : libaprutil1-dbd-sqlite3_1.6.1-4+deb10u1
Remote package installed : libaprutil1-ldap_1.6.1-4
Should be : libaprutil1-ldap_1.6.1-4+deb10u1
```

172449 - Debian dla-3351 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3351 advisory.

----- Debian LTS Advisory DLA-3351-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Lee Garrett
March 03, 2023 <https://wiki.debian.org/LTS>

Package : apache2 Version : 2.4.38-3+deb10u9 CVE ID : CVE-2006-20001 CVE-2021-33193 CVE-2022-36760 CVE-2022-37436

Multiple security vulnerabilities have been discovered in Apache HTTP server.

CVE-2006-20001

A carefully crafted If: request header can cause a memory read, or write of a single zero byte, in a pool (heap) memory location beyond the header value sent. This could cause the process to crash.

CVE-2021-33193

A crafted method sent through HTTP/2 will bypass validation and be forwarded by mod_proxy, which can lead to request splitting or cache poisoning.

CVE-2022-36760

Inconsistent Interpretation of HTTP Requests ('HTTP Request Smuggling') vulnerability in mod_proxy_ajp of Apache HTTP Server allows an attacker to smuggle requests to the AJP server it forwards requests to.

CVE-2022-37436

A malicious backend can cause the response headers to be truncated early, resulting in some headers being incorporated into the response body. If the later headers have any security purpose, they will not be interpreted by the client.

For Debian 10 buster, these problems have been fixed in version 2.4.38-3+deb10u9.

We recommend that you upgrade your apache2 packages.

For the detailed security status of apache2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/apache2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/apache2>
<https://security-tracker.debian.org/tracker/CVE-2006-20001>
<https://security-tracker.debian.org/tracker/CVE-2021-33193>
<https://security-tracker.debian.org/tracker/CVE-2022-36760>
<https://security-tracker.debian.org/tracker/CVE-2022-37436>
<https://packages.debian.org/source/buster/apache2>

Solution

Upgrade the apache2 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

9.0 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.1 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2006-20001
CVE	CVE-2021-33193
CVE	CVE-2022-36760
CVE	CVE-2022-37436
XREF	IAVA:2023-A-0047-S
XREF	IAVA:2021-A-0440-S

Plugin Information

Published: 2023/03/10, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.38-3+deb10u9
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.38-3+deb10u9
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.38-3+deb10u9
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.38-3+deb10u9
```

172599 - Debian dla-3363 : libpcre2-16-0 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3363 advisory.

----- Debian LTS Advisory DLA-3363-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin March 16, 2023 <https://wiki.debian.org/LTS>

Package : pcre2 Version : 10.32-5+deb10u1 CVE ID : CVE-2019-20454 CVE-2022-1586 CVE-2022-1587 Debian Bug : 1011954

Multiple out-of-bounds read vulnerabilities were found in pcre2, a Perl Compatible Regular Expression library, which could result in information disclosure or denial of service.

CVE-2019-20454

Out-of-bounds read when the pattern \X is JIT compiled and used to match specially crafted subjects in non-UTF mode.

CVE-2022-1586

Out-of-bounds read involving unicode property matching in JIT-compiled regular expressions. The issue occurs because the character was not fully read in case-less matching within JIT.

CVE-2022-1587

Out-of-bounds read affecting recursions in JIT-compiled regular expressions caused by duplicate data transfers.

This upload also fixes a subject buffer overread in JIT when UTF is disabled and \X or \R has a greater than 1 fixed quantifier. This issue was found by Yunho Kim.

For Debian 10 buster, these problems have been fixed in version 10.32-5+deb10u1.

We recommend that you upgrade your pcre2 packages.

For the detailed security status of pcre2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/pcre2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/pcre2>
<https://security-tracker.debian.org/tracker/CVE-2019-20454>
<https://security-tracker.debian.org/tracker/CVE-2022-1586>
<https://security-tracker.debian.org/tracker/CVE-2022-1587>
<https://packages.debian.org/source/buster/pcre2>

Solution

Upgrade the libpcre2-16-0 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

9.1 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H)

CVSS v3.0 Temporal Score

8.2 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:P)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2019-20454
CVE	CVE-2022-1586
CVE	CVE-2022-1587

Plugin Information

Published: 2023/03/16, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpcre2-8-0_10.32-5
Should be : libpcre2-8-0_10.32-5+deb10u1

173763 - Debian dla-3377 : libnss-myhostname - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3377 advisory.

----- Debian LTS Advisory DLA-3377-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
March 31, 2023 <https://wiki.debian.org/LTS>

Package : systemd Version : 241-7~deb10u9 CVE ID : CVE-2023-26604

Local privilege escalation for some sudo configurations has been fixed in systemd, the default init system in Debian.

For Debian 10 buster, this problem has been fixed in version 241-7~deb10u9.

We recommend that you upgrade your systemd packages.

For the detailed security status of systemd please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/systemd>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/systemd>
<https://security-tracker.debian.org/tracker/CVE-2023-26604>
<https://packages.debian.org/source/buster/systemd>

Solution

Upgrade the libnss-myhostname packages.

For Debian 10 buster, this problem has been fixed in version 241-7~deb10u9.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:L/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-26604](#)

Plugin Information

Published: 2023/04/02, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libnss-systemd_241-7~deb10u5
Should be : libnss-systemd_241-7~deb10u9
Remote package installed : libpam-systemd_241-7~deb10u5
Should be : libpam-systemd_241-7~deb10u9
Remote package installed : libsystemd0_241-7~deb10u5
Should be : libsystemd0_241-7~deb10u9
Remote package installed : libudev1_241-7~deb10u5
Should be : libudev1_241-7~deb10u9
Remote package installed : systemd_241-7~deb10u5
Should be : systemd_241-7~deb10u9
Remote package installed : systemd-sysv_241-7~deb10u5
Should be : systemd-sysv_241-7~deb10u9
Remote package installed : udev_241-7~deb10u5
Should be : udev_241-7~deb10u9
```


176730 - Debian dla-3444 : libmariadb-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3444 advisory.

----- Debian LTS Advisory DLA-3444-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Otto Keklinen June 03, 2023 <https://wiki.debian.org/LTS>

Package : mariadb-10.3 Version : 1:10.3.39-0+deb10u1 CVE ID : CVE-2022-47015 Debian Bug : 1034889

Latest MariaDB minor maintenance release 10.3.39 included a fix for the following security vulnerability:

CVE-2022-47015

Spider storage engine vulnerable to Denial of Service

For Debian 10 buster, this problem has been fixed in version 1:10.3.39-0+deb10u1.

Additionally the backwards incompatible libmariadb API change has been reverted (Closes: #1031773).

We recommend that you upgrade your mariadb-10.3 packages.

For the detailed security status of mariadb-10.3 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/mariadb-10.3>

Note! According to <https://mariadb.org/about/#maintenance-policy> this was the last minor maintenance release for MariaDB 10.3 series.

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2022-47015>
<https://packages.debian.org/source/buster/mariadb-10.3>
<http://www.nessus.org/u?cb6537b5>

Solution

Upgrade the libmariadb-dev packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:L/Au:S/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2022-47015](#)

Plugin Information

Published: 2023/06/06, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libmariadb3_1:10.3.27-0+deb10u1
Should be : libmariadb3_1:10.3.39-0+deb10u1
Remote package installed : mariadb-client-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-10.3_1:10.3.39-0+deb10u1
Remote package installed : mariadb-client-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-core-10.3_1:10.3.39-0+deb10u1
Remote package installed : mariadb-common_1:10.3.27-0+deb10u1
Should be : mariadb-common_1:10.3.39-0+deb10u1
Remote package installed : mariadb-server-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-10.3_1:10.3.39-0+deb10u1
Remote package installed : mariadb-server-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-core-10.3_1:10.3.39-0+deb10u1
```

176664 - Debian dla-3445 : cpio - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3445 advisory.

----- Debian LTS Advisory DLA-3445-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
June 04, 2023 <https://wiki.debian.org/LTS>

Package : cpio Version : 2.12+dfsg-9+deb10u1 CVE ID : CVE-2019-14866 CVE-2021-38185 Debian Bug : 941412 992045

Two vulnerabilities were fixed in GNU cpio, a program to manage archives of files.

CVE-2019-14866

Improper validation of input files when generating tar archives.

CVE-2021-38185

Arbitrary code via crafted pattern file.

For Debian 10 buster, these problems have been fixed in version 2.12+dfsg-9+deb10u1.

We recommend that you upgrade your cpio packages.

For the detailed security status of cpio please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/cpio>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/cpio>
<https://security-tracker.debian.org/tracker/CVE-2019-14866>
<https://security-tracker.debian.org/tracker/CVE-2021-38185>
<https://packages.debian.org/source/buster/cpio>

Solution

Upgrade the cpio packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

CVSS v2.0 Base Score

CVSS v2.0 Temporal Score

References

Plugin Information

Plugin Output

176985 - Debian dla-3449 : libssl-dev - security update

The remote Debian host is missing one or more security-related updates.

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3449 advisory.

Package : openssl Version : 1.1.1n-0+deb10u5 CVE ID : CVE-2023-0464 CVE-2023-0465 CVE-2023-0466 CVE-2023-2650 Debian Bug : 1034720

Multiple vulnerabilities have been discovered in OpenSSL, a Secure Sockets Layer toolkit.

CVE-2023-0464

David Benjamin reported a flaw related to the verification of X.509 certificate chains that include policy constraints, which may result in denial of service.

CVE-2023-0465

David Benjamin reported that invalid certificate policies in leaf certificates are silently ignored. A malicious CA could take advantage of this flaw to deliberately assert invalid certificate policies in order to circumvent policy checking on the certificate altogether.

CVE-2023-0466

David Benjamin discovered that the implementation of the `X509_VERIFY_PARAM_add0_policy()` function does not enable the check which allows certificates with invalid or incorrect policies to pass the certificate verification (contrary to its documentation).

CVE-2023-2650

It was discovered that processing malformed ASN.1 object identifiers or data may result in denial of service.

For Debian 10 buster, these problems have been fixed in version 1.1.1n-0+deb10u5.

We recommend that you upgrade your openssl packages.

For the detailed security status of openssl please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/openssl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssl>
<https://security-tracker.debian.org/tracker/CVE-2023-0464>
<https://security-tracker.debian.org/tracker/CVE-2023-0465>
<https://security-tracker.debian.org/tracker/CVE-2023-0466>
<https://security-tracker.debian.org/tracker/CVE-2023-2650>
<https://packages.debian.org/source/buster/openssl>

Solution

Upgrade the libssl-dev packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-0464
CVE	CVE-2023-0465
CVE	CVE-2023-0466
CVE	CVE-2023-2650
XREF	IAVA:2023-A-0158-S

Plugin Information

Published: 2023/06/08, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1n-0+deb10u5
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1n-0+deb10u5

177421 - Debian dla-3456 : python-requests - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3456 advisory.

----- Debian LTS Advisory DLA-3456-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus
Koschany June 18, 2023 <https://wiki.debian.org/LTS>

Package : requests Version : 2.21.0-1+deb10u1 CVE ID : CVE-2023-32681 Debian Bug : 1036693

Requests, a Python HTTP library, has been leaking Proxy-Authorization headers to destination servers when redirected to an HTTPS endpoint. For HTTP connections sent through the tunnel, the proxy will identify the header in the request itself and remove it prior to forwarding to the destination server. However when sent over HTTPS, the `Proxy-Authorization` header must be sent in the CONNECT request as the proxy has no visibility into the tunneled request. This results in Requests forwarding proxy credentials to the destination server unintentionally, allowing a malicious actor to potentially exfiltrate sensitive information.

For Debian 10 buster, this problem has been fixed in version 2.21.0-1+deb10u1.

We recommend that you upgrade your requests packages.

For the detailed security status of requests please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/requests>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/requests>
<https://security-tracker.debian.org/tracker/CVE-2023-32681>
<https://packages.debian.org/source/buster/requests>

Solution

Upgrade the python-requests packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

6.1 (CVSS:3.0/AV:N/AC:H/PR:N/UI:R/S:C/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

5.5 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.4 (CVSS2#AV:N/AC:H/Au:N/C/I:N/A:N)

CVSS v2.0 Temporal Score

4.2 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-32681](#)

Plugin Information

Published: 2023/06/18, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : python3-requests_2.21.0-1
Should be : python3-requests_2.21.0-1+deb10u1

177451 - Debian dla-3458 : libapache2-mod-php7.3 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3458 advisory.

----- Debian LTS Advisory DLA-3458-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Guilhem Moulin June 20, 2023 https://wiki.debian.org/LTS -----

Package : php7.3 Version : 7.3.31-1~deb10u4 CVE ID : CVE-2023-3247

Niels Dossche and Tim Dsterhus discovered that PHP's implementation of the SOAP HTTP Digest authentication did not check for failures, which may result in a stack information leak. Furthermore, the code used an insufficient number of random bytes.

For Debian 10 buster, this problem has been fixed in version 7.3.31-1~deb10u4.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at: https://security-tracker.debian.org/tracker/php7.3

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS Attachment: signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

https://security-tracker.debian.org/tracker/source-package/php7.3
https://security-tracker.debian.org/tracker/CVE-2023-3247
https://packages.debian.org/source/buster/php7.3

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

4.3 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:N/A:N)

CVSS v3.0 Temporal Score

3.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

4.0 (CVSS2#AV:N/AC:L/Au:S/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

3.0 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE CVE-2023-3247
XREF IAVA:2023-A-0321-S

Plugin Information

Published: 2023/06/20, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u4

```
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u4
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u4
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u4
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u4
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u4
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u4
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u4
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u4
```

177513 - Debian dla-3461 : libfastjson-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3461 advisory.

----- Debian LTS Advisory DLA-3461-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Thorsten Alteholz June 20, 2023 <https://wiki.debian.org/LTS>

Package : libfastjson Version : 0.99.8-2+deb10u1 CVE ID : CVE-2020-12762

An issue has been found in libfastjson, a fast json library for C.
Due to missing checks, out-of-bounds write might happen when parsing large JSON files.

For Debian 10 buster, this problem has been fixed in version 0.99.8-2+deb10u1.

We recommend that you upgrade your libfastjson packages.

For the detailed security status of libfastjson please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libfastjson>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/libfastjson>
<https://security-tracker.debian.org/tracker/CVE-2020-12762>
<https://packages.debian.org/source/buster/libfastjson>

Solution

Upgrade the libfastjson-dev packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2020-12762

Plugin Information

Published: 2023/06/22, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libfastjson4_0.99.8-2
Should be : libfastjson4_0.99.8-2+deb10u1

177792 - Debian dla-3474 : libnss-myhostname - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3474 advisory.

----- Debian LTS Advisory DLA-3474-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Adrian Bunk
June 29, 2023 https://wiki.debian.org/LTS

Package : systemd Version : 241-7~deb10u10 CVE ID : CVE-2022-3821 Debian Bug : 1021644

A buffer overrun in format_timespan() has been fixed in systemd, the default init system in Debian.

Additionally, fixes for getting property OnExternalPower via D-Bus and a memory leak on daemon-reload are also included.

For Debian 10 buster, this problem has been fixed in version 241-7~deb10u10.

We recommend that you upgrade your systemd packages.

For the detailed security status of systemd please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/systemd>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/systemd>
<https://security-tracker.debian.org/tracker/CVE-2022-3821>
<https://packages.debian.org/source/buster/systemd>

Solution

Upgrade the libnss-myhostname packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.6 (CVSS2#AV:L/AC:L/Au:S/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2022-3821

Plugin Information

Published: 2023/06/30, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libnss-systemd_241-7~deb10u5
Should be : libnss-systemd_241-7~deb10u10
Remote package installed : libpam-systemd_241-7~deb10u5
Should be : libpam-systemd_241-7~deb10u10
Remote package installed : libsystemd0_241-7~deb10u5
Should be : libsystemd0_241-7~deb10u10
Remote package installed : libudev1_241-7~deb10u5
Should be : libudev1_241-7~deb10u10
Remote package installed : systemd_241-7~deb10u5
Should be : systemd_241-7~deb10u10
Remote package installed : systemd-sysv_241-7~deb10u5
Should be : systemd-sysv_241-7~deb10u10
Remote package installed : udev_241-7~deb10u5
Should be : udev_241-7~deb10u10
```

179900 - Debian dla-3530 : libssl-dev - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3530 advisory.

----- Debian LTS Advisory DLA-3530-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Anton Gladky August 15, 2023 https://wiki.debian.org/LTS -----

Package : openssl Version : 1.1.1n-0+deb10u6 CVE ID : CVE-2023-3446 CVE-2023-3817

Two vunerabilities were discovered in openssl, a Secure Sockets Layer toolkit:

CVE-2023-3446, CVE-2023-3817

Excessively long DH key or parameter checks can cause significant delays in applications using DH_check(), DH_check_ex(), or EVP_PKEY_param_check() functions, potentially leading to Denial of Service attacks when keys or parameters are obtained from untrusted sources.

For Debian 10 buster, these problems have been fixed in version 1.1.1n-0+deb10u6.

We recommend that you upgrade your openssl packages.

For the detailed security status of openssl please refer to its security tracker page at: https://security-tracker.debian.org/tracker/openssl

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- https://security-tracker.debian.org/tracker/source-package/openssl
- https://security-tracker.debian.org/tracker/CVE-2023-3446
- https://security-tracker.debian.org/tracker/CVE-2023-3817
- https://packages.debian.org/source/buster/openssl

Solution

Upgrade the libssl-dev packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-3446
CVE	CVE-2023-3817
XREF	IAVA:2023-A-0398-S

Plugin Information

Published: 2023/08/16, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libssl1.1_1.1.1d-0+deb10u4
Should be : libssl1.1_1.1.1n-0+deb10u6
Remote package installed : openssl_1.1.1d-0+deb10u4
Should be : openssl_1.1.1n-0+deb10u6
```

181187 - Debian dla-3559 : libssh2-1 - security update -

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3559 advisory.

----- Debian LTS Advisory DLA-3559-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem Moulin September 08, 2023 <https://wiki.debian.org/LTS>

Package : libssh2 Version : 1.8.0-2.1+deb10u1 CVE ID : CVE-2019-13115 CVE-2019-17498 CVE-2020-22218 Debian Bug : 932329 943562

Vulnerabilities were found in libssh2, a client-side C library implementing the SSH2 protocol, which could lead to denial of service or remote information disclosure.

CVE-2019-13115

Kevin Backhouse discovered an integer overflow vulnerability in `kex.c's kex_method_diffie_hellman_group_exchange_sha256_key_exchange()` function, which could lead to an out-of-bounds read in the way packets are read from the server. A remote attacker who compromises an SSH server may be able to disclose sensitive information or cause a denial of service condition on the client system when a user connects to the server.

CVE-2019-17498

Kevin Backhouse discovered that the SSH_MSG_DISCONNECT logic in packet.c has an integer overflow in a bounds check, thereby enabling an attacker to specify an arbitrary (out-of-bounds) offset for a subsequent memory read. A malicious SSH server may be able to disclose sensitive information or cause a denial of service condition on the client system when a user connects to the server.

CVE-2020-22218

An issue was discovered in function _libssh2_packet_add(), which could allow attackers to access out of bounds memory.

For Debian 10 buster, these problems have been fixed in version 1.8.0-2.1+deb10u1.

We recommend that you upgrade your libssh2 packages.

For the detailed security status of libssh2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/libssh2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/libssh2>
<https://security-tracker.debian.org/tracker/CVE-2019-13115>
<https://security-tracker.debian.org/tracker/CVE-2019-17498>
<https://security-tracker.debian.org/tracker/CVE-2020-22218>
<https://packages.debian.org/source/buster/libssh2>

Solution

Upgrade the libssh2-1 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

8.1 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:H)

CVSS v3.0 Temporal Score

7.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:N/A:P)

CVSS v2.0 Temporal Score

4.5 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2019-13115
CVE	CVE-2019-17498
CVE	CVE-2020-22218

Plugin Information

Published: 2023/09/08, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libssh2-1_1.8.0-2.1
Should be : libssh2-1_1.8.0-2.1+deb10u1

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3575 advisory.

----- Debian LTS Advisory DLA-3575-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Helmut Grohne September 20, 2023 <https://wiki.debian.org/LTS>

Package : python2.7 Version : 2.7.16-2+deb10u3 CVE ID : CVE-2021-23336 CVE-2022-0391 CVE-2022-48560 CVE-2022-48565 CVE-2022-48566 CVE-2023-24329 CVE-2023-40217

This update fixes multiple vulnerabilities concerning the urlparse module as well as vulnerabilities concerning the heapq, hmac, plistlib and ssl modules.

CVE-2021-23336

Python was vulnerable to Web Cache Poisoning via `urlparse.parse_qs` and `urlparse.parse_qsl` by using a vector called parameter cloaking. When the attacker can separate query parameters using a semicolon (;), they can cause a difference in the interpretation of the request between the proxy (running with default configuration) and the server. This can result in malicious requests being cached as completely safe ones, as the proxy would usually not see the semicolon as a separator, and therefore would not include it in a cache key of an unkeyed parameter.

CVE-2022-0391

The `urlparse` module helps break Uniform Resource Locator (URL) strings into components. The issue involves how the `urlparse` method does not sanitize input and allows characters like `\r` and `'` in the URL path. This flaw allows an attacker to input a crafted URL, leading to injection attacks.

CVE-2022-48560

A use-after-free exists in Python via `heappushpop` in `heapq`.

CVE-2022-48565

An XML External Entity (XXE) issue was discovered in Python. The `plistlib` module no longer accepts entity declarations in XML plist files to avoid XML vulnerabilities.

CVE-2022-48566

An issue was discovered in `compare_digest` in `Lib/hmac.py` in Python. Constant-time-defeating optimisations were possible in the accumulator variable in `hmac.compare_digest`.

CVE-2023-24329

An issue in the `urlparse` component of Python allows attackers to bypass blocklisting methods by supplying a URL that starts with blank characters.

CVE-2023-40217

The issue primarily affects servers written in Python (such as HTTP servers) that use TLS client authentication. If a TLS server-side socket is created, receives data into the socket buffer, and then is closed quickly, there is a brief window where the `SSLSocket` instance will detect the socket as not connected and won't initiate a handshake, but buffered data will still be readable from the socket buffer. This data will not be authenticated if the server-side TLS peer is expecting client certificate authentication, and is indistinguishable from valid TLS stream data. Data is limited in size to the amount that will fit in the buffer. (The TLS connection cannot directly be used for data exfiltration because the vulnerable code path requires that the connection be closed on initialization of the `SSLSocket`.)

For Debian 10 buster, these problems have been fixed in version 2.7.16-2+deb10u3.

We recommend that you upgrade your `python2.7` packages.

For the detailed security status of `python2.7` please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python2.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python2.7>
<https://security-tracker.debian.org/tracker/CVE-2021-23336>
<https://security-tracker.debian.org/tracker/CVE-2022-0391>
<https://security-tracker.debian.org/tracker/CVE-2022-48560>

<https://security-tracker.debian.org/tracker/CVE-2022-48565>
<https://security-tracker.debian.org/tracker/CVE-2022-48566>
<https://security-tracker.debian.org/tracker/CVE-2023-24329>
<https://security-tracker.debian.org/tracker/CVE-2023-40217>
<https://packages.debian.org/source/buster/python2.7>

Solution

Upgrade the idle-python2.7 packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2021-23336
CVE	CVE-2022-0391
CVE	CVE-2022-48560
CVE	CVE-2022-48565
CVE	CVE-2022-48566
CVE	CVE-2023-24329
CVE	CVE-2023-40217

Plugin Information

Published: 2023/09/20, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libpython2.7-minimal_2.7.16-2+deb10u1
Should be : libpython2.7-minimal_2.7.16-2+deb10u3
Remote package installed : libpython2.7-stdlib_2.7.16-2+deb10u1
Should be : libpython2.7-stdlib_2.7.16-2+deb10u3
Remote package installed : python2.7_2.7.16-2+deb10u1
Should be : python2.7_2.7.16-2+deb10u3
Remote package installed : python2.7-minimal_2.7.16-2+deb10u1
Should be : python2.7-minimal_2.7.16-2+deb10u3

181835 - Debian dla-3579 : elfutils - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3579 advisory.

----- Debian LTS Advisory DLA-3579-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Thorsten Alteholz September 23, 2023 <https://wiki.debian.org/LTS>

Package : elfutils Version : 0.176-1.1+deb10u1 CVE ID : CVE-2020-21047

An issue has been found in elfutils, a collection of utilities to handle ELF objects.

Due to missing bound checks and reachable asserts, an attacker can use crafted elf files to trigger application crashes that result in denial-of-services.

For Debian 10 buster, this problem has been fixed in version 0.176-1.1+deb10u1.

We recommend that you upgrade your elfutils packages.

For the detailed security status of elfutils please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/elfutils>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/elfutils>
<https://security-tracker.debian.org/tracker/CVE-2020-21047>
<https://packages.debian.org/source/buster/elfutils>

Solution

Upgrade the elfutils packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

4.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

4.9 (CVSS2#AV:L/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2020-21047](#)

Plugin Information

Published: 2023/09/24, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libelf1_0.176-1.1
Should be : libelf1_0.176-1.1+deb10u1

182584 - Debian dla-3602 : libx11-6 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3602 advisory.

----- Debian LTS Advisory DLA-3602-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio
Pozuelo Monfort October 05, 2023 <https://wiki.debian.org/LTS>

Several vulnerabilities were found in libx11, the X11 client-side library.

CVE-2023-43785

Gregory James Duck discovered an out of bounds memory access in _XkbReadKeySyms, which could result in denial of service.

CVE-2023-43786

Yair Mizrahi found an infinite recursion in PutSubImage when parsing a crafted file, which would result in stack exhaustion and denial of service.

CVE-2023-43787

Yair Mizrahi discovered an integer overflow in XCreateImage when parsing crafted input, which would result in a small buffer allocation leading into a buffer overflow. This could result in denial of service or potentially in arbitrary code execution.

For Debian 10 buster, these problems have been fixed in version 2:1.6.7-1+deb10u4.

We recommend that you upgrade your libx11 packages.

For the detailed security status of libx11 please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/libx11>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/libx11>
- <https://security-tracker.debian.org/tracker/CVE-2023-43785>
- <https://security-tracker.debian.org/tracker/CVE-2023-43786>
- <https://security-tracker.debian.org/tracker/CVE-2023-43787>
- <https://packages.debian.org/source/buster/libx11>

Solution

Upgrade the libx11-6 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

6.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:L/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

- | | |
|-----|--------------------------------|
| CVE | CVE-2023-43785 |
| CVE | CVE-2023-43786 |
| CVE | CVE-2023-43787 |

Plugin Information

Published: 2023/10/05, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libx11-6_2:1.6.7-1+deb10u1
Should be : libx11-6_2:1.6.7-1+deb10u4
Remote package installed : libx11-data_2:1.6.7-1+deb10u1
Should be : libx11-data_2:1.6.7-1+deb10u4
```

182650 - Debian dla-3605 : grub-common - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3605 advisory.

----- Debian LTS Advisory DLA-3605-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Utkarsh Gupta October 06, 2023 https://wiki.debian.org/LTS -----

Package : grub2 Version : 2.06-3~deb10u4 CVE ID : CVE-2023-4692 CVE-2023-4693

A couple of security issues were reported in grub2 package, which is GRand Unified Bootloader v2, that could cause out-of-bounds write and heap-based buffer overflow.

For Debian 10 buster, these problems have been fixed in version 2.06-3~deb10u4.

We recommend that you upgrade your grub2 packages.

For the detailed security status of grub2 please refer to its security tracker page at: https://security-tracker.debian.org/tracker/grub2

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- https://security-tracker.debian.org/tracker/source-package/grub2
- https://security-tracker.debian.org/tracker/CVE-2023-4692
- https://security-tracker.debian.org/tracker/CVE-2023-4693
- https://packages.debian.org/source/buster/grub2

Solution

Upgrade the grub-common packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.8 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:L/AC:L/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

- CVE CVE-2023-4692
- CVE CVE-2023-4693

Plugin Information

Published: 2023/10/05, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : grub-common_2.02+dfsg1-20+deb10u2
Should be : grub-common_2.06-3~deb10u4
Remote package installed : grub-pc_2.02+dfsg1-20+deb10u2
Should be : grub-pc_2.06-3~deb10u4
Remote package installed : grub-pc-bin_2.02+dfsg1-20+deb10u2
Should be : grub-pc-bin_2.06-3~deb10u4
Remote package installed : grub2-common_2.02+dfsg1-20+deb10u2
Should be : grub2-common_2.06-3~deb10u4
```

182762 - Debian dla-3610 : python-urllib3 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3610 advisory.

----- Debian LTS Advisory DLA-3610-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem
Moulin October 08, 2023 <https://wiki.debian.org/LTS>

Package : python-urllib3 Version : 1.24.1-1+deb10u1 CVE ID : CVE-2019-11236 CVE-2019-11324 CVE-2020-26137 CVE-2023-43804 Debian Bug : 927172 927412
1053626

Security vulnerabilities were found in python-urllib3, an HTTP library with thread-safe connection pooling for Python, which could lead to information disclosure or authorization bypass.

CVE-2019-11236

Hanno Bck discovered that an attacker controlling the request parameter can inject headers by injecting CR/LF chars. The issue is similar to CPython's CVE-2019-9740.

CVE-2019-11324

Christian Heimes discovered that when verifying HTTPS connections upon passing an SSLContext to urllib3, system CA certificates are loaded into the SSLContext by default in addition to any manually-specified CA certificates.

This causes TLS handshakes that should fail given only the manually specified certs to succeed based on system CA certs.

CVE-2020-26137

It was discovered that CRLF injection was possible if the attacker controls the HTTP request method, as demonstrated by inserting CR and LF control characters in the first argument of putrequest().

The issue is similar to urllib's CVE-2020-26116.

CVE-2023-43804

It was discovered that the Cookie request header isn't stripped during cross-origin redirects. It is therefore possible for a user specifying a Cookie header to unknowingly leak information via HTTP redirects to a different origin (unless the user disables redirects explicitly). The issue is similar to CVE-2018-20060, but for Cookie request header rather than Authorization.

Moreover authorization request headers were not removed redirecting to cross-site. Per RFC7230 sec. 3.2 header fields are to be treated case-insensitively.

For Debian 10 buster, these problems have been fixed in version 1.24.1-1+deb10u1.

We recommend that you upgrade your python-urllib3 packages.

For the detailed security status of python-urllib3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python-urllib3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?eb907009>
<https://packages.debian.org/source/buster/python-urllib3>
<https://security-tracker.debian.org/tracker/CVE-2018-20060>
<https://security-tracker.debian.org/tracker/CVE-2019-9740>
<https://security-tracker.debian.org/tracker/CVE-2019-11236>
<https://security-tracker.debian.org/tracker/CVE-2019-11324>
<https://security-tracker.debian.org/tracker/CVE-2020-26116>
<https://security-tracker.debian.org/tracker/CVE-2020-26137>
<https://security-tracker.debian.org/tracker/CVE-2023-43804>

Solution

Upgrade the python-urllib3 packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

9.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE	CVE-2018-20060
CVE	CVE-2019-9740
CVE	CVE-2019-11236
CVE	CVE-2019-11324
CVE	CVE-2020-26116
CVE	CVE-2020-26137
CVE	CVE-2023-43804

Plugin Information

Published: 2023/10/08, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : python3-urllib3_1.24.1-1

Should be : python3-urllib3_1.24.1-1+deb10u1

182933 - Debian dla-3613 : curl - security update

-

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3613 advisory.

-

Pozuelo Monfort

October 11, 2023

Package : curl Version : 7.64.0-4+deb10u7 CVE ID : CVE-2023-28321 CVE-2023-38546

Two security issues were found in Curl, an easy-to-use client-side URL transfer library and command line tool.

CVE-2023-28321

Hiroki Kurosawa found that curl could mismatch hostnames with wildcards when using its own name matching function.

CVE-2023-38546

It was discovered that under some circumstances libcurl was susceptible to cookie injection.

For Debian 10 buster, these problems have been fixed in version 7.64.0-4+deb10u7.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2023-28321>
<https://security-tracker.debian.org/tracker/CVE-2023-38546>
<https://packages.debian.org/source/buster/curl>

Solution

Upgrade the curl packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.9 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N)

CVSS v3.0 Temporal Score

5.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.4 (CVSS2#AV:N/AC:H/Au:N/C:N/I:C/A:N)

CVSS v2.0 Temporal Score

4.2 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-28321
CVE	CVE-2023-38546
XREF	IAVA:2023-A-0259-S
XREF	CEA-ID:CEA-2023-0052
XREF	IAVA:2023-A-0531-S

Plugin Information

Published: 2023/10/11, Modified: 2025/01/23

Plugin Output

tcp/0

Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u7
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u7

183195 - Debian dla-3621 : libnghttp2-14 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3621 advisory.

----- Debian LTS Advisory DLA-3621-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Sean Whitton
October 16, 2023 https://wiki.debian.org/LTS

Package : nghttp2 Version : 1.36.0-2+deb10u2 CVE ID : CVE-2020-11080 CVE-2023-44487 Debian Bug : 962145 1053769

Multiple vulnerabilities were discovered in nghttp2, an implementation of the HTTP/2 protocol.

CVE-2020-11080

A denial-of-service could be caused by a large HTTP/2 SETTINGS frame payload.

CVE-2023-44487

A denial-of-service could be caused by resetting many HTTP/2 streams quickly. This has been observed in the wild since August.

For Debian 10 buster, these problems have been fixed in version 1.36.0-2+deb10u2.

We recommend that you upgrade your nghttp2 packages.

For the detailed security status of nghttp2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/nghttp2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/nghttp2>
<https://security-tracker.debian.org/tracker/CVE-2020-11080>
<https://security-tracker.debian.org/tracker/CVE-2023-44487>
<https://packages.debian.org/source/buster/nghttp2>

Solution

Upgrade the libnghttp2-14 packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

7.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

7.0 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

4.1 (CVSS2#E:F/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2020-11080
CVE	CVE-2023-44487
XREF	CISA-KNOWN-EXPLOITED:2023/10/31
XREF	CEA-ID:CEA-2021-0004
XREF	CEA-ID:CEA-2024-0004
XREF	IAVB:2023-B-0083-S

Plugin Information

Published: 2023/10/16, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libnhttp2-14_1.36.0-2+deb10u1
Should be : libnhttp2-14_1.36.0-2+deb10u2

183680 - Debian dla-3626 : krb5-admin-server - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3626 advisory.

----- Debian LTS Advisory DLA-3626-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
October 22, 2023 <https://wiki.debian.org/LTS>

Package : krb5 Version : 1.17-3+deb10u6 CVE ID : CVE-2023-36054 Debian Bug : 1043431

Potential freeing of an uninitialized pointer in kadm_rpc_xdr.c was fixed in krb5, the MIT implementation of the Kerberos network authentication protocol.

For Debian 10 buster, this problem has been fixed in version 1.17-3+deb10u6.

We recommend that you upgrade your krb5 packages.

For the detailed security status of krb5 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/krb5>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/krb5>
<https://security-tracker.debian.org/tracker/CVE-2023-36054>
<https://packages.debian.org/source/buster/krb5>

Solution

Upgrade the krb5-admin-server packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.7 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:L/Au:S/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-36054](#)

Plugin Information

Published: 2023/10/23, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : krb5-locales_1.17-3+deb10u1
Should be : krb5-locales_1.17-3+deb10u6
Remote package installed : libgssapi-krb5-2_1.17-3+deb10u1
Should be : libgssapi-krb5-2_1.17-3+deb10u6
Remote package installed : libk5crypto3_1.17-3+deb10u1
Should be : libk5crypto3_1.17-3+deb10u6
Remote package installed : libkrb5-3_1.17-3+deb10u1
Should be : libkrb5-3_1.17-3+deb10u6
Remote package installed : libkrb5support0_1.17-3+deb10u1
Should be : libkrb5support0_1.17-3+deb10u6
```

183747 - Debian dla-3628 : dbus - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3628 advisory.

----- Debian LTS Advisory DLA-3628-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Emilio Pozuelo Monfort October 23, 2023 <https://wiki.debian.org/LTS>

Package : dbus Version : 1.12.28-0+deb10u1 CVE ID : CVE-2023-34969

It was found that D-Bus, a simple interprocess messaging system, was susceptible to a denial of service vulnerability if a monitor was being run.

For Debian 10 buster, this problem has been fixed in version 1.12.28-0+deb10u1.

We recommend that you upgrade your dbus packages.

For the detailed security status of dbus please refer to its security tracker page at: <https://security-tracker.debian.org/tracker/dbus>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: <https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

- <https://security-tracker.debian.org/tracker/source-package/dbus>
- <https://security-tracker.debian.org/tracker/CVE-2023-34969>
- <https://packages.debian.org/source/buster/dbus>

Solution

Upgrade the dbus packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:L/Au:S/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-34969](#)

Plugin Information

Published: 2023/10/23, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : dbus_1.12.20-0+deb10u1
Should be : dbus_1.12.28-0+deb10u1
Remote package installed : libdbus-1-3_1.12.20-0+deb10u1
Should be : libdbus-1-3_1.12.28-0+deb10u1
```

185377 - Debian dla-3649 : python-urllib3 - security update -

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3649 advisory.

----- Debian LTS Advisory DLA-3649-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Sean Whitton
November 08, 2023 <https://wiki.debian.org/LTS>

Package : python-urllib3 Version : 1.24.1-1+deb10u2 CVE ID : CVE-2023-43803 Debian Bug : 1054226

It was discovered that python-urllib3, a user-friendly HTTP client library for Python, did not remove the HTTP request body when an HTTP redirect response using status 301, 302, or 303 after the request had its method changed from one that could accept a request body, like POST, to GET, as required by the HTTP RFCs. This could lead to information disclosure.

For Debian 10 buster, these problems have been fixed in version 1.24.1-1+deb10u2.

We recommend that you upgrade your python-urllib3 packages.

For the detailed security status of python-urllib3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python-urllib3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?eb907009>
<https://security-tracker.debian.org/tracker/CVE-2023-43803>
<https://packages.debian.org/source/buster/python-urllib3>

Solution

Upgrade the python-urllib3 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

7.1 (CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:H)

CVSS v3.0 Temporal Score

6.2 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.2 (CVSS2#AV:L/AC:L/Au:S/C:N/I:C/A:C)

CVSS v2.0 Temporal Score

4.6 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-43803](#)

Plugin Information

Published: 2023/11/08, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : python3-urllib3_1.24.1-1
Should be : python3-urllib3_1.24.1-1+deb10u2

186205 - Debian dla-3660 : gnutls-bin - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3660 advisory.

----- Debian LTS Advisory DLA-3660-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Markus
Koschany November 22, 2023 <https://wiki.debian.org/LTS>

Package : gnutls28 Version : 3.6.7-4+deb10u11 CVE ID : CVE-2023-5981 Debian Bug : 1056188

A vulnerability was found in GnuTLS, a secure communications library, which may facilitate a timing attack to compromise a cryptographic system. The response times to malformed ciphertexts in RSA-PSK ClientKeyExchange differ from response times of ciphertexts with correct PKCS#1 v1.5 padding. Only TLS ciphertext processing is affected.

For Debian 10 buster, this problem has been fixed in version 3.6.7-4+deb10u11.

We recommend that you upgrade your gnutls28 packages.

For the detailed security status of gnutls28 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/gnutls28>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/gnutls28>
<https://security-tracker.debian.org/tracker/CVE-2023-5981>
<https://packages.debian.org/source/buster/gnutls28>

Solution

Upgrade the gnutls-bin packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

5.9 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

5.2 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.4 (CVSS2#AV:N/AC:H/Au:N/C:C/I:N/A:N)

CVSS v2.0 Temporal Score

4.0 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-5981](#)

Plugin Information

Published: 2023/11/22, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libgnutls30_3.6.7-4+deb10u5
Should be : libgnutls30_3.6.7-4+deb10u11

186526 - Debian dla-3682 : lib32ncurses-dev - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3682 advisory.

----- Debian LTS Advisory DLA-3682-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Guilhem
Moulin December 03, 2023 <https://wiki.debian.org/LTS>

Package : ncurses Version : 6.1+20181013-2+deb10u5 CVE ID : CVE-2021-39537 CVE-2023-29491 Debian Bug : 1034372

Issues were found in ncurses, a collection of shared libraries for terminal handling, which could lead to denial of service.

CVE-2021-39537

It has been discovered that the tic(1) utility is susceptible to a heap overflow on crafted input due to improper bounds checking.

CVE-2023-29491

Jonathan Bar Or, Michael Pearse and Emanuele Cozzi have discovered that when ncurses is used by a setuid application, a local user can trigger security-relevant memory corruption via malformed data in a terminfo database file found in \$HOME/.terminfo or reached via the TERMINFO or TERM environment variables.

In order to mitigate this issue, ncurses now further restricts programs running with elevated privileges (setuid/setgid programs). Programs run by the superuser remain able to load custom terminfo entries.

This change aligns ncurses' behavior in buster-security with that of Debian Bullseye's latest point release (6.2+20201114-2+deb11u2).

For Debian 10 buster, these problems have been fixed in version 6.1+20181013-2+deb10u5.

We recommend that you upgrade your ncurses packages.

For the detailed security status of ncurses please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/ncurses>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/ncurses>
<https://security-tracker.debian.org/tracker/CVE-2021-39537>
<https://security-tracker.debian.org/tracker/CVE-2023-29491>
<https://packages.debian.org/source/buster/ncurses>

Solution

Upgrade the lib32ncurses-dev packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

8.8 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

7.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.8 (CVSS2#AV:N/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

5.3 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2021-39537](#)
CVE [CVE-2023-29491](#)

Plugin Information

Published: 2023/12/03, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libncurses6_6.1+20181013-2+deb10u2
Should be : libncurses6_6.1+20181013-2+deb10u5
Remote package installed : libncursesw6_6.1+20181013-2+deb10u2
Should be : libncursesw6_6.1+20181013-2+deb10u5
Remote package installed : libtinfo6_6.1+20181013-2+deb10u2
Should be : libtinfo6_6.1+20181013-2+deb10u5
Remote package installed : ncurses-base_6.1+20181013-2+deb10u2
Should be : ncurses-base_6.1+20181013-2+deb10u5
Remote package installed : ncurses-bin_6.1+20181013-2+deb10u2
Should be : ncurses-bin_6.1+20181013-2+deb10u5
Remote package installed : ncurses-term_6.1+20181013-2+deb10u2
Should be : ncurses-term_6.1+20181013-2+deb10u5

187271 - Debian dla-3692 : curl - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3692 advisory.

----- Debian LTS Advisory DLA-3692-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
December 19, 2023 <https://wiki.debian.org/LTS>

Package : curl Version : 7.64.0-4+deb10u8 CVE ID : CVE-2023-28322 CVE-2023-46218 Debian Bug : 926148 1036239 1057646

Two security issues were found in Curl, an easy-to-use client-side URL transfer library and command line tool.

Additionally, the command line tool does now:

- display the Debian revision in curl --version, and
- does no longer output verbose Expire in messages with curl -v

CVE-2023-28322

POST-after-PUT confusion.

CVE-2023-46218

Cookie mixed case PSL bypass.

For Debian 10 buster, these problems have been fixed in version 7.64.0-4+deb10u8.

We recommend that you upgrade your curl packages.

For the detailed security status of curl please refer to its security tracker page at:

<https://security-tracker.debian.org/tracker/curl>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:

<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://packages.debian.org/source/buster/curl>
<https://security-tracker.debian.org/tracker/source-package/curl>
<https://security-tracker.debian.org/tracker/CVE-2023-28322>
<https://security-tracker.debian.org/tracker/CVE-2023-46218>

Solution

Upgrade the curl packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS v3.0 Temporal Score

5.9 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N)

CVSS v2.0 Temporal Score

5.0 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2023-28322
CVE	CVE-2023-46218
XREF	IAVA:2023-A-0259-S
XREF	IAVA:2023-A-0674-S

Plugin Information

Published: 2023/12/22, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : libcurl3-gnutls_7.64.0-4+deb10u1
Should be : libcurl3-gnutls_7.64.0-4+deb10u8
Remote package installed : libcurl4_7.64.0-4+deb10u1
Should be : libcurl4_7.64.0-4+deb10u8
```

214473 - Debian dla-3694 : openssh-client - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3694 advisory.

----- Debian LTS Advisory DLA-3694-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Santiago
Ruano Rincn December 25, 2023 <https://wiki.debian.org/LTS>

Package : openssh Version : 1:7.9p1-10+deb10u4 CVE ID : CVE-2021-41617 CVE-2023-48795 CVE-2023-51385 Debian Bug : 995130

Several vulnerabilities have been discovered in OpenSSH, an implementation of the SSH protocol suite.

CVE-2021-41617

It was discovered that sshd failed to correctly initialise supplemental groups when executing an AuthorizedKeysCommand or AuthorizedPrincipalsCommand, where a AuthorizedKeysCommandUser or AuthorizedPrincipalsCommandUser directive has been set to run the command as a different user. Instead these commands would inherit the groups that sshd was started with.

CVE-2023-48795

Fabian Baeumer, Marcus Brinkmann and Joerg Schwenk discovered that the SSH protocol is prone to a prefix truncation attack, known as the Terrapin attack. This attack allows a MITM attacker to effect a limited break of the integrity of the early encrypted SSH transport protocol by sending extra messages prior to the commencement of encryption, and deleting an equal number of consecutive messages immediately after encryption starts.

Details can be found at <https://terrapin-attack.com/>

CVE-2023-51385

It was discovered that if an invalid user or hostname that contained shell metacharacters was passed to ssh, and a ProxyCommand, LocalCommand directive or match exec predicate referenced the user or hostname via expansion tokens, then an attacker who could supply arbitrary user/hostnames to ssh could potentially perform command injection. The situation could arise in case of git repositories with submodules, where the repository could contain a submodule with shell characters in its user or hostname.

For Debian 10 buster, these problems have been fixed in version 1:7.9p1-10+deb10u4.

We recommend that you upgrade your openssh packages.

For the detailed security status of openssh please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/openssh>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS> Attachment:
signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/openssh>
<https://security-tracker.debian.org/tracker/CVE-2021-41617>
<https://security-tracker.debian.org/tracker/CVE-2023-48795>
<https://security-tracker.debian.org/tracker/CVE-2023-51385>
<https://packages.debian.org/source/buster/openssh>

Solution

Upgrade the openssh-client packages.

Risk Factor

Medium

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

7.0 (CVSS:3.0/AV:L/AC:H/PR:L/UI:N/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

6.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

4.4 (CVSS2#AV:L/AC:M/Au:N/C:P/I:P/A:P)

CVSS v2.0 Temporal Score

3.4 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-41617
CVE	CVE-2023-48795
CVE	CVE-2023-51385
XREF	IAVA:2021-A-0474-S
XREF	IAVA:2023-A-0701-S
XREF	IAVA:2023-A-0703

Plugin Information

Published: 2025/01/22, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : openssh-client_1:7.9p1-10+deb10u2
Should be : openssh-client_1:7.9p1-10+deb10u4
Remote package installed : openssh-server_1:7.9p1-10+deb10u2
Should be : openssh-server_1:7.9p1-10+deb10u4
Remote package installed : openssh-sftp-server_1:7.9p1-10+deb10u2
Should be : openssh-sftp-server_1:7.9p1-10+deb10u4

189721 - Debian dla-3722 : libmariadb-dev - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3722 advisory.

----- Debian LTS Advisory DLA-3722-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Bastien
ROUCAR!7S January 27, 2024 https://wiki.debian.org/LTS

Package : mariadb-10.3 Version : 1:10.3.39-0+deb10u2 CVE ID : CVE-2023-22084 Debian Bug : 1055034

A vulnerability was fixed in MariaDB, a database suite.
This vulnerability allowed a high privileged attacker with network access to compromise a MariaDB Server.
Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash.

The main risk was a complete DOS of the sever.

For Debian 10 buster, this problem has been fixed in version 1:10.3.39-0+deb10u2.

We recommend that you upgrade your mariadb-10.3 packages.

For the detailed security status of mariadb-10.3 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/mariadb-10.3>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<http://www.nessus.org/u?cb6537b5>
<https://security-tracker.debian.org/tracker/CVE-2023-22084>
<https://packages.debian.org/source/buster/mariadb-10.3>

Solution

Upgrade the libmariadb-dev packages.

Risk Factor

Medium

CVSS v3.0 Base Score

4.9 (CVSS:3.0/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

4.3 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.1 (CVSS2#AV:N/AC:L/Au:M/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

4.5 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-22084](#)

Plugin Information

Published: 2024/01/27, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : libmariadb3_1:10.3.27-0+deb10u1
Should be : libmariadb3_1:10.3.39-0+deb10u2
Remote package installed : mariadb-client-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-10.3_1:10.3.39-0+deb10u2
Remote package installed : mariadb-client-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-client-core-10.3_1:10.3.39-0+deb10u2
Remote package installed : mariadb-common_1:10.3.27-0+deb10u1
Should be : mariadb-common_1:10.3.39-0+deb10u2
Remote package installed : mariadb-server-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-10.3_1:10.3.39-0+deb10u2
Remote package installed : mariadb-server-core-10.3_1:10.3.27-0+deb10u1
Should be : mariadb-server-core-10.3_1:10.3.39-0+deb10u2

191776 - Debian dla-3755 : tar - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3755 advisory.

----- Debian LTS Advisory DLA-3755-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
March 09, 2024 <https://wiki.debian.org/LTS>

Package : tar Version : 1.30+dfsg-6+deb10u1 CVE ID : CVE-2023-39804 Debian Bug : 1058079

Incorrect handling of extension attributes in PAX archives has been fixed in the GNU tar archiving utility.

For Debian 10 buster, this problem has been fixed in version 1.30+dfsg-6+deb10u1.

We recommend that you upgrade your tar packages.

For the detailed security status of tar please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/tar>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/tar>
<https://security-tracker.debian.org/tracker/CVE-2023-39804>
<https://packages.debian.org/source/buster/tar>

Solution

Upgrade the tar packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.2 (CVSS:3.0/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.4 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

4.9 (CVSS2#AV:L/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2023-39804](#)

Plugin Information

Published: 2024/03/09, Modified: 2025/01/22

Plugin Output

tcp/0

Remote package installed : tar_1.30+dfsg-6

Should be : tar_1.30+dfsg-6+deb10u1

192521 - Debian dla-3771 : idle-python2.7 - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3771 advisory.

----- Debian LTS Advisory DLA-3771-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Adrian Bunk
March 24, 2024 https://wiki.debian.org/LTS

Package : python2.7 Version : 2.7.16-2+deb10u4 CVE ID : CVE-2024-0450

The zipfile module was vulnerable to quoted-overlap zip-bombs in the Python 2 interpreter.

For Debian 10 buster, this problem has been fixed in version 2.7.16-2+deb10u4.

We recommend that you upgrade your python2.7 packages.

For the detailed security status of python2.7 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/python2.7>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/python2.7>
<https://security-tracker.debian.org/tracker/CVE-2024-0450>
<https://packages.debian.org/source/buster/python2.7>

Solution

Upgrade the idle-python2.7 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.2 (CVSS:3.0/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.4 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

4.9 (CVSS2#AV:L/AC:L/Au:N/C:N/I:N/A:C)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:U/RL:OF/RC:C)

References

CVE [CVE-2024-0450](#)

Plugin Information

Published: 2024/03/24, Modified: 2025/01/22

Plugin Output

tcp/0


```
Remote package installed : libpython2.7-minimal_2.7.16-2+deb10u1
Should be : libpython2.7-minimal_2.7.16-2+deb10u4
Remote package installed : libpython2.7-stdlib_2.7.16-2+deb10u1
Should be : libpython2.7-stdlib_2.7.16-2+deb10u4
Remote package installed : python2.7_2.7.16-2+deb10u1
Should be : python2.7_2.7.16-2+deb10u4
Remote package installed : python2.7-minimal_2.7.16-2+deb10u1
Should be : python2.7-minimal_2.7.16-2+deb10u4
```

197924 - Debian dla-3818 : apache2 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3818 advisory.

----- Debian LTS Advisory DLA-3818-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Bastien Roucaris May 24, 2024 <https://wiki.debian.org/LTS>

Package : apache2 Version : 2.4.59-1~deb10u1 CVE ID : CVE-2019-17567 CVE-2023-31122 CVE-2023-38709 CVE-2023-45802 CVE-2024-24795 CVE-2024-27316
Debian Bug : 1068412

Multiple vulnerabilities have been discovered in the Apache HTTP server, which may result in HTTP response splitting, denial of service, or authorization bypass.

CVE-2019-17567

mod_proxy_wstunnel configured on an URL that is not necessarily Upgraded by the origin server was tunneling the whole connection regardless, thus allowing for subsequent requests on the same connection to pass through with no HTTP validation, authentication or authorization possibly configured.

CVE-2023-31122

An Out-of-bounds Read vulnerability was found in mod_macro.

CVE-2023-38709

A faulty input validation was found in the core of Apache that allows malicious or exploitable backend/content generators to split HTTP responses.

CVE-2023-45802

When an HTTP/2 stream was reset (RST frame) by a client, there was a time window where the request's memory resources were not reclaimed immediately. Instead, de-allocation was deferred to connection close.

A client could send new requests and resets, keeping the connection busy and open and causing the memory footprint to keep on growing. On connection close, all resources were reclaimed, but the process might run out of memory before that.

CVE-2024-24795

HTTP Response splitting in multiple modules in Apache HTTP Server allows an attacker that can inject malicious response headers into backend applications to cause an HTTP desynchronization attack.

CVE-2024-27316

HTTP/2 incoming headers exceeding the limit are temporarily buffered in nhttp2 in order to generate an informative HTTP 413 response. If a client does not stop sending headers, this leads to memory exhaustion.

For Debian 10 buster, these problems have been fixed in version 2.4.59-1~deb10u1.

Please note that the fix of CVE-2024-24795, may break unrelated CGI-BIN scripts. As part of the security fix, the Apache webserver mod_cgi module has stopped relaying the Content-Length field of the HTTP reply header from the CGI programs back to the client in cases where the connection is to be closed and the client is able to read until end-of-file. You may restore legacy behavior for trusted scripts by adding the following configuration environment variable to the Apache configuration, scoped to the <Directory> entry or entries in which scripts are being served via CGI, SetEnv ap_trust_cgilibe_cl yes.

The definitive fix is to read the whole input, re-allocating the input buffer to fit as more input is received in CGI-BIN scripts, and and to not trust that CONTENT_LENGTH variable is always present.

We recommend that you upgrade your apache2 packages.

For the detailed security status of apache2 please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/apache2>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:

<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/apache2>
<https://security-tracker.debian.org/tracker/CVE-2019-17567>
<https://security-tracker.debian.org/tracker/CVE-2023-31122>
<https://security-tracker.debian.org/tracker/CVE-2023-38709>
<https://security-tracker.debian.org/tracker/CVE-2023-45802>
<https://security-tracker.debian.org/tracker/CVE-2024-24795>
<https://security-tracker.debian.org/tracker/CVE-2024-27316>
<https://packages.debian.org/source/buster/apache2>

Solution

Upgrade the apache2 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2019-17567
CVE	CVE-2023-31122
CVE	CVE-2023-38709
CVE	CVE-2023-45802
CVE	CVE-2024-24795
CVE	CVE-2024-27316
XREF	IAVA:2021-A-0259-S
XREF	IAVA:2023-A-0572-S
XREF	IAVA:2024-A-0202-S

Plugin Information

Published: 2024/05/25, Modified: 2024/07/12

Plugin Output

tcp/0

Remote package installed : apache2_2.4.38-3+deb10u4
Should be : apache2_2.4.59-1~deb10u1
Remote package installed : apache2-bin_2.4.38-3+deb10u4
Should be : apache2-bin_2.4.59-1~deb10u1
Remote package installed : apache2-data_2.4.38-3+deb10u4
Should be : apache2-data_2.4.59-1~deb10u1
Remote package installed : apache2-utils_2.4.38-3+deb10u4
Should be : apache2-utils_2.4.59-1~deb10u1

200694 - Debian dla-3831 : nano - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3831 advisory.

----- Debian LTS Advisory DLA-3831-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Adrian Bunk
June 17, 2024 <https://wiki.debian.org/LTS>

Package : nano Version : 3.2-3+deb10u1 CVE ID : CVE-2024-5742

A symlink attack with emergency file saving has been fixed in the text editor nano.

For Debian 10 buster, this problem has been fixed in version 3.2-3+deb10u1.

We recommend that you upgrade your nano packages.

For the detailed security status of nano please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/nano>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/source-package/nano>
<https://security-tracker.debian.org/tracker/CVE-2024-5742>
<https://packages.debian.org/source/buster/nano>

Solution

Upgrade the nano packages.

Risk Factor

Medium

CVSS v3.0 Base Score

6.7 (CVSS:3.0/AV:L/AC:H/PR:L/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

5.8 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

6.0 (CVSS2#AV:L/AC:H/Au:S/C:C/I:C/A:C)

CVSS v2.0 Temporal Score

4.4 (CVSS2#E:U/RL:OF/RC:C)

STIG Severity

II

References

CVE	CVE-2024-5742
XREF	IAVA:2024-A-0355

Plugin Information

Published: 2024/06/18, Modified: 2024/09/25

Plugin Output

tcp/0

Remote package installed : nano_3.2-3
Should be : nano_3.2-3+deb10u1

200704 - Debian dla-3833 : libapache2-mod-php7.3 - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3833 advisory.

----- Debian LTS Advisory DLA-3833-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Markus Koschany June 17, 2024 https://wiki.debian.org/LTS -----

Package : php7.3 Version : 7.3.31-1~deb10u7 CVE ID : CVE-2024-5458 Debian Bug : 1072885

PHP, a widely-used open source general purpose scripting language, is affected by a security problem when parsing certain types of URLs.

Due to a code logic error filtering functions such as filter_var when validating URLs (FILTER_VALIDATE_URL) will result in invalid user information (username + password part of URLs) being treated as valid user information. This may lead to the downstream code accepting invalid URLs as valid and parsing them incorrectly. The problem is related to CVE-2020-7071 but affects IPv6 host parts.

For Debian 10 buster, this problem has been fixed in version 7.3.31-1~deb10u7.

We recommend that you upgrade your php7.3 packages.

For the detailed security status of php7.3 please refer to its security tracker page at: https://security-tracker.debian.org/tracker/php7.3

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS Attachment: signature.asc Description: This is a digitally signed message part

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

https://security-tracker.debian.org/tracker/source-package/php7.3
https://security-tracker.debian.org/tracker/CVE-2020-7071
https://security-tracker.debian.org/tracker/CVE-2024-5458
https://packages.debian.org/source/buster/php7.3

Solution

Upgrade the libapache2-mod-php7.3 packages.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.8 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.9 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE CVE-2020-7071
CVE CVE-2024-5458

Plugin Information

Published: 2024/06/18, Modified: 2024/06/18

Plugin Output

```
tcp/0

Remote package installed : libapache2-mod-php7.3_7.3.29-1~deb10u1
Should be : libapache2-mod-php7.3_7.3.31-1~deb10u7
Remote package installed : php7.3_7.3.19-1~deb10u1
Should be : php7.3_7.3.31-1~deb10u7
Remote package installed : php7.3-cli_7.3.29-1~deb10u1
Should be : php7.3-cli_7.3.31-1~deb10u7
Remote package installed : php7.3-common_7.3.29-1~deb10u1
Should be : php7.3-common_7.3.31-1~deb10u7
Remote package installed : php7.3-json_7.3.29-1~deb10u1
Should be : php7.3-json_7.3.31-1~deb10u7
Remote package installed : php7.3-mysql_7.3.29-1~deb10u1
Should be : php7.3-mysql_7.3.31-1~deb10u7
Remote package installed : php7.3-opcache_7.3.29-1~deb10u1
Should be : php7.3-opcache_7.3.31-1~deb10u7
Remote package installed : php7.3-readline_7.3.29-1~deb10u1
Should be : php7.3-readline_7.3.31-1~deb10u7
Remote package installed : php7.3-xml_7.3.29-1~deb10u1
Should be : php7.3-xml_7.3.31-1~deb10u7
```

136929 - JQuery 1.2 < 3.5.0 Multiple XSS

Synopsis

The remote web server is affected by multiple cross site scripting vulnerability.

Description

According to the self-reported version in the script, the version of JQuery hosted on the remote web server is greater than or equal to 1.2 and prior to 3.5.0. It is, therefore, affected by multiple cross site scripting vulnerabilities.

Note, the vulnerabilities referenced in this plugin have no security impact on PAN-OS, and/or the scenarios required for successful exploitation do not exist on devices running a PAN-OS release.

See Also

<https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/>
<https://security.paloaltonetworks.com/PAN-SA-2020-0007>

Solution

Upgrade to JQuery version 3.5.0 or later.

Risk Factor

Medium

CVSS v3.0 Base Score

6.1 (CVSS:3.0/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N)

CVSS v3.0 Temporal Score

5.7 (CVSS:3.0/E:F/RL:O/RC:C)

CVSS v2.0 Base Score

4.3 (CVSS2#AV:N/AC:M/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.6 (CVSS2#E:F/RL:OF/RC:C)

STIG Severity

II

References

CVE	CVE-2020-11022
CVE	CVE-2020-11023
XREF	IAVB:2020-B-0030
XREF	CEA-ID:CEA-2021-0004
XREF	CEA-ID:CEA-2021-0025
XREF	CISA-KNOWN-EXPLOITED:2025/02/13

Plugin Information

Published: 2020/05/28, Modified: 2025/01/24

Plugin Output

tcp/80/www

URL : http://10.67.253.121/template/plugins/jquery-1.10.2.min.js
Installed version : 1.10.2
Fixed version : 3.5.0

187315 - SSH Terrapin Prefix Truncation Weakness (CVE-2023-48795)

Synopsis

The remote SSH server is vulnerable to a mitm prefix truncation attack.

Description

The remote SSH server is vulnerable to a man-in-the-middle prefix truncation weakness known as Terrapin. This can allow a remote, man-in-the-middle attacker to bypass integrity checks and downgrade the connection's security.

Note that this plugin only checks for remote SSH servers that support either ChaCha20-Poly1305 or CBC with Encrypt-then-MAC and do not support the strict key exchange countermeasures. It does not check for vulnerable software versions.

See Also

<https://terrapin-attack.com/>

Solution

Contact the vendor for an update with the strict key exchange countermeasures or disable the affected algorithms.

Risk Factor

Medium

CVSS v3.0 Base Score

5.9 (CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:N)

CVSS v3.0 Temporal Score

5.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

5.4 (CVSS2#AV:N/AC:H/Au:N/C:N/I:C/A:N)

CVSS v2.0 Temporal Score

4.2 (CVSS2#E:POC/RL:OF/RC:C)

References

CVE [CVE-2023-48795](#)

Plugin Information

Published: 2023/12/27, Modified: 2024/01/29

Plugin Output

tcp/22/ssh

Supports following ChaCha20-Poly1305 Client to Server algorithm : chacha20-poly1305@openssh.com
Supports following Encrypt-then-MAC Client to Server algorithm : umac-64-etm@openssh.com
Supports following Encrypt-then-MAC Client to Server algorithm : umac-128-etm@openssh.com
Supports following Encrypt-then-MAC Client to Server algorithm : hmac-sha2-256-etm@openssh.com
Supports following Encrypt-then-MAC Client to Server algorithm : hmac-sha2-512-etm@openssh.com
Supports following Encrypt-then-MAC Client to Server algorithm : hmac-sha1-etm@openssh.com
Supports following ChaCha20-Poly1305 Server to Client algorithm : chacha20-poly1305@openssh.com
Supports following Encrypt-then-MAC Server to Client algorithm : umac-64-etm@openssh.com
Supports following Encrypt-then-MAC Server to Client algorithm : umac-128-etm@openssh.com
Supports following Encrypt-then-MAC Server to Client algorithm : hmac-sha2-256-etm@openssh.com
Supports following Encrypt-then-MAC Server to Client algorithm : hmac-sha2-512-etm@openssh.com
Supports following Encrypt-then-MAC Server to Client algorithm : hmac-sha1-etm@openssh.com

167055 - Debian dla-3181 : sudo - security update

Synopsis

The remote Debian host is missing a security-related update.

Description

The remote Debian 10 host has packages installed that are affected by a vulnerability as referenced in the dla-3181 advisory.

----- Debian LTS Advisory DLA-3181-1 debian-lts@lists.debian.org <https://www.debian.org/lts/security/> Chris Lamb
November 07, 2022 <https://wiki.debian.org/LTS>

Package : sudo Version : 1.8.27-1+deb10u4 CVE ID : CVE-2021-23239

It was discovered that there was a information disclosure utility in sudo, a tool used to provide limited superuser privileges to specific users.

A local unprivileged user may have been able to perform arbitrary directory-existence tests by exploiting a race condition in sudoedit.

For Debian 10 buster, this problem has been fixed in version 1.8.27-1+deb10u4.

We recommend that you upgrade your sudo packages.

For the detailed security status of sudo please refer to its security tracker page at:
<https://security-tracker.debian.org/tracker/sudo>

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at:
<https://wiki.debian.org/LTS>

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://security-tracker.debian.org/tracker/CVE-2021-23239>
<https://security-tracker.debian.org/tracker/source-package/sudo>
<https://packages.debian.org/source/buster/sudo>

Solution

Upgrade the sudo packages.

Risk Factor

Low

CVSS v3.0 Base Score

2.5 (CVSS:3.0/AV:L/AC:H/PR:L/UI:N/S:U/C:L/I:N/A:N)

CVSS v3.0 Temporal Score

2.3 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

1.9 (CVSS2#AV:L/AC:M/Au:N/C:P/I:N/A:N)

CVSS v2.0 Temporal Score

1.5 (CVSS2#E:POC/RL:OF/RC:C)

STIG Severity

I

References

CVE	CVE-2021-23239
XREF	IAVA:2021-A-0053

Plugin Information

Published: 2022/11/07, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : sudo_1.8.27-1+deb10u3
Should be : sudo_1.8.27-1+deb10u4
```

192962 - Debian dla-3782 : bsdtails - security update

Synopsis

The remote Debian host is missing one or more security-related updates.

Description

The remote Debian 10 host has packages installed that are affected by multiple vulnerabilities as referenced in the dla-3782 advisory.

----- Debian LTS Advisory DLA-3782-1 debian-lts@lists.debian.org https://www.debian.org/lts/security/ Guilhem Moulin April 07, 2024 https://wiki.debian.org/LTS -----

Package : util-linux Version : 2.33.1-0.1+deb10u1 CVE ID : CVE-2021-37600 CVE-2024-28085 Debian Bug : 826596 991619 1067849

CVE-2024-28085

Skyler Ferrante discovered that the wall(1) utility found in util-linux, a collection of system utilities for Linux, does not filter escape sequences from command line arguments. This allows unprivileged local users to put arbitrary text on other users terminals if mesg is set to y and the wall executable is setgid, which could lead to information disclosure.

With this update the wall executable is no longer installed setgid tty.

CVE-2021-37600

Kihong Heo found an integer overflow which can potentially lead to buffer overflow if an attacker were able to use system resources in a way that leads to a large number in the /proc/sysvipc/sem file.

NOTE: this is issue is unexploitable in GNU C Library environments, and possibly in all realistic environments.

For Debian 10 buster, these problems have been fixed in version 2.33.1-0.1+deb10u1.

We recommend that you upgrade your util-linux packages.

For the detailed security status of util-linux please refer to its security tracker page at: https://security-tracker.debian.org/tracker/util-linux

Further information about Debian LTS security advisories, how to apply these updates to your system and frequently asked questions can be found at: https://wiki.debian.org/LTS Attachment: signature.asc Description: PGP signature

Tenable has extracted the preceding description block directly from the Debian security advisory.

Note that Nessus has not tested for these issues but has instead relied only on the application's self-reported version number.

See Also

- https://security-tracker.debian.org/tracker/source-package/util-linux
- https://security-tracker.debian.org/tracker/CVE-2021-37600
- https://security-tracker.debian.org/tracker/CVE-2024-28085
- https://packages.debian.org/source/buster/util-linux

Solution

Upgrade the bsdtails packages.

Risk Factor

Low

CVSS v4.0 Base Score

9.3 (CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N)

CVSS v3.0 Base Score

5.5 (CVSS:3.0/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

5.0 (CVSS:3.0/E:P/RL:O/RC:C)

CVSS v2.0 Base Score

1.2 (CVSS2#AV:L/AC:H/Au:N/C:N/I:N/A:P)

CVSS v2.0 Temporal Score

0.9 (CVSS2#E:POC/RL:OF/RC:C)

References

- CVE [CVE-2021-37600](#)
- CVE [CVE-2024-28085](#)

Plugin Information

Published: 2024/04/07, Modified: 2025/01/22

Plugin Output

tcp/0

```
Remote package installed : fdisk_2.33.1-0.1
Should be : fdisk_2.33.1-0.1+deb10u1
Remote package installed : libblkid1_2.33.1-0.1
Should be : libblkid1_2.33.1-0.1+deb10u1
Remote package installed : libfdisk1_2.33.1-0.1
Should be : libfdisk1_2.33.1-0.1+deb10u1
Remote package installed : libmount1_2.33.1-0.1
Should be : libmount1_2.33.1-0.1+deb10u1
Remote package installed : libsmartcols1_2.33.1-0.1
Should be : libsmartcols1_2.33.1-0.1+deb10u1
Remote package installed : libuuid1_2.33.1-0.1
Should be : libuuid1_2.33.1-0.1+deb10u1
Remote package installed : mount_2.33.1-0.1
Should be : mount_2.33.1-0.1+deb10u1
Remote package installed : util-linux_2.33.1-0.1
Should be : util-linux_2.33.1-0.1+deb10u1
Remote package installed : util-linux-locales_2.33.1-0.1
Should be : util-linux-locales_2.33.1-0.1+deb10u1
```

10114 - ICMP Timestamp Request Remote Date Disclosure

Synopsis

It is possible to determine the exact time set on the remote host.

Description

The remote host answers to an ICMP timestamp request. This allows an attacker to know the date that is set on the targeted machine, which may assist an unauthenticated, remote attacker in defeating time-based authentication protocols.

Timestamps returned from machines running Windows Vista / 7 / 2008 / 2008 R2 are deliberately incorrect, but usually within 1000 seconds of the actual system time.

Solution

Filter out the ICMP timestamp requests (13), and the outgoing ICMP timestamp replies (14).

Risk Factor

Low

CVSS v2.0 Base Score

2.1 (CVSS2#AV:L/AC:L/Au:N/C:P/I:N/A:N)

References

- CVE [CVE-1999-0524](#)
- XREF [CWE:200](#)

Plugin Information

Published: 1999/08/01, Modified: 2024/10/07

Plugin Output

icmp/0

```
The remote clock is synchronized with the local clock.
```

141394 - Apache HTTP Server Installed (Linux)

Synopsis

The remote host has Apache HTTP Server software installed.

Description

Apache HTTP Server is installed on the remote Linux host.

See Also

<https://httpd.apache.org/>

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0530

Plugin Information

Published: 2020/10/12, Modified: 2025/08/19

Plugin Output

tcp/0

Path : /usr/sbin/apache2
Version : 2.4.38
Associated Package : apache2-bin: /usr/sbin/apache2
Managed by OS : True
Running : yes

Configs found :
- /etc/apache2/apache2.conf

Loaded modules :
- libphp7.3
- mod_access_compat
- mod_alias
- mod_auth_basic
- mod_authn_core
- mod_authn_file
- mod_authz_core
- mod_authz_host
- mod_authz_user
- mod_autoindex
- mod_deflate
- mod_dir
- mod_env
- mod_filter
- mod_mime
- mod_mpm_prefork
- mod_negotiation
- mod_reqtimeout
- mod_setenvif
- mod_status

142640 - Apache HTTP Server Site Enumeration

Synopsis

The remote host is hosting websites using Apache HTTP Server.

Description

Domain names and IP addresses from Apache HTTP Server configuration file were retrieved from the remote host. Apache HTTP Server is a webserver environment written in C. Note: Only Linux- and Unix-based hosts are currently supported by this plugin.

See Also

<https://httpd.apache.org/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2020/11/09, Modified: 2025/07/14

Plugin Output

tcp/0

Sites and configs present in /usr/sbin/apache2 Apache installation:
- following sites are present in /etc/apache2/apache2.conf Apache config file:
+ - *:80

48204 - Apache HTTP Server Version

Synopsis

It is possible to obtain the version number of the remote Apache HTTP server.

Description

The remote host is running the Apache HTTP Server, an open source web server. It was possible to read the version number from the banner.

See Also

<https://httpd.apache.org/>

Solution

n/a

Risk Factor

None

References

XREF	IAVT:0001-T-0030
XREF	IAVT:0001-T-0530

Plugin Information

Published: 2010/07/30, Modified: 2023/08/17

Plugin Output

tcp/80/www

URL : http://10.67.253.121/
Version : 2.4.99
Source : Server: Apache/2.4.38 (Debian)
backported : 1
os : ConvertedDebian

34098 - BIOS Info (SSH)

Synopsis

BIOS info could be read.

Description

Using SMBIOS and UEFI, it was possible to get BIOS info.

Solution

N/A

Risk Factor

None

Plugin Information

Published: 2008/09/08, Modified: 2024/02/12

Plugin Output

tcp/0

Version : VirtualBox
Vendor : innotek GmbH
Release Date : 12/01/2006
UUID : 105acdc8-db78-7c42-8a6f-91cb239d49f7
Secure boot : disabled

39520 - Backported Security Patch Detection (SSH)

Synopsis

Security patches are backported.

Description

Security patches may have been 'backported' to the remote SSH server without changing its version number.

Banner-based checks have been disabled to avoid false positives.

Note that this test is informational only and does not denote any security problem.

See Also

https://access.redhat.com/security/updates/backporting/?sc_cid=3093

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/06/25, Modified: 2015/07/07

Plugin Output

tcp/22/ssh

Local checks have been enabled.

39521 - Backported Security Patch Detection (WWW)

Synopsis

Security patches are backported.

Description

Security patches may have been 'backported' to the remote HTTP server without changing its version number.

Banner-based checks have been disabled to avoid false positives.

Note that this test is informational only and does not denote any security problem.

See Also

https://access.redhat.com/security/updates/backporting/?sc_cid=3093

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/06/25, Modified: 2015/07/07

Plugin Output

tcp/80/www

Local checks have been enabled.

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>
<https://nvd.nist.gov/products/cpe>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2010/04/21, Modified: 2025/07/14

Plugin Output

tcp/0

The remote operating system matched the following CPE :

cpe:/o:debian:debian_linux:10 -> Debian Linux

Following application CPE's matched on the remote system :

cpe:/a:apache:http_server:2.4.38 -> Apache Software Foundation Apache HTTP Server
cpe:/a:apache:http_server:2.4.99 -> Apache Software Foundation Apache HTTP Server
cpe:/a:gnupg:libgcrypt:1.8.4 -> GnuPG Libgcrypt
cpe:/a:haxx:libcurl:7.64.0 -> Haxx libcurl
cpe:/a:jquery:jquery:1.10.2 -> jQuery
cpe:/a:mariadb:mariadb:10.3.27 -> MariaDB for Node.js
cpe:/a:openbsd:openssh:7.9 -> OpenBSD OpenSSH
cpe:/a:openbsd:openssh:7.9p1 -> OpenBSD OpenSSH
cpe:/a:openssl:openssl:1.1.1d -> OpenSSL Project OpenSSL
cpe:/a:php:php:7.3.29 -> PHP PHP
cpe:/a:tukaani:xz:5.2.4 -> Tukaani XZ
cpe:/a:vim:vim:8.1 -> Vim

55472 - Device Hostname

Synopsis

It was possible to determine the remote system hostname.

Description

This plugin reports a device's hostname collected via SSH or WMI.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/06/30, Modified: 2025/07/28

Plugin Output

tcp/0

Hostname : doubletrouble
doubletrouble (hostname command)

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/05/23, Modified: 2025/03/12

Plugin Output

tcp/0

Remote device type : general-purpose
Confidence level : 100

25203 - Enumerate IPv4 Interfaces via SSH

Synopsis

Nessus was able to enumerate the IPv4 interfaces on the remote host.

Description

Nessus was able to enumerate the network interfaces configured with IPv4 addresses by connecting to the remote host via SSH using the supplied credentials.

Solution

Disable any unused IPv4 interfaces.

Risk Factor

None

Plugin Information

Published: 2007/05/11, Modified: 2025/04/28

Plugin Output

tcp/0

The following IPv4 addresses are set on the remote host :

- 127.0.0.1 (on interface lo)
- 10.67.253.121 (on interface enp0s3)

25202 - Enumerate IPv6 Interfaces via SSH

Synopsis

Nessus was able to enumerate the IPv6 interfaces on the remote host.

Description

Nessus was able to enumerate the network interfaces configured with IPv6 addresses by connecting to the remote host via SSH using the supplied credentials.

Solution

Disable IPv6 if you are not actually using it. Otherwise, disable any unused IPv6 interfaces.

Risk Factor

None

Plugin Information

Published: 2007/05/11, Modified: 2025/04/28

Plugin Output

tcp/0

The following IPv6 interfaces are set on the remote host :

- ::1 (on interface lo)
- 2409:40c0:58:977c:a00:27ff:fe46:a85c (on interface enp0s3)
- fe80::a00:27ff:fe46:a85c (on interface enp0s3)

33276 - Enumerate MAC Addresses via SSH

Synopsis

Nessus was able to enumerate MAC addresses on the remote host.

Description

Nessus was able to enumerate MAC addresses by connecting to the remote host via SSH with the supplied credentials.

Solution

Disable any unused interfaces.

Risk Factor

None

Plugin Information

Published: 2008/06/30, Modified: 2022/12/20

Plugin Output

tcp/0

The following MAC address exists on the remote host :

- 08:00:27:46:a8:5c (interface enp0s3)

170170 - Enumerate the Network Interface configuration via SSH

Synopsis

Nessus was able to parse the Network Interface data on the remote host.

Description

Nessus was able to parse the Network Interface data on the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/01/19, Modified: 2025/02/11

Plugin Output

tcp/0

```
lo:
IPv4:
- Address : 127.0.0.1
Netmask : 255.0.0.0
IPv6:
- Address : ::1
Prefixlen : 128
Scope : host
enp0s3:
MAC : 08:00:27:46:a8:5c
IPv4:
- Address : 10.67.253.121
Netmask : 255.255.255.0
Broadcast : 10.67.253.255
IPv6:
- Address : 2409:40c0:58:977c:a00:27ff:fe46:a85c
Prefixlen : 64
Scope : global
- Address : fe80::a00:27ff:fe46:a85c
Prefixlen : 64
Scope : link
```

179200 - Enumerate the Network Routing configuration via SSH

Synopsis

Nessus was able to retrieve network routing information from the remote host.

Description

Nessus was able to retrieve network routing information the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/08/02, Modified: 2023/08/02

Plugin Output

tcp/0

```
Gateway Routes:
enp0s3:
ipv4_gateways:
10.67.253.238:
subnets:
- 0.0.0.0/0
ipv6_gateways:
fe80::4a2:97ff:fec8:6a88:
subnets:
- ::/0
Interface Routes:
enp0s3:
ipv4_subnets:
- 10.67.253.0/24
ipv6_subnets:
- 2409:40c0:58:977c::/64
- fe80::/64
```

168980 - Enumerate the PATH Variables

Synopsis

Enumerates the PATH variable of the current scan user.

Description

Enumerates the PATH variables of the current scan user.

Solution

Ensure that directories listed here are in line with corporate policy.

Risk Factor

None

Plugin Information

Published: 2022/12/21, Modified: 2025/07/28

Plugin Output

tcp/0

```
Nessus has enumerated the path of the current scan user :  
  
/usr/local/sbin  
/usr/local/bin  
/usr/sbin  
/usr/bin  
/sbin  
/bin
```

35716 - Ethernet Card Manufacturer Detection -

Synopsis

The manufacturer can be identified from the Ethernet OUI.

Description

Each ethernet MAC address starts with a 24-bit Organizationally Unique Identifier (OUI). These OUIs are registered by IEEE.

See Also

<https://standards.ieee.org/faqs/regauth.html>
<http://www.nessus.org/u?794673b4>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/02/19, Modified: 2020/05/13

Plugin Output

tcp/0

```
The following card manufacturers were identified :  
  
08:00:27:46:A8:5C : PCS Systemtechnik GmbH
```

86420 - Ethernet MAC Addresses -

Synopsis

This plugin gathers MAC addresses from various sources and consolidates them into a list.

Description

This plugin gathers MAC addresses discovered from both remote probing of the host (e.g. SNMP and Netbios) and from running local checks (e.g. ifconfig). It then consolidates the MAC addresses into a single, unique, and uniform list.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2015/10/16, Modified: 2025/06/10

Plugin Output

tcp/0

The following is a consolidated list of detected MAC addresses:
- 08:00:27:46:A8:5C

10107 - HTTP Server Type and Version

-

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/80/www

The remote web server type is :
Apache/2.4.38 (Debian)

24260 - HyperText Transfer Protocol (HTTP) Information

-

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/01/30, Modified: 2024/02/26

Plugin Output

tcp/80/www

Response Code : HTTP/1.1 200 OK

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : no
Keep-Alive : yes
Options allowed : (Not implemented)
Headers :

Date: Tue, 25 Nov 2025 15:29:25 GMT
Server: Apache/2.4.38 (Debian)
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Vary: Accept-Encoding
Content-Length: 5803
Keep-Alive: timeout=5, max=100
Connection: Keep-Alive
Content-Type: text/html; charset=utf-8

Response Body :

```
<!DOCTYPE html>
<!--[if IE 8]> <html lang="en" class="ie8 no-js"> <![endif]-->
<!--[if IE 9]> <html lang="en" class="ie9 no-js"> <![endif]-->
<!--[if !IE]><!-->
<html lang="en" class="no-js">
<!--<![endif]-->
<!-- BEGIN HEAD -->
<head>
<title>qdPM | Login</title>

<meta charset="utf-8"/>
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
<meta name="MobileOptimized" content="320">

<!-- BEGIN GLOBAL MANDATORY STYLES -->
<link rel="stylesheet" type="text/css" media="screen" href="/template/plugins/font-awesome/css/font-awesome.min.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/plugins/bootstrap/css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/plugins/uniform/css/uniform.default.css" />
<!-- END GLOBAL MANDATORY STYLES -->
<!-- BEGIN THEME STYLES -->
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/style-conquer.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/style.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/style-responsive.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/plugins.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/themes/default.css" id="style_color" />
<link rel="stylesheet" type="text/css" media="screen" href="/template/css/pages/login.css" />

<!-- END THEME STYLES -->

<link rel="stylesheet" type="text/css" media="screen" href="/css/app.css" />
<link rel="stylesheet" type="text/css" media="screen" href="/css/skins/default/default.css" />

<script type="text/javascript" src="/template/plugins/jquery-1.10.2.min.js"></script>

<link rel="shortcut icon" href="/favicon.ico" />
<link rel="apple-touch-icon" href="/favicon.png" />

</head>
<body class="login">

<div class="login-fade-in"></div>

<div class="login-page-logo">

DoubleTrouble
</div>
<!-- BEGIN LOGIN -->
<div class="content">

<form class="login-form" name="loginForm" id="loginForm" action="http://10.67.253.121/index.php/login" method="POST">

<input type="hidden" name="login[_csrf_token]" value="6521bf91dfc118067bb3473070a9380a" id="login_csrf_token" />
<h3 class="form-title">Welcome to qdPM</h3>

<div></div>

<div class="form-group">
<!--ie8, ie9 does not support html5 placeholder, so we just show field title for that-->
<label class="control-label visible-ie8 visible-ie9">Email</label>
<div class="input-icon">
<i class="fa fa-envelope"></i>
<input class="form-control placeholder-no-fix required email" type="text" autocomplete="off" placeholder="Email"
name="login[email]"/>
</div>
</div>

<div class="form-group">
<label class="control-label visible-ie8 visible-ie9">Password</label>
<div class="input-icon">
<i class="fa fa-lock"></i>
<input class="form-control placeholder-no-fix required" type="password" autocomplete="off" placeholder="Password">
</div>
</div>
</div>
</div>
</div>
```

```
name="login[password]"/>
</div>
</div>

<div class="form-actions">

<label class="checkbox"> <input type="checkbox" name="remember_me" value="1" id="remember_me" />Remember Me</label>

<button type="submit" class="btn btn-info pull-right">Login </button>
</div>

<div class="forget-password">
<p><a href="/index.php/login/restorePassword">Password forgotten?</a></p>
</div>

<input type="hidden" name="http_referer" value="http://10.67.253.121/" id="http_referer" />
</form>

<script type="text/javascript">
$(document).ready(function(){
$.extend($.validator.messages, {required: 'This field is required!',email: 'Please enter a valid email address.'});

$("#loginForm").validate({ignore:''});
});
</script>

</div>

<div class="copyright">
<a href="http://qdpn.net" target="_blank">qdpn 9.1</a> <br> Copyright &copy; 2025 <a href="http://qdpn.net"
target="_blank">qdpn.net</a>
</div>

<!-- BEGIN JAVASCRIPTS(Load javascripts at bottom, this will reduce page load time) -->
<!-- BEGIN CORE PLUGINS -->
<!--[if lt IE 9]>
<script type="text/javascript" src="/template/plugins/respond.min.js"></script>
<script type="text/javascript" src="/template/plugins/excanvas.min.js"></script>
<![endif]>

<script type="text/javascript" src="/template/plugins/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="/template/plugins/bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="/template/plugins/bootstrap-hover-dropdown/twitter-bootstrap-hover-dropdown.min.js"></script>
<script type="text/javascript" src="/template/plugins/jquery-slimscroll/jquery.slimscroll.min.js"></script>
<script type="text/javascript" src="/template/plugins/jquery.blockui.min.js"></script>
<script type="text/javascript" src="/template/plugins/jquery.cookie.min.js"></script>
<script type="text/javascript" src="/template/plugins/uniform/jquery.uniform.min.js"></script>
<!-- END CORE PLUGINS -->

<script type="text/javascript" src="/template/plugins/jquery-validation/dist/jquery.validate.min.js"></script>
<script type="text/javascript" src="/template/plugins/jquery-validation/dist/additional-methods.min.js"></script>

<script type="text/javascript" src="/template/scripts/app.js"></script>

<script>
jQuery(document).ready(function() {
App.init();

});

</script>

<script type="text/javascript" src="/js/app.js"></script>
<!-- END JAVASCRIPTS -->

</body>
</html>
```

171410 - IP Assignment Method Detection

Synopsis

Enumerates the IP address assignment method(static/dynamic).

Description

Enumerates the IP address assignment method(static/dynamic).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/02/14, Modified: 2025/07/28

Plugin Output

tcp/0

```
+ lo
+ IPv4
- Address : 127.0.0.1
Assign Method : static
+ IPv6
- Address : ::1
Assign Method : static
+ enp0s3
+ IPv4
- Address : 10.67.253.121
Assign Method : dynamic
+ IPv6
- Address : 2409:40c0:58:977c:a00:27ff:fe46:a85c
Assign Method : dynamic
- Address : fe80::a00:27ff:fe46:a85c
Assign Method : static
```

106658 - JQuery Detection

Synopsis

The web server on the remote host uses JQuery.

Description

Nessus was able to detect JQuery on the remote host.

See Also

<https://jquery.com/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2018/02/07, Modified: 2024/02/08

Plugin Output

tcp/80/www

```
URL : http://10.67.253.121/template/plugins/jquery-1.10.2.min.js
Version : 1.10.2
```

151883 - Libgcrypt Installed (Linux/UNIX)

Synopsis

Libgcrypt is installed on this host.

Description

Libgcrypt, a cryptography library, was found on the remote host.

See Also

<https://gnupg.org/download/index.html>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2021/07/21, Modified: 2025/07/28

Plugin Output

tcp/0

```
Nessus detected 4 installs of Libgcrypt:

Path : /usr/lib/x86_64-linux-gnu/libgcrypt.so.20.2.4
Version : 1.8.4

Path : /usr/lib/x86_64-linux-gnu/libgcrypt.so.20
Version : 1.8.4

Path : /lib/x86_64-linux-gnu/libgcrypt.so.20.2.4
Version : 1.8.4

Path : /lib/x86_64-linux-gnu/libgcrypt.so.20
Version : 1.8.4
```

157358 - Linux Mounted Devices

Synopsis

Use system commands to obtain the list of mounted devices on the target machine at scan time.

Description

Report the mounted devices information on the target machine at scan time using the following commands.
/bin/df -h /bin/lsblk /bin/mount -l

This plugin only reports on the tools available on the system and omits any tool that did not return information when the command was ran.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2022/02/03, Modified: 2023/11/27

Plugin Output

tcp/0

```
$ df -h
Filesystem Size Used Avail Use% Mounted on
udev 480M 0 480M 0% /dev
tmpfs 99M 3.0M 96M 3% /run
/dev/sda1 1.9G 1.4G 394M 78% /
tmpfs 494M 0 494M 0% /dev/shm
tmpfs 5.0M 0 5.0M 0% /run/lock
tmpfs 494M 0 494M 0% /sys/fs/cgroup
/dev/sda8 3.9G 16M 3.6G 1% /home
/dev/sda5 939M 452M 423M 52% /var
/dev/sda7 235M 2.1M 216M 1% /tmp
tmpfs 99M 0 99M 0% /run/user/0

$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINT
sda 8:0 0 8G 0 disk
├─sda1 8:1 0 1.9G 0 part /
├─sda2 8:2 0 1K 0 part
├─sda5 8:5 0 970M 0 part /var
├─sda6 8:6 0 976M 0 part [SWAP]
├─sda7 8:7 0 246M 0 part /tmp
├─sda8 8:8 0 4G 0 part /home
sr0 11:0 1 1024M 0 rom

$ mount -l
sysfs on /sys type sysfs (rw,nosuid,nodev,noexec,relatime)
proc on /proc type proc (rw,nosuid,nodev,noexec,relatime)
udev on /dev type devtmpfs (rw,nosuid,relatime,size=490664k,nr_inodes=122666,mode=755)
devpts on /dev/pts type devpts (rw,nosuid,noexec,relatime,gid=5,mode=620,ptmxmode=000)
tmpfs on /run type tmpfs (rw,nosuid,noexec,relatime,size=101108k,mode=755)
/dev/sda1 on / type ext4 (rw,relatime,errors=remount-ro)
securityfs on /sys/kernel/security type securityfs (rw,nosuid,nodev,noexec,relatime)
tmpfs on /dev/shm type tmpfs (rw,nosuid,nodev)
tmpfs on /run/lock type tmpfs (rw,nosuid,nodev,noexec,relatime,size=5120k)
tmpfs on /sys/fs/cgroup type tmpfs (ro,nosuid,nodev,noexec,mode=755)
cgroup2 on /sys/fs/cgroup/unified type cgroup2 (rw,nosuid,nodev,noexec,relatime,nsdelegate)
cgroup on /sys/fs/cgroup/systemd type cgroup (rw,nosuid,nodev,noexec,relatime,xattr,name=systemd)
pstore on /sys/fs/pstore type pstore (rw,nosuid,nodev,noexec,relatime)
```

```
bpf on /sys/fs/bpf type bpf (rw,nosuid,nodev,noexec,relatime,mode=700)
cgroup on /sys/fs/cgroup/freezer type cgroup (rw,nosuid,nodev,noexec,relatime,freezer)
cgroup on /sys/fs/cgroup/devices type cgroup (rw,nosuid,nodev,noexec,relatime,devices)
cgroup on /sys/fs/cgroup/net_cls,net_prio type cgroup (rw,nosuid,nodev,noexec,relatime,net_cls,net_prio)
cgroup on /sys/fs/cgroup/perf_event type cgroup (rw,nosuid,nodev,noexec,relatime,perf_event)
cgroup on /sys/fs/cgroup/pids type cgroup (rw,nosuid,nodev,noexec,relatime,pids)
cgroup on /sys/fs/cgroup/memory type cgroup (rw,nosuid,nodev,noexec,relatime,memory)
cgroup on /sys/fs/cgroup/cpu,cpuacct type cgroup (rw,nosuid,nodev,noexec,relatime,cpu,cpuacct)
cgroup on /sys/fs/cgroup/rdma type cgroup (rw,nosuid,nodev,noexec,relatime,rdma)
cgroup on /sys/fs/cgroup/blkio type cgroup (rw,nosuid,nodev,noexec,relatime,blkio)
cgroup on /sys/fs/cgroup/cpuset type cgroup (rw,nosuid,nodev,noexec,relatime,cpuset)
systemd-1 on /proc/sys/fs/binfmt_misc type autofs (rw,relatime,fd=29,pgrp=1,timeout=0,minproto=5,maxproto=5,direct,pipe_ino=10284)
mqueue on /dev/mqueue type mqueue (rw,relatime)
hugetlbfs on /dev/hugepages type hugetlbfs (rw,relatime,pagesize=2M)
debugfs on /sys/kernel/debug type debugfs (rw,relatime)
/dev/sda8 on /home type ext4 (rw,relatime)
/dev/sda5 on /var type ext4 (rw,relatime)
/dev/sda7 on /tmp type ext4 (rw,relatime)
tmpfs on /run/user/0 type tmpfs (rw,nosuid,nodev,relatime,size=101104k,mode=700)
```

193143 - Linux Time Zone Information

Synopsis

Nessus was able to collect and report time zone information from the remote host.

Description

Nessus was able to collect time zone information from the remote Linux host.

Solution

None

Risk Factor

None

Plugin Information

Published: 2024/04/10, Modified: 2024/04/10

Plugin Output

tcp/0

```
Via date: CST -0600
Via timedatectl: Time zone: US/Central (CST, -0600)
Via /etc/timezone: US/Central
Via /etc/localtime: CST6CDT,M3.2.0,M11.1.0
```

95928 - Linux User List Enumeration

Synopsis

Nessus was able to enumerate local users and groups on the remote Linux host.

Description

Using the supplied credentials, Nessus was able to enumerate the local users and groups on the remote Linux host.

Solution

None

Risk Factor

None

Plugin Information

Published: 2016/12/19, Modified: 2025/03/26

Plugin Output

tcp/0

```
-----[ User Accounts ]-----

User : yashp
Home folder : /home/yashp
```

```
Start script : /bin/bash
Groups : yashp
sudo
```

```
-----[ System Accounts ]-----
```

```
User : root
Home folder : /root
Start script : /bin/bash
Groups : root
```

```
User : daemon
Home folder : /usr/sbin
Start script : /usr/sbin/nologin
Groups : daemon
```

```
User : bin
Home folder : /bin
Start script : /usr/sbin/nologin
Groups : bin
```

```
User : sys
Home folder : /dev
Start script : /usr/sbin/nologin
Groups : sys
```

```
User : sync
Home folder : /bin
Start script : /bin/sync
Groups : nogroup
```

```
User : games
Home folder : /usr/games
Start script : /usr/sbin/nologin
Groups : games
```

```
User : man
Home folder : /var/cache/man
Start script : /usr/sbin/nologin
Groups : man
```

```
User : lp
Home folder : /var/spool/lpd
Start script : /usr/sbin/nologin
Groups : lp
```

```
User : mail
Home folder : /var/mail
Start script : /usr/sbin/nologin
Groups : mail
```

```
User : news
Home folder : /var/spool/news
Start script : /usr/sbin/nologin
Groups : news
```

```
User : uucp
Home folder : /var/spool/uucp
Start script : /usr/sbin/nologin
Groups : uucp
```

```
User : proxy
Home folder : /bin
Start script : /usr/sbin/nologin
Groups : proxy
```

```
User : www-data
Home folder : /var/www
Start script : /usr/sbin/nologin
Groups : www-data
```

```
User : backup
Home folder : /var/backups
Start script : /usr/sbin/nologin
Groups : backup
```

```
User : list
Home folder : /var/list
Start script : /usr/sbin/nologin
Groups : list
```

```
User : irc
Home folder : /var/run/ircd
Start script : /usr/sbin/nologin
Groups : irc
```

```
User : gnats
Home folder : /var/lib/gnats
Start script : /usr/sbin/nologin
Groups : gnats
```

```
User : nobody
Home folder : /nonexistent
Start script : /usr/sbin/nologin
Groups : nogroup
```

```
User : _apt
Home folder : /nonexistent
Start script : /usr/sbin/nologin
```



```
Groups : nogroup

User : systemd-timesync
Home folder : /run/systemd
Start script : /usr/sbin/nologin
Groups : systemd-timesync

User : systemd-network
Home folder : /run/systemd
Start script : /usr/sbin/nologin
Groups : systemd-network

User : systemd-resolve
Home folder : /run/systemd
Start script : /usr/sbin/nologin
Groups : systemd-resolve

User : messagebus
Home folder : /nonexistent
Start script : /usr/sbin/nologin
Groups : messagebus

User : sshd
Home folder : /run/sshd
Start script : /usr/sbin/nologin
Groups : nogroup

User : systemd-coredump
Home folder : /
Start script : /usr/sbin/nologin
Groups : systemd-coredump

User : mysql
Home folder : /nonexistent
Start script : /bin/false
Groups : mysql

-----[ Domain Accounts ]-----
```

130626 - MariaDB Client/Server Installed (Linux)

Synopsis

One or more MariaDB server or client versions are available on the remote Linux host.

Description

One or more MariaDB server or client versions have been detected on the remote Linux host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2019/11/08, Modified: 2025/07/14

Plugin Output

tcp/0

```
Path : mariadb-client-10.3 (via package manager)
Version : 10.3.27
Managed : 1
Product : MariaDB Client
```

tcp/0

```
Path : mariadb-server-10.3 (via package manager)
Version : 10.3.27
Managed : 1
Product : MariaDB Server
```

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2025/06/25

Plugin Output

tcp/0

```
Information about this scan :

Nessus version : 10.9.3
Nessus build : 20023
Plugin feed version : 202508200628
Scanner edition used : Nessus

ERROR: Your plugins have not been updated since 2025/8/20
Performing a scan with an older plugin set will yield out-of-date results and
produce an incomplete audit. Please run nessus-update-plugins to get the
newest vulnerability checks from Nessus.org.

Scanner OS : LINUX
Scanner distribution : ubuntu1604-x86-64
Scan type : Normal
Scan name : Double Trouble
Scan policy used : Advanced Scan
Scanner IP : 10.67.253.33
Port scanner(s) : netstat
Port range : 65535
Ping RTT : 161.913 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialed checks : yes, as 'root' via ssh
Attempt Least Privilege : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 100
Max checks : 5
Recv timeout : 5
Backports : Detected
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/11/25 15:28 UTC
Scan duration : 392 sec
Scan for malware : no
```

64582 - Netstat Connection Information

-

Synopsis

Nessus was able to parse the results of the 'netstat' command on the remote host.

Description

The remote host has listening ports or established connections that Nessus was able to extract from the results of the 'netstat' command.

Note: The output for this plugin can be very long, and is not shown by default. To display it, enable verbose reporting in scan settings.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2013/02/13, Modified: 2023/05/23

Plugin Output

tcp/0

14272 - Netstat Portscanner (SSH) -

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/22/ssh

Port 22/tcp was found to be open

14272 - Netstat Portscanner (SSH) -

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/68

Port 68/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/80/www

Port 80/tcp was found to be open

33851 - Network daemons not managed by the package system

Synopsis

Some daemon processes on the remote host are associated with programs that have been installed manually.

Description

Some daemon processes on the remote host are associated with programs that have been installed manually.

System administration best practice dictates that an operating system's native package management tools be used to manage software installation, updates, and removal whenever possible.

Solution

Use packages supplied by the operating system vendor whenever possible.

And make sure that manual software installation agrees with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information

Published: 2008/08/08, Modified: 2024/03/06

Plugin Output

tcp/0

The following running daemon is not managed by dpkg :

/usr/sbin/dhclient

209654 - OS Fingerprints Detected

Synopsis

Multiple OS fingerprints were detected.

Description

Using a combination of remote probes (TCP/IP, SMB, HTTP, NTP, SNMP, etc), it was possible to gather one or more fingerprints from the remote system. While the highest-confidence result was reported in plugin 11936, "OS Identification", the complete set of fingerprints detected are reported here.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2025/02/26, Modified: 2025/03/03

Plugin Output

tcp/0

Following OS Fingerprints were found

Remote operating system : Ubuntu 18.04 Linux Kernel 4.15
Confidence level : 56
Method : MLSinFP
Type : unknown
Fingerprint : unknown

Remote operating system : Linux Kernel 4.19.0-13-amd64
Confidence level : 99
Method : uname
Type : general-purpose
Fingerprint : uname:Linux doubletrouble 4.19.0-13-amd64 #1 SMP Debian 4.19.160-2 (2020-11-28) x86_64 GNU/Linux

Remote operating system : Linux Kernel 2.6
Confidence level : 65
Method : SinFP
Type : general-purpose
Fingerprint : SinFP:
P1:B10113:F0x12:W64240:00204ffff:M1460:
P2:B10113:F0x12:W65160:00204ffff0402080affffffff4445414401030307:M1460:
P3:B00000:F0x00:W0:00:M0
P4:191303_7_p=22

Remote operating system : Linux Kernel 4.19.0-13-amd64 on Debian 10.7
Confidence level : 100
Method : LinuxDistribution
Type : general-purpose
Fingerprint : unknown

Following fingerprints could not be used to determine OS :
SSH:!:SSH-2.0-OpenSSH_7.9p1 Debian-10+deb10u2
HTTP:!:Server: Apache/2.4.38 (Debian)

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2003/12/09, Modified: 2025/06/03

Plugin Output

tcp/0

Remote operating system : Linux Kernel 4.19.0-13-amd64 on Debian 10.7
Confidence level : 100
Method : LinuxDistribution

The remote host is running Linux Kernel 4.19.0-13-amd64 on Debian 10.7

97993 - OS Identification and Installed Software Enumeration over SSH v2 (Using New SSH Library)

-

Synopsis

Information about the remote host can be disclosed via an authenticated session.

Description

Nessus was able to login to the remote host using SSH or local commands and extract the list of installed packages.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2017/05/30, Modified: 2025/02/11

Plugin Output

tcp/0

It was possible to log into the remote host via SSH using 'password' authentication.

The output of "uname -a" is :
Linux doubletrouble 4.19.0-13-amd64 #1 SMP Debian 4.19.160-2 (2020-11-28) x86_64 GNU/Linux

Local checks have been enabled for this host.
The remote Debian system is :
10.7

OS Security Patch Assessment is available for this host.
Runtime : 5.474821 seconds

117887 - OS Security Patch Assessment Available

-

Synopsis

Nessus was able to log in to the remote host using the provided credentials and enumerate OS security patch levels.

Description

Nessus was able to determine OS security patch levels by logging into the remote host and running commands to determine the version of the operating system and its components. The remote host was identified as an operating system or device that Nessus supports for patch and update assessment. The necessary information was obtained to perform these checks.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-0516

Plugin Information

Published: 2018/10/02, Modified: 2021/07/12

Plugin Output

tcp/0

OS Security Patch Assessment is available.

Account : root
Protocol : SSH

181418 - OpenSSH Detection

Synopsis

An OpenSSH-based SSH server was detected on the remote host.

Description

An OpenSSH-based SSH server was detected on the remote host.

See Also

<https://www.openssh.com/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/09/14, Modified: 2025/08/19

Plugin Output

tcp/22/ssh

Service : ssh
Version : 7.9p1
Banner : SSH-2.0-OpenSSH_7.9p1 Debian-10+deb10u2

168007 - OpenSSL Installed (Linux)

Synopsis

OpenSSL was detected on the remote Linux host.

Description

OpenSSL was detected on the remote Linux host.

The plugin timeout can be set to a custom value other than the plugin's default of 15 minutes via the 'timeout.168007' scanner setting in Nessus 8.15.1 or later.

Please see <https://docs.tenable.com/nessus/Content/SettingsAdvanced.htm#Custom> for more information.

Note: This plugin leverages the '-maxdepth' find command option, which is a feature implemented by the GNU find binary. If the target does not support this option, such as HP-UX and AIX devices, users will need to enable 'thorough tests' in their scan policy to run the find command without using a '-maxdepth' argument.

See Also

<https://openssl.org/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2022/11/21, Modified: 2025/07/28

Plugin Output

tcp/0

```
Nessus detected 3 installs of OpenSSL:

Path : /usr/lib/x86_64-linux-gnu/libssl.so.1.1
Version : 1.1.1d
Associated Package : libssl1.1

Path : /usr/lib/x86_64-linux-gnu/libcrypto.so.1.1
Version : 1.1.1d
Associated Package : libssl1.1

Path : /usr/bin/openssl
Version : 1.1.1d
Associated Package : openssl 1.1.1d-0
Managed by OS : True
```

216936 - PHP Scripting Language Installed (Unix)

Synopsis

The PHP scripting language is installed on the remote Unix host.

Description

The PHP scripting language is installed on the remote Unix host.

Note: Enabling the 'Perform thorough tests' setting will search the file system much more broadly. Thorough test is required to get results on hosts running MacOS.

See Also

<https://www.php.net>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2024/06/13, Modified: 2025/07/28

Plugin Output

tcp/0

```
Path : /usr/bin/php7.3
Version : 7.3.29
Associated Package : php7.3-cli: /usr/bin/php7.3
INI file : /etc/php/7.3/cli/php.ini
INI source : PHP binary grep
Managed by OS : True
```

179139 - Package Manager Packages Report (nix)

Synopsis

Reports details about packages installed via package managers.

Description

Reports details about packages installed via package managers

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/08/01, Modified: 2025/05/07

Plugin Output

tcp/0

Successfully retrieved and stored package data.

66334 - Patch Report

-

Synopsis

The remote host is missing several patches.

Description

The remote host is missing one or more security patches. This plugin lists the newest version of each patch to install to make sure the remote host is up-to-date.

Note: Because the 'Show missing patches that have been superseded' setting in your scan policy depends on this plugin, it will always run and cannot be disabled.

Solution

Install the patches listed below.

Risk Factor

None

Plugin Information

Published: 2013/07/08, Modified: 2025/08/12

Plugin Output

tcp/0

. You need to take the following 61 actions :

[Debian DSA-4822-1 : p11-kit - security update (144691)]

+ Action to take : Upgrade the p11-kit packages.

For the stable distribution (buster), these problems have been fixed in version 0.23.15-2+deb10u1.

+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian DSA-4843-1 : linux - security update (146052)]

+ Action to take : Upgrade the linux packages.

For the stable distribution (buster), these problems have been fixed in version 4.19.171-2.

+Impact : Taking this action will resolve 11 different vulnerabilities (CVEs).

[Debian DSA-4856-1 : php7.3 - security update (146613)]

+ Action to take : Upgrade the php7.3 packages.

For the stable distribution (buster), these problems have been fixed in version 7.3.27-1~deb10u1.

+Impact : Taking this action will resolve 5 different vulnerabilities (CVEs).

[Debian DSA-4860-1 : openldap - security update (146786)]

+ Action to take : Upgrade the openldap packages.

For the stable distribution (buster), this problem has been fixed in version 2.4.47+dfsg-3+deb10u6.

+Impact : Taking this action will resolve 11 different vulnerabilities (CVEs).

[Debian DSA-4875-1 : openssl - security update (148170)]

+ Action to take : Upgrade the openssl packages.

For the stable distribution (buster), this problem has been fixed in version 1.1.1d-0+deb10u6.

+Impact : Taking this action will resolve 4 different vulnerabilities (CVEs).

[Debian DSA-4919-1 : lz4 - security update (149855)]

+ Action to take : Upgrade the lz4 packages.

For the stable distribution (buster), this problem has been fixed in version 1.8.3-1+deb10u1.

[Debian DSA-4920-1 : libx11 - security update (149897)]

+ Action to take : Upgrade the libx11 packages.

For the stable distribution (buster), this problem has been fixed in version 2:1.6.7-1+deb10u2.

[Debian DSA-4933-1 : nettle - security update (150905)]

+ Action to take : Upgrade the nettle packages.

For the stable distribution (buster), these problems have been fixed in version 3.4.1-1+deb10u1.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian DSA-5014-1 : icu - security update (155709)]

+ Action to take : Upgrade the icu packages.

[Debian DSA-5087-1 : cyrus-sasl2 - security update (158509)]

+ Action to take : Upgrade the cyrus-sasl2 packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.1.27+dfsg-2.1+deb11u1.

[Debian DSA-5096-1 : linux - security update (158761)]

+ Action to take : Upgrade the linux packages.

+Impact : Taking this action will resolve 52 different vulnerabilities (CVEs).

[Debian DSA-5122-1 : gzip - security update (159906)]

+ Action to take : Upgrade the gzip packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.10-4+deb11u1.

[Debian DSA-5123-1 : xz-utils - security update (159904)]

+ Action to take : Upgrade the xz-utils packages.

For the stable distribution (bullseye), this problem has been fixed in version 5.2.5-2.1~deb11u1.

[Debian DSA-5140-1 : openldap - security update (161404)]

+ Action to take : Upgrade the openldap packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.4.57+dfsg-3+deb11u1.

[Debian DSA-5147-1 : dpkg - security update (161513)]

+ Action to take : Upgrade the dpkg packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.20.10.

[Debian DSA-5150-1 : rsyslog - security update (161689)]

+ Action to take : Upgrade the rsyslog packages.

For the stable distribution (bullseye), this problem has been fixed in version 8.2102.0-2+deb11u1.

[Debian DSA-5169-1 : openssl - security update (162549)]

+ Action to take : Upgrade the openssl packages.

For the stable distribution (bullseye), this problem has been fixed in version 1.1.1n-0+deb11u3.

+Impact : Taking this action will resolve 6 different vulnerabilities (CVEs).

[Debian DSA-5174-1 : gnupg2 - security update (162701)]

+ Action to take : Upgrade the gnupg2 packages.

For the stable distribution (bullseye), this problem has been fixed in version 2.2.27-2+deb11u2.

[Debian dla-3101 : libxslt1-dev - security update (164935)]

+ Action to take : Upgrade the libxslt1-dev packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3103 : lib32z1 - security update (164946)]

+ Action to take : Upgrade the lib32z1 packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3107 : lemon - security update (164992)]

+ Action to take : Upgrade the lemon packages.

+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3118 : unzip - security update (165327)]

+ Action to take : Upgrade the unzip packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3146 : isc-dhcp-client - security update (166004)]

+ Action to take : Upgrade the isc-dhcp-client packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3263 : libtasn1-6 - security update (169736)]

+ Action to take : Upgrade the libtasn1-6 packages.

[Debian dla-3332 : libaprutil1 - security update (171753)]

+ Action to take : Upgrade the libaprutil1 packages.

[Debian dla-3363 : libpcre2-16-0 - security update (172599)]

+ Action to take : Upgrade the libpcre2-16-0 packages.

+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3405 : libxml2 - security update (174964)]

+ Action to take : Upgrade the libxml2 packages.

+Impact : Taking this action will resolve 5 different vulnerabilities (CVEs).

[Debian dla-3445 : cpio - security update (176664)]

+ Action to take : Upgrade the cpio packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3456 : python-requests - security update (177421)]

+ Action to take : Upgrade the python-requests packages.

[Debian dla-3461 : libfastjson-dev - security update (177513)]

+ Action to take : Upgrade the libfastjson-dev packages.

[Debian dla-3474 : libnss-myhostname - security update (177792)]
+ Action to take : Upgrade the libnss-myhostname packages.
+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3530 : libssl-dev - security update (179900)]
+ Action to take : Upgrade the libssl-dev packages.
+Impact : Taking this action will resolve 11 different vulnerabilities (CVEs).

[Debian dla-3559 : libssh2-1 - security update (181187)]
+ Action to take : Upgrade the libssh2-1 packages.
+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3579 : elfutils - security update (181835)]
+ Action to take : Upgrade the elfutils packages.

[Debian dla-3588 : vim - security update (182369)]
+ Action to take : Upgrade the vim packages.
+Impact : Taking this action will resolve 58 different vulnerabilities (CVEs).

[Debian dla-3602 : libx11-6 - security update (182584)]
+ Action to take : Upgrade the libx11-6 packages.
+Impact : Taking this action will resolve 4 different vulnerabilities (CVEs).

[Debian dla-3605 : grub-common - security update (182650)]
+ Action to take : Upgrade the grub-common packages.
+Impact : Taking this action will resolve 11 different vulnerabilities (CVEs).

[Debian dla-3626 : krb5-admin-server - security update (183680)]
+ Action to take : Upgrade the krb5-admin-server packages.
+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3628 : dbus - security update (183747)]
+ Action to take : Upgrade the dbus packages.
+Impact : Taking this action will resolve 4 different vulnerabilities (CVEs).

[Debian dla-3649 : python-urllib3 - security update (185377)]
+ Action to take : Upgrade the python-urllib3 packages.
+Impact : Taking this action will resolve 8 different vulnerabilities (CVEs).

[Debian dla-3682 : lib32ncurses-dev - security update (186526)]
+ Action to take : Upgrade the lib32ncurses-dev packages.
+Impact : Taking this action will resolve 4 different vulnerabilities (CVEs).

[Debian dla-3694 : openssh-client - security update (214473)]
+ Action to take : Upgrade the openssh-client packages.
+Impact : Taking this action will resolve 4 different vulnerabilities (CVEs).

[Debian dla-3722 : libmariadb-dev - security update (189721)]
+ Action to take : Upgrade the libmariadb-dev packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3732 : sudo - security update (189972)]

+ Action to take : Upgrade the sudo packages.

+Impact : Taking this action will resolve 5 different vulnerabilities (CVEs).

[Debian dla-3740 : gnutls-bin - security update (190998)]

+ Action to take : Upgrade the gnutls-bin packages.

+Impact : Taking this action will resolve 5 different vulnerabilities (CVEs).

[Debian dla-3755 : tar - security update (191776)]

+ Action to take : Upgrade the tar packages.

[Debian dla-3763 : curl - security update (192185)]

+ Action to take : Upgrade the curl packages.

+Impact : Taking this action will resolve 32 different vulnerabilities (CVEs).

[Debian dla-3771 : idle-python2.7 - security update (192521)]

+ Action to take : Upgrade the idle-python2.7 packages.

+Impact : Taking this action will resolve 17 different vulnerabilities (CVEs).

[Debian dla-3772 : idle-python3.7 - security update (192520)]

+ Action to take : Upgrade the idle-python3.7 packages.

+Impact : Taking this action will resolve 15 different vulnerabilities (CVEs).

[Debian dla-3782 : bsduutils - security update (192962)]

+ Action to take : Upgrade the bsduutils packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

[Debian dla-3783 : expat - security update (193076)]

+ Action to take : Upgrade the expat packages.

+Impact : Taking this action will resolve 18 different vulnerabilities (CVEs).

[Debian dla-3804 : libnghttp2-14 - security update (194852)]

+ Action to take : Upgrade the libnghttp2-14 packages.

+Impact : Taking this action will resolve 3 different vulnerabilities (CVEs).

[Debian dla-3811 : pypy-idna - security update (195178)]

+ Action to take : Upgrade the pypy-idna packages.

[Debian dla-3816 : bind9 - security update (197488)]

+ Action to take : Upgrade the bind9 packages.

+Impact : Taking this action will resolve 14 different vulnerabilities (CVEs).

[Debian dla-3818 : apache2 - security update (197924)]

+ Action to take : Upgrade the apache2 packages.

+Impact : Taking this action will resolve 23 different vulnerabilities (CVEs).

[Debian dla-3823 : less - security update (197941)]

+ Action to take : Upgrade the less packages.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).

- [Debian dla-3831 : nano - security update (200694)]

+ Action to take : Upgrade the nano packages.
- [Debian dla-3833 : libapache2-mod-php7.3 - security update (200704)]

+ Action to take : Upgrade the libapache2-mod-php7.3 packages.

+Impact : Taking this action will resolve 20 different vulnerabilities (CVEs).
- [Debian dla-3850 : glibc-doc - security update (201168)]

+ Action to take : Upgrade the glibc-doc packages.

+Impact : Taking this action will resolve 19 different vulnerabilities (CVEs).
- [JQuery 1.2 < 3.5.0 Multiple XSS (136929)]

+ Action to take : Upgrade to JQuery version 3.5.0 or later.

+Impact : Taking this action will resolve 2 different vulnerabilities (CVEs).
- [SSH Terrapin Prefix Truncation Weakness (CVE-2023-48795) (187315)]

+ Action to take : Contact the vendor for an update with the strict key exchange countermeasures or disable the affected algorithms.

45405 - Reachable IPv6 address

Synopsis

The remote host may be reachable from the Internet.

Description

Although this host was scanned through a private IPv4 or local scope IPv6 address, some network interfaces are configured with global scope IPv6 addresses. Depending on the configuration of the firewalls and routers, this host may be reachable from Internet.

Solution

Disable IPv6 if you do not actually using it.

Otherwise, disable any unused IPv6 interfaces and implement IP filtering if needed.

Risk Factor

None

Plugin Information

Published: 2010/04/02, Modified: 2024/07/24

Plugin Output

tcp/0

- The following global address was gathered :
- 2409:40c0:58:977c:a00:27ff:fe46:a85c

25221 - Remote listeners enumeration (Linux / AIX)

Synopsis

Using the supplied credentials, it was possible to identify the process listening on the remote port.

Description

By logging into the remote host with the supplied credentials, Nessus was able to obtain the name of the process listening on the remote port.

Note that the method used by this plugin only works for hosts running Linux or AIX.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/05/16, Modified: 2024/07/05

Plugin Output

tcp/22/ssh

```
Process ID : 430
Executable : /usr/sbin/sshd
Command line : /usr/sbin/sshd -D
```

25221 - Remote listeners enumeration (Linux / AIX)

Synopsis

Using the supplied credentials, it was possible to identify the process listening on the remote port.

Description

By logging into the remote host with the supplied credentials, Nessus was able to obtain the name of the process listening on the remote port.

Note that the method used by this plugin only works for hosts running Linux or AIX.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/05/16, Modified: 2024/07/05

Plugin Output

udp/68

```
Process ID : 396
Executable : /usr/sbin/dhclient
Command line : /sbin/dhclient -4 -v -i -pf /run/dhclient.enp0s3.pid -lf /var/lib/dhcp/dhclient.enp0s3.leases -I -df /var/lib/dhcp/dhclient6.enp0s3.leases enp0s3
```

25221 - Remote listeners enumeration (Linux / AIX)

Synopsis

Using the supplied credentials, it was possible to identify the process listening on the remote port.

Description

By logging into the remote host with the supplied credentials, Nessus was able to obtain the name of the process listening on the remote port.

Note that the method used by this plugin only works for hosts running Linux or AIX.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/05/16, Modified: 2024/07/05

Plugin Output

tcp/80/www

```
Process ID : 481
Executable : /usr/sbin/apache2
Command line : /usr/sbin/apache2 -k start
```

70657 - SSH Algorithms and Languages Supported

Synopsis

An SSH server is listening on this port.

Description

This script detects which algorithms and languages are supported by the remote service for encrypting communications.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2013/10/28, Modified: 2025/01/20

Plugin Output

tcp/22/ssh

```
Nessus negotiated the following encryption algorithm(s) with the server :

Client to Server: aes256-ctr
Server to Client: aes256-ctr

The server supports the following options for compression_algorithms_server_to_client :

none
zlib@openssh.com

The server supports the following options for mac_algorithms_client_to_server :

hmac-sha1
hmac-sha1-etm@openssh.com
hmac-sha2-256
hmac-sha2-256-etm@openssh.com
hmac-sha2-512
hmac-sha2-512-etm@openssh.com
umac-128-etm@openssh.com
umac-128@openssh.com
umac-64-etm@openssh.com
umac-64@openssh.com

The server supports the following options for server_host_key_algorithms :

ecdsa-sha2-nistp256
rsa-sha2-256
rsa-sha2-512
ssh-ed25519
ssh-rsa

The server supports the following options for encryption_algorithms_client_to_server :

aes128-ctr
aes128-gcm@openssh.com
aes192-ctr
aes256-ctr
aes256-gcm@openssh.com
chacha20-poly1305@openssh.com

The server supports the following options for mac_algorithms_server_to_client :

hmac-sha1
hmac-sha1-etm@openssh.com
hmac-sha2-256
hmac-sha2-256-etm@openssh.com
hmac-sha2-512
hmac-sha2-512-etm@openssh.com
umac-128-etm@openssh.com
umac-128@openssh.com
umac-64-etm@openssh.com
umac-64@openssh.com

The server supports the following options for kex_algorithms :

curve25519-sha256
```


curve25519-sha256@libssh.org
diffie-hellman-group-exchange-sha256
diffie-hellman-group14-sha1
diffie-hellman-group14-sha256
diffie-hellman-group16-sha512
diffie-hellman-group18-sha512
ecdh-sha2-nistp256
ecdh-sha2-nistp384
ecdh-sha2-nistp521

The server supports the following options for compression_algorithms_client_to_server :

none
zlib@openssh.com

The server supports the following options for encryption_algorithms_server_to_client :

aes128-ctr
aes128-gcm@openssh.com
aes192-ctr
aes256-ctr
aes256-gcm@openssh.com
chacha20-poly1305@openssh.com

149334 - SSH Password Authentication Accepted

Synopsis

The SSH server on the remote host accepts password authentication.

Description

The SSH server on the remote host accepts password authentication.

See Also

<https://tools.ietf.org/html/rfc4252#section-8>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2021/05/07, Modified: 2021/05/07

Plugin Output

tcp/22/ssh

10881 - SSH Protocol Versions Supported

Synopsis

A SSH server is running on the remote host.

Description

This plugin determines the versions of the SSH protocol supported by the remote SSH daemon.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2002/03/06, Modified: 2024/07/24

Plugin Output

tcp/22/ssh

The remote SSH daemon supports the following versions of the SSH protocol :

- 1.99
- 2.0

90707 - SSH SCP Protocol Detection

Synopsis

The remote host supports the SCP protocol over SSH.

Description

The remote host supports the Secure Copy (SCP) protocol over SSH.

See Also

https://en.wikipedia.org/wiki/Secure_copy

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2016/04/26, Modified: 2024/07/24

Plugin Output

tcp/22/ssh

153588 - SSH SHA-1 HMAC Algorithms Enabled

Synopsis

The remote SSH server is configured to enable SHA-1 HMAC algorithms.

Description

The remote SSH server is configured to enable SHA-1 HMAC algorithms.

Although NIST has formally deprecated use of SHA-1 for digital signatures, SHA-1 is still considered secure for HMAC as the security of HMAC does not rely on the underlying hash function being resistant to collisions.

Note that this plugin only checks for the options of the remote SSH server.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2021/09/23, Modified: 2022/04/05

Plugin Output

tcp/22/ssh

The following client-to-server SHA-1 Hash-based Message Authentication Code (HMAC) algorithms are supported :

hmac-sha1
hmac-sha1-etm@openssh.com

The following server-to-client SHA-1 Hash-based Message Authentication Code (HMAC) algorithms are supported :

hmac-sha1
hmac-sha1-etm@openssh.com

10267 - SSH Server Type and Version Information

Synopsis

An SSH server is listening on this port.

Description

It is possible to obtain information about the remote SSH server by sending an empty authentication request.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0933

Plugin Information

Published: 1999/10/12, Modified: 2024/07/24

Plugin Output

tcp/22/ssh

SSH version : SSH-2.0-OpenSSH_7.9p1 Debian-10+deb10u2
SSH supported authentication : publickey,password

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2024/03/26

Plugin Output

tcp/22/ssh

An SSH server is running on this port.

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2024/03/26

Plugin Output

tcp/80/www

A web server is running on this port.

22869 - Software Enumeration (SSH)

Synopsis

It was possible to enumerate installed software on the remote host via SSH.

Description

Nessus was able to list the software installed on the remote host by calling the appropriate command (e.g., 'rpm -qa' on RPM-based Linux distributions, qpkg, dpkg, etc.).

Solution

Remove any software that is not in compliance with your organization's acceptable use and security policies.

Risk Factor

None

References

XREF IAVT:0001-T-0502

Plugin Information

Published: 2006/10/15, Modified: 2025/03/26

Plugin Output

tcp/0

Here is the list of packages installed on the remote Debian Linux system :

ii adduser 3.118 all add and remove users and groups
ii apache2 2.4.38-3+deb10u4 amd64 Apache HTTP Server
ii apache2-bin 2.4.38-3+deb10u4 amd64 Apache HTTP Server (modules and other binary files)
ii apache2-data 2.4.38-3+deb10u4 all Apache HTTP Server (common files)
ii apache2-utils 2.4.38-3+deb10u4 amd64 Apache HTTP Server (utility programs for web servers)
ii apparmor 2.13.2-10 amd64 user-space parser utility for AppArmor
ii apt 1.8.2.2 amd64 commandline package manager
ii apt-listchanges 3.19 all package change history notification tool
ii apt-utils 1.8.2.2 amd64 package management related utility programs
ii base-files 10.3+deb10u7 amd64 Debian base system miscellaneous files
ii base-passwd 3.5.46 amd64 Debian base system master password and group files
ii bash 5.0-4 amd64 GNU Bourne Again Shell
ii bash-completion 1:2.8-6 all programmable completion for the bash shell
ii bind9-host 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 DNS lookup utility (deprecated)
ii bsdmaintils 11.1.2+b1 amd64 collection of more utilities from FreeBSD
ii bsduutils 1:2.33.1-0.1 amd64 basic utilities from 4.4BSD-Lite
ii busybox 1:1.30.1-4 amd64 Tiny utilities for small and embedded systems
ii bzip2 1.0.6-9.2-deb10u1 amd64 high-quality block-sorting file compressor - utilities
ii ca-certificates 20200601~deb10u1 all Common CA certificates
ii console-setup 1.193~deb10u1 all console font and keymap setup program
ii console-setup-linux 1.193~deb10u1 all Linux specific part of console-setup
ii coreutils 8.30-3 amd64 GNU core utilities
ii cpio 2.12+dfsg-9 amd64 GNU cpio -- a program to manage archives of files
ii cron 3.0pl1-134+deb10u1 amd64 process scheduling daemon
ii dash 0.5.10.2-5 amd64 POSIX-compliant shell
ii dbus 1.12.20-0+deb10u1 amd64 simple interprocess messaging system (daemon and utilities)
ii debconf 1.5.71 all Debian configuration management system
ii debconf-i18n 1.5.71 all full internationalization support for debconf
ii debian-archive-keyring 2019.1 all GnuPG archive keys of the Debian archive
ii debian-faq 9.0 all Debian Frequently Asked Questions
ii debianutils 4.8.6.1 amd64 Miscellaneous utilities specific to Debian
ii default-mysql-client 1.0.5 all MySQL database client binaries (metapackage)
ii default-mysql-server 1.0.5 all MySQL database server binaries and system database setup (metapackage)
ii dictionaries-common 1.28.1 all spelling dictionaries - common utilities
ii diffutils 1:3.7-3 amd64 File comparison utilities
ii discover 2.1.2-8 amd64 hardware identification system
ii discover-data 2.2013.01.11 all Data lists for Discover hardware detection system
ii distro-info-data 0.41+deb10u3 all information about the distributions' releases (data files)
ii dmidecode 3.2-1 amd64 SMBIOS/DMI table decoder
ii dmsetup 2:1.02.155-3 amd64 Linux Kernel Device Mapper userspace library
ii doc-debian 6.4 all Debian Project documentation and other documents
ii dpkg 1.19.7 amd64 Debian package management system
ii e2fsprogs 1.44.5-1+deb10u3 amd64 ext2/ext3/ext4 file system utilities

```

ii eject 2.1.5+deb1+cvsv20081104-13.2 amd64 ejects CDs and operates CD-Changers under Linux
ii emacsen-common 3.0.4 all Common facilities for all emacsen
ii fdisk 2.33.1-0.1 amd64 collection of partitioning utilities
ii file 1:5.35-4+deb10u1 amd64 Recognize the type of data in a file using "magic" numbers
ii findutils 4.6.0+git+20190209-2 amd64 utilities for finding files--find, xargs
ii firmware-linux-free 3.4 all Binary firmware for various drivers in the Linux kernel
ii galera-3 25.3.25-2 amd64 Replication framework for transactional applications
ii gawk 1:4.2.1+dfsg-1 amd64 GNU awk, a pattern scanning and processing language
ii gcc-8-base 8.3.0-6 amd64 GCC, the GNU Compiler Collection (base package)
ii gdbm-110n 1.18.1-4 all GNU dbm database routines (translation files)
ii geodb-20181108-1 all IP lookup command line tools that use the GeoIP library (country database)
ii gettext-base 0.19.8.1-9 amd64 GNU Internationalization utilities for the base system
ii gpgv 2.2.12-1+deb10u1 amd64 GNU privacy guard - signature verification tool
ii grep 3.3-1 amd64 GNU grep, egrep and fgrep
ii groff-base 1.22.4-3 amd64 GNU troff text-formatting system (base system components)
ii grub-common 2.02+dfsg1-20+deb10u2 amd64 GRand Unified Bootloader (common files)
ii grub-pc 2.02+dfsg1-20+deb10u2 amd64 GRand Unified Bootloader, version 2 (PC/BIOS version)
ii grub-pc-bin 2.02+dfsg1-20+deb10u2 amd64 GRand Unified Bootloader, version 2 (PC/BIOS modules)
ii grub2-common 2.02+dfsg1-20+deb10u2 amd64 GRand Unified Bootloader (common files for version 2)
ii gzip 1.9-3 amd64 GNU compression utilities
ii hdparm 9.58+ds-1 amd64 tune hard disk parameters for high performance
ii hostname 3.21 amd64 utility to set/show the host name or domain name
ii iamerican 3.4.00-6 all American English dictionary for ispell (standard version)
ii ibritish 3.4.00-6 all British English dictionary for ispell (standard version)
ii ienglish-common 3.4.00-6 all Common files for British and American ispell dictionaries
ii ifupdown 0.8.35 amd64 high level tools to configure network interfaces
ii init 1.56+nmu1 amd64 metapackage ensuring an init system is installed
ii init-system-helpers 1.56+nmu1 all helper tools for all init systems
ii initramfs-tools 0.133+deb10u1 all generic modular initramfs generator (automation)
ii initramfs-tools-core 0.133+deb10u1 all generic modular initramfs generator (core tools)
ii installation-report 2.71 all system installation report
ii iproute2 4.20.0-2 amd64 networking and traffic control tools
ii iptables 1.8.2-4 amd64 administration tools for packet filtering and NAT
ii iputils-ping 3:20180629-2+deb10u1 amd64 Tools to test the reachability of network hosts
ii isc-dhcp-client 4.4.1-2 amd64 DHCP client for automatically obtaining an IP address
ii isc-dhcp-common 4.4.1-2 amd64 common manpages relevant to all of the isc-dhcp packages
ii iso-codes 4.2-1 all ISO language, territory, currency, script codes and their translations
ii ispell 3.4.00-6+b1 amd64 International Ispell (an interactive spelling corrector)
ii kbd 2.0.4-4 amd64 Linux console font and keytable utilities
ii keyboard-configuration 1.193~deb10u1 all system-wide keyboard preferences
ii klibc-utils 2.0.6-1 amd64 small utilities built with klibc for early boot
ii kmod 26-1 amd64 tools for managing Linux kernel modules
ii krb5-locales 1.17-3+deb10u1 all internationalization support for MIT Kerberos
ii laptop-detect 0.16 all system chassis type checker
ii less 487-0.1+b1 amd64 pager program similar to more
ii libacl1 2.2.53-4 amd64 access control list - shared library
ii libaio1 0.3.112-3 amd64 Linux kernel AIO access library - shared library
ii libapache2-mod-php7.3 7.3.29-1~deb10u1 amd64 server-side, HTML-embedded scripting language (Apache 2 module)
ii libapparmor1 2.13.2-10 amd64 changehat AppArmor library
ii libapr1 1.6.5-1+b1 amd64 Apache Portable Runtime Library
ii libaprutil1 1.6.1-4 amd64 Apache Portable Runtime Utility Library
ii libaprutil1-dbd-sqlite3 1.6.1-4 amd64 Apache Portable Runtime Utility Library - SQLite3 Driver
ii libaprutil1-ldap 1.6.1-4 amd64 Apache Portable Runtime Utility Library - LDAP Driver
ii libapt-inst2.0 1.8.2.2 amd64 deb package format runtime library
ii libapt-pkg5.0 1.8.2.2 amd64 package management runtime library
ii libargon2-1 0~20171227-0.2 amd64 memory-hard hashing function - runtime library
ii libattr1 1:2.4.48-4 amd64 extended attribute handling - shared library
ii libaudit-common 1:2.8.4-3 all Dynamic library for security auditing - common files
ii libaudit1 1:2.8.4-3 amd64 Dynamic library for security auditing
ii libbind9-161 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 BIND9 Shared Library used by BIND
ii libblkid1 2.33.1-0.1 amd64 block device ID library
ii libbrotli1 1.0.7-2+deb10u1 amd64 library implementing brotli encoder and decoder (shared libraries)
ii libbsd0 0.9.1-2 amd64 utility functions from BSD systems - shared library
ii libbz2-1.0 1.0.6-9.2~deb10u1 amd64 high-quality block-sorting file compressor library - runtime
ii libc-bin 2.28-10 amd64 GNU C Library: Binaries
ii libc-l10n 2.28-10 all GNU C Library: localization files
ii libc6 2.28-10 amd64 GNU C Library: Shared libraries
ii libc6-cap-ng0 0.7.9-2 amd64 An alternate POSIX capabilities library
ii libc6-cap2 1:2.25-2 amd64 POSIX 1003.1e capabilities (library)
ii libc6-cap2-bin 1:2.25-2 amd64 POSIX 1003.1e capabilities (utilities)
ii libcgi-fast-perl 1:2.13-1 all CGI subclass for work with FCGI
ii libcgi-pm-perl 4.40-1 all module for Common Gateway Interface applications
ii libcom-err2 1.44.5-1+deb10u3 amd64 common error description library
ii libconfig-inifiles-perl 3.000001-1 all read .ini-style configuration files
ii libcryptsetup12 2:2.1.0-5+deb10u2 amd64 disk encryption support - shared library
ii libcurl3-gnutls 7.64.0-4+deb10u1 amd64 easy-to-use client-side URL transfer library (GnuTLS flavour)
ii libcurl4 7.64.0-4+deb10u1 amd64 easy-to-use client-side URL transfer library (OpenSSL flavour)
ii libdb5.3 5.3.28+dfsg1-0.5 amd64 Berkeley v5.3 Database Libraries [runtime]
ii libdbd-mysql-perl 4.050-2 amd64 Perl5 database interface to the MariaDB/MySQL database
ii libdbi-perl 1.642-1+deb10u1 amd64 Perl Database Interface (DBI)
ii libdbus-1-3 1.12.20-0+deb10u1 amd64 simple interprocess messaging system (library)
ii libdebconfclient0 0.249 amd64 Debian Configuration Management System (C-implementation library)
ii libdevmapper1.02.1 2:1.02.155-3 amd64 Linux Kernel Device Mapper userspace library
ii libdiscover2 2.1.2-8 amd64 hardware identification library
ii libdns-export1104 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 Exported DNS Shared Library
ii libdns1104 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 DNS Shared Library used by BIND
ii libedit2 3.1-20181209-1 amd64 BSD editline and history libraries
ii libefiboot1 37-2+deb10u1 amd64 Library to manage UEFI variables
ii libefivar1 37-2+deb10u1 amd64 Library to manage UEFI variables
ii libelf1 0.176-1.1 amd64 library to read and write ELF files
ii libencode-locale-perl 1.05-1 all utility to determine the locale encoding
ii libestr0 0.1.10-2.1 amd64 Helper functions for handling strings (lib)
ii libexpat1 2.2.6-2+deb10u1 amd64 XML parsing C library - runtime library
ii libext2fs2 1.44.5-1+deb10u3 amd64 ext2/ext3/ext4 file system libraries
ii libfastjson4 0.99.8-2 amd64 fast json library for C
ii libfcgi-perl 0.78-2+b3 amd64 helper module for FastCGI
ii libfdisk1 2.33.1-0.1 amd64 fdisk partitioning library
ii libffi6 3.2.1-9 amd64 Foreign Function Interface library runtime
ii libfreetype6 2.9.1-3+deb10u2 amd64 FreeType 2 font engine, shared library files

```

```

ii libfstrm0 0.4.0-1 amd64 Frame Streams (fstrm) library
ii libfuse2 2.9.9-1+deb10u1 amd64 Filesystem in Userspace (library)
ii libgcc1 1:8.3.0-6 amd64 GCC support library
ii libgcrpt0 1.8.4-5 amd64 LGPL Crypto library - runtime library
ii libgdbm-compat4 1.18.1-4 amd64 GNU dbm database routines (legacy support runtime version)
ii libgdbm6 1.18.1-4 amd64 GNU dbm database routines (runtime version)
ii libgeoip1 1.6.12-1 amd64 non-DNS IP-to-country resolver library
ii libgmp10 2:6.1.2+dfsg-4 amd64 Multiprecision arithmetic library
ii libgnutls30 3.6.7-4+deb10u5 amd64 GNU TLS library - main runtime library
ii libpgp-error0 1.35-1 amd64 GnuPG development runtime library
ii libgssapi-krb5-2 1.17-3+deb10u1 amd64 MIT Kerberos runtime libraries - krb5 GSS-API Mechanism
ii libhogweed4 3.4.1-1 amd64 low level cryptographic library (public-key cryptos)
ii libhtml-parser-perl 3.72-3+b3 amd64 collection of modules that parse HTML text documents
ii libhtml-tagset-perl 3.20-3 all Data tables pertaining to HTML
ii libhtml-template-perl 2.97-1 all module for using HTML templates with Perl
ii libhttp-date-perl 6.02-1 all module of date conversion routines
ii libhttp-message-perl 6.18-1 all perl interface to HTTP style messages
ii libicu63 63.1-6+deb10u1 amd64 International Components for Unicode
ii libidn11 1.33-2.2 amd64 GNU Libidn library, implementation of IETF IDN specifications
ii libidn2-0 2.0.5-1+deb10u1 amd64 Internationalized domain names (IDNA2008/TR46) library
ii libio-html-perl 1.001-1 all open an HTML file with automatic charset detection
ii libip4tc0 1.8.2-4 amd64 netfilter libip4tc library
ii libip6tc0 1.8.2-4 amd64 netfilter libip6tc library
ii libiptc0 1.8.2-4 amd64 netfilter libiptc library
ii libisc-export1100 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 Exported ISC Shared Library
ii libisc1100 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 ISC Shared Library used by BIND
ii libisc161 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 Command Channel Library used by BIND
ii libisc163 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 Config File Handling Library used by BIND
ii libjansson4 2.12-1 amd64 C library for encoding, decoding and manipulating JSON data
ii libjson-c3 0.12.1+ds-2+deb10u1 amd64 JSON manipulation library - shared library
ii libk5crypto3 1.17-3+deb10u1 amd64 MIT Kerberos runtime libraries - Crypto Library
ii libkeyutils1 1.6-6 amd64 Linux Key Management Utilities (library)
ii libklibc 2.0.6-1 amd64 minimal libc subset for use with initramfs
ii libkmod2 26-1 amd64 libkmod shared library
ii libkrb5-3 1.17-3+deb10u1 amd64 MIT Kerberos runtime libraries
ii libkrb5support0 1.17-3+deb10u1 amd64 MIT Kerberos runtime libraries - Support library
ii libldap-2.4-2 2.4.47+dfsg-3+deb10u4 amd64 OpenLDAP libraries
ii libldap-common 2.4.47+dfsg-3+deb10u4 all OpenLDAP common files for libraries
ii liblmb0 0.9.22-1 amd64 Lightning Memory-Mapped Database shared library
ii liblocale-gettext-perl 1.07-3+b4 amd64 module using libc functions for internationalization in Perl
ii liblockfile-bin 1.14-1.1 amd64 support binaries for and cli utilities based on liblockfile
ii liblognorm5 2.0.5-1 amd64 log normalizing library
ii liblua5.2-0 5.2.4-1.1+b2 amd64 Shared library for the Lua interpreter version 5.2
ii liblwp-mediatypes-perl 6.02-1 all module to guess media type for a file or a URL
ii liblwres161 1:9.11.5.P4+dfsg-5.1+deb10u2 amd64 Lightweight Resolver Library used by BIND
ii liblz4-1 1.8.3-1 amd64 Fast LZ compression algorithm library - runtime
ii liblzma5 5.2.4-1 amd64 XZ-format compression library
ii libmagic-mgc 1:5.35-4+deb10u1 amd64 File type determination library using "magic" numbers (compiled magic file)
ii libmagic1 1:5.35-4+deb10u1 amd64 Recognize the type of data in a file using "magic" numbers - library
ii libmariadb3 1:10.3.27-0+deb10u1 amd64 MariaDB database client library
ii libmnl0 1.0.4-2 amd64 minimalistic Netlink communication library
ii libmount1 2.33.1-0.1 amd64 device mounting library
ii libmpdec2 2.4.2-2 amd64 library for decimal floating point arithmetic (runtime library)
ii libmpfr6 4.0.2-1 amd64 multiple precision floating-point computation
ii libncurses6 6.1+20181013-2+deb10u2 amd64 shared libraries for terminal handling
ii libncursesw6 6.1+20181013-2+deb10u2 amd64 shared libraries for terminal handling (wide character support)
ii libnetfilter-conntrack3 1.0.7-1 amd64 Netfilter netlink-conntrack library
ii libnettle6 3.4.1-1 amd64 low level cryptographic library (symmetric and one-way cryptos)
ii libnewt0.52 0.52.20-8 amd64 Not Erik's Windowing Toolkit - text mode windowing with slang
ii libnfnlink0 1.0.1-3+b1 amd64 Netfilter netlink library
ii libnftnl11 1.1.2-2 amd64 Netfilter nftables userspace API library
ii libnghttp2-14 1.36.0-2+deb10u1 amd64 library implementing HTTP/2 protocol (shared library)
ii libnss-systemd 241-7+deb10u5 amd64 nss module providing dynamic user and group name resolution
ii libp11-kit0 0.23.15-2 amd64 library for loading and coordinating access to PKCS#11 modules - runtime
ii libpam-modules 1.3.1-5 amd64 Pluggable Authentication Modules for PAM
ii libpam-modules-bin 1.3.1-5 amd64 Pluggable Authentication Modules for PAM - helper binaries
ii libpam-runtime 1.3.1-5 all Runtime support for the PAM library
ii libpam-systemd 241-7+deb10u5 amd64 system and service manager - PAM module
ii libpam0g 1.3.1-5 amd64 Pluggable Authentication Modules library
ii libpci3 1:3.5.2-1 amd64 Linux PCI Utilities (shared library)
ii libpcre2-8-0 10.32-5 amd64 New Perl Compatible Regular Expression Library- 8 bit runtime files
ii libpcre3 2:8.39-12 amd64 Old Perl 5 Compatible Regular Expression Library - runtime files
ii libperl5.28 5.28.1-6+deb10u1 amd64 shared Perl library
ii libpipeline1 1.5.1-2 amd64 pipeline manipulation library
ii libpng16-16 1.6.36-6 amd64 PNG library - runtime (version 1.6)
ii libpopt0 1.16-12 amd64 lib for parsing cmdline parameters
ii libprocps7 2:3.3.15-2 amd64 library for accessing process information from /proc
ii libprotobuf-c1 1.3.1-1+b1 amd64 Protocol Buffers C shared library (protobuf-c)
ii libpsl5 0.20.2-2 amd64 Library for Public Suffix List (shared libraries)
ii libpython-stllib 2.7.16-1 amd64 interactive high-level object-oriented language (Python2)
ii libpython2-stllib 2.7.16-1 amd64 interactive high-level object-oriented language (Python2)
ii libpython2.7-minimal 2.7.16-2+deb10u1 amd64 Minimal subset of the Python language (version 2.7)
ii libpython2.7-stllib 2.7.16-2+deb10u1 amd64 Interactive high-level object-oriented language (standard library, version 2.7)
ii libpython3-stllib 3.7.3-1 amd64 interactive high-level object-oriented language (default python3 version)
ii libpython3.7-minimal 3.7.3-2+deb10u2 amd64 Minimal subset of the Python language (version 3.7)
ii libpython3.7-stllib 3.7.3-2+deb10u2 amd64 Interactive high-level object-oriented language (standard library, version 3.7)
ii libreadline5 5.2+dfsg-3+b13 amd64 GNU readline and history libraries, run-time libraries
ii libreadline7 7.0-5 amd64 GNU readline and history libraries, run-time libraries
ii librtmp1 2.4+20151223.gitfa8646d.1-2 amd64 toolkit for RTMP streams (shared library)
ii libsas12-2 2.1.27+dfsg-1+deb10u1 amd64 Cyrus SASL - authentication abstraction library
ii libsas12-modules 2.1.27+dfsg-1+deb10u1 amd64 Cyrus SASL - pluggable authentication modules
ii libsas12-modules-db 2.1.27+dfsg-1+deb10u1 amd64 Cyrus SASL - pluggable authentication modules (DB)
ii libseccomp2 2.3.3-4 amd64 high level interface to linux seccomp filter
ii libselinux1 2.8-1+b1 amd64 SELinux runtime shared libraries
ii libsemanage-common 2.8-2 all Common files for SELinux policy management libraries
ii libsemanage1 2.8-2 amd64 SELinux policy management library
ii libsepoll 2.8-1 amd64 SELinux library for manipulating binary security policies
ii libsigsegv2 2.12-2 amd64 Library for handling page faults in a portable way
ii libslang2 2.3.2-2 amd64 S-Lang programming library - runtime version

```

ii libsmartcols1 2.33.1-0.1 amd64 smart column output alignment library
ii libsnappy1v5 1.1.7-1 amd64 fast compression/decompression library
ii libsodium23 1.0.17-1 amd64 Network communication, cryptography and signaturing library
ii libsqlite3-0 3.27.2-3+deb10u1 amd64 SQLite 3 shared library
ii libss2 1.44.5-1+deb10u3 amd64 command-line interface parsing library
ii libssh2-1 1.8.0-2.1 amd64 SSH2 client-side library
ii libssl1.1 1.1.1d-0+deb10u4 amd64 Secure Sockets Layer toolkit - shared libraries
ii libstdc++6 8.3.0-6 amd64 GNU Standard C++ Library v3
ii libsystemd0 241.7~deb10u5 amd64 systemd utility library
ii libtasn1-6 4.13-3 amd64 Manage ASN.1 structures (runtime)
ii libterm-readkey-perl 2.38-1 amd64 perl module for simple terminal control
ii libtext-charwidth-perl 0.04-7.1+b1 amd64 get display widths of characters on the terminal
ii libtext-iconv-perl 1.7-5+b7 amd64 converts between character sets in Perl
ii libtext-wrapi18n-perl 0.06-7.1 all internationalized substitute of Text::Wrap
ii libtimedate-perl 2.3000-2+deb10u1 all collection of modules to manipulate date/time information
ii libtinfo6 6.1+20181013-2+deb10u2 amd64 shared low-level terminfo library for terminal handling
ii libuchardet0 0.0.6-3 amd64 universal charset detection library - shared library
ii libudev1 241.7~deb10u5 amd64 libudev shared library
ii libunistring2 0.9.10-1 amd64 Unicode string library for C
ii liburi-perl 1.76-1 all module to manipulate and access URI strings
ii libusb-0.1-4 2:0.1.12-32 amd64 userspace USB programming library
ii libusb-1.0-0 2:1.0.22-2 amd64 userspace USB programming library
ii libuuid1 2.33.1-0.1 amd64 Universally Unique ID library
ii libwrap0 7.6.q-28 amd64 Wietse Venema's TCP wrappers library
ii libx11-6 2:1.6.7-1+deb10u1 amd64 X11 client-side library
ii libx11-data 2:1.6.7-1+deb10u1 all X11 client-side library
ii libxau6 1:1.0.8-1+b2 amd64 X11 authorisation library
ii libxcb1 1.13.1-2 amd64 X C Binding
ii libxdmcp6 1:1.1.2-3 amd64 X11 Display Manager Control Protocol library
ii libxext6 2:1.3.3-1+b2 amd64 X11 miscellaneous extension library
ii libxml2 2.9.4+dfsg1-7+deb10u1 amd64 GNOME XML library
ii libxmuu1 2:1.1.2-2+b3 amd64 X11 miscellaneous micro-utility library
ii libxslt1.1 1.1.32-2~deb10u1 amd64 XSLT 1.0 processing library - runtime library
ii libxtables12 1.8.2-4 amd64 netfilter xtables library
ii libzstd1 1.3.8+dfsg-3 amd64 fast lossless compression algorithm
ii linux-base 4.6 all Linux image base package
ii linux-image-4.19.0-13-amd64 4.19.160-2 amd64 Linux 4.19 for 64-bit PCs (signed)
ii linux-image-amd64 4.19+105+deb10u8 amd64 Linux for 64-bit PCs (meta-package)
ii locales 2.28-10 all GNU C Library: National Language (locale) data [support]
ii login 1:4.5-1.1 amd64 system login tools
ii logrotate 3.14.0-4 amd64 Log rotation utility
ii lsb-base 10.2019051400 all Linux Standard Base init script functionality
ii lsb-release 10.2019051400 all Linux Standard Base version reporting utility
ii lsuf 4.91+dfsg-1 amd64 utility to list open files
ii man-db 2.8.5-2 amd64 on-line manual pager
ii manpages 4.16-2 all Manual pages about using a GNU/Linux system
ii mariadb-client-10.3 1:10.3.27-0+deb10u1 amd64 MariaDB database client binaries
ii mariadb-client-core-10.3 1:10.3.27-0+deb10u1 amd64 MariaDB database core client binaries
ii mariadb-common 1:10.3.27-0+deb10u1 all MariaDB common metapackage
ii mariadb-server-10.3 1:10.3.27-0+deb10u1 amd64 MariaDB database server binaries
ii mariadb-server-core-10.3 1:10.3.27-0+deb10u1 amd64 MariaDB database core server files
ii mawk 1.3.3-17+b3 amd64 a pattern scanning and text processing language
ii mime-support 3.62 all MIME files 'mime.types' & 'mailcap', and support programs
ii mount 2.33.1-0.1 amd64 tools for mounting and manipulating filesystems
ii mysql-common 5.8+1.0.5 all MySQL database common files, e.g. /etc/mysql/my.cnf
ii nano 3.2-3 amd64 small, friendly text editor inspired by Pico
ii ncurses-base 6.1+20181013-2+deb10u2 all basic terminal type definitions
ii ncurses-bin 6.1+20181013-2+deb10u2 amd64 terminal-related programs and man pages
ii ncurses-term 6.1+20181013-2+deb10u2 all additional terminal type definitions
ii netbase 5.6 all Basic TCP/IP networking system
ii netcat-traditional 1.10-41.1 amd64 TCP/IP swiss army knife
ii openssh-client 1:7.9p1-10+deb10u2 amd64 secure shell (SSH) client, for secure access to remote machines
ii openssh-server 1:7.9p1-10+deb10u2 amd64 secure shell (SSH) server, for secure access from remote machines
ii openssh-sftp-server 1:7.9p1-10+deb10u2 amd64 secure shell (SSH) sftp server module, for SFTP access from remote machines
ii openssl 1.1.1d-0+deb10u4 amd64 Secure Sockets Layer toolkit - cryptographic utility
ii os-prober 1.77 amd64 utility to detect other OSes on a set of drives
ii passwd 1:4.5-1.1 amd64 change and administer password and group data
ii pciutils 1:3.5.2-1 amd64 Linux PCI Utilities
ii perl 5.28.1-6+deb10u1 amd64 Larry Wall's Practical Extraction and Report Language
ii perl-base 5.28.1-6+deb10u1 amd64 minimal Perl system
ii perl-modules-5.28 5.28.1-6+deb10u1 all Core Perl modules
ii php 2:7.3+69 all server-side, HTML-embedded scripting language (default)
ii php-common 2:69 all Common files for PHP packages
ii php-mysql 2:7.3+69 all MySQL module for PHP [default]
ii php-xml 2:7.3+69 all DOM, SimpleXML, WDDX, XML, and XSL module for PHP [default]
ii php7.3 7.3.19-1+deb10u1 all server-side, HTML-embedded scripting language (metapackage)
ii php7.3-cli 7.3.29-1~deb10u1 amd64 command-line interpreter for the PHP scripting language
ii php7.3-common 7.3.29-1~deb10u1 amd64 documentation, examples and common module for PHP
ii php7.3-json 7.3.29-1~deb10u1 amd64 JSON module for PHP
ii php7.3-mysql 7.3.29-1~deb10u1 amd64 MySQL module for PHP
ii php7.3-openssl 7.3.29-1~deb10u1 amd64 Zend OpCache module for PHP
ii php7.3-readline 7.3.29-1~deb10u1 amd64 readline module for PHP
ii php7.3-xml 7.3.29-1~deb10u1 amd64 DOM, SimpleXML, WDDX, XML, and XSL module for PHP
ii powermgmt-base 1.34 all common utils for power management
ii procs 2:3.3.15-2 amd64 /proc file system utilities
ii psmisc 23.2-1 amd64 utilities that use the proc file system
ii publicsuffix 20190415.1030-1 all accurate, machine-readable list of domain name suffixes
ii python 2.7.16-1 amd64 interactive high-level object-oriented language (Python2 version)
ii python-apt-common 1.8.4.2 all Python interface to libapt-pkg (locales)
ii python-minimal 2.7.16-1 amd64 minimal subset of the Python2 language
ii python2 2.7.16-1 amd64 interactive high-level object-oriented language (Python2 version)
ii python2-minimal 2.7.16-1 amd64 minimal subset of the Python2 language
ii python2.7 2.7.16-2+deb10u1 amd64 Interactive high-level object-oriented language (version 2.7)
ii python2.7-minimal 2.7.16-2+deb10u1 amd64 Minimal subset of the Python language (version 2.7)
ii python3 3.7.3-1 amd64 interactive high-level object-oriented language (default python3 version)
ii python3-apt 1.8.4.2 amd64 Python 3 interface to libapt-pkg
ii python3-certifi 2018.8.24-1 all root certificates for validating SSL certs and verifying TLS hosts (python3)
ii python3-chardet 3.0.4-3 all universal character encoding detector for Python3
ii python3-debconf 1.5.71 all interact with debconf from Python 3

```
ii python3-debian 0.1.35 all Python 3 modules to work with Debian-related data formats
ii python3-debianbts 2.8.2 all Python interface to Debian's Bug Tracking System
ii python3-httplib2 0.11.3-2 all comprehensive HTTP client library written for Python3
ii python3-idna 2.6-1 all Python IDNA2008 (RFC 5891) handling (Python 3)
ii python3-minimal 3.7.3-1 amd64 minimal subset of the Python language (default python3 version)
ii python3-pkg-resources 40.8.0-1 all Package Discovery and Resource Access using pkg_resources
ii python3-pycurl 7.43.0.2-0.1 amd64 Python bindings to libcurl (Python 3)
ii python3-pysimplesoap 1.16.2-1 all simple and lightweight SOAP Library (Python 3)
ii python3-reportbug 7.5.3-deb10u1 all Python modules for interacting with bug tracking systems
ii python3-requests 2.21.0-1 all elegant and simple HTTP library for Python3, built for human beings
ii python3-six 1.12.0-1 all Python 2 and 3 compatibility library (Python 3 interface)
ii python3-urllib3 1.24.1-1 all HTTP library with thread-safe connection pooling for Python3
ii python3.7 3.7.3-2+deb10u2 amd64 Interactive high-level object-oriented language (version 3.7)
ii python3.7-minimal 3.7.3-2+deb10u2 amd64 Minimal subset of the Python language (version 3.7)
ii readline-common 7.0-5 all GNU readline and history libraries, common files
ii reportbug 7.5.3-deb10u1 all reports bugs in the Debian distribution
ii rsync 3.1.3-6 amd64 fast, versatile, remote (and local) file-copying tool
ii rsyslog 8.1901.0-1 amd64 reliable system and kernel logging daemon
ii sed 4.7-1 amd64 GNU stream editor for filtering/transforming text
ii sensible-utils 0.0.12 all Utilities for sensible alternative selection
ii socat 1.7.3.2-2 amd64 multipurpose relay for bidirectional data transfer
ii ssl-cert 1.0.39 all simple debconf wrapper for OpenSSL
ii sudo 1.8.27-1+deb10u3 amd64 Provide limited super user privileges to specific users
ii systemd 241-7~deb10u5 amd64 system and service manager
ii systemd-sysv 241-7~deb10u5 amd64 system and service manager - SysV links
ii sysvinit-utils 2.93-8 amd64 System-V-like utilities
ii tar 1.30+dfsg-6 amd64 GNU version of the tar archiving utility
ii task-english 3.53 all General English environment
ii task-ssh-server 3.53 all SSH server
ii tasksel 3.53 all tool for selecting tasks for installation on Debian systems
ii tasksel-data 3.53 all official tasks used for installation of Debian systems
ii telnet 0.17-41.2 amd64 basic telnet client
ii traceroute 1:2.1.0-2 amd64 Traces the route taken by packets over an IPv4/IPv6 network
ii tzdata 2020d-0+deb10u1 all time zone and daylight-saving time data
ii ucf 3.0038+nmu1 all Update Configuration File(s): preserve user changes to config files
ii udev 241-7~deb10u5 amd64 /dev/ and hotplug management daemon
ii unzip 6.0-23+deb10u1 amd64 De-archiver for .zip files
ii usb.ids 2019.07.27-0+deb10u1 all USB ID Repository
ii usbutils 1:010-3 amd64 Linux USB utilities
ii util-linux 2.33.1-0.1 amd64 miscellaneous system utilities
ii util-linux-locales 2.33.1-0.1 all locales files for util-linux
ii vim-common 2:8.1.0875-5 all Vi IMproved - Common files
ii vim-tiny 2:8.1.0875-5 amd64 Vi IMproved - enhanced vi editor - compact version
ii wamerican 2018.04.16-1 all American English dictionary words for /usr/share/dict
ii wget 1.20.1-1.1 amd64 retrieves files from the web
ii whiptail 0.52.20-8 amd64 Displays user-friendly dialog boxes from shell scripts
ii xauth 1:1.0.10-1 amd64 X authentication utility
ii xkb-data 2.26-2 all X Keyboard Extension (XKB) configuration data
ii xxd 2:8.1.0875-5 amd64 tool to make (or reverse) a hex dump
ii xz-utils 5.2.4-1 amd64 XZ-format compression utilities
ii zip 3.0-11+b1 amd64 Archiver for .zip files
ii zlib1g 1:1.2.11.dfsg-1 amd64 compression library - runtime
```

35351 - System Information Enumeration (via DMI)

Synopsis

Information about the remote system's hardware can be read.

Description

Using the SMBIOS (aka DMI) interface, it was possible to retrieve information about the remote system's hardware, such as its product name and serial number.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/01/12, Modified: 2025/03/18

Plugin Output

tcp/0

```
Chassis Information
Serial Number : Not Specified
Version : Not Specified
Manufacturer : Oracle Corporation
Lock : Not Present
Type : Other
```

```
System Information
Serial Number : 0
Version : 1.2
Manufacturer : innotek GmbH
```


Product Name : VirtualBox
Family : Virtual Machine

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/05/16, Modified: 2023/10/17

Plugin Output

tcp/0

110095 - Target Credential Issues by Authentication Protocol - No Issues Found

Synopsis

Nessus was able to log in to the remote host using the provided credentials. No issues were reported with access, privilege, or intermittent failure.

Description

Valid credentials were provided for an authentication protocol on the remote target and Nessus did not log any subsequent errors or failures for the authentication protocol.

When possible, Nessus tracks errors or failures related to otherwise valid credentials in order to highlight issues that may result in incomplete scan results or limited scan coverage. The types of issues that are tracked include errors that indicate that the account used for scanning did not have sufficient permissions for a particular check, intermittent protocol failures which are unexpected after the protocol has been negotiated successfully earlier in the scan, and intermittent authentication failures which are unexpected after a credential set has been accepted as valid earlier in the scan. This plugin reports when none of the above issues have been logged during the course of the scan for at least one authenticated protocol. See plugin output for details, including protocol, port, and account.

Please note the following :

- This plugin reports per protocol, so it is possible for issues to be encountered for one protocol and not another. For example, authentication to the SSH service on the remote target may have consistently succeeded with no privilege errors encountered, while connections to the SMB service on the remote target may have failed intermittently.
- Resolving logged issues for all available authentication protocols may improve scan coverage, but the value of resolving each issue for a particular protocol may vary from target to target depending upon what data (if any) is gathered from the target via that protocol and what particular check failed. For example, consistently successful checks via SSH are more critical for Linux targets than for Windows targets, and likewise consistently successful checks via SMB are more critical for Windows targets than for Linux targets.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-0520

Plugin Information

Published: 2018/05/24, Modified: 2024/03/25

Plugin Output

tcp/22/ssh

Nessus was able to log into the remote host with no privilege or access problems via the following :

User: 'root'
Port: 22
Proto: SSH
Method: password

141118 - Target Credential Status by Authentication Protocol - Valid Credentials Provided

Synopsis

Valid credentials were provided for an available authentication protocol.

Description

Nessus was able to determine that valid credentials were provided for an authentication protocol available on the remote target because it was able to successfully authenticate directly to the remote target using that authentication protocol at least once. Authentication was successful because the authentication protocol service was available remotely, the service was able to be identified, the authentication protocol was able to be negotiated successfully, and a set of credentials provided in the scan policy for that authentication protocol was accepted by the remote service. See plugin output for details, including protocol, port, and account.

Please note the following :

- This plugin reports per protocol, so it is possible for valid credentials to be provided for one protocol and not another. For example, authentication may succeed via SSH but fail via SMB, while no credentials were provided for an available SNMP service.

- Providing valid credentials for all available authentication protocols may improve scan coverage, but the value of successful authentication for a given protocol may vary from target to target depending upon what data (if any) is gathered from the target via that protocol. For example, successful authentication via SSH is more valuable for Linux targets than for Windows targets, and likewise successful authentication via SMB is more valuable for Windows targets than for Linux targets.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2020/10/15, Modified: 2024/03/25

Plugin Output

tcp/22/ssh

Nessus was able to log in to the remote host via the following :

User: 'root'
Port: 22
Proto: SSH
Method: password

56468 - Time of Last System Startup

Synopsis

The system has been started.

Description

Using the supplied credentials, Nessus was able to determine when the host was last started.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/10/12, Modified: 2018/06/19

Plugin Output

tcp/0

```
reboot system boot 4.19.0-13-amd64 Tue Nov 25 09:10 still running
reboot system boot 4.19.0-13-amd64 Mon Nov 24 10:19 still running

wtmp begins Sat Sep 11 14:05:44 2021
```

10287 - Traceroute Information

Synopsis

It was possible to obtain traceroute information.

Description

Makes a traceroute to the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 1999/11/27, Modified: 2023/12/04

Plugin Output

udp/0

```
For your information, here is the traceroute from 10.67.253.33 to 10.67.253.121 :
10.67.253.33
10.67.253.121

Hop Count: 1
```

192709 - Tukaani XZ Utils Installed (Linux / Unix)

Synopsis

Tukaani XZ Utils is installed on the remote Linux / Unix host.

Description

Tukaani XZ Utils is installed on the remote Linux / Unix host.

XZ Utils consists of several components, including:

- liblzma
- xz

Additional information:

- More paths will be searched and the timeout for the search will be increased if 'Perform thorough tests' setting is enabled.
- The plugin timeout can be set to a custom value other than the plugin's default of 30 minutes via the 'timeout.192709' scanner setting in Nessus 8.15.1 or later.

Please see <https://docs.tenable.com/nessus/Content/SettingsAdvanced.htm#Custom> for more information.

See Also

<https://xz.tukaani.org/xz-utils/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2024/03/29, Modified: 2025/07/28

Plugin Output

tcp/0

```
Nessus detected 2 installs of XZ Utils:

Path : /usr/lib/x86_64-linux-gnu/liblzma.so.5.2.4
Version : 5.2.4
Associated Package : liblzma5 5.2.4-1
Confidence : High
Managed by OS : True
Version Source : Package

Path : /usr/bin/xz
Version : 5.2.4
Associated Package : xz-utils 5.2.4-1
Confidence : High
Managed by OS : True
Version Source : Package
```

83303 - Unix / Linux - Local Users Information : Passwords Never Expire

Synopsis

At least one local user has a password that never expires.

Description

Using the supplied credentials, Nessus was able to list local users that are enabled and whose passwords never expire.

Solution

Allow or require users to change their passwords regularly.

Risk Factor

None

Plugin Information

Published: 2015/05/10, Modified: 2023/11/27

Plugin Output

tcp/0

```
Nessus found the following unlocked users with passwords that do not expire :
- root
- yashp
```

110483 - Unix / Linux Running Processes Information

Synopsis

Uses /bin/ps auxww command to obtain the list of running processes on the target machine at scan time.

Description

Generated report details the running processes on the target machine at scan time. This plugin is informative only and could be used for forensic investigation, malware detection, and to confirm that your system processes conform to your system policies.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2018/06/12, Modified: 2023/11/27

Plugin Output

tcp/0

```
USER PID %CPU %MEM VSZ RSS TTY STAT START TIME COMMAND
root 1 0.1 1.0 103876 10128 ? Ss 09:10 0:02 /sbin/init
root 2 0.0 0.0 0 0 ? S 09:10 0:00 [kthreadd]
root 3 0.0 0.0 0 0 ? I< 09:10 0:00 [rcu_gp]
root 4 0.0 0.0 0 0 ? I< 09:10 0:00 [rcu_par_gp]
root 6 0.0 0.0 0 0 ? I< 09:10 0:00 [kworker/0:0H-kblockd]
root 8 0.0 0.0 0 0 ? I< 09:10 0:00 [mm_percpu_wq]
root 9 0.6 0.0 0 0 ? S 09:10 0:07 [ksoftirqd/0]
root 10 0.0 0.0 0 0 ? R 09:10 0:01 [rcu_sched]
root 11 0.0 0.0 0 0 ? I 09:10 0:00 [rcu_bh]
root 12 0.0 0.0 0 0 ? S 09:10 0:00 [migration/0]
root 14 0.0 0.0 0 0 ? S 09:10 0:00 [cpuhp/0]
root 15 0.0 0.0 0 0 ? S 09:10 0:00 [kdevtmpfs]
root 16 0.0 0.0 0 0 ? I< 09:10 0:00 [netns]
root 17 0.0 0.0 0 0 ? S 09:10 0:00 [kauditd]
root 18 0.0 0.0 0 0 ? S 09:10 0:00 [khungtaskd]
root 19 0.0 0.0 0 0 ? S 09:10 0:00 [oom_reaper]
root 20 0.0 0.0 0 0 ? I< 09:10 0:00 [writeback]
root 21 0.0 0.0 0 0 ? S 09:10 0:00 [kcompactd0]
root 22 0.0 0.0 0 0 ? SN 09:10 0:00 [ksmd]
root 23 0.0 0.0 0 0 ? SN 09:10 0:00 [khugepaged]
root 24 0.0 0.0 0 0 ? I< 09:10 0:00 [crypto]
root 25 0.0 0.0 0 0 ? I< 09:10 0:00 [kintegrityd]
root 26 0.0 0.0 0 0 ? I< 09:10 0:00 [kblockd]
root 27 0.0 0.0 0 0 ? I< 09:10 0:00 [edac-poller]
root 28 0.0 0.0 0 0 ? I< 09:10 0:00 [devfreq_wq]
root 29 0.0 0.0 0 0 ? S 09:10 0:00 [watchdogd]
root 32 0.0 0.0 0 0 ? S 09:10 0:00 [kswapd0]
root 50 0.0 0.0 0 0 ? I< 09:10 0:00 [kthrotld]
root 51 0.0 0.0 0 0 ? I< 09:10 0:00 [ipv6_addrconf]
root 52 0.0 0.0 0 0 ? I 09:10 0:00 [kworker/u2:1-events_unbound]
root 61 0.0 0.0 0 0 ? I< 09:10 0:00 [kstrp]
root 108 0.0 0.0 0 0 ? I< 09:10 0:00 [ata_sff]
root 109 0.0 0.0 0 0 ? S 09:10 0:00 [scsi_eh_0]
root 110 0.0 0.0 0 0 ? I< 09:10 0:00 [scsi_tmf_0]
root 112 0.0 0.0 0 0 ? S 09:10 0:00 [scsi_eh_1]
root 113 0.0 0.0 0 0 ? I< 09:10 0:00 [scsi_tmf_1]
root 117 0.0 0.0 0 0 ? S 09:10 0:00 [scsi_eh_2]
root 119 0.0 0.0 0 0 ? I< 09:10 0:00 [scsi_tmf_2]
root 120 0.0 0.0 0 0 ? I 09:10 0:00 [kworker/u2:3-events_unbound]
root 154 0.0 0.0 0 0 ? I< 09:10 0:01 [kworker/0:1H-kblockd]
root 185 0.0 0.0 0 0 ? I< 09:10 0:00 [kworker/u3:0]
root 187 0.0 0.0 0 0 ? S 09:10 0:00 [jbd2/sda1-8]
root 188 0.0 0.0 0 0 ? I< 09:10 0:00 [ext4-rsv-conver]
root 222 0.0 0.8 32208 8700 ? Ss 09:10 0:00 /lib/systemd/systemd-journald
root 238 0.0 0.4 22068 4988 ? Ss 09:10 0:00 /lib/systemd/systemd-udev
root 282 0.0 0.0 0 0 ? I< 09:10 0:00 [ttm_swap]
root 283 0.0 0.0 0 0 ? S 09:10 0:00 [irq/18-vmwgfx]
root 324 0.0 0.0 0 0 ? S 09:10 0:00 [jbd2/sda8-8]
root 326 0.0 0.0 0 0 ? I< 09:10 0:00 [ext4-rsv-conver]
root 343 0.0 0.0 0 0 ? S 09:10 0:00 [jbd2/sda5-8]
root 344 0.0 0.0 0 0 ? I< 09:10 0:00 [ext4-rsv-conver]
root 348 0.0 0.0 0 0 ? S 09:10 0:00 [jbd2/sda7-8]
root 349 0.0 0.0 0 0 ? I< 09:10 0:00 [ext4-rsv-conver]
systemd+ 359 0.0 0.6 93084 6400 ? Ssl 09:10 0:00 /lib/systemd/systemd-timesyncd
root 366 0.0 0.2 8504 2648 ? Ss 09:10 0:00 /usr/sbin/cron -f
root 367 0.0 0.7 19528 7328 ? Ss 09:10 0:00 /lib/systemd/systemd-logind
message+ 368 0.0 0.4 9152 4404 ? Ss 09:10 0:00 /usr/bin/dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
root 369 0.0 0.3 225824 3788 ? Ssl 09:10 0:00 /usr/sbin/rsyslogd -n -iNONE
root 396 0.0 0.5 9488 5616 ? Ss 09:10 0:00 /sbin/dhclient -4 -v -i -pf /run/dhclient.enp0s3.pid -lf /var/lib/dhcp/dhclient.enp0s3.leases -I -df /var/lib/dhcp/dhclient6.enp0s3.leases enp0s3
root 420 0.0 0.3 6924 3500 tty1 Ss 09:10 0:00 /bin/login -p --
root 430 0.0 0.7 15852 7164 ? Ss 09:10 0:00 /usr/sbin/sshd -D
root 481 0.0 2.1 199732 21544 ? Ss 09:10 0:01 /usr/sbin/apache2 -k start
mysql 501 0.3 9.1 1279548 92944 ? Ssl 09:10 0:03 /usr/sbin/mysqld
root 620 0.0 0.8 21156 8240 ? Ss 09:10 0:00 /lib/systemd/systemd --user
root 621 0.0 0.2 104840 2308 ? S 09:10 0:00 (sd-pam)
root 625 0.0 0.4 7652 4488 tty1 S+ 09:10 0:00 -bash
root 628 0.1 0.7 16720 8088 ? Ss 09:11 0:01 sshd: root@pts/0
root 635 0.0 0.4 8240 4988 pts/0 Ss+ 09:11 0:00 -bash
root 740 0.0 0.0 0 0 ? I 09:15 0:00 [kworker/0:1-ata_sff]
root 946 0.1 0.0 0 0 ? I 09:20 0:00 [kworker/0:2-memcg_kmem_cache]
www-data 1093 0.0 2.3 203488 23420 ? S 09:25 0:00 /usr/sbin/apache2 -k start
www-data 1094 0.0 1.6 200244 16252 ? S 09:25 0:00 /usr/sbin/apache2 -k start
www-data 1095 0.0 1.6 200244 16252 ? S 09:25 0:00 /usr/sbin/apache2 -k start
www-data 1102 0.0 2.3 203432 23556 ? S 09:25 0:00 /usr/sbin/apache2 -k start
www-data 1114 0.0 2.3 203452 23548 ? S 09:25 0:00 /usr/sbin/apache2 -k start
www-data 1123 0.0 2.3 203408 23496 ? S 09:25 0:00 /usr/sbin/apache2 -k start
root 1147 0.1 0.0 0 0 ? I 09:26 0:00 [kworker/0:0-events]
www-data 1171 0.0 1.6 200240 16180 ? S 09:27 0:00 /usr/sbin/apache2 -k start
www-data 1172 0.0 2.3 203420 23460 ? S 09:27 0:00 /usr/sbin/apache2 -k start
www-data 1187 0.0 1.6 200232 16228 ? S 09:27 0:00 /usr/sbin/apache2 -k start
www-data 1201 0.0 2.3 203444 23308 ? S 09:28 0:00 /usr/sbin/apache2 -k start
www-data 1222 0.0 2.3 203444 23432 ? S 09:28 0:00 /usr/sbin/apache2 -k start
root 1244 0.0 0.0 0 0 ? I 09:28 0:00 [kworker/u2:0-events_unbound]
www-data 1310 0.0 1.3 200232 14116 ? S 09:28 0:00 /usr/sbin/apache2 -k start
www-data 1325 0.0 1.3 200240 13884 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1328 0.0 2.3 203444 23324 ? S 09:29 0:00 /usr/sbin/apache2 -k start
```

```
www-data 1329 0.9 2.3 203476 23504 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1331 0.2 2.3 203424 23464 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1333 0.6 2.3 203444 23372 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1364 0.0 1.4 200232 14168 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1365 0.0 1.6 200232 16228 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1366 0.0 1.5 200240 16172 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1368 0.0 1.4 200216 14168 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1369 0.0 1.4 200216 14168 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1375 0.0 1.4 200232 14168 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1376 0.0 1.4 200216 14168 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1401 0.0 1.0 200056 11000 ? S 09:29 0:00 /usr/sbin/apache2 -k start
www-data 1423 0.0 1.4 200216 14168 ? S 09:30 0:00 /usr/sbin/apache2 -k start
root 1443 0.2 0.6 19120 6344 ? Ss 09:30 0:00 /lib/systemd/systemd-timedated
root 1914 0.0 0.7 16804 8024 ? Ss 09:30 0:00 sshd: root@notty
root 1915 0.0 0.7 16804 7852 ? Ss 09:30 0:00 sshd: root@notty
root 1933 0.0 0.3 6644 3228 ? Ss 09:30 0:00 bash -c /bin/ps auxww 2>/dev/null
root 1934 0.0 0.3 10632 3180 ? R 09:30 0:00 /bin/ps auxww
root 1935 0.0 0.6 15852 6776 ? Ss 09:30 0:00 sshd: [accepted]
```

152743 - Unix Software Discovery Commands Not Available

Synopsis

Nessus was able to log in to the remote host using the provided credentials, but encountered difficulty running commands used to find unmanaged software.

Description

Nessus found problems running commands on the target host which are used to find software that is not managed by the operating system. Details of the issues encountered are reported by this plugin.

Failure to properly execute commands used to find and characterize unmanaged software on the target host can lead to scans that do not report known vulnerabilities. There may be little in the scan results of unmanaged software plugins to indicate the missing availability of the source commands except audit trail messages.

Commands used to find unmanaged software installations might fail for a variety of reasons, including:

- * Inadequate scan user permissions,
- * Failed privilege escalation,
- * Intermittent network disruption, or
- * Missing or corrupt executables on the target host.

Please address the issues reported here and redo the scan.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2021/08/23, Modified: 2021/08/23

Plugin Output

tcp/0

```
Failures in commands used to assess Unix software:

strings -v :
bash: strings: command not found

Account : root
Protocol : SSH
```

189731 - Vim Installed (Linux)

Synopsis

Vim is installed on the remote Linux host.

Description

Vim is installed on the remote Linux host.

See Also

<https://www.vim.org/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2024/01/29, Modified: 2025/07/28

Plugin Output

tcp/0

Path : /usr/bin/vim.tiny
Version : 8.1

182848 - libcurl Installed (Linux / Unix)

-

Synopsis

libcurl is installed on the remote Linux / Unix host.

Description

libcurl is installed on the remote Linux / Unix host.

Additional information:

- More paths will be searched and the timeout for the search will be increased if 'Perform thorough tests' setting is enabled.
- The plugin timeout can be set to a custom value other than the plugin's default of 30 minutes via the 'timeout.182848' scanner setting in Nessus 8.15.1 or later.

Please see <https://docs.tenable.com/nessus/Content/SettingsAdvanced.htm#Custom> for more information.

See Also

<https://curl.se/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/10/10, Modified: 2025/07/28

Plugin Output

tcp/0

Nessus detected 2 installs of libcurl:

Path : /usr/lib/x86_64-linux-gnu/libcurl.so.4.5.0
Version : 7.64.0
Associated Package : libcurl4 7.64.0-4
Managed by OS : True

Path : /usr/lib/x86_64-linux-gnu/libcurl-gnutls.so.4.5.0
Version : 7.64.0
Associated Package : libcurl3-gnutls 7.64.0-4
Managed by OS : True

Compliance 'FAILED'

Compliance 'SKIPPED'

Compliance 'PASSED'

Compliance 'INFO', 'WARNING', 'ERROR'

Remediations

Suggested Remediations

Taking the following actions across 1 hosts would resolve 98% of the vulnerabilities on the network.

Action to take	Vulns	Hosts
Debian dla-3588 : vim - security update: Upgrade the vim packages.	58	1
Debian DSA-5096-1 : linux - security update: Upgrade the linux packages.	52	1
Debian dla-3763 : curl - security update: Upgrade the curl packages.	32	1
Debian dla-3818 : apache2 - security update: Upgrade the apache2 packages.	23	1
Debian dla-3833 : libapache2-mod-php7.3 - security update: Upgrade the libapache2-mod-php7.3 packages.	20	1
Debian dla-3850 : glibc-doc - security update: Upgrade the glibc-doc packages.	19	1
Debian dla-3783 : expat - security update: Upgrade the expat packages.	18	1
Debian dla-3771 : idle-python2.7 - security update: Upgrade the idle-python2.7 packages.	17	1
Debian dla-3772 : idle-python3.7 - security update: Upgrade the idle-python3.7 packages.	15	1
Debian dla-3816 : bind9 - security update: Upgrade the bind9 packages.	14	1
Debian DSA-4843-1 : linux - security update: Upgrade the linux packages. For the stable distribution (buster), these problems have been fixed in version 4.19.171-2.	11	1
Debian DSA-4860-1 : openldap - security update: Upgrade the openldap packages. For the stable distribution (buster), this problem has been fixed in version 2.4.47+dfsg-3+deb10u6.	11	1
Debian dla-3530 : libssl-dev - security update: Upgrade the libssl-dev packages.	11	1
Debian dla-3605 : grub-common - security update: Upgrade the grub-common packages.	11	1
Debian dla-3649 : python-urllib3 - security update: Upgrade the python-urllib3 packages.	8	1
Debian DSA-5169-1 : openssl - security update: Upgrade the openssl packages. For the stable distribution (bullseye), this problem has been fixed in version 1.1.1n-0+deb11u3.	6	1
Debian DSA-4856-1 : php7.3 - security update: Upgrade the php7.3 packages. For the stable distribution (buster), these problems have been fixed in version 7.3.27-1~deb10u1.	5	1
Debian dla-3405 : libxml2 - security update: Upgrade the libxml2 packages.	5	1
Debian dla-3732 : sudo - security update: Upgrade the sudo packages.	5	1
Debian dla-3740 : gnutls-bin - security update: Upgrade the gnutls-bin packages.	5	1

Debian DSA-4875-1 : openssl - security update: Upgrade the openssl packages. For the stable distribution (buster), this problem has been fixed in version 1.1.1d-0+deb10u6.	4	1
Debian dla-3602 : libx11-6 - security update: Upgrade the libx11-6 packages.	4	1
Debian dla-3628 : dbus - security update: Upgrade the dbus packages.	4	1
Debian dla-3682 : lib32ncurses-dev - security update: Upgrade the lib32ncurses-dev packages.	4	1
Debian dla-3694 : openssh-client - security update: Upgrade the openssh-client packages.	4	1
Debian DSA-4822-1 : p11-kit - security update: Upgrade the p11-kit packages. For the stable distribution (buster), these problems have been fixed in version 0.23.15-2+deb10u1.	3	1
Debian dla-3107 : lemon - security update: Upgrade the lemon packages.	3	1
Debian dla-3363 : libpcre2-16-0 - security update: Upgrade the libpcre2-16-0 packages.	3	1
Debian dla-3474 : libnss-myhostname - security update: Upgrade the libnss-myhostname packages.	3	1
Debian dla-3559 : libssh2-1 - security update: Upgrade the libssh2-1 packages.	3	1
Debian dla-3626 : krb5-admin-server - security update: Upgrade the krb5-admin-server packages.	3	1
Debian dla-3804 : libnghttp2-14 - security update: Upgrade the libnghttp2-14 packages.	3	1
Debian DSA-4933-1 : nettle - security update: Upgrade the nettle packages. For the stable distribution (buster), these problems have been fixed in version 3.4.1-1+deb10u1.	2	1
Debian dla-3101 : libxslt1-dev - security update: Upgrade the libxslt1-dev packages.	2	1
Debian dla-3103 : lib32z1 - security update: Upgrade the lib32z1 packages.	2	1
Debian dla-3118 : unzip - security update: Upgrade the unzip packages.	2	1
Debian dla-3146 : isc-dhcp-client - security update: Upgrade the isc-dhcp-client packages.	2	1
Debian dla-3445 : cpio - security update: Upgrade the cpio packages.	2	1
Debian dla-3722 : libmariadb-dev - security update: Upgrade the libmariadb-dev packages.	2	1
Debian dla-3782 : bsduils - security update: Upgrade the bsduils packages.	2	1
Debian dla-3823 : less - security update: Upgrade the less packages.	2	1
JQuery 1.2 < 3.5.0 Multiple XSS: Upgrade to JQuery version 3.5.0 or later.	2	1
Debian DSA-4919-1 : lz4 - security update: Upgrade the lz4 packages. For the stable distribution (buster), this problem has been fixed in version 1.8.3-1+deb10u1.	1	1
Debian DSA-4920-1 : libx11 - security update: Upgrade the libx11 packages. For the stable distribution (buster), this problem has been fixed in version 2:1.6.7-1+deb10u2.	1	1
Debian DSA-5014-1 : icu - security update: Upgrade the icu packages.	1	1
Debian DSA-5087-1 : cyrus-sasl2 - security update: Upgrade the cyrus-sasl2 packages. For the stable distribution (bullseye), this problem has been fixed in version 2.1.27+dfsg-2.1+deb11u1.	1	1
Debian DSA-5122-1 : gzip - security update: Upgrade the gzip packages. For the stable distribution (bullseye), this problem has been fixed in version 1.10-4+deb11u1.	1	1
Debian DSA-5123-1 : xz-utils - security update: Upgrade the xz-utils packages. For the stable distribution (bullseye), this problem has been fixed in version 5.2.5-2.1~deb11u1.	1	1
Debian DSA-5140-1 : openldap - security update: Upgrade the openldap packages. For the stable distribution (bullseye), this problem has been fixed in version 2.4.57+dfsg-3+deb11u1.	1	1
Debian DSA-5147-1 : dpkg - security update: Upgrade the dpkg packages. For the stable distribution (bullseye), this problem has been fixed in version 1.20.10.	1	1
Debian DSA-5150-1 : rsyslog - security update: Upgrade the rsyslog packages. For the stable distribution (bullseye), this problem has been fixed in version 8.2102.0-2+deb11u1.	1	1

Debian DSA-5174-1 : gnupg2 - security update: Upgrade the gnupg2 packages. For the stable distribution (bullseye), this problem has been fixed in version 2.2.27-2+deb11u2.	1	1
Debian dla-3263 : libtasn1-6 - security update: Upgrade the libtasn1-6 packages.	1	1
Debian dla-3332 : libaprutil1 - security update: Upgrade the libaprutil1 packages.	1	1
Debian dla-3456 : python-requests - security update: Upgrade the python-requests packages.	1	1
Debian dla-3461 : libfastjson-dev - security update: Upgrade the libfastjson-dev packages.	1	1
Debian dla-3579 : elfutils - security update: Upgrade the elfutils packages.	1	1
Debian dla-3755 : tar - security update: Upgrade the tar packages.	1	1
Debian dla-3811 : pypy-idna - security update: Upgrade the pypy-idna packages.	1	1
Debian dla-3831 : nano - security update: Upgrade the nano packages.	1	1
SSH Terrapin Prefix Truncation Weakness (CVE-2023-48795): Contact the vendor for an update with the strict key exchange countermeasures or disable the affected algorithms.	1	1