



Bar Top Arcade Cabinet Build Guide



Required Pieces:



- 1- 2" screws (75)



- 17 to 19" monitor (ensure to have brackets for easier assembly)


- Clamps (optional)
Can be used to hold the dowels




- Drill



- Dowels
Used to connect the panels



Step 1 (Attachment of the side panels to the bottom panel):




Side Support Installation


Install bottom dowels




Attach both sides

Bottom Base sits flush with the side panels.




Screw or nail= 


Side panels attached to bottom panel





Step 2 (Attach main control panel to lower control panel):



Install dowels under the control panel




Screw or nail= 




Screw or nail= ●


Controller Panel sits on top




Step 3 (Attaching control panel to side panels):





Install dowels on the side panel
(Repeat for the other side)



Screw or nail= 

Control Panel attached





Screw or nail= 

Step 4 (Mount monitor board):

Attach monitor mount to the centre of monitor board.




Install dowel on the side panel




Screw or nail=




(optional): Install dowels directly under the monitor to help support the weight of the monitor.



Screw or nail= 


Monitor board attached on the cabinet




Step 5 (Mounting the back board):

Remove the monitor and control panel, it will make mounting the back panel easier.


Install the dowel on the bottom board




Screw or nail=




install the dowels on the side panels.





Back panel attached




Screw or nail= 

Step 6 (Attaching the top panel):
Install dowels for the top panel



Screw or nail= 


Top panel attached




Step 7 (Attaching the speaker panel):


Remove the top panel to make the installation easier.

Measure the distance between the top of the monitor to the bottom of the top dowel and then draw a line to represent where the speaker panel will mount.





Screw or nail= 

Install the dowel



Step 8 (Install the marque):



Screw or nail= 

Step 9 (Reattach the top, back and control panel): (If using a large monitor, you will need to remove the speaker panel to reattach the monitor).

Completed Cabinet

