

## Questions Table

ObjectAttributeID	ObjectType(ID/Name)	AttributeType(ID/Name)	AttributeNamePartial/Object	DateStart	Date End	Source	QuestionID	QuestionPartial	Exam ID	Count A,B,C,D,E,F,G,H,I,J	Acceptable Answers
There are no "J" answers for any question.											

"Question Partial" Column had inconsistencies:	"Question 32" "<!--p.pl{margin..})" "<!--CASE <span style=1"
--	--

Questions appeared to take days complete:	Mean	198
	Median	343
	Max	616
	Min	0

```
outliers <- as.data.frame(questions[questions$total > 200,])
outliers <- outliers[outliers$percentCorrect < 0.05,]
dim(outliers)      57
```

Unique Question IDs:	23,722
----------------------	--------

## Exams

ObjectAttributeID	ObjectType(ID/Name)	AttributeType(ID/Name)	AttributeNamePartial	Object	Date Start	Date End	Source
-------------------	---------------------	------------------------	----------------------	--------	------------	----------	--------

AttributeNamePartial and Object are different

Unique Exam IDs: 3,297

## iCan EPA

ObjectAttributeID	ObjectType(ID/Name)	AttributeType(ID/Name/Partial)	Object	Date Start	Assessment ID	Assessment Date
-------------------	---------------------	--------------------------------	--------	------------	---------------	-----------------

Attribute Type, Attribute Name, and Attribute Name Partial are all redundant

No rows have end dates

Source ("iCan") is the same as ObjectTypeName ("iCan EPA")