
06

“

One voucher, *twenty redemptions.*

A BUSINESS LOGIC FLAW, STEP BY STEP



This is a composite of patterns that show up again and again, **not one company’s story.**

SWIPE →

MICHAEL ADEYANJU
michaeladeyanju.com



No scanner *flags it.*

A business logic flaw, step by step.

Every request in this story is valid. That's why automated tools miss it.

MICHAEL ADEYANJU

michaeladeyanju.com

SWIPE →

01

Check, then use.
Two steps.

A single-use voucher is checked, then marked as used, in two separate steps.

MICHAEL ADEYANJU

michaeladeyanju.com

SWIPE →

02

Twenty requests, *same moment.*

Someone sends twenty redeem requests at exactly the same time.

MICHAEL ADEYANJU

michaeladeyanju.com

SWIPE →

03

All twenty pass *the check.*

Every request passes the check before any of them marks the voucher used.

MICHAEL ADEYANJU

michaeladeyanju.com

SWIPE →

04

One voucher.
Twenty redemptions.

No injection. No broken login. Just logic.

MICHAEL ADEYANJU

michaeladeyanju.com

SWIPE →

“

Make it *one atomic step.*

Use a conditional update or a database constraint, add idempotency keys, and test money flows with concurrent requests.

Which money flow in your app has a check-then-act gap?

TELL ME IN THE COMMENTS

MICHAEL ADEYANJU

michaeladeyanju.com