

ID : 16

Name : Ls,Xb

Contact : 6546654654

DIFFERENT RANGE/UNIT

LOW

HIGH

NORMAL

IMPROVED,STILL OUT OF RANGE

DECREASED

IMPROVED

LABEL	05/03/21	-	-	-	-
-------	----------	---	---	---	---

Hematology

RDW Range	14.4 11.5 - 14.5	-	-	-	-
--------------	---------------------	---	---	---	---

Others

HAEMOGLOBIN Range	12.5 12.0 - 15.0	-	-	-	-
----------------------	---------------------	---	---	---	---

RED BLOOD CELL COUNT Range	4.41 4.5 - 5.5	-	-	-	-
----------------------------------	-------------------	---	---	---	---

MCV Range	81.7 83.0 - 101.0	-	-	-	-
--------------	----------------------	---	---	---	---

MCH Range	28.4 27.0 - 32.0	-	-	-	-
--------------	---------------------	---	---	---	---

TECHNICAL REPORT

Label	Now	Before
-------	-----	--------

Improvement seen

RDW	14.4	- NA -
HAEMOGLOBIN	12.5	- NA -
MCH	28.4	- NA -

Areas to work on

RED BLOOD CELL COUNT	4.41	- NA -
MCV	81.7	- NA -

ID : 16

Name : Ls,Xb

Contact : 6546654654

OVERVIEW REPORT

The below parameters have come in natural range

RDW

HAEMOGLOBIN

MCH

The below parameters require attention

RED BLOOD CELL COUNT

MCV