# Implementation Guide for CDA Release 2 MDHT Example Project Optional Subtitle



PROTOTYPE: FOR DISCUSSION
AND DEMONSTRATION USE ONLY
(Consolidated Developer Documentation)

# **Contents**

Acknowledgments	
Revision History	7
Link of Eigenrag	
List of Figures	
Chapter 1: INTRODUCTION	11
Overview	
Approach	
Scope	
Audience	
Organization of This Guide	
Templates	
Vocabulary and Value Sets	
Use of Templates	
Originator Responsibilities	
Recipient Responsibilities	
Conventions Used in This Guide	
Conformance Requirements	
Keywords	
XML Examples	14
Chapter 2: DOCUMENT TEMPLATES	
Clinical Office Visit Summary	
General Header Constraints	
Summary Of Care Record	
Transition Of Care Ambulatory Summary	
Transition Of Care Inpatient Summary	
VDT Ambulatory Summary	
VDT Inpatient Summary	
View Download Transmit Summary	
view Download Transmit Summary	
Chapter 3: SECTION TEMPLATES	67
•	
Assessment And Plan Section	
Assessment Section	
Encounters Section	
Hospital Admission Diagnosis Section	
Hospital Admission Medications Section Entries Optional	
Hospital Discharge Diagnosis Section	
Instructions Section	
Medications Administered Section	
Plan Of Care Section	
Postoperative Diagnosis Section	
Postprocedure Diagnosis Section	
Preoperative Diagnosis Section	75
Procedures Section	
Results Section.	76
Social History Section	77

Chapter 4: CLINICAL STATEMENT TEMPLATES	<b> 79</b>
Encounter Activities	80
Procedure Activity Procedure	81
Result Observation	83
Result Organizer	84
Smoking Status Observation	84
Chapter 5: OTHER CLASSES  Chapter 6: VALUE SETS	
Ethnicity Category ValueSet	
Ethnicity Category ValueSet	90
Race Category ValueSet	90
Smoking Status	
REFERENCES	

## **Acknowledgments**

This document contains an example of healthcare standards and specifications publication generated from UML models, using the OHT Model Driven Health Tools (MDHT). Some portions of this document may not be publicly available but are included for demonstration purposes only, therefore this version of the document is to be treated as CONFIDENTIAL by the project participants.

This demonstration document contains informtion from the following sources:

©2010 ANSI. This material may be copied without permission from ANSI only if and to the extent that the text is not altered in any fashion and ANSI's copyright is clearly noted.

SNOMED CT® is the registered trademark of the International Health Terminology Standard Development Organization (IHTSDO).

This material contains content from LOINC® (http://loinc.org). The LOINC table, LOINC codes, and LOINC panels and forms file are copyright © 1995-2010, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and available at no cost under the license at http://loinc.org/terms-of-use.

Certain materials contained in this Interoperability Specification are reproduced from Health Level Seven (HL7) HL7 Implementation Guide: CDA Release 2 – Continuity of Care Document (CCD), HL7 Implementation Guide for CDA Release 2: History and Physical (H&P) Notes, HL7 Implementation Guide for CDA Release 2: Consult Notes, or HL7 Implementation Guide for CDA Release 2: Operative Notes with permission of Health Level Seven, Inc. No part of the material may be copied or reproduced in any form outside of the Interoperability Specification documents, including an electronic retrieval system, or made available on the Internet without the prior written permission of Health Level Seven, Inc. Copies of standards included in this Interoperability Specification may be purchased from the Health Level Seven, Inc. Material drawn from these standards is credited where used.

# **Revision History**

Rev	Date	By Whom	Changes
New	July 2010	Dave Carlson	
First draft for posting	December 2010	Dave Carlson	Updated model content and publication format

# **List of Figures**

Figure 1: Template name and "conforms to" appearance	13
Figure 2: Template-based conformance statements example	. 14
Figure 3: CCD conformance statements example	. 14
Figure 4: ClinicalDocument example.	. 14

# Chapter

# 1

# INTRODUCTION

## Topics:

- Overview
- Approach
- Scope
- Audience
- Organization of This Guide
- Use of Templates
- Conventions Used in This Guide

## **Overview**

This implementation guide is generated from UML models developed in the Open Health Tools (OHT) Model-Driven Health Tools (MDHT) project. The data specifications have been formalized into computational models expressed in UML. These models are used by automated tooling to generate this publication, plus validation tools and Java libraries for implementers.

## **Approach**

Working with specifications generated from formal UML models provides the opportunity to work with the data from the perspective of the underlying model and electronic format and to explore many design issues thoroughly. Taking this as an initial step ensures that the data set developers and standards community can reach consensus prior to the larger commitment of time that would be required to bring the full data set into standard format.

This project supports reusability and ease of data collection through a standard data representation harmonized with work developed through Health Information Technology Expert Panel (HITEP), balloted through Health Level Seven (HL7) and/or recognized by the Health Information Technology Standards Panel (HITSP).

This implementation guide (IG) specifies a standard for electronic submission of NCRs in a Clinical Document Architecture (CDA), Release 2 format.

## Scope

TODO: scope of this implementation guide.

## **Audience**

The audience for this document includes software developers and implementers who wish to develop...

## Organization of This Guide

The requirements as laid out in the body of this document are subject to change per the policy on implementation guides (see section 13.02" Draft Standard for Trial Use Documents" within the HL7 Governance and Operations Manual, <a href="http://www.hl7.org/documentcenter/public/membership/HL7\_Governance\_and\_Operations\_Manual.pdf">http://www.hl7.org/documentcenter/public/membership/HL7\_Governance\_and\_Operations\_Manual.pdf</a>).

## **Templates**

Templates are organized by document (see Document Templates), by section (see Section Templates), and by clinical statements (see Clinical Statement Templates). Within a section, templates are arranged hierarchically, where a more specific template is nested under the more generic template that it conforms to. See Templates by Containment for a listing of the higher level templates by containment; the appendix Templates Used in This Guide includes a table of all of the templates Organized Hierarchically.

## Vocabulary and Value Sets

Vocabularies recommended in this guide are from standard vocabularies. When SNOMED codes are used, rules defined in Using SNOMED CT in HL7 Version 3 are adhered to. In many cases, these vocabularies are further constrained into value sets for use within this guide. Value set names and OIDs are summarized in the table Summary of Value Sets. Each named value set in this summary table is stored in a template database that will be maintained by CHCA.

## **Use of Templates**

When valued in an instance, the template identifier (templateId) signals the imposition of a set of template-defined constraints. The value of this attribute provides a unique identifier for the templates in question.

## Originator Responsibilities

An originator can apply a templateId to assert conformance with a particular template.

In the most general forms of CDA exchange, an originator need not apply a templateId for every template that an object in an instance document conforms to. This implementation guide asserts when templateIds are required for conformance.

## **Recipient Responsibilities**

A recipient may reject an instance that does not contain a particular templateId (e.g., a recipient looking to receive only CCD documents can reject an instance without the appropriate templateId).

A recipient may process objects in an instance document that do not contain a templateId (e.g., a recipient can process entries that contain Observation acts within a Problems section, even if the entries do not have templateIds).

## **Conventions Used in This Guide**

## **Conformance Requirements**

Conformance statements are grouped and identified by the name of the template, along with the templateId and the context of the template (e.g., ClinicalDocument, section, observation), which specifies the element under constraint. If a template is a specialization of another template, its first constraint indicates the more general template. In all cases where a more specific template conforms to a more general template, asserting the more specific template also implies conformance to the more general template. An example is shown below.

#### Template name

```
[<type of template>: templateId <XXXX.XXX.XXX.XXX>]
```

Description of the template will be here .....

- 1. Conforms to <The template name> Template (templateId: XXXX<XX>XXX>YYY).
- **2. SHALL** contain [1..1] @classCode = <AAA> <code display name> (CodeSystem: 123.456.789 <XXX> Class) **STATIC** (CONF:<number>).
- **3.** ......

## Figure 1: Template name and "conforms to" appearance

The conformance verb keyword at the start of a constraint (SHALL, SHOULD, MAY, etc.) indicates business conformance, whereas the cardinality indicator (0..1, 1..1, 1..\*, etc.) specifies the allowable occurrences within an instance. Thus, "MAY contain 0..1" and "SHOULD contain 0..1" both allow for a document to omit the particular component, but the latter is a stronger recommendation that the component be included if it is known.

The following cardinality indicators may be interpreted as follows:

- 0..1 as zero to one present
- 1..1 as one and only one present
- 2..2 as two must be present
- 1..\* as one or more present
- 0..\* as zero to many present

Value set bindings adhere to HL7 Vocabulary Working Group best practices, and include both a conformance verb (SHALL, SHOULD, MAY, etc.) and an indication of DYNAMIC vs. STATIC binding. The use of SHALL requires that the component be valued with a member from the cited value set; however, in every case any HL7 "null" value such as other (OTH) or unknown (UNK) may be used.

Each constraint is uniquely identified (e.g., "CONF:605") by an identifier placed at or near the end of the constraint. These identifiers are not sequential as they are based on the order of creation of the constraint.

- **1. SHALL** contain [1..1] component/structuredBody (CONF:4082).
  - a. This component/structuredBody SHOULD contain [0..1] component (CONF:4130) such that it
    - **a. SHALL** contain [1..1] Reporting Parameters section (templateId:2.16.840.1.113883.10.20.17.2.1) (CONF:4131).
  - **b.** This component/structuredBody **SHALL** contain [1..1] component (CONF:4132) such that it
    - **a. SHALL** contain [1..1] Patient data section NCR (templateId:2.16.840.1.113883.10.20.17.2.5) (CONF:4133).

#### Figure 2: Template-based conformance statements example

CCD templates are included within this implementation guide for ease of reference. CCD templates contained within this implementation guide are formatted WITHOUT typical **KEYWORD** and **XML** element styles. A WIKI site is available if you would like to make a comment to be considered for the next release of CCD: <a href="http://wiki.hl7.org/index.php?title=CCD\_Suggested\_Enhancements">http://wiki.hl7.org/index.php?title=CCD\_Suggested\_Enhancements</a> The user name and password are: wiki/wikiwiki. You will need to create an account to edit the page and add your suggestion.

- 1. The value for "Observation / @moodCode" in a problem observation SHALL be "EVN" 2.16.840.1.113883.5.1001 ActMood STATIC. (CONF: 814).
- 2. A problem observation SHALL include exactly one Observation / statusCode. (CONF: 815).
- **3.** The value for "Observation / statusCode" in a problem observation SHALL be "completed" 2.16.840.1.113883.5.14 ActStatus STATIC. (CONF: 816).
- **4.** A problem observation SHOULD contain exactly one Observation / effectiveTime, to indicate the biological timing of condition (e.g. the time the condition started, the onset of the illness or symptom, the duration of a condition). (CONF: 817).

Figure 3: CCD conformance statements example

## Keywords

The keywords SHALL, SHALL NOT, SHOULD, SHOULD NOT, MAY, and NEED NOT in this document are to be interpreted as described in the *HL7 Version 3 Publishing Facilitator's Guide*:

- SHALL: an absolute requirement
- SHALL NOT: an absolute prohibition against inclusion
- SHOULD/SHOULD NOT: valid reasons to include or ignore a particular item, but must be understood and carefully weighed
- MAY/NEED NOT: truly optional; can be included or omitted as the author decides with no implications

## XML Examples

XML samples appear in various figures in this document in a fixed-width font. Portions of the XML content may be omitted from the content for brevity, marked by an ellipsis (...) as shown in the example below.

```
<ClinicalDocument xmlns='urn:h17-org:v3'>
...
</ClinicalDocument>
```

Figure 4: ClinicalDocument example

XPath expressions are used in the narrative and conformance requirements to identify elements because they are familiar to many XML implementers.

## Chapter

2

## **DOCUMENT TEMPLATES**

## **Topics:**

- Clinical Office Visit Summary
- General Header Constraints
- Summary Of Care Record
- Transition Of Care Ambulatory Summary
- Transition Of Care Inpatient Summary
- VDT Ambulatory Summary
- VDT Inpatient Summary
- View Download Transmit Summary

This section contains the document level constraints for CDA documents that are compliant with this implementation guide.

## **Clinical Office Visit Summary**

```
[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]
MU2 170.314(e)(2) Clinical Summary
1. SHALL conform to General Header Constraints template (templateId:
   2.16.840.1.113883.10.20.22.1.1)
2. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Consol Problem Section (templateId:
      2.16.840.1.113883.10.20.22.2.5.1)
3. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Consol Medications Section (templateId:
      2.16.840.1.113883.10.20.22.2.1.1)
4. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Consol Allergies Section (templateId:
      2.16.840.1.113883.10.20.22.2.6.1)
5. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Results Section (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
6. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Consol Vital Signs Section (templateId:
      2.16.840.1.113883.10.20.22.2.4.1)
7. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Plan Of Care Section (templateId: 2.16.840.1.113883.10.20.22.2.10)
8. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Procedures Section (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
9. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Consol Immunizations Section (templateId:
      2.16.840.1.113883.10.20.22.2.2.1)
10. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Medications Administered Section (templateId:
      2.16.840.1.113883.10.20.22.2.38)
11. Contains zero or one [0..1] component
   a. Contains exactly one [1..1] Consol Reason For Visit Section (templateId:
      2.16.840.1.113883.10.20.22.2.12)
12. Contains zero or one [0..1] component
   a. Contains exactly one [1..1] Consol Chief Complaint Section (templateId:
      1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1)
13. Contains zero or one [0..1] component
   a. Contains exactly one [1..1] Consol Chief Complaint And Reason For Visit Section (templateId:
      2.16.840.1.113883.10.20.22.2.13)
14. Contains zero or one [0..1] component
   a. Contains exactly one [1..1] Assessment And Plan Section (templateId:
      2.16.840.1.113883.10.20.22.2.9)
15. SHALL contain exactly one [1..1] component
   a. Contains exactly one [1..1] Instructions Section (templateId: 2.16.840.1.113883.10.20.22.2.45)
```

- **16. SHALL** contain exactly one [1..1] **component** 
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
- 17. SHALL satisfy: responsibleParty
- **18. SHALL** have one of Reason for Visit (2.16.840.1.113883.10.20.22.2.12) or Chief Complaint (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1) or Chief Complaint and Reason for Visit (2.16.840.1.113883.10.20.22.2.13)
- **19. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- **20. SHALL** satisfy: Date of Visit
- 21. SHALL satisfy: Visit Location
- 22. SHALL satisfy: Future Scheduled Appointments and Referrals to Other Providers
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 3. SHALL contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- **4. SHALL** contain exactly one [1..1] typeId (CONF:5361)
- 5. SHALL contain exactly one [1..1] id (CONF:5363)
- **6. SHALL** contain exactly one [1..1] **code** (CONF:5253)
- 7. SHALL contain exactly one [1..1] title (CONF:5254)
- 8. SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- **10. SHALL** contain exactly one [1..1] **languageCode**, where the @code **SHALL** be selected from ValueSet *Language* 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:5372)
- 11.MAY contain zero or one [0..1] setId (CONF:5261)
- **12. MAY** contain zero or one [0..1] **versionNumber** (CONF:5264)
- **13.** Contains exactly one [1..1] **component**, where its type is *Component*2
  - **a.** Contains exactly one [1..1] *Component2*
- **14. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
  - **b.** Such authors **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:5448)
    - a. This assigned Author SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5452)
    - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
    - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
    - d. This assigned Author SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5428)
    - e. This assigned Author SHOULD contain zero or one [0..1] assigned Authoring Device
      - a. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:16784)
      - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
    - f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
      - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:16789)

- g. This assignedAuthor This assignedAuthor SHALL contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
- **h.** This assigned Author The id **SHALL** contain exactly one root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **15. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - **b.** This assignedEntity **MAY** contain zero or one [0..1] **code**, where the @code **SHOULD** be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5443)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- **16. SHALL** contain exactly one [1..1] **custodian** (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - **b.** This representedCustodianOrganization **SHALL** contain at least one [1..\*] **id** (CONF:5522)
      - c. This represented Custodian Organization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- 17. MAY contain zero or more [0..\*] informationRecipient (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intendedRecipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
      - a. This informationRecipient SHALL contain at least one [1..\*] name (CONF:5470)
    - b. This intended Recipient MAY contain zero or one [0..1] receivedOrganization (CONF:5577)
      - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)
- **18. SHOULD** contain zero or one [0..1] legalAuthenticator (CONF:5579)
  - a. This legal Authenticator SHALL contain exactly one [1..1] time (CONF:5580)
  - **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
  - c. This legal Authenticator Contains zero or one [0..1] assignedEntity
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
    - **b.** This assignedEntity **MAY** contain zero or one [0..1] **code** (CONF:17000), where the @code **SHOULD** be selected from ValueSet *Healthcare Provider Taxonomy (NUCC HIPAA)* 2.16.840.1.114222.4.11.1066 **DYNAMIC**

- c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
- d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5595)
- e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
  - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5598)
- **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)
- **19. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)
  - a. Such authenticators SHALL contain exactly one [1..1] time (CONF:5608)
  - **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
  - c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5616)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5622)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
      - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5625)
    - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **20. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - a. This assignedEntity **SHOULD** contain zero or more [0..\*] addr with data type *US Realm Address* (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] **id** (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - **a.** This assignedPerson **SHALL** contain at least one [1..\*] **name**
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - b. This informant MAY contain zero or one [0..1] relatedEntity
    - **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
      - a. This relatedPerson SHALL contain at least one [1..\*] name
  - c. This informant SHALL satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 21. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.

- 22. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs SHALL contain exactly one [1..1] order (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **23. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent **SHALL** contain exactly one [1..1] **statusCode** (CONF:16797)/@code="completed" *Completed* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- **24. SHALL** contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - b. This patientRole SHALL contain exactly one [1..1] patient
      - a. This patient SHALL conform to Consol Patient
      - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
        - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- 25. SHALL contain at least one [1..\*] documentationOf
  - a. Such documentationOfs SHALL conform to Consol Documentation Of
  - b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
    - a. This serviceEvent SHALL conform to Consol Service Event
    - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
      - a. Such performers SHALL conform to Consol Performer1
      - b. Such performers SHALL contain exactly one [1..1] assignedEntity
        - a. This assigned Entity SHALL conform to Consol Assigned Entity
        - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
          - **a.** Contains exactly one [1..1] CDA Person
- **26.** Contains zero or one [0..1] **componentOf** 
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)

- a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
- **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
  - **a.** Contains exactly one [1..1] CDA Encounter Participant

#### 27. SHALL contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Consol Problem Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.5.1)
```

#### 28. SHALL contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Consol Medications Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.1.1)
```

#### **29. SHALL** contain exactly one [1..1] **component**

**a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.6.1)
```

- 30. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)

## 31. SHALL contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.4.1)
```

#### **32. SHALL** contain exactly one [1..1] **component**

**a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)

## 33. SHALL contain exactly one [1..1] component

a. Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)

#### **34. SHALL** contain exactly one [1..1] **component**

**a.** Contains exactly one [1..1] *Consol Immunizations Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.2.1)
```

#### 35. SHALL contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Medications Administered Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.38)
```

**36.** Contains zero or one [0..1] component

**a.** Contains exactly one [1..1] *Consol Reason For Visit Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.12)
```

**37.** Contains zero or one [0..1] component

**a.** Contains exactly one [1..1] *Consol Chief Complaint Section* (templateId:

```
1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1)
```

**38.** Contains zero or one [0..1] **component** 

a. Contains exactly one [1..1] Consol Chief Complaint And Reason For Visit Section (templateId:

```
2.16.840.1.113883.10.20.22.2.13)
```

- **39.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] Assessment And Plan Section (templateId:

```
2.16.840.1.113883.10.20.22.2.9)
```

- **40. SHALL** contain exactly one [1..1] **component** 
  - a. Contains exactly one [1..1] Instructions Section (templateId: 2.16.840.1.113883.10.20.22.2.45)

#### **41. SHALL** contain exactly one [1..1] **component**

a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)

- **42. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **43. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **44.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **45.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **46.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **47.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **48.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **49.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- 50. SHALL satisfy: responsibleParty
- **51. SHALL** have one of Reason for Visit (2.16.840.1.113883.10.20.22.2.12) or Chief Complaint (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1) or Chief Complaint and Reason for Visit (2.16.840.1.113883.10.20.22.2.13)
- **52. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- **53. SHALL** satisfy: Date of Visit
- 54. SHALL satisfy: Visit Location
- **55. SHALL** satisfy: Future Scheduled Appointments and Referrals to Other Providers

## Clinical Office Visit Summary example

Error: Missing Runtime Class

## **General Header Constraints**

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

Known Subclasses: Summary Of Care Record, Clinical Office Visit Summary, View Download Transmit Summary

## *INLINE*

- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - **b.** This patientRole **SHALL** contain exactly one [1..1] **patient** 
      - a. This patient SHALL conform to Consol Patient
      - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)

- b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
- c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
- d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- 3. SHALL contain at least one [1..\*] documentationOf
  - a. Such documentationOfs SHALL conform to Consol Documentation Of
  - b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
    - a. This serviceEvent SHALL conform to Consol Service Event
    - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
      - a. Such performers SHALL conform to Consol Performer1
      - b. Such performers SHALL contain exactly one [1..1] assignedEntity
        - a. This assigned Entity SHALL conform to Consol Assigned Entity
        - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
          - a. Contains exactly one [1..1] CDA Person
- **4.** Contains zero or one [0..1] **componentOf** 
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
    - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
    - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
      - a. Contains exactly one [1..1] CDA Encounter Participant
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- 3. SHALL contain exactly one [1..1] typeId (CONF:5361)
- 4. SHALL contain exactly one [1..1] id (CONF:5363)
- **5. SHALL** contain exactly one [1..1] **code** (CONF:5253)
- **6. SHALL** contain exactly one [1..1] **title** (CONF:5254)
- SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time the original document is created. The time when the transform occurred is not currently represented in CDA (CONF:9995)
- SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- 9. SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5372)
- 10. MAY contain zero or one [0..1] setId (CONF:5261)
- 11. MAY contain zero or one [0..1] versionNumber (CONF:5264)
- **12.** Contains exactly one [1..1] **component**, where its type is *Component*2
  - **a.** Contains exactly one [1..1] *Component2*

## **13. SHALL** contain at least one [1..\*] **author** (CONF:5444)

- a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
- b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)
  - **a.** This assigned Author **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5452)
  - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
  - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
  - **d.** This assigned Author **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5428)
  - e. This assigned Author SHOULD contain zero or one [0..1] assigned Authoring Device
    - a. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:16784)
    - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
  - f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
  - **g.** This assignedAuthor This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
  - **h.** This assigned Author The id **SHALL** contain exactly one root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- 14. MAY contain zero or one [0..1] dataEnterer (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity **SHALL** contain at least one [1..\*] id (CONF:5443)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- 15. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - **b.** This representedCustodianOrganization **SHALL** contain at least one [1..\*] **id** (CONF:5522)
      - c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **16. MAY** contain zero or more [0..\*] **informationRecipient** (CONF:5565)

- a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
  - a. This intendedRecipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
    - a. This informationRecipient **SHALL** contain at least one [1..\*] **name** (CONF:5470)
  - **b.** This intended Recipient **MAY** contain zero or one [0..1] **receivedOrganization** (CONF:5577)
    - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)

#### 17. SHOULD contain zero or one [0..1] legalAuthenticator (CONF:5579)

- a. This legal Authenticator **SHALL** contain exactly one [1..1] time (CONF:5580)
- **b.** This legalAuthenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
- c. This legal Authenticator Contains zero or one [0..1] assignedEntity
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
  - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5595)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
  - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)

## **18. MAY** contain zero or more [0..\*] authenticator (CONF:5607)

- a. Such authenticators **SHALL** contain exactly one [1..1] **time** (CONF:5608)
- **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
- c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
  - a. This assignedEntity **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5616)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
  - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5622)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5625)
  - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)

### **19. MAY** contain zero or one [0..1] **informant** (CONF:8001)

- a. This informant MAY contain zero or one [0..1] assignedEntity
  - a. This assignedEntity SHOULD contain zero or more [0..\*] addr with data type US Realm Address (CONF:8220)
  - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
  - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
  - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**

- **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **b.** This informant **MAY** contain zero or one [0..1] **relatedEntity** 
  - **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
  - b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
    - a. This relatedPerson **SHALL** contain at least one [1..\*] **name**
- c. This informant SHALL satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- **20. MAY** contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/@typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- **21. MAY** contain zero or more [0..\*] **inFulfillmentOf** (CONF:9952)
  - a. Such inFulfillmentOfs **SHALL** contain exactly one [1..1] **order** (CONF:9953)
    - a. This order **SHALL** contain at least one [1..\*] id (CONF:9954)
- **22. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent SHALL contain exactly one [1..1] statusCode (CONF:16797)/@code="completed" Completed (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 23. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - b. This patientRole SHALL contain exactly one [1..1] patient
      - a. This patient SHALL conform to Consol Patient
      - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)

d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)

#### 24. SHALL contain at least one [1..\*] documentationOf

- a. Such documentationOfs SHALL conform to Consol Documentation Of
- b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
  - a. This serviceEvent SHALL conform to Consol Service Event
  - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
    - a. Such performers SHALL conform to Consol Performer1
    - b. Such performers SHALL contain exactly one [1..1] assignedEntity
      - a. This assignedEntity SHALL conform to Consol Assigned Entity
      - **b.** This assignedEntity **SHALL** contain exactly one [1..1] **assignedPerson**, where its type is CDA Person
        - a. Contains exactly one [1..1] CDA Person

## 25. Contains zero or one [0..1] componentOf

- a. This component Of SHALL conform to Consol Component Of
- b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
  - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
  - **b.** This encompassing Encounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
    - a. Contains exactly one [1..1] CDA Encounter Participant
- 26. SHALL satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- 27. SHALL satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **28.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **29.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **30.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **31.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **32.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- 33. If versionNumber is present setId SHALL be present (CONF:6387)

## General Header Constraints example

Error: Missing Runtime Class

## **Summary Of Care Record**

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

Known Subclasses: Transition Of Care Ambulatory Summary, Transition Of Care Inpatient Summary

Summary Of Care Record

- 1. SHALL conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1) 2. SHALL contain exactly one [1..1] component MU2 Requirement for 'Smoking status' a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17) 3. SHALL contain exactly one [1..1] component • MU2 Requirement for 'Problems' **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1) 4. SHALL contain exactly one [1..1] component • MU2 Requirement for : 'Medications' **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1) 5. Contains zero or one [0..1] component • MU2 Requirement for : 'Medications' a. Contains exactly one [1..1] Hospital Admission Medications Section Entries Optional (templateId: 2.16.840.1.113883.10.20.22.2.44) 6. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1) 7. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1) 8. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1) 9. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10) 10. SHALL contain exactly one [1..1] component a. Contains exactly one [1..1] Procedures Section (templateId: 2.16.840.1.113883.10.20.22.2.7.1) 11. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Immunizations Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1) **12.** Contains zero or one [0..1] component **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId: 2.16.840.1.113883.10.20.22.2.9) 13. Contains zero or one [0..1] component a. Contains exactly one [1..1] Assessment Section (templateId: 2.16.840.1.113883.10.20.22.2.8) **14.** Contains zero or one [0..1] **component** • Captured in Encounters section if using CCD **a.** Contains exactly one [1..1] *Encounters Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1) **15.** Contains zero or one [0..1] **component**
- **16.** Contains zero or one [0..1] **component**

2.16.840.1.113883.10.20.22.2.35)

**a.** Contains exactly one [1..1] *Postoperative Diagnosis Section* (templateId:

- **a.** Contains exactly one [1..1] *Postprocedure Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.36)
- 17. Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Consol History Of Past Illness Section* (templateId: 2.16.840.1.113883.10.20.22.2.20)
- **18.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Preoperative Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.34)
- **19.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Consol Functional Status Section* (templateId: 2.16.840.1.113883.10.20.22.2.14)
- **20. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- 21. SHALL have one of CognitiveStatusProblemObservation or CognitiveStatusResultObservation or CognitiveStatusResultOrganizer
- **22. SHALL** have one of FunctionalStatusProblemObservation or FunctionalStatusResultObservation or FunctionalStatusResultOrganizer
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 3. SHALL contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- 4. SHALL contain exactly one [1..1] typeId (CONF:5361)
- 5. SHALL contain exactly one [1..1] id (CONF:5363)
- **6. SHALL** contain exactly one [1..1] **code** (CONF:5253)
- 7. SHALL contain exactly one [1..1] title (CONF:5254)
- 8. SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- **10. SHALL** contain exactly one [1..1] **languageCode**, where the @code **SHALL** be selected from ValueSet *Language* 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:5372)
- 11.MAY contain zero or one [0..1] setId (CONF:5261)
- 12. MAY contain zero or one [0..1] versionNumber (CONF:5264)
- **13.** Contains exactly one [1..1] **component**, where its type is *Component*2
  - a. Contains exactly one [1..1] Component2
- **14. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors **SHALL** contain exactly one [1..1] **time** (CONF:5445)
  - b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)
    - **a.** This assigned Author **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5452)
    - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
    - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)

- d. This assigned Author SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5428)
- e. This assigned Author SHOULD contain zero or one [0..1] assigned Authoring Device
  - a. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:16784)
  - b. This assigned Authoring Device **SHALL** contain exactly one [1..1] **softwareName** (CONF:16785)
- f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
  - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
- **g.** This assignedAuthor This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
- **h.** This assigned Author The id **SHALL** contain exactly one root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **15. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity **SHALL** contain at least one [1..\*] **id** (CONF:5443)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- **16. SHALL** contain exactly one [1..1] **custodian** (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - b. This represented Custodian Organization SHALL contain at least one [1..\*] id (CONF:5522)
      - c. This represented Custodian Organization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- 17. MAY contain zero or more [0..\*] informationRecipient (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intended Recipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
      - a. This informationRecipient **SHALL** contain at least one [1..\*] **name** (CONF:5470)
    - b. This intended Recipient MAY contain zero or one [0..1] receivedOrganization (CONF:5577)
      - **a.** This received Organization **SHALL** contain exactly one [1..1] **name** (CONF:5578)
- **18. SHOULD** contain zero or one [0..1] **legalAuthenticator** (CONF:5579)
  - a. This legal Authenticator SHALL contain exactly one [1..1] time (CONF:5580)

- **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
- c. This legal Authenticator Contains zero or one [0..1] assignedEntity
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
  - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5595)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
  - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)
- 19. MAY contain zero or more [0..\*] authenticator (CONF:5607)
  - a. Such authenticators SHALL contain exactly one [1..1] time (CONF:5608)
  - **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=**"S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
  - c. Such authenticators SHALL contain exactly one [1..1] assignedEntity (CONF:5612)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5616)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5622)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
      - **a.** This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5625)
    - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **20. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - a. This assignedEntity **SHOULD** contain zero or more [0..\*] addr with data type *US Realm Address* (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - b. This informant MAY contain zero or one [0..1] relatedEntity
    - **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
      - a. This relatedPerson SHALL contain at least one [1..\*] name

- c. This informant **SHALL** satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 21. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- **22. MAY** contain zero or more [0..\*] **inFulfillmentOf** (CONF:9952)
  - a. Such inFulfillmentOfs **SHALL** contain exactly one [1..1] **order** (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **23. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations SHALL contain exactly one [1..1] consent (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent SHALL contain exactly one [1..1] statusCode (CONF:16797)/@code="completed" Completed (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 24. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - **b.** This patientRole **SHALL** contain exactly one [1..1] **patient** 
      - a. This patient SHALL conform to Consol Patient
      - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient SHALL contain exactly one [1..1] raceCode, where the @code SHALL be selected from ValueSet Race Category ValueSet STATIC
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
        - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- 25. SHALL contain at least one [1..\*] documentationOf
  - a. Such documentationOfs SHALL conform to Consol Documentation Of
  - b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
    - a. This serviceEvent SHALL conform to Consol Service Event
    - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
      - a. Such performers SHALL conform to Consol Performer1

- b. Such performers SHALL contain exactly one [1..1] assignedEntity
  - a. This assignedEntity SHALL conform to Consol Assigned Entity
  - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
    - **a.** Contains exactly one [1..1] CDA Person
- 26. Contains zero or one [0..1] componentOf
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
    - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
    - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
      - a. Contains exactly one [1..1] CDA Encounter Participant
- 27. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
  - MU2 Requirement for 'Smoking status'
- 28. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
  - MU2 Requirement for 'Problems'
- 29. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1)
  - MU2 Requirement for: 'Medications'
- **30.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Hospital Admission Medications Section Entries Optional* (templateId: 2.16.840.1.113883.10.20.22.2.44)
  - MU2 Requirement for : 'Medications'
- 31. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1)
- 32. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- 33. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- **34. SHALL** contain exactly one [1..1] **component**
- **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 35. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 36. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Immunizations Section* (templateId: 2.16.840.1.113883.10.20.22.2.1)
- **37.** Contains zero or one [0..1] component

- **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId:
  - 2.16.840.1.113883.10.20.22.2.9)
- **38.** Contains zero or one [0..1] component
  - a. Contains exactly one [1..1] Assessment Section (templateId: 2.16.840.1.113883.10.20.22.2.8)
- **39.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Encounters Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1)
  - Captured in Encounters section if using CCD
- **40.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Postoperative Diagnosis Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.35)
```

- **41.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Postprocedure Diagnosis Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.36)
```

- **42.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol History Of Past Illness Section* (templateId: 2.16.840.1.113883.10.20.22.2.20)
- **43.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Preoperative Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.34)
- **44.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Functional Status Section* (templateId: 2.16.840.1.113883.10.20.22.2.14)
- **45. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **46. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **47.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **48.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **49.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **50.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **51.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **52.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- **53. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- 54. SHALL have one of CognitiveStatusProblemObservation or CognitiveStatusResultObservation or CognitiveStatusResultOrganizer
- **55. SHALL** have one of FunctionalStatusProblemObservation or FunctionalStatusResultObservation or FunctionalStatusResultOrganizer

## Summary Of Care Record example

Error: Missing Runtime Class

## Transition Of Care Ambulatory Summary

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

MU2 170.314(b)(2) Transition of Care/Referral Summary - For Ambulatory Care MU2 170.314(b)(7) Export Summary - For Ambulatory Care

- **1. SHALL** conform to *Summary Of Care Record* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Reason For Referral Section* (templateId: 1.3.6.1.4.1.19376.1.5.3.1.3.1)
- **3. SHALL** satisfy: responsibleParty
- **4. SHALL** have one of Assessment (2.16.840.1.113883.10.20.22.2.8) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Postoperative Diagnosis (2.16.840.1.113883.10.20.22.2.35) or Postprocedure Diagnosis (2.16.840.1.113883.10.20.22.2.36) or Encounters (entries required: 2.16.840.1.113883.10.20.22.2.2.1) or Problem (entries required: 2.16.840.1.113883.10.20.22.2.5.1)
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **3. SHALL** conform to *Summary Of Care Record* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **4. SHALL** contain exactly one [1..1] **realmCode/@code=**"US" (CONF:16791)
- 5. SHALL contain exactly one [1..1] typeId (CONF:5361)
- 6. SHALL contain exactly one [1..1] id (CONF:5363)
- 7. SHALL contain exactly one [1..1] code (CONF:5253)
- 8. SHALL contain exactly one [1..1] title (CONF:5254)
- 9. SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- 10. SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- 11. SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5372)
- 12. MAY contain zero or one [0..1] setId (CONF:5261)
- **13. MAY** contain zero or one [0..1] **versionNumber** (CONF:5264)
- **14.** Contains exactly one [1..1] **component**, where its type is *Component*2
  - **a.** Contains exactly one [1..1] *Component2*
- **15. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
  - b. Such authors **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:5448)
    - **a.** This assigned Author **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5452)
    - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)

- c. This assigned Author **SHALL** contain exactly one [1..1] **id** (CONF:5449)
- d. This assigned Author SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5428)
- e. This assigned Author SHOULD contain zero or one [0..1] assigned Authoring Device
  - a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:16784)
  - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
- f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
  - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
- **g.** This assignedAuthor This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
- **h.** This assigned Author The id **SHALL** contain exactly one root = "2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **16. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity **SHALL** contain at least one [1..\*] id (CONF:5443)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- 17. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
  - This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - b. This represented Custodian Organization SHALL contain at least one [1..\*] id (CONF:5522)
      - c. This represented Custodian Organization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **18. MAY** contain zero or more [0..\*] **informationRecipient** (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intended Recipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
      - a. This informationRecipient SHALL contain at least one [1..\*] name (CONF:5470)
    - b. This intended Recipient MAY contain zero or one [0..1] receivedOrganization (CONF:5577)
      - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)
- 19. SHOULD contain zero or one [0..1] legalAuthenticator (CONF:5579)
  - a. This legal Authenticator **SHALL** contain exactly one [1..1] **time** (CONF:5580)

- **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
- c. This legal Authenticator Contains zero or one [0..1] assignedEntity
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
  - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5595)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
  - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)
- **20. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)
  - a. Such authenticators **SHALL** contain exactly one [1..1] time (CONF:5608)
  - **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
  - c. Such authenticators SHALL contain exactly one [1..1] assignedEntity (CONF:5612)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5616)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5622)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
      - **a.** This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5625)
    - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **21. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - a. This assignedEntity **SHOULD** contain zero or more [0..\*] addr with data type *US Realm Address* (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - b. This informant MAY contain zero or one [0..1] relatedEntity
    - **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
      - a. This relatedPerson SHALL contain at least one [1..\*] name

- c. This informant **SHALL** satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 22. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- 23. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs **SHALL** contain exactly one [1..1] **order** (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **24. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations SHALL contain exactly one [1..1] consent (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent SHALL contain exactly one [1..1] statusCode (CONF:16797)/@code="completed" Completed (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 25. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - **b.** This patientRole **SHALL** contain exactly one [1..1] **patient** 
      - a. This patient SHALL conform to Consol Patient
      - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient SHALL contain exactly one [1..1] raceCode, where the @code SHALL be selected from ValueSet Race Category ValueSet STATIC
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
        - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- **26. SHALL** contain at least one [1..\*] **documentationOf** 
  - a. Such documentationOfs SHALL conform to Consol Documentation Of
  - b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
    - a. This serviceEvent SHALL conform to Consol Service Event
    - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
      - a. Such performers SHALL conform to Consol Performer1

- b. Such performers SHALL contain exactly one [1..1] assignedEntity
  - a. This assignedEntity SHALL conform to Consol Assigned Entity
  - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
    - **a.** Contains exactly one [1..1] CDA Person
- 27. Contains zero or one [0..1] componentOf
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
    - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
    - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
      - a. Contains exactly one [1..1] CDA Encounter Participant
- 28. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
  - MU2 Requirement for 'Smoking status'
- 29. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
  - MU2 Requirement for 'Problems'
- 30. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1)
  - MU2 Requirement for: 'Medications'
- **31.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Hospital Admission Medications Section Entries Optional* (templateId: 2.16.840.1.113883.10.20.22.2.44)
  - MU2 Requirement for : 'Medications'
- 32. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1)
- 33. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- 34. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- **35. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 36. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 37. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Immunizations Section* (templateId: 2.16.840.1.113883.10.20.22.2.1)
- **38.** Contains zero or one [0..1] component

- **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId:
  - 2.16.840.1.113883.10.20.22.2.9)
- **39.** Contains zero or one [0..1] **component** 
  - a. Contains exactly one [1..1] Assessment Section (templateId: 2.16.840.1.113883.10.20.22.2.8)
- **40.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Encounters Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1)
  - Captured in Encounters section if using CCD
- **41.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Postoperative Diagnosis Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.35)
```

- **42.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Postprocedure Diagnosis Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.36)
```

- **43.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Consol History Of Past Illness Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.20)
```

- **44.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Preoperative Diagnosis Section* (templateId:

```
2.16.840.1.113883.10.20.22.2.34)
```

- **45.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Functional Status Section* (templateId: 2.16.840.1.113883.10.20.22.2.14)
- **46. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Reason For Referral Section* (templateId: 1.3.6.1.4.1.19376.1.5.3.1.3.1)
- **47. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **48. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **49.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **50.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **51.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **52.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **53.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **54.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- **55. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- 56. SHALL have one of CognitiveStatusProblemObservation or CognitiveStatusResultObservation or CognitiveStatusResultOrganizer
- **57. SHALL** have one of FunctionalStatusProblemObservation or FunctionalStatusResultObservation or FunctionalStatusResultOrganizer
- 58. SHALL satisfy: responsible Party

**59. SHALL** have one of Assessment (2.16.840.1.113883.10.20.22.2.8) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Postoperative Diagnosis (2.16.840.1.113883.10.20.22.2.35) or Postprocedure Diagnosis (2.16.840.1.113883.10.20.22.2.36) or Encounters (entries required: 2.16.840.1.113883.10.20.22.2.2.1) or Problem (entries required: 2.16.840.1.113883.10.20.22.2.5.1)

### **Transition Of Care Ambulatory Summary example**

Error: Missing Runtime Class

## Transition Of Care Inpatient Summary

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

MU2 170.314(b)(2) Transition of Care/Referral Summary - For Inpatient Care MU2 170.314(b)(7) Export Summary - For Inpatient Care

- SHALL conform to Summary Of Care Record template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Instructions Section* (templateId: 2.16.840.1.113883.10.20.22.2.41)
- 3. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.11.1)
- **4.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Hospital Admission Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.43)
- **5.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Hospital Discharge Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.24)
- 6. SHALL have one of Assessment (2.16.840.1.113883.10.20.22.2.8) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Hospital Admission Diagnosis (2.16.840.1.113883.10.20.22.2.43) or Hospital Discharge Diagnosis (2.16.840.1.113883.10.20.22.2.24) or Postoperative Diagnosis (2.16.840.1.113883.10.20.22.2.35) or Postprocedure Diagnosis (2.16.840.1.113883.10.20.22.2.36) or Encounters (entries required: 2.16.840.1.113883.10.20.22.2.2.1) or Problem (entries required: 2.16.840.1.113883.10.20.22.2.5.1)
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **3. SHALL** conform to *Summary Of Care Record* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **4. SHALL** contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- **5. SHALL** contain exactly one [1..1] **typeId** (CONF:5361)
- 6. SHALL contain exactly one [1..1] id (CONF:5363)
- 7. SHALL contain exactly one [1..1] code (CONF:5253)
- 8. SHALL contain exactly one [1..1] title (CONF:5254)
- 9. SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time

- the original document is created. The time when the transform occurred is not currently represented in CDA (CONF:9995)
- 10. SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- **11. SHALL** contain exactly one [1..1] **languageCode**, where the @code **SHALL** be selected from ValueSet *Language* 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:5372)
- 12. MAY contain zero or one [0..1] setId (CONF:5261)
- 13. MAY contain zero or one [0..1] versionNumber (CONF:5264)
- **14.** Contains exactly one [1..1] **component**, where its type is *Component2* 
  - **a.** Contains exactly one [1..1] *Component2*
- **15. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
  - **b.** Such authors **SHALL** contain exactly one [1..1] **assignedAuthor** (CONF:5448)
    - a. This assigned Author SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5452)
    - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
    - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
    - **d.** This assigned Author **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5428)
    - e. This assigned Author SHOULD contain zero or one [0..1] assigned Authoring Device
      - a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:16784)
      - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
    - f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
      - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:16789)
    - **g.** This assignedAuthor This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
    - **h.** This assigned Author The id **SHALL** contain exactly one root = "2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
  - c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **16. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - **b.** This assignedEntity **MAY** contain zero or one [0..1] **code**, where the @code **SHOULD** be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5443)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- 17. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)

- a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
  - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
  - b. This represented Custodian Organization SHALL contain at least one [1..\*] id (CONF:5522)
  - c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:5524)
  - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
  - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)

### 18. MAY contain zero or more [0..\*] informationRecipient (CONF:5565)

- a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
  - a. This intended Recipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
    - a. This informationRecipient **SHALL** contain at least one [1..\*] **name** (CONF:5470)
  - b. This intended Recipient MAY contain zero or one [0..1] receivedOrganization (CONF:5577)
    - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)

### 19. SHOULD contain zero or one [0..1] legalAuthenticator (CONF:5579)

- a. This legalAuthenticator SHALL contain exactly one [1..1] time (CONF:5580)
- **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
- c. This legal Authenticator Contains zero or one [0..1] assignedEntity
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
  - c. This assignedEntity **SHALL** contain at least one [1..\*] **id** (CONF:5586)
  - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5595)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
  - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)

### **20. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)

- a. Such authenticators SHALL contain exactly one [1..1] time (CONF:5608)
- **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
- c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5616)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
  - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5622)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
    - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5625)

- **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **21. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - a. This assignedEntity SHOULD contain zero or more [0..\*] addr with data type US Realm Address (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] **id** (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - **b.** This informant **MAY** contain zero or one [0..1] **relatedEntity** 
    - **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
      - a. This relatedPerson **SHALL** contain at least one [1..\*] **name**
  - c. This informant **SHALL** satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 22. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- 23. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs **SHALL** contain exactly one [1..1] **order** (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **24. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - **a.** This consent **MAY** contain zero or one [0..1] **code** (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent SHALL contain exactly one [1..1] statusCode (CONF:16797)/@code="completed" Completed (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 25. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - b. Such recordTargets SHALL contain exactly one [1..1] patientRole
    - a. This patientRole SHALL conform to Consol Patient Role
    - b. This patientRole SHALL contain exactly one [1..1] patient
      - a. This patient SHALL conform to Consol Patient

- **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
- c. This patient SHALL contain exactly one [1..1] raceCode, where the @code SHALL be selected from ValueSet Race Category ValueSet STATIC
- d. This patient SHALL contain exactly one [1..1] languageCommunication
  - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
  - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
  - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
  - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)

### **26. SHALL** contain at least one [1..\*] **documentationOf**

- a. Such documentationOfs SHALL conform to Consol Documentation Of
- b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
  - a. This serviceEvent SHALL conform to Consol Service Event
  - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
    - a. Such performers SHALL conform to Consol Performer1
    - b. Such performers SHALL contain exactly one [1..1] assignedEntity
      - a. This assignedEntity SHALL conform to Consol Assigned Entity
      - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
        - a. Contains exactly one [1..1] CDA Person

### 27. Contains zero or one [0..1] componentOf

- a. This component Of SHALL conform to Consol Component Of
- b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
  - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
  - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
    - **a.** Contains exactly one [1..1] CDA Encounter Participant

### 28. SHALL contain exactly one [1..1] component

- a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
- MU2 Requirement for 'Smoking status'

### 29. SHALL contain exactly one [1..1] component

- **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
- MU2 Requirement for 'Problems'

### 30. SHALL contain exactly one [1..1] component

- **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1)
- MU2 Requirement for: 'Medications'
- **31.** Contains zero or one [0..1] **component**

a. Contains exactly one [1..1] Hospital Admission Medications Section Entries Optional (templateId: 2.16.840.1.113883.10.20.22.2.44) • MU2 Requirement for : 'Medications' 32. SHALL contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1) **33. SHALL** contain exactly one [1..1] **component a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1) **34. SHALL** contain exactly one [1..1] **component a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1) **35. SHALL** contain exactly one [1..1] component a. Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10) **36. SHALL** contain exactly one [1..1] component a. Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1) **37. SHALL** contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Immunizations Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1) **38.** Contains zero or one [0..1] component **a.** Contains exactly one [1..1] Assessment And Plan Section (templateId: 2.16.840.1.113883.10.20.22.2.9) **39.** Contains zero or one [0..1] **component** a. Contains exactly one [1..1] Assessment Section (templateId: 2.16.840.1.113883.10.20.22.2.8) **40.** Contains zero or one [0..1] component **a.** Contains exactly one [1..1] *Encounters Section* (templateId: 2.16.840.1.113883.10.20.22.2.2.1) • Captured in Encounters section if using CCD **41.** Contains zero or one [0..1] **component** a. Contains exactly one [1..1] Postoperative Diagnosis Section (templateId: 2.16.840.1.113883.10.20.22.2.35) **42.** Contains zero or one [0..1] component a. Contains exactly one [1..1] Postprocedure Diagnosis Section (templateId: 2.16.840.1.113883.10.20.22.2.36) **43.** Contains zero or one [0..1] component **a.** Contains exactly one [1..1] *Consol History Of Past Illness Section* (templateId: 2.16.840.1.113883.10.20.22.2.20) **44.** Contains zero or one [0..1] **component a.** Contains exactly one [1..1] *Preoperative Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.34) **45.** Contains zero or one [0..1] component **a.** Contains exactly one [1..1] *Consol Functional Status Section* (templateId: 2.16.840.1.113883.10.20.22.2.14) **46. SHALL** contain exactly one [1..1] component **a.** Contains exactly one [1..1] *Consol Hospital Discharge Instructions Section* (templateId: 2.16.840.1.113883.10.20.22.2.41)

47. SHALL contain exactly one [1..1] component

- **a.** Contains exactly one [1..1] *Consol Hospital Discharge Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.11.1)
- **48.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Hospital Admission Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.43)
- **49.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Hospital Discharge Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.24)
- **50. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **51. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **52.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- 53. typeId SHALL contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **54.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **55.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **56.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **57.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- **58. SHALL** have one of Plan of Care (2.16.840.1.113883.10.20.22.2.10) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Interventions (2.16.840.1.113883.10.20.21.2.3)
- 59. SHALL have one of CognitiveStatusProblemObservation or CognitiveStatusResultObservation or CognitiveStatusResultOrganizer
- 60. SHALL have one of FunctionalStatusProblemObservation or FunctionalStatusResultObservation or FunctionalStatusResultOrganizer
- **61. SHALL** have one of Assessment (2.16.840.1.113883.10.20.22.2.8) or Assessment and Plan (2.16.840.1.113883.10.20.22.2.9) or Hospital Admission Diagnosis (2.16.840.1.113883.10.20.22.2.43) or Hospital Discharge Diagnosis (2.16.840.1.113883.10.20.22.2.24) or Postoperative Diagnosis (2.16.840.1.113883.10.20.22.2.35) or Postprocedure Diagnosis (2.16.840.1.113883.10.20.22.2.36) or Encounters (entries required: 2.16.840.1.113883.10.20.22.2.2.1) or Problem (entries required: 2.16.840.1.113883.10.20.22.2.5.1)

### **Transition Of Care Inpatient Summary example**

Error: Missing Runtime Class

# VDT Ambulatory Summary

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

MU2 170.314 (e)(1) Ambulatory Summary

- **1. SHALL** conform to *View Download Transmit Summary* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL satisfy: Provider Name and Office Contact Information
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)

- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **3. SHALL** conform to *View Download Transmit Summary* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- SHALL contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- 5. SHALL contain exactly one [1..1] typeId (CONF:5361)
- **6. SHALL** contain exactly one [1..1] **id** (CONF:5363)
- 7. SHALL contain exactly one [1..1] code (CONF:5253)
- **8. SHALL** contain exactly one [1..1] **title** (CONF:5254)
- SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- 10. SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- 11. SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5372)
- 12. MAY contain zero or one [0..1] setId (CONF:5261)
- 13. MAY contain zero or one [0..1] versionNumber (CONF:5264)
- **14.** Contains exactly one [1..1] **component**, where its type is *Component*2
  - **a.** Contains exactly one [1..1] *Component2*
- **15. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
  - b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)
    - a. This assigned Author SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5452)
    - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
    - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
    - **d.** This assigned Author **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5428)
    - e. This assignedAuthor SHOULD contain zero or one [0..1] assignedAuthoringDevice
      - a. This assigned Authoring Device **SHALL** contain exactly one [1..1] **manufacturerModelName** (CONF:16784)
      - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
    - f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
      - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:16789)
    - **g.** This assigned Author This assigned Author **SHALL** contain exactly one [1..1] assigned Person or assigned Authoring Device (CONF:16790)
    - **h.** This assigned Author The id **SHALL** contain exactly one root = "2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
  - c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **16. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - **a.** This assignedEntity **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5460)

- b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
- **c.** This assignedEntity **SHALL** contain at least one [1..\*] **id** (CONF:5443)
- **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5466)
- e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
  - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**
- This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- 17. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - b. This representedCustodianOrganization SHALL contain at least one [1..\*] id (CONF:5522)
      - c. This represented Custodian Organization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- 18. MAY contain zero or more [0..\*] informationRecipient (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intendedRecipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)
      - a. This informationRecipient SHALL contain at least one [1..\*] name (CONF:5470)
    - b. This intended Recipient MAY contain zero or one [0..1] receivedOrganization (CONF:5577)
      - **a.** This received Organization **SHALL** contain exactly one [1..1] **name** (CONF:5578)
- 19. SHOULD contain zero or one [0..1] legalAuthenticator (CONF:5579)
  - a. This legal Authenticator **SHALL** contain exactly one [1..1] time (CONF:5580)
  - **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
  - c. This legal Authenticator Contains zero or one [0..1] assignedEntity
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
    - c. This assignedEntity **SHALL** contain at least one [1..\*] id (CONF:5586)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5595)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
      - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
    - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)
- **20. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)
  - a. Such authenticators SHALL contain exactly one [1..1] time (CONF:5608)
  - **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)

- c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
  - a. This assignedEntity **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5616)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
  - c. This assignedEntity **SHALL** contain at least one [1..\*] id (CONF:5613)
  - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5622)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5625)
  - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **21. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - **a.** This assignedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - b. This informant MAY contain zero or one [0..1] relatedEntity
    - a. This relatedEntity SHOULD contain zero or more [0..\*] addr with data type US Realm Address (CONF:8220)
    - **b.** This relatedEntity **SHALL** contain zero or one [0..1] **relatedPerson** (CONF:8221)
      - a. This relatedPerson **SHALL** contain at least one [1..\*] **name**
  - c. This informant SHALL satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 22. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- 23. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs **SHALL** contain exactly one [1..1] **order** (CONF:9953)
    - a. This order **SHALL** contain at least one [1..\*] **id** (CONF:9954)
- **24. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)

c. This consent **SHALL** contain exactly one [1..1] **statusCode** (CONF:16797)/@code="completed" *Completed* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)

### 25. SHALL contain at least one [1..\*] recordTarget

- a. Such recordTargets SHALL conform to Consol Record Target
- **b.** Such recordTargets **SHALL** contain exactly one [1..1] **patientRole** 
  - a. This patientRole SHALL conform to Consol Patient Role
  - b. This patientRole SHALL contain exactly one [1..1] patient
    - a. This patient SHALL conform to Consol Patient
    - **b.** This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
    - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
    - d. This patient SHALL contain exactly one [1..1] languageCommunication
      - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
      - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
      - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
      - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)

### 26. SHALL contain at least one [1..\*] documentationOf

- a. Such documentationOfs SHALL conform to Consol Documentation Of
- b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
  - a. This serviceEvent SHALL conform to Consol Service Event
  - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
    - a. Such performers SHALL conform to Consol Performer1
    - b. Such performers SHALL contain exactly one [1..1] assignedEntity
      - a. This assignedEntity SHALL conform to Consol Assigned Entity
      - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
        - a. Contains exactly one [1..1] CDA Person

### **27.** Contains zero or one [0..1] **componentOf**

- a. This component Of SHALL conform to Consol Component Of
- b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
  - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
  - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
    - a. Contains exactly one [1..1] CDA Encounter Participant

### **28. SHALL** contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1)

#### 29. SHALL contain exactly one [1..1] component

**a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1)

- **30. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
- 31. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- **32. SHALL** contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- 33. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- **34.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId: 2.16.840.1.113883.10.20.22.2.9)
- **35. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- **36. SHALL** contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
- 37. SHALL satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **38. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **39.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **40.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **41.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **42.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **43.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **44.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- 45. SHALL have one of Assessment and Plan section or Plan of Care section
- 46. SHALL satisfy: Provider Name and Office Contact Information

#### VDT Ambulatory Summary example

Error: Missing Runtime Class

# **VDT Inpatient Summary**

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

*MU2 170.314 (e)(1) Inpatient Summary* 

- **1. SHALL** conform to *View Download Transmit Summary* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain exactly one [1..1] component

- **a.** Contains exactly one [1..1] *Consol Hospital Discharge Instructions Section* (templateId: 2.16.840.1.113883.10.20.22.2.41)
- 3. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Hospital Admission Diagnosis Section* (templateId: 2.16.840.1.113883.10.20.22.2.43)
- **4.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Chief Complaint Section* (templateId: 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1)
- 5. Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Consol Reason For Visit Section* (templateId: 2.16.840.1.113883.10.20.22.2.12)
- **6.** Contains zero or one [0..1] component
  - **a.** Contains exactly one [1..1] *Consol Chief Complaint And Reason For Visit Section* (templateId: 2.16.840.1.113883.10.20.22.2.13)
- 7. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.11.1)
- 8. SHALL satisfy: Admission and Discharge Dates
- 9. SHALL satisfy: Admission and Discharge Location
- **10. SHALL** have one of Reason for Visit (2.16.840.1.113883.10.20.22.2.12) or Chief Complaint (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1) or Chief Complaint and Reason for Visit (2.16.840.1.113883.10.20.22.2.13)
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **3. SHALL** conform to *View Download Transmit Summary* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **4. SHALL** contain exactly one [1..1] **realmCode/@code=** "US" (CONF:16791)
- 5. SHALL contain exactly one [1..1] typeId (CONF:5361)
- **6. SHALL** contain exactly one [1..1] id (CONF:5363)
- 7. SHALL contain exactly one [1..1] code (CONF:5253)
- **8. SHALL** contain exactly one [1..1] title (CONF:5254)
- SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- 10. SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- **11.SHALL** contain exactly one [1..1] **languageCode**, where the @code **SHALL** be selected from ValueSet *Language* 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:5372)
- 12. MAY contain zero or one [0..1] setId (CONF:5261)
- 13. MAY contain zero or one [0..1] versionNumber (CONF:5264)
- **14.** Contains exactly one [1..1] **component**, where its type is *Component2* 
  - **a.** Contains exactly one [1..1] *Component2*
- **15. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - **a.** Such authors **SHALL** contain exactly one [1..1] **time** (CONF:5445)

- b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)
  - a. This assigned Author SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5452)
  - b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
  - c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
  - d. This assigned Author SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5428)
  - e. This assignedAuthor SHOULD contain zero or one [0..1] assignedAuthoringDevice
    - a. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:16784)
    - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
  - f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
  - **g.** This assignedAuthor This assignedAuthor **SHALL** contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
  - **h.** This assigned Author The id **SHALL** contain exactly one root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- 16. MAY contain zero or one [0..1] dataEnterer (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - **c.** This assignedEntity **SHALL** contain at least one [1..\*] **id** (CONF:5443)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson SHALL contain at least one [1..\*] name
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- 17. SHALL contain exactly one [1..1] custodian (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - b. This represented Custodian Organization SHALL contain at least one [1..\*] id (CONF:5522)
      - c. This representedCustodianOrganization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **18. MAY** contain zero or more [0..\*] **informationRecipient** (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intended Recipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)

- a. This informationRecipient SHALL contain at least one [1..\*] name (CONF:5470)
- b. This intended Recipient MAY contain zero or one [0..1] received Organization (CONF:5577)
  - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)
- 19. SHOULD contain zero or one [0..1] legalAuthenticator (CONF:5579)
  - a. This legal Authenticator **SHALL** contain exactly one [1..1] time (CONF:5580)
  - **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
  - c. This legal Authenticator Contains zero or one [0..1] assignedEntity
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
    - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5595)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
      - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5598)
    - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)
- **20. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)
  - a. Such authenticators SHALL contain exactly one [1..1] time (CONF:5608)
  - **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=**"S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
  - c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5616)
    - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
    - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5613)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5622)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
      - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5625)
    - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **21. MAY** contain zero or one [0..1] **informant** (CONF:8001)
  - a. This informant MAY contain zero or one [0..1] assignedEntity
    - **a.** This assignedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
    - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
    - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
      - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**
    - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
  - b. This informant MAY contain zero or one [0..1] relatedEntity

- **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
- b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
  - a. This relatedPerson SHALL contain at least one [1..\*] name
- c. This informant **SHALL** satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 22. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- 23. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs SHALL contain exactly one [1..1] order (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **24. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF: 16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent **SHALL** contain exactly one [1..1] **statusCode** (CONF:16797)/@code="completed" *Completed* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 25. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - **b.** Such recordTargets **SHALL** contain exactly one [1..1] **patientRole** 
    - a. This patientRole SHALL conform to Consol Patient Role
    - b. This patientRole SHALL contain exactly one [1..1] patient
      - a. This patient SHALL conform to Consol Patient
      - b. This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
        - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- 26. SHALL contain at least one [1..\*] documentationOf
  - a. Such documentationOfs SHALL conform to Consol Documentation Of

- b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
  - a. This serviceEvent SHALL conform to Consol Service Event
  - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
    - a. Such performers SHALL conform to Consol Performer1
    - b. Such performers SHALL contain exactly one [1..1] assignedEntity
      - a. This assignedEntity SHALL conform to Consol Assigned Entity
      - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
        - a. Contains exactly one [1..1] CDA Person
- 27. Contains zero or one [0..1] componentOf
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
    - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
    - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
      - **a.** Contains exactly one [1..1] CDA Encounter Participant
- 28. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId:

2.16.840.1.113883.10.20.22.2.6.1)

- 29. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId:

2.16.840.1.113883.10.20.22.2.1.1)

- **30. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId:

2.16.840.1.113883.10.20.22.2.5.1)

- 31. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 32. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId:

2.16.840.1.113883.10.20.22.2.4.1)

- 33. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- **34.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] Assessment And Plan Section (templateId:

2.16.840.1.113883.10.20.22.2.9)

- 35. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- **36. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Social History Section* (templateId: 2.16.840.1.113883.10.20.22.2.17)
- **37. SHALL** contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] Consol Hospital Discharge Instructions Section (templateId:

2.16.840.1.113883.10.20.22.2.41)

- 38. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Hospital Admission Diagnosis Section* (templateId:

2.16.840.1.113883.10.20.22.2.43)

- **39.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Chief Complaint Section* (templateId: 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1)
- **40.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Reason For Visit Section* (templateId: 2.16.840.1.113883.10.20.22.2.12)
- **41.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Chief Complaint And Reason For Visit Section* (templateId: 2.16.840.1.113883.10.20.22.2.13)
- **42. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.11.1)
- **43. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **44. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **45.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **46.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **47.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **48.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **49.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **50.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- 51. SHALL have one of Assessment and Plan section or Plan of Care section
- **52. SHALL** satisfy: Admission and Discharge Dates
- **53. SHALL** satisfy: Admission and Discharge Location
- **54. SHALL** have one of Reason for Visit (2.16.840.1.113883.10.20.22.2.12) or Chief Complaint (1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1) or Chief Complaint and Reason for Visit (2.16.840.1.113883.10.20.22.2.13)

#### **VDT Inpatient Summary example**

Error: Missing Runtime Class

# View Download Transmit Summary

[ClinicalDocument: templateId 2.16.840.1.113883.10.20.22.1.1]

Known Subclasses: VDT Inpatient Summary, VDT Ambulatory Summary

- **1. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 2. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1)
- 3. SHALL contain exactly one [1..1] component

- **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId: 2.16.840.1.113883.10.20.22.2.1.1)
- 4. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
- 5. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Procedures Section (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 6. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- 7. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- **8.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId: 2.16.840.1.113883.10.20.22.2.9)
- 9. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 10. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
- 11. SHALL have one of Assessment and Plan section or Plan of Care section
- **1. SHALL** conform to *Consol General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- **2. SHALL** conform to *General Header Constraints* template (templateId: 2.16.840.1.113883.10.20.22.1.1)
- 3. SHALL contain exactly one [1..1] realmCode/@code="US" (CONF:16791)
- **4. SHALL** contain exactly one [1..1] **typeId** (CONF:5361)
- 5. SHALL contain exactly one [1..1] id (CONF:5363)
- **6. SHALL** contain exactly one [1..1] **code** (CONF:5253)
- 7. SHALL contain exactly one [1..1] title (CONF:5254)
- 8. SHALL contain exactly one [1..1] effectiveTime (CONF:5256)
  - Signifies the document creation time, when the document first came into being. Where the CDA document is
    a transform from an original document in some other format, the ClinicalDocument.effectiveTime is the time
    the original document is created. The time when the transform occurred is not currently represented in CDA
    (CONF:9995)
- SHALL contain exactly one [1..1] confidentialityCode, where the @code SHALL be selected from ValueSet HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 STATIC (CONF:5259)
- **10. SHALL** contain exactly one [1..1] **languageCode**, where the @code **SHALL** be selected from ValueSet *Language* 2.16.840.1.113883.1.11.11526 **DYNAMIC** (CONF:5372)
- 11. MAY contain zero or one [0..1] setId (CONF:5261)
- **12. MAY** contain zero or one [0..1] **versionNumber** (CONF:5264)
- **13.** Contains exactly one [1..1] **component**, where its type is *Component2* 
  - a. Contains exactly one [1..1] Component2
- **14. SHALL** contain at least one [1..\*] **author** (CONF:5444)
  - a. Such authors SHALL contain exactly one [1..1] time (CONF:5445)
  - b. Such authors SHALL contain exactly one [1..1] assignedAuthor (CONF:5448)

- a. This assigned Author SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5452)
- b. This assigned Author SHOULD contain zero or one [0..1] code (CONF:16787), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16788)
- c. This assigned Author **SHALL** contain exactly one [1..1] id (CONF:5449)
- d. This assigned Author SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5428)
- e. This assignedAuthor SHOULD contain zero or one [0..1] assignedAuthoringDevice
  - a. This assigned Authoring Device SHALL contain exactly one [1..1] manufacturerModelName (CONF:16784)
  - b. This assigned Authoring Device SHALL contain exactly one [1..1] softwareName (CONF:16785)
- f. This assigned Author SHOULD contain zero or one [0..1] assignedPerson
  - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:16789)
- g. This assignedAuthor This assignedAuthor SHALL contain exactly one [1..1] assignedPerson or assignedAuthoringDevice (CONF:16790)
- **h.** This assigned Author The id **SHALL** contain exactly one root = "2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16786)
- c. Such authors This time **SHALL** contain exactly one [1..1] US Realm Date and Time (DTM.US.FIELDED) (2.16.840.1.113883.10.20.22.5.4) (CONF:5446)
- **15. MAY** contain zero or one [0..1] **dataEnterer** (CONF:5441)
  - a. This dataEnterer SHALL contain exactly one [1..1] assignedEntity (CONF:5442)
    - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5460)
    - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9944)
    - c. This assignedEntity **SHALL** contain at least one [1..\*] id (CONF:5443)
    - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5466)
    - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5469)
      - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**
    - **f.** This assignedEntity id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:16821)
- **16. SHALL** contain exactly one [1..1] **custodian** (iv., CONF:5519)
  - a. This custodian SHALL contain exactly one [1..1] assignedCustodian (CONF:5520)
    - a. This assignedCustodian SHALL contain zero or one [0..1] representedCustodianOrganization (CONF:5521)
      - a. This representedCustodianOrganization SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5559)
      - b. This represented Custodian Organization SHALL contain at least one [1..\*] id (CONF:5522)
      - c. This represented Custodian Organization SHALL contain exactly one [1..1] name (CONF:5524)
      - **d.** This represented Custodian Organization **SHALL** contain exactly one [1..1] **telecom** with data type *TEL* (CONF:5525)
      - **e.** This representedCustodianOrganization The id **SHOULD** include zero or one [0..1] @root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- **17. MAY** contain zero or more [0..\*] **informationRecipient** (CONF:5565)
  - a. Such informationRecipients SHALL contain exactly one [1..1] intendedRecipient (CONF:5566)
    - a. This intended Recipient MAY contain zero or one [0..1] informationRecipient (CONF:5568)

- a. This informationRecipient SHALL contain at least one [1..\*] name (CONF:5470)
- b. This intended Recipient MAY contain zero or one [0..1] received Organization (CONF:5577)
  - a. This receivedOrganization SHALL contain exactly one [1..1] name (CONF:5578)

### **18. SHOULD** contain zero or one [0..1] legalAuthenticator (CONF:5579)

- a. This legal Authenticator **SHALL** contain exactly one [1..1] time (CONF:5580)
- **b.** This legal Authenticator **SHALL** contain exactly one [1..1] **signatureCode/@code=** "S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5583, CONF:5584)
- c. This legal Authenticator Contains zero or one [0..1] assignedEntity
  - a. This assignedEntity SHALL contain at least one [1..\*] addr with data type US Realm Address (CONF:5589)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:17000), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC
  - c. This assignedEntity SHALL contain at least one [1..\*] id (CONF:5586)
  - **d.** This assignedEntity **SHALL** contain at least one [1..\*] **telecom** with data type *TEL* (CONF:5595)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5597)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name** (CONF:5598)
  - **f.** This assignedEntity The id **MAY** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996) (CONF:16823)

### **19. MAY** contain zero or more [0..\*] **authenticator** (CONF:5607)

- a. Such authenticators **SHALL** contain exactly one [1..1] **time** (CONF:5608)
- **b.** Such authenticators **SHALL** contain exactly one [1..1] **signatureCode/@code=**"S" (CodeSystem: 2.16.840.1.113883.5.89 Participationsignature) (CONF:5610)
- c. Such authenticators **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:5612)
  - **a.** This assignedEntity **SHALL** contain at least one [1..\*] **addr** with data type *US Realm Address* (CONF:5616)
  - b. This assignedEntity MAY contain zero or one [0..1] code (CONF:16825), where the @code SHOULD be selected from ValueSet Healthcare Provider Taxonomy (NUCC HIPAA) 2.16.840.1.114222.4.11.1066 DYNAMIC (CONF:16826)
  - c. This assignedEntity **SHALL** contain at least one [1..\*] **id** (CONF:5613)
  - d. This assignedEntity SHALL contain at least one [1..\*] telecom with data type TEL (CONF:5622)
  - e. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:5624)
    - a. This assignedPerson SHALL contain at least one [1..\*] name (CONF:5625)
  - **f.** This assignedEntity The id **SHOULD** include zero or one [0..1] root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)

### **20. MAY** contain zero or one [0..1] **informant** (CONF:8001)

- a. This informant MAY contain zero or one [0..1] assignedEntity
  - **a.** This assignedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
  - b. This assignedEntity MAY contain zero or one [0..1] code, where the @code SHOULD be selected from (CodeSystem: 2.16.840.1.113883.6.101 NUCC Health Care Provider Taxonomy) (CONF:9947)
  - c. This assignedEntity **SHOULD** contain zero or more [0..\*] id (a., CONF:9945)
  - d. This assignedEntity SHALL contain exactly one [1..1] assignedPerson (CONF:8221)
    - a. This assignedPerson **SHALL** contain at least one [1..\*] **name**
  - **e.** This assignedEntity The id **SHOULD** include zero or one [0..1] id where id/@root ="2.16.840.1.113883.4.6" National Provider Identifier (CONF:9996)
- b. This informant MAY contain zero or one [0..1] relatedEntity

- **a.** This relatedEntity **SHOULD** contain zero or more [0..\*] **addr** with data type *US Realm Address* (CONF:8220)
- b. This relatedEntity SHALL contain zero or one [0..1] relatedPerson (CONF:8221)
  - a. This relatedPerson SHALL contain at least one [1..\*] name
- c. This informant **SHALL** satisfy: contain exactly one [1..1] assignedEntity OR exactly one [1..1] relatedEntity (CONF:8002)
- 21. MAY contain zero or more [0..\*] participant (CONF:10003)
  - a. Such participants MAY contain zero or one [0..1] time (CONF:10004)
  - **b.** Such participants Such participants, if present, **SHALL** have an associatedPerson or scopingOrganization element under participant/associatedEntity.
  - c. Such participants Unless otherwise specified by the document specific header constraints, when participant/ @typeCode is IND, associatedEntity/@classCode SHALL be selected from ValueSet INDRoleclassCodes 2.16.840.1.113883.11.20.9.33 STATIC 2011-09-30.
- 22. MAY contain zero or more [0..\*] inFulfillmentOf (CONF:9952)
  - a. Such inFulfillmentOfs SHALL contain exactly one [1..1] order (CONF:9953)
    - a. This order SHALL contain at least one [1..\*] id (CONF:9954)
- **23. MAY** contain zero or more [0..\*] **authorization** (CONF:16792)
  - a. Such authorizations **SHALL** contain exactly one [1..1] **consent** (CONF:16793)
    - a. This consent MAY contain zero or one [0..1] code (CONF:16795)
      - The type of consent (e.g., a consent to perform the related serviceEvent) is conveyed in consent/code (CONF:16796).
    - **b.** This consent **MAY** contain zero or more [0..\*] **id** (CONF:16794)
    - c. This consent **SHALL** contain exactly one [1..1] **statusCode** (CONF:16797)/@code="completed" *Completed* (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16798)
- 24. SHALL contain at least one [1..\*] recordTarget
  - a. Such recordTargets SHALL conform to Consol Record Target
  - **b.** Such recordTargets **SHALL** contain exactly one [1..1] **patientRole** 
    - a. This patientRole SHALL conform to Consol Patient Role
    - b. This patientRole SHALL contain exactly one [1..1] patient
      - a. This patient SHALL conform to Consol Patient
      - b. This patient **SHALL** contain exactly one [1..1] **ethnicGroupCode**, where the @code **SHALL** be selected from ValueSet *Ethnicity Category ValueSet* **STATIC**
      - c. This patient **SHALL** contain exactly one [1..1] **raceCode**, where the @code **SHALL** be selected from ValueSet *Race Category ValueSet* **STATIC**
      - d. This patient SHALL contain exactly one [1..1] languageCommunication
        - a. This languageCommunication MAY contain zero or one [0..1] preferenceInd (CONF:5414)
        - b. This languageCommunication SHOULD contain zero or one [0..1] proficiencyLevelCode, where the @code SHALL be selected from ValueSet LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 STATIC (CONF:9965)
        - c. This languageCommunication MAY contain zero or one [0..1] modeCode, where the @code SHALL be selected from ValueSet HL7 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 STATIC 1 (CONF:5409)
        - d. This languageCommunication SHALL contain exactly one [1..1] languageCode, where the @code SHALL be selected from ValueSet Language 2.16.840.1.113883.1.11.11526 DYNAMIC (CONF:5407)
- 25. SHALL contain at least one [1..\*] documentationOf
  - a. Such documentationOfs SHALL conform to Consol Documentation Of

- b. Such documentationOfs SHALL contain exactly one [1..1] serviceEvent (CONF:14836)
  - a. This serviceEvent SHALL conform to Consol Service Event
  - **b.** This serviceEvent **SHALL** contain at least one [1..\*] **performer** 
    - a. Such performers SHALL conform to Consol Performer1
    - b. Such performers SHALL contain exactly one [1..1] assignedEntity
      - a. This assignedEntity SHALL conform to Consol Assigned Entity
      - b. This assignedEntity SHALL contain exactly one [1..1] assignedPerson, where its type is CDA Person
        - a. Contains exactly one [1..1] CDA Person
- **26.** Contains zero or one [0..1] componentOf
  - a. This component Of SHALL conform to Consol Component Of
  - b. This componentOf SHALL contain exactly one [1..1] encompassingEncounter (CONF:9956)
    - a. This encompassing Encounter SHALL conform to Consol Encompassing Encounter
    - **b.** This encompassingEncounter **SHALL** contain at least one [1..\*] **encounterParticipant**, where its type is CDA Encounter Participant
      - **a.** Contains exactly one [1..1] CDA Encounter Participant
- **27. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Allergies Section* (templateId: 2.16.840.1.113883.10.20.22.2.6.1)
- 28. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Medications Section* (templateId:
    - 2.16.840.1.113883.10.20.22.2.1.1)
- **29. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Consol Problem Section* (templateId: 2.16.840.1.113883.10.20.22.2.5.1)
- 30. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] *Procedures Section* (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 31. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Consol Vital Signs Section* (templateId: 2.16.840.1.113883.10.20.22.2.4.1)
- 32. SHALL contain exactly one [1..1] component
  - **a.** Contains exactly one [1..1] *Results Section* (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- **33.** Contains zero or one [0..1] **component** 
  - **a.** Contains exactly one [1..1] *Assessment And Plan Section* (templateId:
- 2.16.840.1.113883.10.20.22.2.9) **34. SHALL** contain exactly one [1..1] **component** 
  - **a.** Contains exactly one [1..1] *Plan Of Care Section* (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 35. SHALL contain exactly one [1..1] component
  - a. Contains exactly one [1..1] Social History Section (templateId: 2.16.840.1.113883.10.20.22.2.17)
- **36. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.
- **37. SHALL** satisfy: The US Realm Clinical Document Date and Time datatype flavor records date and time information. If no time zone offset is provided, you can make no assumption about time, unless you have made a

local exchange agreement. This data type uses the same rules as US Realm Date and Time (DTM.US.FIELDED), but is used with the effectiveTime element.

- **38.** typeId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.1.3" (CONF:5250)
- **39.** typeId **SHALL** contain exactly one [1..1] @extension="POCD\_HD000040" (CONF:5251)
- **40.** id **SHALL** be a globally unique identifier for the document (CONF:9991)
- **41.** code **SHALL** specify the particular kind of document (e.g. History and Physical, Discharge Summary, Progress Note). (CONF:9992)
- **42.** If setId is present versionNumber **SHALL** be present (CONF:6380)
- **43.** If versionNumber is present setId **SHALL** be present (CONF:6387)
- 44. SHALL have one of Assessment and Plan section or Plan of Care section

### View Download Transmit Summary example

Error: Missing Runtime Class

# Chapter

3

# **SECTION TEMPLATES**

### Topics:

- Assessment And Plan Section
- Assessment Section
- Encounters Section
- Hospital Admission Diagnosis Section
- Hospital Admission Medications Section Entries Optional
- Hospital Discharge Diagnosis Section
- Instructions Section
- Medications Administered Section
- Plan Of Care Section
- Postoperative Diagnosis Section
- Postprocedure Diagnosis Section
- Preoperative Diagnosis Section
- Procedures Section
- Results Section
- Social History Section

### **Assessment And Plan Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.9]

#### *INLINE*

1. SHALL conform to Consol Assessment And Plan Section template (templateId:

```
2.16.840.1.113883.10.20.22.2.9)
```

- **2.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Procedure* (templateId: 2.16.840.1.113883.10.20.22.4.41)
- **3.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Substance Administration* (templateId: 2.16.840.1.113883.10.20.22.4.42)
- **4.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Supply* (templateId: 2.16.840.1.113883.10.20.22.4.43)
- **5.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)
- **1. SHALL** conform to *Consol Assessment And Plan Section* template (templateId: 2.16.840.1.113883.10.20.22.2.9)
- SHALL contain exactly one [1..1] code (CONF:15353)/@code="51847-2" ASSESSMENT AND PLAN (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15354)
- **3. SHALL** contain exactly one [1..1] **text** (CONF:7707)
- 4. MAY contain zero or more [0..\*] entry (CONF:8798)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Act* (templateId: 2.16.840.1.113883.10.20.22.4.39)
- **5.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Procedure* (templateId: 2.16.840.1.113883.10.20.22.4.41)
- **6.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Substance Administration* (templateId: 2.16.840.1.113883.10.20.22.4.42)
- 7. Contains zero or one [0..1] entry
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Supply* (templateId: 2.16.840.1.113883.10.20.22.4.43)
- **8.** Contains zero or one [0..1] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)

### Assessment And Plan Section example

Error: Missing Runtime Class

### **Assessment Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.8]

#### *INLINE*

- **1. SHALL** conform to *Consol Assessment Section* template (templateId:
  - 2.16.840.1.113883.10.20.22.2.8)
- 2. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)
- $\textbf{1. SHALL} \ conform \ to \ \textit{Consol Assessment Section} \ template \ (templateId:$

```
2.16.840.1.113883.10.20.22.2.8)
```

- **2. SHALL** contain exactly one [1..1] **code** (CONF:14757)/@**code**="51848-0" *Assessments* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:14758)
- **3. SHALL** contain exactly one [1..1] **title** (CONF:16774)
- **4. SHALL** contain exactly one [1..1] text (CONF:7713)
- 5. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)

#### **Assessment Section example**

Error: Missing Runtime Class

### **Encounters Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.2.1]

- **1. SHALL** conform to *Consol Encounters Section* template (templateId:
  - 2.16.840.1.113883.10.20.22.2.2.1)
- 2. SHALL contain at least one [1..\*] entry (CONF:8709, CONF:8803)
  - a. Contains exactly one [1..1] Encounter Activities (templateId: 2.16.840.1.113883.10.20.22.4.49)
- 1. SHALL conform to Consol Encounters Section Entries Optional template (templateId:

```
2.16.840.1.113883.10.20.22.2.22
```

- **2. SHALL** conform to *Consol Encounters Section* template (templateId:
- 2.16.840.1.113883.10.20.22.2.22.1)
- **3. SHALL** contain exactly one [1..1] **code** (CONF:15466)/@**code**="46240-8" *Encounters* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15467)
- **4. SHALL** contain exactly one [1..1] **title** (CONF:8707)
- 5. SHALL contain exactly one [1..1] text (CONF:8708)
- **6. SHALL** contain at least one [1..\*] **entry** (CONF:8709, CONF:8803)
  - a. Contains exactly one [1..1] Encounter Activities (templateId: 2.16.840.1.113883.10.20.22.4.49)

### **Encounters Section example**

Error: Missing Runtime Class

# **Hospital Admission Diagnosis Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.43]

#### *INLINE*

- **1. SHALL** conform to *Consol Hospital Admission Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.43)
- 2. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Hospital Admission Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.34)
- **1. SHALL** conform to *Consol Hospital Admission Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.43)
- 2. SHALL contain exactly one [1..1] code (CONF:15479)/@code="46241-6" HOSPITAL ADMISSION DX (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15480)
- **3. SHALL** contain exactly one [1..1] **title** (CONF:9932)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:9933)
- 5. SHOULD contain zero or one [0..1] entry (CONF:9934, CONF:9935)
  - **a.** Contains exactly one [1..1] *Hospital Admission Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.34)
- 6. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Hospital Admission Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.34)

### **Hospital Admission Diagnosis Section example**

Error: Missing Runtime Class

# **Hospital Admission Medications Section Entries Optional**

[Section: templateId 2.16.840.1.113883.10.20.22.2.44]

#### **INLINE**

- **1. SHALL** conform to *Consol Hospital Admission Medications Section Entries Optional* template (templateId: 2.16.840.1.113883.10.20.22.2.44)
- 2. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Admission Medication* (templateId: 2.16.840.1.113883.10.20.22.4.36)
- **1. SHALL** conform to *Consol Hospital Admission Medications Section Entries Optional* template (templateId: 2.16.840.1.113883.10.20.22.2.44)
- 2. SHALL contain exactly one [1..1] code (CONF:15482)/@code="42346-7" *MEDICATIONS ON ADMISSION* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15483)
- **3. SHALL** contain exactly one [1..1] title (CONF:10100)
- **4. SHALL** contain exactly one [1..1] text (CONF:10101)
- **5. SHOULD** contain zero or more [0..\*] **entry** (CONF:10102, CONF:10110)
  - a. Contains exactly one [1..1] Admission Medication (templateId: 2.16.840.1.113883.10.20.22.4.36)
- **6. SHALL** contain at least one [1..\*] **entry**

**a.** Contains exactly one [1..1] *Consol Admission Medication* (templateId: 2.16.840.1.113883.10.20.22.4.36)

### **Hospital Admission Medications Section Entries Optional example**

Error: Missing Runtime Class

### **Hospital Discharge Diagnosis Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.24]

#### **INLINE**

- **1. SHALL** conform to *Consol Hospital Discharge Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.24)
- 2. SHALL contain exactly one [1..1] entry (CONF:7984)
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.33)
- **1. SHALL** conform to *Consol Hospital Discharge Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.24)
- 2. SHALL contain exactly one [1..1] code (CONF:15355)/@code="11535-2" Hospital Discharge Diagnosis (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15356)
- **3. SHALL** contain exactly one [1..1] **title** (CONF:7981)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:7982)
- 5. SHOULD contain zero or one [0..1] entry (CONF:7984)
  - **a.** Contains exactly one [1..1] *Hospital Discharge Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.33)
- **6. SHALL** contain exactly one [1..1] **entry** (CONF:7984)
  - **a.** Contains exactly one [1..1] *Consol Hospital Discharge Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.33)

#### Hospital Discharge Diagnosis Section example

Error: Missing Runtime Class

### Instructions Section

[Section: templateId 2.16.840.1.113883.10.20.22.2.45]

### *INLINE*

- **1. SHALL** conform to *Consol Instructions Section* template (templateId: 2.16.840.1.113883.10.20.22.2.45)
- 2. SHALL contain at least one [1..\*] entry
  - a. Contains exactly one [1..1] Consol Instructions (templateId: 2.16.840.1.113883.10.20.22.4.20)
- **1. SHALL** conform to *Consol Instructions Section* template (templateId: 2.16.840.1.113883.10.20.22.2.45)
- **2. SHALL** contain exactly one [1..1] **code** (CONF:15375)/@**code**="69730-0" *Instructions* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15376)

- 3. SHALL contain exactly one [1..1] title (CONF:10114)
- 4. SHALL contain exactly one [1..1] text (CONF:10115)
- 5. SHOULD contain zero or more [0..\*] entry (CONF:10116, CONF:10117)
  - **a.** Contains exactly one [1..1] *Instructions* (templateId: 2.16.840.1.113883.10.20.22.4.20)
- 6. SHALL contain at least one [1..\*] entry
  - a. Contains exactly one [1..1] Consol Instructions (templateId: 2.16.840.1.113883.10.20.22.4.20)

### **Instructions Section example**

Error: Missing Runtime Class

### **Medications Administered Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.38]

#### *INLINE*

- **1. SHALL** conform to *Consol Medications Administered Section* template (templateId: 2.16.840.1.113883.10.20.22.2.38)
- 2. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Medication Activity* (templateId: 2.16.840.1.113883.10.20.22.4.16)
- **1. SHALL** conform to *Consol Medications Administered Section* template (templateId: 2.16.840.1.113883.10.20.22.2.38)
- 2. SHALL contain exactly one [1..1] code (CONF:15383)/@code="29549-3" Medications Administered (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15384)
- **3. SHALL** contain exactly one [1..1] **title** (CONF:8154)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:8155)
- **5. MAY** contain zero or more [0..\*] **entry** (CONF:8156)
  - a. Contains exactly one [1..1] Medication Activity (templateId: 2.16.840.1.113883.10.20.22.4.16)
- 6. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Medication Activity* (templateId: 2.16.840.1.113883.10.20.22.4.16)

### **Medications Administered Section example**

Error: Missing Runtime Class

### Plan Of Care Section

[Section: templateId 2.16.840.1.113883.10.20.22.2.10]

### INLINE

- **1. SHALL** conform to *Consol Plan Of Care Section* template (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 2. Contains zero or more [0..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Act* (templateId: 2.16.840.1.113883.10.20.22.4.39)

- 3. Contains zero or more [0..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Encounter* (templateId: 2.16.840.1.113883.10.20.22.4.40)
- **4. SHALL** contain at least one [1..\*] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Observation* (templateId: 2.16.840.1.113883.10.20.22.4.44)
- **5. SHALL** contain one of Plan of Care Activity Act (2.16.840.1.113883.10.20.22.4.39) or Plan of Care Activity Encounter (2.16.840.1.113883.10.20.22.4.40) or Plan of Care Activity Observation (2.16.840.1.113883.10.20.22.4.44)
- **1. SHALL** conform to *Consol Plan Of Care Section* template (templateId: 2.16.840.1.113883.10.20.22.2.10)
- 2. SHALL contain exactly one [1..1] code (CONF:14749)/@code="18776-5" Treatment plan (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:14750)
- 3. SHALL contain exactly one [1..1] title (CONF:16986)
- **4. SHALL** contain exactly one [1..1] text (CONF:7725)
- 5. MAY contain zero or more [0..\*] entry (CONF:7726.CONF:8804)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Act* (templateId: 2.16.840.1.113883.10.20.22.4.39)
- **6.** MAY contain zero or more [0..\*] entry (CONF:8805, CONF:8806)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Encounter* (templateId: 2.16.840.1.113883.10.20.22.4.40)
- 7. MAY contain zero or more [0..\*] entry (CONF:8808, CONF:8807)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Observation* (templateId: 2.16.840.1.113883.10.20.22.4.44)
- **8. MAY** contain zero or more [0..\*] **entry** (CONF:8809, CONF:8810)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Procedure* (templateId: 2.16.840.1.113883.10.20.22.4.41)
- **9. MAY** contain zero or more [0..\*] **entry** (CONF:8811, CONF:8812)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Substance Administration* (templateId: 2.16.840.1.113883.10.20.22.4.42)
- **10. MAY** contain zero or more [0..\*] **entry** (CONF:8813, CONF:14756)
  - **a.** Contains exactly one [1..1] *Plan Of Care Activity Supply* (templateId: 2.16.840.1.113883.10.20.22.4.43)
- **11. MAY** contain zero or more [0..\*] **entry** (CONF:14695, CONF:16751)
  - **a.** Contains exactly one [1..1] *Instructions* (templateId: 2.16.840.1.113883.10.20.22.4.20)
- 12. Contains zero or more [0..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Act* (templateId: 2.16.840.1.113883.10.20.22.4.39)
- **13.** Contains zero or more [0..\*] **entry** 
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Encounter* (templateId: 2.16.840.1.113883.10.20.22.4.40)
- 14. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Consol Plan Of Care Activity Observation* (templateId: 2.16.840.1.113883.10.20.22.4.44)
- **15. SHALL** contain one of Plan of Care Activity Act (2.16.840.1.113883.10.20.22.4.39) or Plan of Care Activity Encounter (2.16.840.1.113883.10.20.22.4.40) or Plan of Care Activity Observation (2.16.840.1.113883.10.20.22.4.44)

#### Plan Of Care Section example

Error: Missing Runtime Class

## **Postoperative Diagnosis Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.35]

#### *INLINE*

- **1. SHALL** conform to *Consol Postoperative Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.35)
- 2. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)
- **1. SHALL** conform to *Consol Postoperative Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.35)
- 2. SHALL contain exactly one [1..1] code (CONF:15401)/@code="10218-6" Postoperative Diagnosis (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15402)
- **3. SHALL** contain exactly one [1..1] title (CONF:8103)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:8104)
- 5. SHALL contain exactly one [1..1] entry
  - **a.** Contains exactly one [1..1] *Consol Problem Observation* (templateId: 2.16.840.1.113883.10.20.22.4.4)

#### Postoperative Diagnosis Section example

Error: Missing Runtime Class

## **Postprocedure Diagnosis Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.36]

#### **INLINE**

- **1. SHALL** conform to *Consol Postprocedure Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.36)
- 2. SHALL contain exactly one [1..1] entry (CONF:8762, CONF:8764)
  - **a.** Contains exactly one [1..1] *Consol Postprocedure Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.51)
- **1. SHALL** conform to *Consol Postprocedure Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.36)
- **2. SHALL** contain zero or one [0..1] **code** (CONF:15403)/@**code**="59769-0" *Postprocedure Diagnosis* (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15404)
- 3. SHALL contain zero or one [0..1] title (CONF:8170)
- **4. SHALL** contain zero or one [0..1] **text** (CONF:8171)
- 5. SHOULD contain zero or one [0..1] entry (CONF:8762, CONF:8764)
  - **a.** Contains exactly one [1..1] *Postprocedure Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.51)

- 6. SHALL contain exactly one [1..1] entry (CONF:8762, CONF:8764)
  - **a.** Contains exactly one [1..1] *Consol Postprocedure Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.51)

#### Postprocedure Diagnosis Section example

Error: Missing Runtime Class

## **Preoperative Diagnosis Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.34]

#### **INLINE**

- **1. SHALL** conform to *Consol Preoperative Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.34)
- 2. SHALL contain exactly one [1..1] entry (CONF:10096, CONF:10097)
  - **a.** Contains exactly one [1..1] *Consol Preoperative Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.65)
- **1. SHALL** conform to *Consol Preoperative Diagnosis Section* template (templateId: 2.16.840.1.113883.10.20.22.2.34)
- 2. SHALL contain exactly one [1..1] code (CONF:15405)/@code="10219-4" Preoperative Diagnosis (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15406)
- **3. SHALL** contain exactly one [1..1] title (CONF:8099)
- **4. SHALL** contain exactly one [1..1] text (CONF:8100)
- 5. SHOULD contain zero or one [0..1] entry (CONF:10096, CONF:10097)
  - **a.** Contains exactly one [1..1] *Preoperative Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.65)
- 6. SHALL contain exactly one [1..1] entry (CONF:10096, CONF:10097)
  - **a.** Contains exactly one [1..1] *Consol Preoperative Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.65)

#### **Preoperative Diagnosis Section example**

Error: Missing Runtime Class

## **Procedures Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.7.1]

- **1. SHALL** conform to *Consol Procedures Section* template (templateId: 2.16.840.1.113883.10.20.22.2.7.1)
- 2. MAY contain zero or more [0..\*] entry (CONF:7895, CONF:7896)
  - **a.** Contains exactly one [1..1] *Procedure Activity Procedure* (templateId: 2.16.840.1.113883.10.20.22.4.14)
- **1. SHALL** conform to *Consol Procedures Section Entries Optional* template (templateId: 2.16.840.1.113883.10.20.22.2.7)
- **2. SHALL** conform to *Consol Procedures Section* template (templateId: 2.16.840.1.113883.10.20.22.2.7.1)

- 3. SHALL contain exactly one [1..1] code (CONF:15425)/@code="47519-4" History of procedures (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15426)
- **4. SHALL** contain exactly one [1..1] **title** (CONF:7893)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:7894)
- **6.** MAY contain zero or more [0..\*] entry (CONF:6278, CONF:15510)
  - **a.** Contains exactly one [1..1] *Procedure Activity Observation* (templateId: 2.16.840.1.113883.10.20.22.4.13)
- 7. MAY contain zero or more [0..\*] entry (CONF:8533, CONF:15511)
  - a. Contains exactly one [1..1] Procedure Activity Act (templateId: 2.16.840.1.113883.10.20.22.4.12)
- **8.** MAY contain zero or more [0..\*] entry (CONF:8017, CONF:8018)
  - **a.** Contains exactly one [1..1] *Procedure Activity Observation* (templateId: 2.16.840.1.113883.10.20.22.4.13)
- 9. MAY contain zero or more [0..\*] entry (CONF:8019, CONF:8020)
  - a. Contains exactly one [1..1] Procedure Activity Act (templateId: 2.16.840.1.113883.10.20.22.4.12)
- **10. MAY** contain zero or more [0..\*] **entry** (CONF:7895, CONF:7896)
  - **a.** Contains exactly one [1..1] *Procedure Activity Procedure* (templateId: 2.16.840.1.113883.10.20.22.4.14)
- 11. There SHALL be at least one procedure, observation or act entry conformant to Procedure Activity Procedure template, Procedure Activity Observation template or Procedure Activity Act template in the Procedure Section. (CONF:8021)

#### **Procedures Section example**

Error: Missing Runtime Class

#### **Results Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.3.1]

- **1. SHALL** conform to *Consol Results Section* template (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- 2. SHALL contain at least one [1..\*] entry (CONF:7112, CONF:7113)
  - **a.** Contains exactly one [1..1] *Result Organizer* (templateId: 2.16.840.1.113883.10.20.22.4.1)
- **1. SHALL** conform to *Consol Results Section Entries Optional* template (templateId: 2.16.840.1.113883.10.20.22.2.3)
- **2. SHALL** conform to *Consol Results Section* template (templateId: 2.16.840.1.113883.10.20.22.2.3.1)
- 3. SHALL contain exactly one [1..1] code (CONF:15433)/@code="30954-2" Relevant diagnostic tests and/or laboratory data (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:15434)
- **4. SHALL** contain exactly one [1..1] **title** (CONF:8892)
- **5. SHALL** contain exactly one [1..1] **text** (CONF:7111)
- **6. SHALL** contain at least one [1..\*] **entry** (CONF:7112, CONF:7113)
  - **a.** Contains exactly one [1..1] *Result Organizer* (templateId: 2.16.840.1.113883.10.20.22.4.1)

#### **Results Section example**

## **Social History Section**

[Section: templateId 2.16.840.1.113883.10.20.22.2.17]

#### *INLINE*

- **1. SHALL** conform to *Consol Social History Section* template (templateId: 2.16.840.1.113883.10.20.22.2.17)
- 2. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Smoking Status Observation* (templateId: 2.16.840.1.113883.10.22.4.78)
- **1. SHALL** conform to *Consol Social History Section* template (templateId: 2.16.840.1.113883.10.20.22.2.17)
- 2. SHALL contain exactly one [1..1] code (CONF:14819)/@code="29762-2" Social history (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:14820)
- **3. SHALL** contain exactly one [1..1] **title** (CONF:7938)
- **4. SHALL** contain exactly one [1..1] **text** (CONF:7939)
- **5.** MAY contain zero or more [0..\*] entry (CONF:7953, CONF:7954)
  - **a.** Contains exactly one [1..1] *Social History Observation* (templateId: 2.16.840.1.113883.10.20.22.4.38)
- **6.** MAY contain zero or more [0..\*] entry (CONF:9132, CONF:9133)
  - a. Contains exactly one [1..1] Pregnancy Observation (templateId: 2.16.840.1.113883.10.20.15.3.8)
- **7. SHOULD** contain zero or more [0..\*] **entry** (CONF:14823, CONF:14824)
  - **a.** Contains exactly one [1..1] *Smoking Status Observation* (templateId: 2.16.840.1.113883.10.22.4.78)
- 8. SHALL contain at least one [1..\*] entry
  - **a.** Contains exactly one [1..1] *Smoking Status Observation* (templateId: 2.16.840.1.113883.10.22.4.78)

#### Social History Section example

# Chapter

4

# **CLINICAL STATEMENT TEMPLATES**

## **Topics:**

- Encounter Activities
- Procedure Activity Procedure
- Result Observation
- Result Organizer
- Smoking Status Observation

This section of the Implementation Guide details the clinical statement entries referenced in the document section templates. The clinical statement entry templates are arranged alphabetically.

### **Encounter Activities**

[Encounter: templateId 2.16.840.1.113883.10.20.22.4.49]

- **1. SHALL** conform to *Consol Encounter Activities* template (templateId:
- 2.16.840.1.113883.10.20.22.4.49)
- **2.** Contains zero or one [0..1] **code**
- **3.** The value for 'code' for encounter activities **SHOULD** be selected from ICD-10(codeSystem 2.16.840.1.113883.6.3) or SNOMED CT (codeSystem 2.16.840.1.113883.6.96)
- **1. SHALL** conform to *Consol Encounter Activities* template (templateId: 2.16.840.1.113883.10.20.22.4.49)
- 2. SHALL contain exactly one [1..1] @classCode="ENC" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:8710)
- **3. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:8711)
- **4. SHALL** contain at least one [1..\*] **id** (CONF:8713)
- 5. Contains zero or one [0..1] code
- **6. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:8715)
- 7. MAY contain zero or more [0..\*] participant (CONF:8738, CONF:14903)
  - **a.** Contains exactly one [1..1] *Service Delivery Location* (templateId: 2.16.840.1.113883.10.20.22.4.32)
- 8. MAY contain zero or more [0..\*] entryRelationship (CONF:8722, CONF:8723, CONF:14899)
  - a. Contains @typeCode="RSON" RSON" RSON
  - **b.** Contains exactly one [1..1] *Indication* (templateId: 2.16.840.1.113883.10.20.22.4.19)
- **9.** MAY contain zero or more [0..\*] **performer** (CONF:8725)
  - a. Such performers SHALL contain exactly one [1..1] assignedEntity (CONF:8726)
    - a. This assignedEntity MAY contain zero or one [0..1] code (CONF:8727)
- 10. MAY contain zero or more [0..\*] entryRelationship (CONF:15492, CONF:15973)
  - **a.** Contains exactly one [1..1] *Encounter Diagnosis* (templateId: 2.16.840.1.113883.10.20.22.4.80)
- 11. code, if present, **SHOULD** contain zero or one [0..1] originalText (CONF:8719)
- **12.** originalText, if present, **SHOULD** contain zero or one [0..1] reference (CONF:15970)
- **13.** reference, if present, **SHOULD** contain zero or one [0..1] @value (CONF:15971)
- **14.** reference/@value **SHALL** begin with a '#' and **SHALL** point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:15972)
- **15.MAY** contain zero or one [0..1] sdtc:dischargeDispositionCode, which **SHALL** be selected from ValueSet 2.16.840.1.113883.3.88.12.80.33 NUBC UB-04 FL17-Patient Status DYNAMIC or, if access to NUBC is unavailable, from CodeSystem 2.16.840.1.113883.12.112 HL7 Discharge Disposition. The prefix sdtc: **SHALL** be bound to the namespace "urn:hl7-org:sdtc". The use of the namespace provides a necessary extension to CDA R2 for the use of the dischargeDispositionCode element (CONF:9929) (CONF:9929)
- **16.** EncounterActivities with target entry Service Delivery Location **SHALL** contain exactly one [1..1] @typeCode="LOC" Location (CodeSystem: 2.16.840.1.113883.5.1002 HL7ActRelationshipType) STATIC (CONF:8740)
- **17.** The value for 'code' for encounter activities **SHOULD** be selected from ICD-10(codeSystem 2.16.840.1.113883.6.3) or SNOMED CT (codeSystem 2.16.840.1.113883.6.96)

#### **Encounter Activities example**

## **Procedure Activity Procedure**

[Procedure: templateId 2.16.840.1.113883.10.20.22.4.14]

- **1. SHALL** conform to *Consol Procedure Activity Procedure* template (templateId: 2.16.840.1.113883.10.20.22.4.14)
- 2. SHALL contain exactly one [1..1] code (CONF:7656)
- **3.** 'code' **SHOULD** be selected from SNOMED CT (codeSystem 2.16.840.1.113883.6.96) or CPT-4 (CodeSystem 2.16.840.1.113883.6.12)
- **1. SHALL** conform to *Consol Procedure Activity Procedure* template (templateId: 2.16.840.1.113883.10.20.22.4.14)
- 2. SHALL contain exactly one [1..1] @classCode="PROC" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:7652)
- 3. SHALL contain exactly one [1..1] @moodCode, where the @code SHALL be selected from ValueSet MoodCodeEvnInt 2.16.840.1.113883.11.20.9.18 STATIC 2011-04-03 (CONF:7653)
- **4. SHALL** contain at least one [1..\*] **id** (CONF:7655)
- **5. SHALL** contain exactly one [1..1] **code** (CONF:7656)
- **6. SHALL** contain exactly one [1..1] **statusCode**, where the @code **SHALL** be selected from ValueSet *ProcedureActStatusCode* 2.16.840.1.113883.11.20.9.22 **DYNAMIC** (CONF:7661)
- 7. SHOULD contain zero or one [0..1] effectiveTime (CONF:7662)
- **8. MAY** contain zero or one [0..1] **priorityCode**, where the @code **SHALL** be selected from ValueSet *ActPriority* 2.16.840.1.113883.1.11.16866 **STATIC** (CONF:7668)
- **9.** MAY contain zero or one [0..1] methodCode (CONF:7670)
- 10. SHOULD contain zero or more [0..\*] targetSiteCode (CONF:7683), where the @code SHALL be selected from ValueSet Body Site Value Set 2.16.840.1.113883.3.88.12.3221.8.9 STATIC 2 (CONF:16082)
- 11. MAY contain zero or more [0..\*] specimen (CONF:7697)

This specimen is for representing specimens obtained from a procedure.

- **a.** Such specimens **SHALL** contain exactly one [1..1] specimenRole (CONF:7704)
- **b.** Such specimens specimenRole **SHOULD** contain zero or more [0..\*] id (CONF:7716)
- **c.** Such specimens To indicate that the Procedure and the Results are referring to the same specimen, the Procedure/specimen/specimenRole/id **SHOULD** be set to equal an Organizer/specimen/ specimenRole/id. (CONF:7717)
- 12. MAY contain zero or more [0..\*] participant (CONF:7765, CONF:7752, CONF:15912)
  - **a.** Contains exactly one [1..1] *Service Delivery Location* (templateId: 2.16.840.1.113883.10.20.22.4.32)
- **13. SHOULD** contain zero or more [0..\*] **performer** (CONF:7718)
  - **a.** Such performers **SHALL** contain exactly one [1..1] assignedEntity (CONF:7720)
  - **b.** Such performers assignedEntity **SHALL** contain at least one [1..\*] id (CONF:7722)
  - **c.** Such performers assignedEntity **SHALL** contain exactly one [1..1] addr (CONF:7731)
  - **d.** Such performers assignedEntity **SHALL** contain exactly one [1..1] telecom (CONF:7732)
  - e. Such performers assignedEntity SHOULD contain zero or one [0..1] representedOrganization (CONF:7733)
  - f. Such performers representedOrganization, if present, SHOULD contain zero or more [0..\*] id (CONF:7734)
  - g. Such performers representedOrganization, if present, MAY contain zero or more [0..\*] name (CONF:7735)
  - h. Such performers representedOrganization, if present, SHALL contain exactly one [1..1] addr (CONF:7736)
  - i. Such performers representedOrganization, if present, **SHALL** contain exactly one [1..1] telecom (CONF:7737)
- 14. MAY contain zero or one [0..1] entryRelationship (CONF:7886, CONF:7887, CONF:15915)

- a. Contains @typeCode="COMP" COMP
- **b.** Contains exactly one [1..1] *Medication Activity* (templateId: 2.16.840.1.113883.10.20.22.4.16)
- 15. MAY contain zero or one [0..1] entryRelationship (CONF:7775, CONF:7776, CONF:15913)
  - a. Contains @typeCode="SUBJ" SUBJ " SUBJ
  - **b.** Contains exactly one [1..1] *Instructions* (templateId: 2.16.840.1.113883.10.20.22.4.20)
- 16.MAY contain zero or more [0..\*] entryRelationship (CONF:7779, CONF:7780, CONF:15914)
  - a. Contains @typeCode="RSON" RSON" RSON
  - **b.** Contains exactly one [1..1] *Indication* (templateId: 2.16.840.1.113883.10.20.22.4.19)
- 17. MAY contain zero or more [0..\*] participant (CONF:7751, CONF:7752, CONF:15911)
  - **a.** Contains exactly one [1..1] *Product Instance* (templateId: 2.16.840.1.113883.10.20.22.4.37)
- **18. MAY** contain zero or more [0..\*] entryRelationship (CONF:7768)
  - a. Such entryRelationships SHALL contain exactly one [1..1] @inversionInd="true" (CONF:8009)
  - b. Such entryRelationships SHALL contain exactly one [1..1] @typeCode="COMP" (CONF:7769)
  - c. Such entryRelationships SHALL contain exactly one [1..1] encounter (CONF:7770)
    - a. This encounter **SHALL** contain exactly one [1..1] @classCode="ENC" (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:7771)
    - **b.** This encounter **SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:7772)
    - c. This encounter **SHALL** contain exactly one [1..1] **id** (CONF:7773)
    - **d.** This encounter **MAY** satisfy: Set the encounter ID to the ID of an encounter in another section to signify they are the same encounter. (CONF:16843)
- 19. code in a procedure activity SHOULD be selected from LOINC (codeSystem 2.16.840.1.113883.6.1) or SNOMED CT (codeSystem 2.16.840.1.113883.6.96), and MAY be selected from CPT-4 (codeSystem 2.16.840.1.113883.6.12), ICD9 Procedures (codeSystem 2.16.840.1.113883.6.104), ICD10 Procedure Coding System (codeSystem 2.16.840.1.113883.6.4) (CONF:7657)
- 20. code SHOULD contain zero or one [0..1] originalText (CONF:7658)
- 21. originalText, if present, SHOULD contain zero or one [0..1] reference (CONF:15908)
- 22. reference, if present, **SHOULD** contain zero or one [0..1] @value (CONF:15909)
- **23.** reference/@value **SHALL** begin with a '#' and **SHALL** point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:15910)
- 24. methodCode SHALL NOT conflict with the method inherent in Procedure / code (CONF:7890)
- **25.** entryRelationship with target entry encounter **SHALL** contain exactly one [1..1] @inversionInd="true" (CONF:8009)
- **26.** participant with target entry Product Instance **SHALL** contain exactly one [1..1] @typeCode="DEV" Device (CodeSystem: 2.16.840.1.113883.5.1002 HL7ActRelationshipType) STATIC (CONF:7752)
- **27.** participant with target entry Service Delivery Location **SHALL** contain exactly one [1..1] @typeCode="LOC" Location (CodeSystem: 2.16.840.1.113883.5.1002 HL7ActRelationshipType) STATIC (CONF:7766)
- **28.** entryRelationship with target entry Instructions **SHALL** contain exactly one [1..1] @inversionInd="true" (CONF:7777)
- **29.** 'code' **SHOULD** be selected from SNOMED CT (codeSystem 2.16.840.1.113883.6.96) or CPT-4 (CodeSystem 2.16.840.1.113883.6.12)

#### Procedure Activity Procedure example

### **Result Observation**

[Observation: templateId 2.16.840.1.113883.10.20.22.4.2]

- **1. SHALL** conform to *Consol Result Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.2)
- 2. SHALL contain exactly one [1..1] code (CONF:7133)
- **3.** The value for 'code' in a result observation **SHOULD** be selected from LOINC (codeSystem 2.16.840.1.113883.6.1)
- **1. SHALL** conform to *Consol Result Observation* template (templateId: 2.16.840.1.113883.10.20.22.4.2)
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:7130)
- **3. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:7131)
- **4. SHALL** contain at least one [1..\*] id (CONF:7137)
- **5. SHALL** contain exactly one [1..1] **code** (CONF:7133)
- **6. SHOULD** contain zero or one [0..1] text (CONF:7138)
- 7. SHALL contain exactly one [1..1] statusCode (CONF:7134), where the @code SHALL be selected from ValueSet Result Status 2.16.840.1.113883.11.20.9.39 STATIC 2012-04-27 (CONF:14849)
- 8. SHALL contain exactly one [1..1] effectiveTime (CONF:7140, CONF:7141)
  - Represents clinically effective time of the measurement, which may be when the measurement was performed (e.g., a BP measurement), or may be when sample was taken (and measured some time afterwards) CONF:16838
- **9. SHALL** contain exactly one [1..1] **value** (CONF:7143)
- **10. SHOULD** contain zero or more [0..\*] **interpretationCode** (CONF:7147)
- 11. MAY contain zero or one [0..1] methodCode (CONF:7148)
- **12. MAY** contain zero or one [0..1] **targetSiteCode** with data type CE (CONF:7153)
- 13. text, if present, SHOULD contain zero or one [0..1] reference (CONF:15924)
- **14.** reference, if present, **SHOULD** contain zero or one [0..1] @value (CONF:15925)
- **15.** This reference/@value **SHALL** begin with a '#' and **SHALL** point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:15926)
- 16. The value for 'code' in a result observation **SHOULD** be selected from LOINC (codeSystem 2.16.840.1.113883.6.1) or SNOMED CT (codeSystem 2.16.840.1.113883.6.96) Laboratory results **SHOULD** be from LOINC (CodeSystem: 2.16.840.1.113883.6.1) or other constrained terminology named by the US Department of Health and Human Services Office of National Coordinator or other federal agency. Local and/or regional codes for laboratory results are allowed. The Local and/or regional codes **SHOULD** be sent in the translation element. (CONF:7166)
- **17. SHOULD** contain zero or more [0..\*] referenceRange. Such referenceRanges, if present, **SHALL** contain exactly one [1..1] observationRange. This observationRange **SHALL NOT** contain [0..0] code (CONF:7152)
- **18. MAY** contain zero or one [0..1] author (CONF:7149)
- **19.** The value for 'code' in a result observation **SHOULD** be selected from LOINC (codeSystem 2.16.840.1.113883.6.1)

#### **Result Observation example**

## **Result Organizer**

[Organizer: templateId 2.16.840.1.113883.10.20.22.4.1]

- 1. SHALL conform to Consol Result Organizer template (templateId: 2.16.840.1.113883.10.20.22.4.1)
- 2. SHALL contain at least one [1..\*] component (CONF:7124, CONF:14850)
  - **a.** Contains exactly one [1..1] *Result Observation* (templateId: 2.16.840.1.113883.10.20.22.4.2)
- 1. SHALL conform to Consol Result Organizer template (templateId: 2.16.840.1.113883.10.20.22.4.1)
- 2. SHALL contain exactly one [1..1] @classCode (CONF:7121)
- **3. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:7122)
- **4. SHALL** contain at least one [1..\*] **id** (CONF:7127)
- **5. SHALL** contain exactly one [1..1] **code** with data type CE (CONF:7128)
- 6. SHALL contain exactly one [1..1] statusCode (CONF:7123), where the @code SHALL be selected from ValueSet Result Status 2.16.840.1.113883.11.20.9.39 STATIC 2012-04-27 (CONF:14848)
- 7. SHALL contain at least one [1..\*] component (CONF:7124, CONF:14850)
  - a. Contains exactly one [1..1] Result Observation (templateId: 2.16.840.1.113883.10.20.22.4.2)
- 8. The value for 'code' in a result organizer **SHOULD** be selected from LOINC (codeSystem 2.16.840.1.113883.6.1) or SNOMED CT (codeSystem 2.16.840.1.113883.6.96) and **MAY** be selected from CPT-4 (codeSystem 2.16.840.1.113883.6.12). Laboratory results **SHOULD** be from LOINC (CodeSystem: 2.16.840.1.113883.6.1) or other constrained terminology named by the US Department of Health and Human Services Office of National Coordinator or other federal agency. Local and/or regional codes for laboratory results **SHOULD** also be allowed. (CONF:7164)
- 9. SHOULD contain zero or one [0..1] @classCode="CLUSTER" Cluster (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) OR SHOULD contain zero or one [0..1] @classCode="BATTERY" Battery (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:7165)

#### Result Organizer example

Error: Missing Runtime Class

## **Smoking Status Observation**

[Observation: templateId 2.16.840.1.113883.10.22.4.78]

- 1. SHALL conform to *Consol Tobacco Use* template (templateId: 2.16.840.1.113883.10.20.22.4.85)
- 2. SHALL contain exactly one [1..1] value with data type CD, where the @code SHALL be selected from ValueSet Smoking Status STATIC
- 1. SHALL conform to Consol Tobacco Use template (templateId: 2.16.840.1.113883.10.20.22.4.85)
- 2. SHALL contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: 2.16.840.1.113883.5.6 HL7ActClass) (CONF:16558)
- **3. SHALL** contain exactly one [1..1] **@moodCode**="EVN" *Event* (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:16559)
- **4. SHALL** contain exactly one [1..1] **code** (CONF:16560)/@code="ASSERTION" *Assertion* (CodeSystem: 2.16.840.1.113883.5.4 HL7ActCode)
- 5. SHALL contain exactly one [1..1] statusCode (CONF:16561)/@code="completed" Completed (CodeSystem: 2.16.840.1.113883.5.14 ActStatus)
- **6. SHALL** contain exactly one [1..1] **effectiveTime** (CONF:16564)

- 7. SHALL contain exactly one [1..1] value with data type CD, where the @code SHALL be selected from ValueSet *Smoking Status* STATIC
- **8.** effectiveTime **SHALL** contain exactly one [1..1] low (CONF:16565)

### **Smoking Status Observation example**

# Chapter

5

# **OTHER CLASSES**

This section of the Implementation Guide describes other classes that are not CDA Clinical Documents, Sections, or Clinical Statements.

# Chapter



# **VALUE SETS**

## Topics:

- Ethnicity Category ValueSet
- Race Category ValueSet
- Smoking Status

The following tables summarize the value sets used in this Implementation Guide.

## **Ethnicity Category ValueSet**

Value Set	Ethnicity Category ValueSet - (OID not specified)
Code System	Race and Ethnicity - CDC - 2.16.840.1.113883.6.238

Code	Code System	Print Name
2135-2	Race and Ethnicity - CDC	Hispanic or Latino
2186-5	Race and Ethnicity - CDC	Not Hispanic or Latino

## **Race Category ValueSet**

Value Set	Race Category ValueSet - (OID not specified)
Code System	Race and Ethnicity - CDC - 2.16.840.1.113883.6.238

Code	Code System	Print Name
1002-5	Race and Ethnicity - CDC	American Indian or Alaska Native
2028-9	Race and Ethnicity - CDC	Asian
2076-8	Race and Ethnicity - CDC	Native Hawaiian or Other Pacific Islander
2106-3	Race and Ethnicity - CDC	White
2054-5	Race and Ethnicity - CDC	Black or African American

## **Smoking Status**

Value Set	Smoking Status - (OID not specified)
Code System	SNOMEDCT - 2.16.840.1.113883.6.96

Code	Code System	Print Name
449868002	SNOMEDCT	Current every day smoker
428041000124106	SNOMEDCT	Current some day smoker
8517006	SNOMEDCT	Former smoker
266919005	SNOMEDCT	Never smoker (Never Smoked)
77176002	SNOMEDCT	Smoker, current status unknown
266927001	SNOMEDCT	Unknown if ever smoked
428071000124103	SNOMEDCT	Heavy tobacco smoker
428061000124105	SNOMEDCT	Light tobacco smoker

## REFERENCES

- HL7 Implementation Guide: CDA Release 2 Continuity of Care Document (CCD) A CDA implementation of ASTM E2369-05 Standard Specification for Continuity of Care Record<sup>©</sup> (CCR) April 01, 2007 available through HL7.
- HL7 Implementation Guide for CDA Release 2 Quality Reporting Document Architecture (QRDA) Draft Standard for Trial Use March 2009. Available at: *Quality Reporting Document Architecture (QRDA)*
- HL7 Implementation Guide for CDA Release 2 CDA for Public Health Case Reports (PHCR) Informative Standard October 2009. Available through *HL7*.
- HL7 Implementation Guide for CDA Release 2: NHSN Healthcare Associated Infection (HAI) Reports, Release 2 Draft Standard for Trial Use January 2009 Available at: NHSN Healthcare Associated Infection (HAI) Reports
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A, (Editors). HL7 Clinical Document Architecture, Release 2.0. ANSI-approved HL7 Standard; May 2005. Ann Arbor, Mich.: Health Level Seven, Inc. Available through *HL7* or if an HL7 member with the following link: *CDA Release 2 Normative Web Edition*.
- LOINC®: Logical Observation Identifiers Names and Codes, Regenstrief Institute.
- SNOMED CT®: SNOMED Clinical Terms SNOMED International Organization.
- Extensible Markup Language, www.w3.org/XML.
- Dolin RH, Alschuler L, Boyer S, Beebe C, Behlen FM, Biron PV, Shabo A., HL7 Clinical Document Architecture, Release 2. J Am Med Inform Assoc. 2006;13:30-39. Available at: <a href="http://www.jamia.org/cgi/reprint/13/1/30">http://www.jamia.org/cgi/reprint/13/1/30</a>.
- Using SNOMED CT in HL7 Version 3; Implementation Guide, Release 1.5. Available through *HL7* or if an HL7 member with the following link: *Using SNOMED CT in HL7 Version 3*