


**Q1:** Design a flowchart, Pseudocode, Algorithm for processing a customer order at a restaurant, including handling special requests (Like add on).



## Algorithm:

Step 01: Start

Step 02: Give Menu to Customer

Step 03: Take Order

Step 04: Repeat

do you have item N?

Step 05: Check If N item are available

Then

Print ("Serve The order")

Else

Print ("Sorry Sir! N item are not available")

Step 06: Want anything else Sir?

If yes

Then "go to the Step 4"

Else

Print "Stop"

## Pseudocode

Start

Give menu to customer and take a order

Customer order N item

Check N item

**If** N item are available

then

Print "Serve the order"

**Else**

Print "Sorry Sir! N item are not available"

**Endif**

Want anything else?

If yes

Then

```
        Print "Serve the order"
Else
    Print "stop"
End
```

## Q2: Cash Withdrawal

### Algorithm:

```
Step 1: Start
Step 2: Take a ATM Card
Step 3: Go to Bank
Step 4: Insert a ATM Card in ATM Machine
Step 5: Enter ATM PIN
Step 6: If ATM pin are correct
    then
        Print "Go to Next Step"
    Else
        Print "Sorry ATM pin are incorrect transition Failed"
    End
Step 7: Enter the Amount and withdraw the amount
Step 8: withdrawal Complete
Step 9: Take ATM Card and Amount
Step 10: Stop
```

### Pseudocode

```
Start
```

Go to bank and insert a atm card into atm machine

Enter your pin

Enter the amount and withdraw the amount

Take a atm card and amount and go back to home

End

**Q3:** Write a Pseudocode, Algorithm to determine which of three provided numbers is the greatest.

## Algorithm

Step 1: Start

Step 2: Input a, b, c

Step 3: if a > b

    Then

        max = a

    Else

        max = b

    Endif

Step 4: if max > c

    Then

        Print "Greater number is max"

    Else

        Print "c is greater number"

    Endif

Step 5: Stop

## Pseudocode

```
Start
Input A
Input B
Input C
if a > b Then
    Max-Number = a
Else if b > c Then
    Max-Number = b
Else
    Max-Number = c
Endif
if Max-Number > c Then
    Print "Greater number is max"
Else
    Print "c is greater number"
End
```

**Q4:** Implement an algorithm where the user enters a number, and an appropriate month is displayed.

## Algorithm:

Step 1: Start

Step 2: Input Number

Step 3: If Number = 1

    Print "January"

Else Number = 2

    Print "February"

Else Number = 3

```
    Print "March"
Else Number = 4
    Print "April"
Else Number = 5
    Print "May"
Else Number = 6
    Print "June"
Else Number = 7
    Print "July"
Else Number = 8
    Print "August"
Else Number = 9
    Print "September"
Else Number = 10
    Print "October"
Else Number = 11
    Print "November"
Else Number = 12
    Print "December"
Else Number > 12
    Print "Error"
```

Step 4: Stop

**Q5:** Create pseudocode a small calculator which only does '+' or '-' Operations.

## Pseudocode

Start

Input a, b

Input Operator ( + or - )


```
If +  
    Print (a + b)  
Else -  
    Print (a - b)  
Else print "Invalid Operator"  
End
```

**Q7:** Implement an algorithm for making a simple calculator with all the operators (+, -, \*, /, %).

## Pseudocode

```
Start  
Input X  
Input Y  
Input Operator (+ or - or * or / or %).  
If +  
    Print (X+Y)  
Else -  
    Print (X-Y)  
Else *  
    Print (X*Y)  
Else /  
    Print(X/Y)  
Else %  
    Print (X%Y)  
Else "Invalid Operator"  
End
```

**Q6:** You are working at Toyota Indus Motors and want to assemble a car. Design a flowchart with proper process modules and decision structures to replicate a pipeline production.





## **Q10:** Difference between Algorithm and Pseudocode?

### **Algorithm:**

- An Algorithm is step-by-step instruction for a solving problem.
- Algorithm can be expressed in various form, such as
  - 1) Natural language
  - 2) Flowchart

### **Pseudocode:**

- Pseudocode is a high-level representation of a computer program.
- Uses plain language to describe the program's flow and logic.
- Pseudocode typically includes elements like: variable, data types, if/else etc.

## **Q9:** Why we use .gitignore?

- We use .gitignore to tell git which files to ignore in a repository. This is useful for several reasons.
  - 1) Reduce Repository size
  - 2) Exclude unnecessary files
  - 3) Keep sensitive data private