



[Curso](#) > [Module 2 - Data Wrangling](#) > [Graded Review Questions](#) > Graded Review Questions

Graded Review Questions

Graded Review Questions Instructions

1. Time allowed: **Unlimited**

- We encourage you to go back and review the materials to find the right answer
- Please remember that the Review Questions are worth 50% of your final mark.

2. Attempts per question:

- One attempt - For True/False questions
- Two attempts - For any question other than True/False

3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 punto (calificado)

Consider the dataframe `df`. What is the result of the following operation: `df['symboling'] = df['symboling'] + 1` ?

☒ Every element in the column "symboling" will increase by one.

☐ Every element in the row "symboling" will increase by one.

☐ Every element in the dataframe will increase by one.



Enviar

Ha realizado 1 de 2 intentos

Question 2

1/1 punto (calificado)

Consider the dataframe `df`. What does the command `df.rename(columns={'a':'b'})` change about the dataframe `df` ?

☐ Renames column "a" of the dataframe to "b".

☐ Renames row "a" to "b".

☒ Nothing. You must set the parameter "inplace = True".



Enviar

Ha realizado 1 de 2 intentos

Question 3

1/1 punto (calificado)

Consider the dataframe "df". What is the result of the following operation `df['price'] = df['price'].astype(int)` ?

☐ Convert or cast the row 'price' to an integer value.

☒ Convert or cast the column 'price' to an integer value.

☐ Convert or cast the entire dataframe to an integer value.



Enviar

Ha realizado 1 de 2 intentos

Question 4

1/1 punto (calificado)

Consider the column of the dataframe `df['a']`. The column has been standardized. What is the standard deviation of the values as a result of applying the following operation: `df['a'].std()` ?

☒ 1

☐ 0

☐ 3



Enviar

Ha realizado 1 de 2 intentos

Question 5 a)

1/1 punto (calificado)

Consider the column of the dataframe, `df['Fuel']`, with two values: 'gas' and 'diesel'. What will be the name of the new columns `pd.get_dummies(df['Fuel'])` ?

☐ 1 and 0

☐ Just 'diesel'

☐ Just 'gas'

☒ 'gas' and 'diesel'



Enviar

Ha realizado 1 de 2 intentos

Question 5 b)

1/1 punto (calificado)

What are the values of the new columns from part 5a)?

☒ 1 and 0

☐ Just 'diesel'

☐ Just 'gas'

☐ 'gas' and 'diesel'



Enviar

Ha realizado 1 de 2 intentos