

Task 1

servicenow

AllFavoritesHistoryWorkspacesAdmin

Table - Restaurant Order

Application scope: Global
Update set: Default [Global]

DeleteUpdateDelete All Records

Table Restaurant Order

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label Restaurant Order

* Name u_restaurant_order

Extends table Task

Application Global

Remote Table

ColumnsControlsApplication Access

Table Columnsfor textSearch

1to 20 of 71New

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Task type	System Class Name	(empty)	80	javascript:current.getTableName();	false
Workflow activity	Reference	Workflow Activity	32		false
Domain Path	Domain Path	(empty)	255	/	false
Contract	Reference	Contract	32		false
Assignment group	Reference	Group	32		false
Approval	String	(empty)	40	not requested	false
Duration	Duration	(empty)	40		false
Knowledge	True/False	(empty)	40	false	false
Correlation display	String	(empty)	100		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Short description	String	(empty)	160		false
Company	Reference	Company	32		false
Approval set	Date/Time	(empty)	40		false
Opened by	Reference	User	32	javascript:gs.getUserID()	false
Contract type	String	(empty)	40		false

Task 2

servicenow

AllFavoritesHistoryWorkspacesAdmin

Table - Delivery Order

Application scope: Global
Update set: Default [Global]

DeleteUpdateDelete All Records

Table Delivery Order

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label Delivery Order

* Name u_delivery_order

Extends table Restaurant Order

Application Global

Remote Table

ColumnsControlsApplication Access

Table Columnsfor textSearch

1to 20 of 72New

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Task type	System Class Name	(empty)	80	javascript:current.getTableName();	false
Workflow activity	Reference	Workflow Activity	32		false
Domain Path	Domain Path	(empty)	255	/	false
Contract	Reference	Contract	32		false
Assignment group	Reference	Group	32		false
Approval	String	(empty)	40	not requested	false
Duration	Duration	(empty)	40		false
Knowledge	True/False	(empty)	40	false	false
Correlation display	String	(empty)	100		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Short description	String	(empty)	160		false
Company	Reference	Company	32		false
Approval set	Date/Time	(empty)	40		false
Opened by	Reference	User	32	javascript:gs.getUserID()	false
Contract type	String	(empty)	40		false

Task 3

Restaurant Order [u_restor]

Default view

Form Design

FieldsField Types

integ

New fields will modify the database structure.

Integer

Restaurant Order [u_restaurant_order]

2 Column

Dish Name

Quantity

Table Number

Task 4

FavoritesHistoryWorkspacesAdmin

Restaurant Order - Create ORD0008

Application scope: Global
Update set: Default [Global]

<Order InfoNew record

Submit

* Dish Name

Quantity1

Table Number

Assigned Waiter

StateOpen

Customer InfoPayment

Customer Name

Phone Number

Submit

Task 5

The image shows a 'Properties' dialog box for a 'Dish Name' field. The dialog box is titled 'Properties' and has a close button (X) in the top right corner. It contains the following fields and options:

- Label:** Dish Name
- Name:** u_dish_name
- Type:** String
- Default:** (empty text box)
- Max length:** 100
- Mandatory:** ☒
- Read Only:** ☐
- Dependent:** (empty dropdown menu)
- Choices:** (empty list area)

The background shows a form with sections: Order Info, Customer Info, and Payment. The 'Dish Name' field is highlighted in the 'Order Info' section.

Quantity

Assigned W

Phone Num

Total Amou

Properties

Label

Name

Type

Default

Mandatory ☐

Read Only ☐

Choices

Create choices

Task 8

Order info2 Column

Dish Name

Quantity

Table Number

Assigned Waiter

State

Customer info2 Column

Customer Name

Phone Number

Payment2 Column

Payment Method

Total Amount

Task 9

Restaurant Order [u_resto]

Chef View

Form Design

FieldsField Types

chot

New fields will modify the database structure

Choice

Radio Button Choice

Restaurant Order [u_restaurant_order]

2 Column

Dish Name

Quantity

Restaurant Order [u_resto]

Manager View

Form Design

FieldsField Types

chot

New fields will modify the database structure

Choice

Radio Button Choice

Payment

2 Column

Payment Method

Status

Task 10

servicenow

AllFavoritesHistoryWorkspacesAdmin

Restaurant Orders

Application scope: Global
Update set: Default [Global]

Restaurant Orders

Number

Search

New

	Number	Priority	State	Assigned to	Short description	Task type	Dish Name	Quantity	Status
No records to display									

Task 11

servicenow

AllFavoritesHistoryWorkspacesAdmin

Restaurant Orders

Application scope: Global
Update set: Default [Global]

Restaurant Orders

Number

Search

New

RunSave...ANDORAdd Sort

All of these conditions must be met

Status

is

Pending

ANDOR

Table Number

is

5

ANDOR

	Number	Priority	State	Assigned to	Short description	Task type	Dish Name	Quantity	Status
No records to display									

Task 12

servicenow

AllFavoritesHistoryWorkspacesAdmin

Restaurant Orders

Application scope: Global
Update set: Default [Global]

Restaurant Orders

Number

Search

Actions on selected rows... New

All	Number	Priority	State	Assigned to	Short description	Task type	Dish Name	Quantity	Status
☐	ORD1001	4 - Low	Open	(empty)		Restaurant Order	Pizza		1
☐	ORD1002	4 - Low	Open	(empty)		Restaurant Order	Pasta		1

Task 14

servicenow

AllFavoritesHistoryWorkspacesAdmin

ServiceNow

Application scope: Global
Update set: Default [Global]

Search

Restaurant Order

Show referenced tables Show referencing tables Show extended tables Show extending tables

Delivery Order

Columns

Assigned water: reference to User

Customer Name: string

Dish Name: string

Payment Method: string

Phone Number: integer

Quantity: integer

State: string

Table Number: string

Total amount: integer

Task Columns

Restaurant Order

Columns

Assigned water: reference to User

Customer Name: string

Dish Name: string

Payment Method: string

Phone Number: integer

Quantity: integer

State: string

Table Number: string

Total amount: integer

Task Columns

Task

Columns

Active: boolean

Actual due: Date

Actual end: Date

Actual start: Date

Additional assignee: User

Additional comments: Journal input

Approval: string

Approval history: Journal

Approval set: Date

Assigned to: reference to User

Assignment group: reference to Group

Business Unit: Duration

Class roles: string

Class: Date

Classified by: reference to User

Task 15

servicenow

AllFavoritesHistoryWorkspacesAdmin

Application Menu - Restaurant Management

Application scope: Restaurant Management
Update set: Default [Restaurant Management]

Application Menu

Restaurant Management

UpdateDelete

An application menu is a group of modules in the application navigator. Choose the roles that are required to access the application and add or remove modules in the related list below. [More info](#)

Title

Restaurant Management

Application

Restaurant Management

Active

Restricts access to the specified roles. Otherwise, all users can view the application menu when it is active.

Roles

Specifies the menu category, which defines the navigation menu style. The default value is Custom Applications.

Category

Custom Applications

The text that appears in a tooltip when a user points to this application menu

Hint

Description

UpdateDelete

(SN Utils) Versions (1)

Modules

Order

Search

Actions on selected rows... New

☐	Title	Table	Active	Filter	Order	Link type	Device type	Roles	Updated
☐	Orders	Restaurant Order [u_restaurant_order]	true			List of Records			2026-04-05 05:40:35

1 to 1 of 1