Quantum computing with trapped ions - real thought experiments

Hartmut Häffner

Department of Physics, University of California, Berkeley, USA *and*
Institute for Quantum Optics and Quantum Information, Innsbruck

- Physics and information
- Ion trap quantum computing
- Quantum teleportation
- Scaling up ion trap quantum computers

€ FWF SFB
SCALA QGATES
Industrie Tirol
IQI GmbH
FWF bm:bwk
$ IARPA

Reno, Feb 5th 2010

Physics and information

Information is physical (Rolf Landauer, 1961)

Erasing information generates heat:

0101001101 ➡ 0000000000 + entropy

Physics and information

Physical process

Equivalence ?

Algorithm

Physics and information

Information is physical (Rolf Landauer, 1961)

➡ Information is quantum mechanical

Classical information is a subset in quantum information

Quantum information: strip down quantum mechanics to bare bones.

- Hilbert space
- unitary operations
- measurement

Qubits







$|0\rangle$ $\alpha|0\rangle + \beta|1\rangle$ $|1\rangle$







Information content

$$|\Psi\rangle_{\text{reg}} = \alpha_0 |000\rangle + \alpha_1 |001\rangle + \alpha_2 |010\rangle + \alpha_3 |011\rangle + \alpha_4 |100\rangle + \alpha_5 |101\rangle + \alpha_6 |110\rangle + \alpha_7 |111\rangle$$

# bits	classical	quantum mechanical
1	1	0.5208 + 0.7059i, 0.3014 + 0.3736i
2	01	0.2044 + 0.4911i , 0.1732 + 0.3855i, 0.2040 + 0.4890i, 0.3193 + 0.3947i
3	001	0.2583 + 0.2704i , 0.2310 + 0.1150i, 0.2956 + 0.3118i , 0.3558 + 0.2113i , 0.1943 + 0.1377i 0.3273 + 0.2613i , 0.0643 + 0.2033i, 0.3643 + 0.1654i
4	1010	0.1691 + 0.0891i 0.1096 + 0.0828i 0.1420 + 0.2873i 0.0741 + 0.2419i 0.1902 + 0.0448i 0.2495 + 0.0039i 0.1738 + 0.2933i 0.2102 + 0.0653i 0.0686 + 0.0980i 0.1246 + 0.2170i 0.2570 + 0.0933i 0.2234 + 0.1540i 0.1513 + 0.0213i 0.1863 + 0.3243i 0.2606 + 0.1912i 0.0194 + 0.1390i
5	10001	0.1060 + 0.1416i 0.0103 + 0.0118i 0.0064 + 0.0976i 0.0734 + 0.0716i 0.0030 + 0.2054i 0.0902 + 0.0035i 0.1605 + 0.1804i 0.0218 + 0.2280i 0.0083 + 0.2326i 0.1438 + 0.1853i 0.1429 + 0.1030i 0.0037 + 0.1171i 0.0038 + 0.0503i 0.0446 + 0.1512i 0.1379 + 0.0752i 0.0135 + 0.2255i 0.0863 + 0.1707i 0.1483 + 0.0968i 0.1686 + 0.1749i 0.1627 + 0.0629i 0.0197 + 0.1033i 0.1067 + 0.2192i 0.1038 + 0.1605i 0.0830 + 0.0499i 0.0361 + 0.1971i 0.1587 + 0.1477i 0.1642 + 0.0314i 0.1709 + 0.0487i 0.1124 + 0.1426i 0.1303 + 0.1480i 0.0284 + 0.0870i 0.1059 + 0.1351i
6	110101	0.0595 + 0.1064i 0.0295 + 0.1327i 0.0929 + 0.0406i 0.1090 + 0.0379i 0.0559 + 0.1286i 0.0015 + 0.0345i 0.0624 + 0.1196i 0.1120 + 0.1350i 0.1180 + 0.0345i 0.1367 + 0.0356i 0.1255 + 0.0074i 0.0547 + 0.0116i 0.0923 + 0.0952i 0.1087 + 0.0284i 0.0288 + 0.1254i 0.1345 + 0.0258i 0.0846 + 0.0254i 0.0939 + 0.1478i 0.0348 + 0.0654i 0.0816 + 0.0505i 0.1384 + 0.0467i 0.0498 + 0.0543i 0.0974 + 0.0584i 0.0582 + 0.0879i 0.0932 + 0.0178i 0.1039 + 0.0057i 0.0590 + 0.0682i 0.0615 + 0.1293i 0.0974 + 0.1388i 0.1245 + 0.0393i 0.0552 + 0.0238i 0.0632 + 0.1297i 0.0884 + 0.0354i 0.0841 + 0.0960i 0.1065 + 0.1437i 0.0760 + 0.0988i 0.1154 + 0.1293i 0.0727 + 0.0015i 0.0276 + 0.0204i 0.1041 + 0.1217i 0.1460 + 0.0639i 0.1199 + 0.1323i 0.1046 + 0.1092i 0.0721 + 0.1021i 0.0170 + 0.0514i 0.0988 + 0.0247i 0.0543 + 0.0231i 0.0208 + 0.0284i 0.0842 + 0.0628i 0.1223 + 0.1272i 0.1002 + 0.0729i 0.1485 + 0.1213i 0.1429 + 0.0685i 0.0087 + 0.0680i 0.0535 + 0.0670i 0.0815 + 0.0613i 0.0389 + 0.1340i 0.0888 + 0.0008i 0.0073 + 0.0442i 0.0849 + 0.0073i 0.1042 + 0.1030i 0.1430 + 0.0966i 0.1115 + 0.1461i 0.1100 + 0.0821i
7	1001010	0.0880 + 0.0466i 0.1054 + 0.0684i 0.0239 + 0.0866i 0.0759 + 0.0090i 0.0563 + 0.1020i 0.1006 + 0.0988i 0.0769 + 0.0649i 0.0246 + 0.0273i 0.0485 + 0.0942i 0.0186 + 0.0554i 0.1045 + 0.0790i 0.0384 + 0.0455i 0.0053 + 0.1037i 0.0815 + 0.0078i 0.0965 + 0.0597i 0.0309 + 0.0315i 0.0271 + 0.0925i 0.1006 + 0.0362i 0.0141 + 0.0734i 0.1015 + 0.0058i 0.0757 + 0.0385i 0.0914 + 0.0537i 0.0226 + 0.0468i 0.0491 + 0.0607i 0.0087 + 0.0665i 0.0918 + 0.0122i 0.0606 + 0.0969i 0.0344 + 0.0814i 0.0404 + 0.0853i 0.0936 + 0.0879i 0.0401 + 0.0723i 0.0079 + 0.0217i 0.0216 + 0.0294i 0.0053 + 0.0675i 0.0611 + 0.0579i 0.0131 + 0.0064i 0.0563 + 0.0096i 0.0126 + 0.0293i 0.0830 + 0.0441i 0.0404 + 0.0511i 0.0888 + 0.0980i 0.0050 + 0.0643i 0.0645 + 0.0355i 0.1024 + 0.0516i 0.0311 + 0.0644i 0.0959 + 0.0174i 0.0110 + 0.0894i 0.0070 + 0.1031i 0.0253 + 0.0642i 0.1006 + 0.0031i 0.0068 + 0.0876i 0.0285 + 0.0658i 0.1078 + 0.0756i 0.0229 + 0.0099i 0.0537 + 0.0458i 0.0313 + 0.0405i 0.0725 + 0.0179i 0.1033 + 0.0898i 0.0827 + 0.0904i 0.0718 + 0.0487i 0.0141 + 0.1032i 0.0103 + 0.0159i 0.0016 + 0.0938i 0.0311 + 0.0830i 0.0881 + 0.0479i 0.1063 + 0.0669i 0.0019 + 0.1026i 0.0884 + 0.0690i 0.0670 + 0.0267i 0.0604 + 0.0380i 0.0263 + 0.0203i 0.0886 + 0.0529i 0.0284 + 0.0441i 0.0813 + 0.0500i 0.0711 + 0.0659i 0.0231 + 0.0077i 0.0649 + 0.0339i 0.0652 + 0.0656i 0.0711 + 0.0189i 0.0198 + 0.0670i 0.0686 + 0.0265i 0.0184 + 0.0633i 0.0582 + 0.0546i 0.0672 + 0.0501i 0.0740 + 0.0584i 0.0730 + 0.1016i 0.0946 + 0.0369i 0.0014 + 0.0433i 0.0335 + 0.0332i 0.0840 + 0.0444i 0.0331 + 0.0308i 0.0999 + 0.0425i 0.0732 + 0.0542i 0.0080 + 0.0779i 0.0076 + 0.0330i 0.0013 + 0.0121i 0.0245 + 0.0478i 0.0557 + 0.0503i 0.0494 + 0.0016i 0.0758 + 0.0716i 0.0628 + 0.0781i 0.0549 + 0.0304i 0.0080 + 0.0282i 0.0208 + 0.0764i 0.0409 + 0.0845i 0.0893 + 0.0425i 0.0989 + 0.0562i 0.0122 + 0.0774i 0.0876 + 0.0614i 0.0979 + 0.0497i 0.0169 + 0.0480i 0.0132 + 0.0095i 0.0822 + 0.0478i 0.0778 + 0.0395i 0.0703 + 0.0326i 0.0813 + 0.0919i 0.0715 + 0.0819i 0.0953 + 0.1024i 0.0293 + 0.0602i 0.0452 + 0.0015i 0.0230 + 0.0643i
8	10101011	0.0199 + 0.0027i 0.0033 + 0.0063i 0.0005 + 0.0656i 0.0443 + 0.0262i 0.0573 + 0.0359i 0.0622 + 0.0704i 0.0491 + 0.0176i 0.0194 + 0.0664i 0.0111 + 0.0506i 0.0502 + 0.0687i 0.0729 + 0.0376i 0.0629 + 0.0765i 0.0717 + 0.0288i 0.0239 + 0.0410i 0.0207 + 0.0140i 0.0413 + 0.0387i 0.0126 + 0.0325i 0.0163 + 0.0509i 0.0167 + 0.0519i 0.0502 + 0.0738i 0.0041 + 0.0148i 0.0177 + 0.0086i 0.0514 + 0.0436i 0.0240 + 0.0747i 0.0236 + 0.0018i 0.0555 + 0.0671i 0.0736 + 0.0021i 0.0101 + 0.0400i 0.0053 + 0.0148i 0.0097 + 0.0552i 0.0128 + 0.0193i 0.0702 + 0.0720i 0.0105 + 0.0106i 0.0476 + 0.0402i 0.0207 + 0.0690i 0.0170 + 0.0726i 0.0549 + 0.0258i 0.0423 + 0.0337i 0.0726 + 0.0363i 0.0254 + 0.0115i 0.0543 + 0.0105i 0.0727 + 0.0410i 0.0448 + 0.0559i 0.0678 + 0.0307i 0.0578 + 0.0276i 0.0293 + 0.0220i 0.0559 + 0.0670i 0.0125 + 0.0483i 0.0737 + 0.0186i 0.0151 + 0.0754i 0.0598 + 0.0494i 0.0473 + 0.0177i 0.0125 + 0.0525i 0.0024 + 0.0513i 0.0222 + 0.0104i 0.0748 + 0.0017i 0.0733 + 0.0202i 0.0176 + 0.0090i 0.0739 + 0.0053i 0.0524 + 0.0657i 0.0042 + 0.0139i 0.0462 + 0.0025i 0.0303 + 0.0566i 0.0166 + 0.0414i 0.0141 + 0.0213i

Information content

# bits	classical	quantum mechanical
1	1	0.5208 + 0.7059i, 0.3014 + 0.3736i
2	01	0.2044 + 0.4911i , 0.1732 + 0.3855i, 0.2040 + 0.4890i, 0.3193 + 0.3947i
3	001	0.2583 + 0.2704i , 0.2310 + 0.1150i, 0.2956 + 0.3118i , 0.3558 + 0.2113i , 0.1943 + 0.1377i 0.3273 + 0.2613i , 0.0643 + 0.2033i, 0.3643 + 0.1654i
4	1010	0.1691 + 0.0891i 0.1096 + 0.0828i 0.1420 + 0.2873i 0.0741 + 0.2419i 0.1902 + 0.0448i 0.2495 + 0.0039i 0.1738 + 0.2933i 0.2102 + 0.0653i 0.0686 + 0.0980i 0.1246 + 0.2170i 0.2570 + 0.0933i 0.2234 + 0.1540i 0.1513 + 0.0213i 0.1863 + 0.3243i 0.2606 + 0.1912i 0.0194 + 0.1390i
5	10001	0.1060 + 0.1416i 0.0103 + 0.0118i 0.0064 + 0.0976i 0.0734 + 0.0716i 0.0030 + 0.2054i 0.0902 + 0.0035i 0.1605 + 0.1804i 0.0218 + 0.2280i 0.0083 + 0.2326i 0.1438 + 0.1853i 0.1429 + 0.1030i 0.0037 + 0.1171i 0.0038 + 0.0503i 0.0446 + 0.1512i 0.1379 + 0.0752i 0.0135 + 0.2255i 0.0863 + 0.1707i 0.1483 + 0.0968i 0.1686 + 0.1749i 0.1627 + 0.0629i 0.0197 + 0.1033i 0.1067 + 0.2192i 0.1038 + 0.1605i 0.0830 + 0.0499i 0.0361 + 0.1971i 0.1587 + 0.1477i 0.1642 + 0.0314i 0.1709 + 0.0487i 0.1124 + 0.1426i 0.1303 + 0.1480i 0.0284 + 0.0870i 0.1059 + 0.1351i
6	110101	0.0595 + 0.1064i 0.0295 + 0.1327i 0.0929 + 0.0406i 0.1090 + 0.0379i 0.0559 + 0.1286i 0.0015 + 0.0345i 0.0624 + 0.1196i 0.1120 + 0.1350i 0.1180 + 0.0345i 0.1367 + 0.0356i 0.1255 + 0.0074i 0.0547 + 0.0116i 0.0923 + 0.0952i 0.1087 + 0.0284i 0.0288 + 0.1254i 0.1345 + 0.0258i 0.0846 + 0.0254i 0.0939 + 0.1478i 0.0348 + 0.0654i 0.0816 + 0.0505i 0.1384 + 0.0467i 0.0498 + 0.0543i 0.0974 + 0.0584i 0.0582 + 0.0879i 0.0932 + 0.0178i 0.1039 + 0.0057i 0.0590 + 0.0682i 0.0615 + 0.1293i 0.0974 + 0.1388i 0.1245 + 0.0393i 0.0552 + 0.0238i 0.0632 + 0.1297i 0.0884 + 0.0354i 0.0841 + 0.0960i 0.1065 + 0.1437i 0.0760 + 0.0988i 0.1154 + 0.1293i 0.0727 + 0.0015i 0.0276 + 0.0204i 0.1041 + 0.1217i 0.1460 + 0.0639i 0.1199 + 0.1323i 0.1046 + 0.1092i 0.0721 + 0.1021i 0.0170 + 0.0514i 0.0988 + 0.0247i 0.0543 + 0.0231i 0.0208 + 0.0284i 0.0842 + 0.0628i 0.1223 + 0.1272i 0.1002 + 0.0729i 0.1485 + 0.1213i 0.1429 + 0.0685i 0.0087 + 0.0680i 0.0535 + 0.0670i 0.0815 + 0.0613i 0.0389 + 0.1340i 0.0888 + 0.0008i 0.0073 + 0.0442i 0.0849 + 0.0073i 0.1042 + 0.1030i 0.1430 + 0.0966i 0.1115 + 0.1461i 0.1100 + 0.0821i
7	1001010	0.0880 + 0.0466i 0.1054 + 0.0684i 0.0239 + 0.0866i 0.0759 + 0.0090i 0.0563 + 0.1020i 0.1006 + 0.0988i 0.0769 + 0.0649i 0.0246 + 0.0273i 0.0485 + 0.0942i 0.0186 + 0.0554i 0.1045 + 0.0790i 0.0384 + 0.0455i 0.0053 + 0.1037i 0.0815 + 0.0078i 0.0965 + 0.0597i 0.0309 + 0.0315i 0.0271 + 0.0925i 0.1006 + 0.0362i 0.0141 + 0.0734i 0.1015 + 0.0058i 0.0757 + 0.0385i 0.0914 + 0.0537i 0.0226 + 0.0468i 0.0491 + 0.0607i 0.0087 + 0.0665i 0.0918 + 0.0122i 0.0606 + 0.0969i 0.0344 + 0.0814i 0.0404 + 0.0853i 0.0936 + 0.0879i 0.0401 + 0.0723i 0.0079 + 0.0217i 0.0216 + 0.0294i 0.0053 + 0.0675i 0.0611 + 0.0579i 0.0131 + 0.0064i 0.0563 + 0.0096i 0.0126 + 0.0293i 0.0830 + 0.0441i 0.0404 + 0.0511i 0.0888 + 0.0980i 0.0050 + 0.0643i 0.0645 + 0.0355i 0.1024 + 0.0516i 0.0311 + 0.0644i 0.0959 + 0.0174i 0.0110 + 0.0894i 0.0070 + 0.1031i 0.0253 + 0.0642i 0.1006 + 0.0031i 0.0068 + 0.0876i 0.0285 + 0.0658i 0.1078 + 0.0756i 0.0229 + 0.0099i 0.0537 + 0.0458i 0.0313 + 0.0405i 0.0725 + 0.0179i 0.1033 + 0.0898i 0.0827 + 0.0904i 0.0718 + 0.0487i 0.0141 + 0.1032i 0.0103 + 0.0159i 0.0016 + 0.0938i 0.0311 + 0.0830i 0.0881 + 0.0479i 0.1063 + 0.0669i 0.0019 + 0.1026i 0.0884 + 0.0690i 0.0670 + 0.0267i 0.0604 + 0.0380i 0.0263 + 0.0203i 0.0886 + 0.0529i 0.0284 + 0.0441i 0.0813 + 0.0500i 0.0711 + 0.0659i 0.0231 + 0.0077i 0.0649 + 0.0339i 0.0652 + 0.0656i 0.0711 + 0.0189i 0.0198 + 0.0670i 0.0686 + 0.0265i 0.0184 + 0.0633i 0.0582 + 0.0546i 0.0672 + 0.0501i 0.0740 + 0.0584i 0.0730 + 0.1016i 0.0946 + 0.0369i 0.0014 + 0.0433i 0.0335 + 0.0332i 0.0840 + 0.0444i 0.0331 + 0.0308i 0.0999 + 0.0425i 0.0732 + 0.0542i 0.0080 + 0.0779i 0.0076 + 0.0330i 0.0013 + 0.0121i 0.0245 + 0.0478i 0.0557 + 0.0503i 0.0494 + 0.0016i 0.0758 + 0.0716i 0.0628 + 0.0781i 0.0549 + 0.0304i 0.0080 + 0.0282i 0.0208 + 0.0764i 0.0409 + 0.0845i 0.0893 + 0.0425i 0.0989 + 0.0562i 0.0122 + 0.0774i 0.0876 + 0.0614i 0.0979 + 0.0497i 0.0169 + 0.0480i 0.0132 + 0.0095i 0.0822 + 0.0478i 0.0778 + 0.0395i 0.0703 + 0.0326i 0.0813 + 0.0919i 0.0715 + 0.0819i 0.0953 + 0.1024i 0.0293 + 0.0602i 0.0452 + 0.0015i 0.0230 + 0.0643i
8	10101011	0.0199 + 0.0027i 0.0033 + 0.0063i 0.0005 + 0.0656i 0.0443 + 0.0262i 0.0573 + 0.0359i 0.0622 + 0.0704i 0.0491 + 0.0176i 0.0194 + 0.0664i 0.0111 + 0.0506i 0.0502 + 0.0687i 0.0729 + 0.0376i 0.0629 + 0.0765i 0.0717 + 0.0288i 0.0239 + 0.0410i 0.0207 + 0.0140i 0.0413 + 0.0387i 0.0126 + 0.0325i 0.0163 + 0.0509i 0.0167 + 0.0519i 0.0502 + 0.0738i 0.0041 + 0.0148i 0.0177 + 0.0086i 0.0514 + 0.0436i 0.0240 + 0.0747i 0.0236 + 0.0018i 0.0555 + 0.0671i 0.0736 + 0.0021i 0.0101 + 0.0400i 0.0053 + 0.0148i 0.0097 + 0.0552i 0.0128 + 0.0193i 0.0702 + 0.0720i 0.0105 + 0.0106i 0.0476 + 0.0402i 0.0207 + 0.0690i 0.0170 + 0.0726i 0.0549 + 0.0258i 0.0423 + 0.0337i 0.0726 + 0.0363i 0.0254 + 0.0115i 0.0543 + 0.0105i 0.0727 + 0.0410i 0.0448 + 0.0559i 0.0678 + 0.0307i 0.0578 + 0.0276i 0.0293 + 0.0220i 0.0559 + 0.0670i 0.0125 + 0.0483i 0.0737 + 0.0186i 0.0151 + 0.0754i 0.0598 + 0.0494i 0.0473 + 0.0177i 0.0125 + 0.0525i 0.0024 + 0.0513i 0.0222 + 0.0104i 0.0748 + 0.0017i 0.0733 + 0.0202i 0.0176 + 0.0090i 0.0739 + 0.0053i 0.0524 + 0.0657i 0.0042 + 0.0139i 0.0462 + 0.0025i 0.0303 + 0.0566i 0.0166 + 0.0414i 0.0141 + 0.0213i 0.0059 + 0.0284i 0.0006 + 0.0010i 0.0608 + 0.0685i 0.0014 + 0.0667i 0.0677 + 0.0196i 0.0272 + 0.0439i 0.0557 + 0.0123i 0.0746 + 0.0458i 0.0120 + 0.0255i 0.0126 + 0.0508i 0.0242 + 0.0666i 0.0023 + 0.0437i 0.0276 + 0.0756i 0.0021 + 0.0610i 0.0612 + 0.0118i 0.0770 + 0.0642i 0.0085 + 0.0148i 0.0480 + 0.0493i 0.0102 + 0.0516i 0.0239 + 0.0595i 0.0104 + 0.0293i 0.0172 + 0.0340i 0.0306 + 0.0372i 0.0104 + 0.0469i 0.0186 + 0.0136i 0.0715 + 0.0002i 0.0301 + 0.0609i 0.0394 + 0.0396i 0.0072 + 0.0164i 0.0017 + 0.0080i 0.0123 + 0.0121i 0.0651 + 0.0314i 0.0678 + 0.0314i 0.0144 + 0.0041i 0.0764 + 0.0726i 0.0549 + 0.0116i 0.0672 + 0.0296i 0.0370 + 0.0240i 0.0382 + 0.0130i 0.0222 + 0.0691i 0.0047 + 0.0249i 0.0202 + 0.0566i 0.0144 + 0.0317i 0.0707 + 0.0308i 0.0095 + 0.0390i 0.0010 + 0.0130i 0.0285 + 0.0404i 0.0538 + 0.0494i 0.0685 + 0.0012i 0.0458 + 0.0645i 0.0121 + 0.0619i 0.0244 + 0.0538i 0.0180 + 0.0356i 0.0006 + 0.0064i 0.0306 + 0.0633i 0.0501 + 0.0149i 0.0066 + 0.0343i 0.0593 + 0.0010i 0.0747 + 0.0238i 0.0551 + 0.0675i 0.0603 + 0.0644i 0.0183 + 0.0257i 0.0151 + 0.0679i 0.0203 + 0.0370i 0.0550 + 0.0432i 0.0753 + 0.0475i 0.0491 + 0.0510i 0.0421 + 0.0475i 0.0654 + 0.0528i 0.0618 + 0.0393i 0.0515 + 0.0550i 0.0517 + 0.0397i 0.0633 + 0.0467i 0.0748 + 0.0745i 0.0375 + 0.0634i 0.0630 + 0.0245i 0.0494 + 0.0453i 0.0236 + 0.0100i 0.0509 + 0.0196i 0.0276 + 0.0619i 0.0723 + 0.0515i 0.0376 + 0.0011i 0.0070 + 0.0433i 0.0519 + 0.0350i 0.0397 + 0.0697i 0.0171 + 0.0217i 0.0559 + 0.0050i 0.0053 + 0.0367i 0.0743 + 0.0758i 0.0160 + 0.0711i 0.0124 + 0.0433i 0.0492 + 0.0503i 0.0000 + 0.0596i 0.0259 + 0.0082i 0.0212 + 0.0001i 0.0034 + 0.0418i 0.0072 + 0.0005i 0.0316 + 0.0348i 0.0630 + 0.0151i 0.0671 + 0.0607i 0.0017 + 0.0477i 0.0560 + 0.0012i 0.0654 + 0.0687i 0.0562 + 0.0587i 0.0736 + 0.0699i 0.0506 + 0.0585i 0.0572 + 0.0293i 0.0266 + 0.0255i 0.0681 + 0.0389i 0.0268 + 0.0435i 0.0670 + 0.0514i 0.0302 + 0.0522i 0.0195 + 0.0726i 0.0273 + 0.0594i 0.0573 + 0.0568i 0.0502 + 0.0668i 0.0724 + 0.0764i 0.0642 + 0.0388i 0.0362 + 0.0485i 0.0485 + 0.0611i 0.0045 + 0.0346i 0.0418 + 0.0404i 0.0351 + 0.0132i 0.0665 + 0.0101i 0.0659 + 0.0169i 0.0364 + 0.0081i 0.0607 + 0.0109i 0.0506 + 0.0352i 0.0000 + 0.0607i 0.0101 + 0.0217i 0.0381 + 0.0173i 0.0030 + 0.0701i 0.0175 + 0.0006i 0.0253 + 0.0454i 0.0693 + 0.0418i 0.0242 + 0.0504i 0.0194 + 0.0242i 0.0334 + 0.0178i 0.0649 + 0.0321i 0.0142 + 0.0230i 0.0392 + 0.0518i 0.0349 + 0.0723i 0.0251 + 0.0264i 0.0293 + 0.0434i 0.0683 + 0.0092i 0.0587 + 0.0130i 0.0681 + 0.0215i 0.0353 + 0.0429i 0.0616 + 0.0374i 0.0103 + 0.0734i 0.0050 + 0.0179i 0.0289 + 0.0369i 0.0288 + 0.0406i 0.0373 + 0.0611i 0.0747 + 0.0149i 0.0264 + 0.0701i 0.0195 + 0.0711i 0.0451 + 0.0010i 0.0404 + 0.0592i 0.0126 + 0.0730i 0.0375 + 0.0627i 0.0382 + 0.0712i 0.0650 + 0.0153i 0.0621 + 0.0520i 0.0661 + 0.0715i 0.0470 + 0.0265i 0.0436 + 0.0458i 0.0472 + 0.0474i 0.0079 + 0.0003i 0.0122 + 0.0757i 0.0319 + 0.0693i 0.0432 + 0.0534i 0.0207 + 0.0339i 0.0604 + 0.0540i 0.0299 + 0.0470i 0.0024 + 0.0231i 0.0451 + 0.0660i 0.0431 + 0.0086i 0.0155 + 0.0225i 0.0067 + 0.0075i 0.0719 + 0.0306i 0.0200 + 0.0257i 0.0157 + 0.0728i 0.0038 + 0.0646i

Information content

40 qubits	10 000 GigaByte
1 additional qubit	Double the memory
300 qubits	Each atom in the universe holds on bit.

Why quantum information ?

Schrödinger equation for 300 interacting spins.

Classical computation needs more bits than there are atoms in the universe.

➡ Quantum computers can solve certain tasks much more efficiently than classical computers.

Other prominent examples:

- Factoring of large integers (P. Shor 1994)
- Search in an unsorted data base (L. Grover, 1997)



- …

Quantum computing

Classical computer

- Initialization
- 1-bit operations (NOT)
- 2-bit gates (e.g. NAND)

Computational space:

00
01
10
11

- Read out
  ➡ result

Quantum computer

- Initialization
- 1-qubit rotations
  ➡ superpositions
- 2-qubit gates (CNOT gate)
  ➡ entanglement

Computational space: Hilbert space 2^n dimensional

- Read out of qubits
  ➡ gain of classical information

Quantum computing



Input ➡ computation: sequence of quantum gates ➡ output

Quantum computing

Long term goal: A universal quantum computer



In the mean time:

- “understand” quantum mechanics
- apply quantum mechanics
- where does quantum mechanics fail?

Which technology ?



Cavity QED





NMR



Superconducting qubits





Trapped atoms/ions



Quantum dots

Which technology ?



Cavity QED

NMR

Superconducting qubits





Trapped atoms/ions

Quantum dots

Ion trap quantum computing

Trapped ions form the quantum register



The hardware



Experimental procedure



1. Initialization in a pure quantum state

Experimental procedure



1. Initialization in a pure quantum state

2. Quantum state manipulation on $S_{1/2}$ – $D_{5/2}$ transition

Experimental procedure



1. Initialization in a pure quantum state

2. Quantum state manipulation on $S_{1/2}$ – $D_{5/2}$ transition

3. Quantum state measurement by fluorescence detection

Experimental procedure



1. Initialization in a pure quantum state

2. Quantum state manipulation on $S_{1/2}$ – $D_{5/2}$ transition

3. Quantum state measurement by fluorescence detection

Two ions:

Spatially resolved detection with CCD camera



50 experiments / s

Repeat experiments 100-200 times

Rabi oscillations



$|S\rangle$



$|D\rangle$



$\frac{|S\rangle + |D\rangle}{\sqrt{2}}$

$|S\rangle$

Rabi oscillations

$\frac{|S\rangle + |D\rangle}{\sqrt{2}}$



$|S\rangle$



$|D\rangle$



$\frac{|S\rangle + |D\rangle}{\sqrt{2}}$

$|S\rangle$

Rabi oscillations

$\frac{|S\rangle + |D\rangle}{\sqrt{2}}$

$|D\rangle$



$|S\rangle$



$|D\rangle$



$\frac{|S\rangle + |D\rangle}{\sqrt{2}}$

$|S\rangle$

Requirements for quantum computing

Classical computer

- Initialization
- 1-bit operations (NOT)
- 2-bit gates (e.g. NAND)

Computational space:

00
01
10
11

- Read out
  ➡ result

Quantum computer



- Initialization

- 1-qubit rotations
  ➡ superpositions



- 2-qubit gates (CNOT gate)
  ➡ entanglement

Computational space:

- Read out of qubits
  ➡ gain of classical information



Having the qubits interact

The common motion acts as the quantum bus.



Ion motion



Ion motion


2-level-atom
harmonic trap
joint energy levels
$|D\rangle$
$|S\rangle$
$\hbar\omega_0$
$|2\rangle$
$|1\rangle$
$|0\rangle$
$\hbar\nu$
$|D,0\rangle$
$|D,1\rangle$
$|D,2\rangle$
$|S,0\rangle$
$|S,1\rangle$
$|S,2\rangle$
...


Excitation to $D_{5/2}$-State
0.0
0.1
0.2
0.3
0.4
0.5
0.6
radial modes
red SB
axial mode
Carrier
axial mode
blue SB
radial modes
-5
-4
-3
-2
-1
0
1
2
3
4
5
Laser detuning at 729 nm (MHz)

Ion motion


2-level-atom
harmonic trap
$|D\rangle$
$\hbar\omega_0$
$|S\rangle$
$|2\rangle$
$|1\rangle$
$|0\rangle$
$\hbar\nu$
joint energy levels
$|D,0\rangle$
$|D,1\rangle$
$|D,2\rangle$
$|S,0\rangle$
$|S,1\rangle$
$|S,2\rangle$
...

Mølmer - Sørensen gate operation

All atoms flip their state together



K. Mølmer, A. Sørensen,
Phys. Rev. Lett. **82**, 1971 (1999)
C. A. Sackett et al.,
Nature **404**, 256 (2000)

Mølmer - Sørensen gate operation

All atoms flip their state together



Bell states with atoms

- $^{9}Be^{+}$: NIST (fidelity: 97 %)
- $^{40}Ca^{+}$: Oxford (83%)
- $^{111}Cd^{+}$: Ann Arbor (79%)
- ^{171}Yb: Maryland (96%)
- $^{25}Mg^{+}$: Munich (97%)
- $^{40}Ca^{+}$: Innsbruck (99%)

K. Mølmer, A. Sørensen,
Phys. Rev. Lett. **82**, 1971 (1999)
C. A. Sackett et al.,
Nature **404**, 256 (2000)

Bell states using the Mølmer-Sørensen gate



Analysis of Bell states

$$|SS\rangle + |DD\rangle$$

Fluorescence detection with CCD camera:



Coherent superposition or incoherent mixture ?

What is the relative phase of the superposition ?

➡ Measurement of the density matrix:





J. Benhelm, G. Kirchmair, C. Roos
Theory: C. Roos, New J. Phys. **10,** 013002 (2008)

measure entanglement via parity oscillations



gate duration $51\,\mu s$

average fidelity

$$F_{MS} = 99.3(0.2)\%$$

Entangling four ions



$$\rightarrow (|SSSS\rangle + |DDDD\rangle)/\sqrt{2}$$

Four-ion GHZ state





See also: Leibfried *et al.*, Nature **438**, 639 (2005)

Six-ion GHZ-state





See also: Leibfried *et al*., Nature **438**, 639 (2005)

Eight-ion GHZ state



T. Monz, P. Schindler, J. Barreiro,
M. Hennrich, R. Blatt



Eight-ion GHZ state



T. Monz, P. Schindler, J. Barreiro,
M. Hennrich, R. Blatt

$$|\Psi\rangle = |SSSSSSSS\rangle + |DDDDDDDD\rangle$$
$$= |S\rangle\,|\text{alive}\rangle \quad + |D\rangle\,|\text{dead}\rangle$$

Image-source: wikimedia

GHZ-state fidelities



- Physics and information
- Ion trap quantum computing
- Teleportation
- Scaling of ion trap quantum computers

Teleportation



Teleportation



Bennett *et al*., Phys. Rev. Lett. **70**, 1895 (1993).
Bouwmeester *et al*., Nature **390**, 575 (1997).

Teleportation



ψ

$\pi/2$

Bell state

Z

X

$\Psi_+ = |SD\rangle + |DS\rangle$

SS
SD
DS
DD

DD DS SD SS

$\mathrm{Re}(\rho_{\mathrm{exp}})$

$\mathrm{Im}(\rho_{\mathrm{exp}})$

Bell measurement

$$|SS + DD\rangle$$
$$|SD + DS\rangle$$
$$|SS - DD\rangle$$
$$|SD - DS\rangle$$



$$|SS\rangle$$
$$|SD\rangle$$
$$|DS\rangle$$
$$|DD\rangle$$

Ion trap quantum computing

VOLUME 74, NUMBER 20 PHYSICAL REVIEW LETTERS 15 MAY 1995

Quantum Computations with Cold Trapped Ions

J. I. Cirac and P. Zoller*

Institut für Theoretische Physik, Universiät Innsbruck, Technikerstrasse 25, A-6020 Innsbruck, Austria

(Received 30 November 1994)

A quantum computer can be implemented with cold ions confined in a linear trap and interacting with laser beams. Quantum gates involving any pair, triplet, or subset of ions can be realized by coupling the ions through the collective quantized motion. In this system decoherence is negligible, and the measurement (readout of the quantum register) can be carried out with a high efficiency.

PACS numbers: 89.80.+h, 03.65.Bz, 12.20.Fv, 32.80.Pj



FIG. 1. (a) N ions in a linear trap interacting with N different laser beams; (b) atomic level scheme.

controlled – NOT :

$$|\varepsilon_1\rangle|\varepsilon_2\rangle \rightarrow |\varepsilon_1\rangle|\varepsilon_1 \oplus \varepsilon_2\rangle$$

$$\begin{aligned} |0\rangle|0\rangle &\rightarrow |0\rangle|0\rangle \\ |0\rangle|1\rangle &\rightarrow |0\rangle|1\rangle \\ |1\rangle|0\rangle &\rightarrow |1\rangle|1\rangle \\ |1\rangle|1\rangle &\rightarrow |1\rangle|0\rangle \end{aligned}$$

control bit target bit

Truth table of a controlled NOT gate



$$|0\rangle|0\rangle \rightarrow |0\rangle|0\rangle$$
$$|0\rangle|1\rangle \rightarrow |0\rangle|1\rangle$$
$$|1\rangle|0\rangle \rightarrow |1\rangle|1\rangle$$
$$|1\rangle|1\rangle \rightarrow |1\rangle|0\rangle$$

➡ universal set of quantum gates

Another way to generate Bell states

$$|SS\rangle \rightarrow |S+D\rangle|S\rangle \longrightarrow |SS\rangle + |DD\rangle$$

prepare

CNOT

output



And now backwards



Bell measurement

$$|SS + DD\rangle$$
$$|SD + DS\rangle$$
$$|SS - DD\rangle$$
$$|SD - DS\rangle$$



$$|SS\rangle$$
$$|SD\rangle$$
$$|DS\rangle$$
$$|DD\rangle$$

Teleportation











Teleportation analysis



Deterministic teleportation



Fidelity: 0.83

Classical threshold

"Deterministic teleportation with atoms"
Barrett et al., Nature **429**, 737 (2004) and Riebe et al., Nature **429**, 734 (2004)

Requirements for quantum computing

Classical computer

- Initialization
- 1-bit operations (NOT)
- 2-bit gates (e.g. NAND)

Computational space:

00
01
10
11

- Read out
  ➡ result

Quantum computer



- Initialization

- 1-qubit rotations
  ➡ superpositions



- 2-qubit gates (CNOT gate)
  ➡ entanglement



Computational space:

- Read out of qubits
  ➡ gain of classical information



The hardware



- Physics and information
- Ion trap quantum computing
- Teleportation
- Scaling of ion trap quantum computers

The hardware



The hardware



Innsbruck quantum computer, 2005



ENIAC, 1950

The hardware



Innsbruck quantum computer, 2009



ENIAC, 1950

Scaling of ion trap quantum computers

Kielpinski, Monroe, Wineland







Cirac, Zoller, Kimble, Mabuchi



Zoller, Tian, Blatt

Scaling of ion trap quantum computers

Kielpinski, Monroe, Wineland







Scaling of ion trap quantum computers



D. Leibfried, D. Wineland et al., NIST

Scaling of ion trap quantum computers



D. Leibfried, D. Wineland et al., NIST

Scaling of ion trap quantum computers



Scaling of ion trap quantum computers



Scaling of ion trap quantum computers



Scaling of ion trap quantum computers



Scaling of ion trap quantum computers



„Architecture for a large-scale ion-trap quantum computer“, D. Kielpinski et al., Nature **417**, 709 (2002).

Coherent transport through a junction



Transport		Energy Gain (recooling method) quanta/trip
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{E}$	1 ion	3.2 ± 1.8
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{H}$-$\mathcal{C}$-$\mathcal{E}$	1 ion	7.9 ± 1.5
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{V}$-$\mathcal{C}$-$\mathcal{E}$	1 ion	14.5 ± 2.0
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{E}$	2 ions	5.4 ± 1.2
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{H}$-$\mathcal{C}$-$\mathcal{E}$	2 ions	16.6 ± 1.8
$\mathcal{E}$-$\mathcal{C}$-$\mathcal{V}$-$\mathcal{C}$-$\mathcal{E}$	2 ions	53.0 ± 1.2



NIST:

Blakestad, *et al.,"High fidelity transport of trapped-ion qubits through an X-junction trap array"*, arXiv:0901.0533v1

Scaling of ion trap quantum computers







Wiring up trapped ions

Two trapped ions …

Wiring up trapped ions

Two trapped ions + a wire



Wiring up trapped ions



Wiring up trapped ions



No trace of the quantum information should remain in the wire

➡ ~~super conducting~~ wire

Experimental set-up



Experimental set-up



Conclusions

Ion trap quantum computing



Teleportation



Schrödinger kitten



Scaling of ion traps



AG Quantenoptik
und Spektroskopie

The Innsbruck ion trap group

universität
innsbruck

€

FWF
SFB

CONQUEST
SCALA

Industrie
Tirol

IQI
GmbH

FWF bm:bwk

$

DTO