



KODIGO

Governance Artifacts & Full User Manual

Cloud-first point-of-sale, inventory, supplier, and analytics system

Document scope: Proposed business flow; COBIT-aligned permissions and accountability; ITIL-aligned escalation; full operating manual; AUP and BYOD policies; data classification; and a user-facing privacy notice.

Version 1.1 | 14 September 2026

Prepared for capstone evaluation and operational use

Document Control

Field	Value
System	Kodigo multi-store POS and inventory platform
Audience	Store administrators, cashiers, inventory staff, super administrators, and technical support
Owner	Kodigo System Owner / Store Administration
Approval	Capstone adviser and designated system owner
Review cycle	At least annually and after material role, privacy, or workflow changes
Source basis	Current React/Vite UI, Supabase migration chain through migration 28, and production operations runbook
Revision	Version 1.1: adviser feedback incorporated for process diagrams, ITIL workflow, response-target rationale, TOC, screenshot placeholders, privacy notice, AUP obligations, BYOD acknowledgment, and figure/table numbering.

How to Use This Document

Sections 1–3 are governance and service-management artifacts. Section 4 is the day-to-day manual. Sections 5–7 are policy and privacy artifacts that should be approved and adopted by the deploying organization before production use.

Implementation note: Kodigo is store-scoped. A user sees only stores assigned through membership mappings, and the selected active store controls operational context. The “All Stores” view is for aggregation and cannot process a sale.

Contents

Document Control 2

 How to Use This Document..... 2

Contents..... 2

 Why the Flow Matters..... 5

 2.1 Functional Permission Matrix 7

 2.2 Environment Permission Matrix 7

 2.3 Roles, Responsibilities, and Accountability 8

 2.4 Control Rules..... 8

 2.5 Quarterly Access Review Procedure..... 9

Approval Triggers Outside the Review Cycle.....	9
3.1 ITIL Incident Management and Escalation Process.....	10
3.2 Tier Criteria and Targets.....	10
3.3 Rationale for Response and Resolution Targets.....	11
3.4 Severity Guide	11
3.5 Required Ticket Information.....	11
4.1 Manual Rationale and Training Approach	13
4.2 What Kodigo Does	13
4.3 Before You Begin	13
4.4 Sign In, Store Context, and Account Security	14
4.5 POS Checkout.....	14
Payment and Receipt Checks.....	14
Voids, Refunds, Returns, and Closeout.....	14
4.6 Offline Operation and Synchronization	15
4.7 Inventory and Product Management	15
4.8 Stock Alerts and Restocking.....	15
4.9 Suppliers	16
4.10 Dashboard, Analytics, Rankings, and Reports	16
4.11 Store Settings, Branding, Users, and Notifications	16
4.12 Basic Troubleshooting.....	17
4.13 End-of-Shift Checklist.....	17
4.14 Interface Screenshot and Mockup References.....	18
5.1 Acceptable Use Policy (AUP).....	19
Purpose	19
Scope.....	19
Allowed Uses.....	19
Allowed and Prohibited Uses.....	19
Accountability and Enforcement	21
5.2 Bring Your Own Device (BYOD) Policy	21
Device Security Requirements.....	21
Support Boundaries.....	22
Liability and Privacy	22
Offboarding and Device Disposal.....	22
Exceptions and Acknowledgment.....	22

5.3 Acceptable Use and BYOD Acknowledgment Form 23

Handling Rules by Protection Level 24

Retention and Disposal Baseline 24

7. Privacy Notice 26

Responsible organization..... 26

1. What we collect..... 26

2. Why we use it..... 26

3. How we protect and share it 26

4. Your choices and rights..... 26

5. Contact us..... 27

Privacy Principles Applied 28

Privacy Request Handling 28

Deployment Decisions Still Required 29

Approval Record 29

1. PROPOSED BUSINESS FLOW

From access provisioning to sale, stock control, reporting, and continual improvement

The proposed operating model starts with controlled onboarding and ends with review and corrective action. Each step protects the reliability of sales and inventory records while keeping frontline work fast enough for a busy small retailer.




Figure 1. Proposed Kodigo Business Process Flow

Why the Flow Matters

Figure 1 presents the proposed business process as a true flowchart: access is provisioned before work begins, sales and inventory remain connected, exceptions are escalated, and review feeds approved improvement.

Control objective	How the flow supports it
Accuracy	Catalog setup precedes sales; checkout records item, payment, tax/discount snapshots, receipt, and stock effects as one controlled operation.
Accountability	Named users, roles, store membership, sale events, audit logs, and stock adjustment records show who did what and where.

Control objective	How the flow supports it
Continuity	Offline queues keep authorized operations available during network interruption, while backups and rollback protect recovery.
Decision support	Current stock, supplier scoring, alerts, and reports convert transaction data into replenishment and performance decisions.

2. COBIT ARTIFACT — PERMISSION MATRIX & ROLES AND RESPONSIBILITIES

Least privilege, segregation of duties, ownership, approval, and accountability

Permission legend: Full Control = administer and configure; Edit = create/change operational records; Approve = authorize sensitive action; Read = view only; Execute = perform a narrow transaction; None = no access. All application access remains limited to assigned stores.

2.1 Functional Permission Matrix

Table 1. Functional Permission Matrix

Capability	Admin	Cashier	Inventory	Super Admin
POS checkout	Execute	Execute	None	None
Inventory products & stock	Full Control	Read at POS	Edit	None
Stock adjustments	Approve/Edit	None	Edit	None
Suppliers & purchase orders	Full Control	None	Read only where exposed	None
Dashboard & analytics	Full Control	None	None	None
Reports/export	Full sales + inventory	None	Inventory/stock only	None
Store settings & branding	Full Control	None	None	None
Manage store users	Full Control in shared stores	Own account only	Own account only	None
Invite-code governance	None	None	None	Full Control
Notifications	Store/admin notices	Operational notices only	Limited	System notices
Account password	Own account	Own account	Own account	Own account
Audit/error logs	Read scoped operational evidence	None	None	System governance view as configured

Important: Super Admin is a platform-governance role, not a tenant-store operator. It must not be used to bypass store-scoped controls. Inventory is a back-office role for inventory and inventory reporting; it is redirected away from POS and admin-only modules.

2.2 Environment Permission Matrix

Table 2. Environment Permission Matrix

Role	Production App/Data	Staging/Test	Source & CI	Edge Functions	Backups
Cashier	Execute POS in assigned store	Test user only when invited	None	None	None
Inventory	Edit inventory; inventory reports	Test user only	None	None	None

Role	Production App/Data	Staging/Test	Source & CI	Edge Functions	Backups
Admin / System Owner	Full tenant operations	Approve business acceptance	Read approved releases	None	Request restore; no direct vault access
Super Admin	Invite governance only	Validate invite workflow	None	None	None
System Administrator	Operational support; temporary audited elevation	Full technical control	Edit/deploy via approved change	Manage functions/secrets	Restore operator
IT Manager	Read/approve emergency access	Approve release	Approve merge/release	Approve privileged changes	Approve restore and retention
Developer	No routine access; time-bound support only	Edit	Edit via pull request	Deploy only if delegated	None
Privacy Contact / DPO	Read only when investigating a privacy case	None	None	None	Approve disclosure/deletion handling

2.3 Roles, Responsibilities, and Accountability

Table 3. Roles, Responsibilities, and Accountability

Role	Owns	Approves	Accountable when something goes wrong
Admin / System Owner	Store configuration, operational data quality, staff access, daily control review	User creation/removal, stock corrections, purchase orders, routine settings	Accountable for store impact, unauthorized access caused by poor provisioning, and business acceptance
Cashier	Accurate cart, payment, receipt, and end-of-shift reporting	Customer confirms tender; Admin approves void/refund exceptions	Accountable for transactions under own credentials and immediate reporting of discrepancies
Inventory Staff	Product master data, counts, stock adjustments, inventory reports	Admin approves unusual or high-impact adjustments	Accountable for count accuracy, reason codes, and supporting notes
Super Admin	Invite-code governance and platform onboarding controls	Approves/generates governed invite access	Accountable for invite misuse or excessive issuance within assigned authority
Store Team Lead	First-line incident intake, verification, workaround, and user communication	Escalates unresolved or multi-user problems	Accountable for complete ticket details and timely escalation
System Administrator	Availability, Supabase configuration, deployments, logs, restores, technical diagnosis	Implements approved normal changes; emergency action per incident authority	Accountable for technical recovery, change evidence, and privileged access records
IT Manager	Service ownership, risk acceptance, major-incident command, vendor coordination	Approves releases, emergency change, restore, and service communications	Ultimately accountable for service continuity and post-incident action
Privacy Contact / DPO	Rights requests, breach assessment, privacy advice, records of processing	Approves privacy response and disclosure decisions	Accountable for lawful, transparent, and timely privacy handling

2.4 Control Rules

- No shared accounts. Every action must be attributable to one named user.
- Access is granted by role and store membership, reviewed quarterly, and removed immediately on separation or role change.

- Privileged technical access is time-bound, ticketed, approved, and reviewed after use.
- The person implementing a high-risk change should not be the sole approver of that change.
- Audit logs are append-only evidence; corrections are recorded as new events rather than silent edits.

2.5 Quarterly Access Review Procedure

1. Admin exports or reviews the current user list, roles, active status, and store assignments.
2. Each Store Team Lead confirms which users still require access and whether duties changed.
3. Admin removes leavers, corrects excessive store scope, and records the approval/effective date.
4. System Administrator reviews privileged technical accounts, tokens, secrets, and emergency access evidence.
5. IT Manager signs off unresolved exceptions and assigns a due date; the review record is retained as audit evidence.

Approval Triggers Outside the Review Cycle

Immediate review is required after termination, transfer, suspected compromise, major incident, new store assignment, introduction of a new role, or a material RLS/route change. Emergency access expires when the incident ends and must not silently become permanent.

3. ITIL ARTIFACT — ESCALATION PATH

A practical service desk route tied to the roles and accountability model

3.1 ITIL Incident Management and Escalation Process

The process follows the governance document's required escalation structure: start with a user self-check, move to the Store Team Lead or Admin, escalate to the System Administrator for technical investigation, and involve the IT Manager, Privacy Contact, or vendor for major incidents. Each tier records impact, evidence, response target, channel, and next action; resolved incidents proceed to validation, closure, and review.



Figure 2. ITIL-Aligned Incident Management and Escalation Process

3.2 Tier Criteria and Targets

Table 4. Tier Criteria and Response Targets

Tier	Escalate when	Response / resolution target	Channels	Role
------	---------------	------------------------------	----------	------

Tier	Escalate when	Response / resolution target	Channels	Role
Tier 0	Single-user usability issue; known warning; no data loss or security concern	Immediate / up to 10 min	Manual, in-app feedback	User
Tier 1	Issue persists after basic checks; cash discrepancy; one terminal/store affected; access request	Acknowledge 15 min (P1/P2), 1 business hr (P3); target workaround 1 hr	Ticket; urgent chat/call	Store Team Lead / Admin
Tier 2	Multiple users; repeated failed sync; suspected RLS/database defect; checkout unavailable; incorrect stock/sale state	Acknowledge 30 min; P1 restore/workaround target 4 hrs; P2 1 business day	Ticket + technical incident channel	System Administrator
Tier 3	Major outage, restore/emergency change, vendor dependency, confirmed/suspected breach, legal or reputational impact	P1 acknowledge 15 min; executive update every 60 min; recovery target set by incident commander	Emergency bridge/phone/email/vend or portal	IT Manager; Privacy Contact for privacy

3.3 Rationale for Response and Resolution Targets

Tier 0 keeps simple, reversible issues at the user level. Tier 1 protects local cash and records while gathering evidence. Tier 2 handles technical diagnosis, synchronization, and data-correction risk. Tier 3 coordinates major incidents, privacy concerns, vendor dependencies, and emergency decisions. The targets are justified by business impact: POS outages can stop revenue; incorrect sales or stock records can distort decisions and require controlled correction; multiple-user or system-wide failures require faster technical ownership; security or privacy incidents require urgent containment and assessment; and lower-priority requests can follow normal queue handling. These are capstone operating commitments, not a commercial service-level agreement. If Kodigo is commercialized, the targets must be formalized in an approved SLA with owners, measurement rules, and escalation obligations.

Targets are operational commitments for the capstone deployment and should be replaced by an approved service-level agreement if Kodigo is commercialized. Resolution depends on cause; when the target cannot be met, the owner must provide an updated estimate and workaround.

3.4 Severity Guide

Table 5. Severity Guide

Priority	Example	Action
P1 Critical	Checkout unavailable for a store/all stores; active security incident; material data corruption	Immediate Tier 2 and Tier 3; preserve logs; activate continuity process
P2 High	Major feature unavailable, repeated sync failures, wrong totals/stock affecting operations	Tier 1 validates, then Tier 2 within 15 minutes
P3 Normal	Single-user problem with workaround; report/export or noncritical device issue	Tier 1 ticket; escalate if unresolved within 1 business day
P4 Request	How-to question, enhancement, planned access or configuration change	Normal service request queue and change process

3.5 Required Ticket Information

- Reporter name and role; store and terminal; date/time and timezone.
- What the user attempted, expected result, actual result, and exact message.

- Transaction/receipt/product ID when applicable; never paste passwords or full payment credentials.
- Screenshot with unnecessary personal data redacted; browser/device and online/offline status.
- Business impact, number of users affected, workaround tried, and whether data or privacy may be at risk.

4. FULL MANUAL GUIDE

Complete operating instructions for Kodigo's core workflows

4.1 Manual Rationale and Training Approach

This manual is for sari-sari store owners/administrators, cashiers, inventory staff, super administrators, and first-line support personnel using Kodigo across one or more branches. Their tasks differ, but they share the same operational data: a cashier's sale changes inventory; inventory changes affect checkout; and administrators use both to replenish and report.

A Full Manual is the right primary documentation type because the system combines routine high-frequency work with lower-frequency, higher-risk tasks. A quick-start guide would help with first login or checkout but would omit role boundaries, offline behavior, stock correction, reporting, escalation, and policy obligations. A video is harder to search during a live transaction and becomes stale whenever screens change. An interactive simulation is useful for practice but expensive to maintain and cannot serve as the authoritative control and troubleshooting reference. This manual remains searchable, printable, reviewable, and suitable for training and audit evidence.

Training should use a blended model: instructor-led onboarding for Admins and new Cashiers, a self-paced copy of this manual for reinforcement, and just-in-time checklists at the terminal. Instructor-led practice is appropriate for payment, void/refund, stock adjustment, and incident scenarios because mistakes affect cash and records. Self-paced review supports shift-based staff, while just-in-time steps reduce memory burden during real work. Competency should be demonstrated in a staging store before production access is granted.

Recommended training evidence: Record attendance, role assigned, practice scenarios completed, trainer sign-off, and date of refresher training. Re-train after major workflow or policy changes.

4.2 What Kodigo Does

Kodigo is a cloud-first, multi-store retail operations system. It supports checkout and receipts, inventory and stock adjustments, supplier and purchase-order management, stock alerts, dashboards, analytics, rankings, reporting, store branding, user management, notifications, and account security. Supabase provides authentication and store-scoped database access; IndexedDB supports selected offline queues; Web Serial can trigger a compatible cash drawer.

4.3 Before You Begin

- Use a supported modern browser. Cash-drawer Web Serial requires a compatible browser and HTTPS or localhost.
- Confirm the device clock, network, receipt printer/scanner connection, and correct store assignment.
- Use your own account. Do not share a password or leave an unlocked terminal unattended.
- For POS, select one specific active store. The All Stores view is for consolidated review only.
- Know your role: Cashier uses POS; Inventory manages products/stock and inventory reports; Admin manages store operations; Super Admin governs invites.

4.4 Sign In, Store Context, and Account Security

1. Open the Kodigo login page and enter your assigned email and password.
2. After login, verify the name/branding and active store shown in the interface. If you are assigned to several stores, choose the branch you are operating.
3. If you see no store or the wrong store, stop before posting data and ask the Admin to check membership.
4. To change your password, open Account Security, enter the current password, then a new password of at least eight characters and confirm it.
5. When finished, use Logout. Closing the browser alone is not a substitute on a shared device.

Password reset: Use Forgot Password from the login page or ask an Admin to send a managed-user reset. Support must never ask for the current password.

4.5 POS Checkout

1. Open POS Terminal and confirm the active store. Admin POS access is intended for desktop; Cashier is the frontline POS role.
2. Find an item by product name, SKU, or barcode. F2 focuses search. A compatible keyboard-emulating scanner can input the barcode.
3. Add the product to the cart. Adjust quantity only after physically confirming the requested amount and available stock. Numeric pre-entry can set a quantity multiplier.
4. Review product, quantity, unit price, subtotal, discount/tax presentation, and total. Remove accidental items before payment.
5. Select Charge or press F9 when the cart contains items. Choose the payment method and enter cash received where required.
6. Confirm the change due with the customer, then complete checkout once. Wait for confirmation—do not double-click or repeat a sale because the screen is slow.
7. Issue the generated receipt. If configured, print it and open the cash drawer through the approved hardware action.
8. If the sale is queued offline, note the terminal and time. Keep the browser data intact until synchronization succeeds.

Payment and Receipt Checks

- Cash: count tender aloud, confirm amount entered, and return the displayed change.
- GCash/card/bank transfer/other: record only the supported method/reference; do not store full card numbers, PINs, OTPs, or wallet passwords.
- Receipt: verify store identity, invoice/receipt number, items, totals, payment, cashier, date/time, and VAT/non-VAT information configured for the store.

VOIDS, Refunds, Returns, and Closeout

These actions affect revenue, stock, cash, and audit evidence. Follow the organization's approval threshold. The Cashier records the reason and requests Admin/Team Lead approval; the Admin verifies the original transaction and supporting facts. Never delete a transaction to hide an error. Kodigo's transaction lifecycle records status/events so corrections remain traceable.

4.6 Offline Operation and Synchronization

Kodigo caches products for offline POS lookup and can queue eligible offline sales and selected mutations in the browser's IndexedDB. When connection returns, focus/visibility/online events trigger synchronization and data revalidation.

1. If an offline message appears, confirm the correct store and continue only if the screen explicitly allows the operation.
2. Do not clear browser data, switch browser profiles, uninstall the browser, or use private mode while transactions are pending.
3. Reconnect to the approved network and leave Kodigo open. Allow the queue to replay and watch for success or rejection messages.
4. If an RLS/database error appears, do not repeatedly retry. Capture the message and escalate because business-rule errors are not safely queued as network failures.
5. Reconcile pending receipts and stock after synchronization. Escalate any duplicate, missing, or rejected sale immediately.

4.7 Inventory and Product Management

1. Open Inventory and select a specific store. Admin and Inventory roles can access this area.
2. To add a product, enter a unique SKU, optional barcode, product name, category, selling unit, cost, price, opening stock, low-stock threshold, reorder level, lead time, and supplier where applicable.
3. Review cost and selling price before saving. A wrong unit or conversion factor can distort stock and margin reports.
4. To edit, open the product, change only verified fields, and save. Avoid changing SKU/barcode identity during active checkout without coordination.
5. For stock changes, use Stock Adjustment rather than overwriting history. Enter the delta, reason, and a meaningful note; verify before/after quantities.
6. Delete/deactivate products only after checking links and operational need. Use the confirmation dialog and preserve history required for reports.

Bulk/per-piece selling: Stock is intended to be tracked in the smallest sellable unit. Validate purchase-unit conversion data before relying on it for production reports because optional conversion display fields may require deployment-specific verification.

4.8 Stock Alerts and Restocking

1. Review low, critical, and out-of-stock alerts from Notifications/Restocking.
2. Confirm physical count before ordering. The suggested quantity is a planning aid, not an automatic approval.
3. Review the proposed quantity, reorder level, lead time, recent sales, and supplier availability.
4. Create purchase orders grouped by supplier/store. Validate item, quantity, unit cost, supplier, and expected delivery.
5. Move the order through Sent, Received, or Cancelled status. Mark Received only after checking delivered goods and quantities.

- Investigate supplier-score changes and delivery exceptions; add supporting records rather than changing history without explanation.

The current planning rule is: suggested quantity = max(reorder level × 2 – current stock, reorder level).

Human review remains required because promotions, seasonality, shelf capacity, cash limits, and supplier constraints are not fully captured by the formula.

4.9 Suppliers

- Open Suppliers and select the relevant store context.
- Add or edit supplier name, contact person, phone/email/address, lead time, and related product information.
- Use purchase-order and delivery history to evaluate reliability, price, and overall score.
- Before deletion, check linked purchase orders. Retain records needed for financial, operational, or audit purposes.

4.10 Dashboard, Analytics, Rankings, and Reports

- Dashboard: reviews daily revenue, transaction count, average order value, estimated profit, recent transactions, and stock conditions.
 - Analytics: filters Today, 7, 30, or 90 days and analyzes revenue/profit, hourly sales, category sales, and recent transactions.
 - Rankings: aggregates sale items to rank products by sales activity. Use this instead of the dashboard Top Products panel when a sales-based ranking is required.
 - Reports: Admin can generate sales and inventory workbooks with date, payment, status, cashier, product, category, and selling-unit filters. Inventory can export inventory/stock-focused reports only.
- Select one store or an authorized All Stores aggregate where the report supports it.
 - Choose the date range and filters; refresh and review summary totals before export.
 - Confirm status filters include/exclude voided or refunded transactions as intended.
 - Export only to an approved location. Apply the data-classification rules in Section 6 and securely delete obsolete copies.

4.11 Store Settings, Branding, Users, and Notifications

- General/branding: Admin maintains store name, address, tax rate, registered/business name, TIN, branch code, VAT status, receipt label/prefix, terminal identifier, permits/accreditation text, contact details, and logo.
- Users: Admin can create, edit, reset, or remove Admin/Cashier/Inventory users only within shared assigned stores. Multi-store Admin assignments must be deliberate.
- Notifications: Admin can manage preferences for low stock, out of stock, daily summary, and sales milestones where configured.
- Super Admin: governs invite codes and system onboarding, not tenant operational CRUD.

User removal: Before removing or changing a user, verify identity, approval, active shifts, pending offline work, and store assignments. Access loss should be immediate, but operational records remain attributable to the former user.

4.12 Basic Troubleshooting

Table 6. Basic Troubleshooting Guide

Problem	Likely cause	Safe action
Cannot sign in	Wrong password, reset required, missing profile/role	Retry carefully; use Forgot Password; ask Admin to confirm the account. Escalate if role cannot be resolved.
No store / wrong store	Missing membership or stale selection	Stop posting; refresh; re-login; ask Admin to verify store assignment.
POS unavailable	Role/device restriction, network, deployment	Cashier/Admin desktop only as allowed; check network; capture error; use approved continuity process.
Barcode not found	Wrong barcode, product inactive/missing, scanner mode	Search by name/SKU; verify product and scanner input; do not create duplicates.
Sale appears pending	Offline queue or slow connection	Do not repeat sale; reconnect and wait for sync; reconcile by receipt/time before retry.
Stock is incorrect	Unreceived PO, unsynced sale, wrong adjustment	Count physically; review sale/adjustment/PO history; Admin approves a documented correction.
Report totals differ	Store/date/status filter or pending sync	Confirm context and filters; sync; compare transaction statuses; escalate with export and IDs.
Cash drawer fails	Unsupported browser, insecure context, permission/cable	Use HTTPS/localhost and compatible browser; reconnect; allow permission after user gesture; use manual fallback.
Access denied/RLS error	Role/store policy blocks action	Do not bypass or keep retrying; verify assignment; send exact error to Tier 2.
App looks stale	Cached data or inactive tab	Bring tab to front, refresh, check online state, and re-login if safe; preserve pending offline data.

4.13 End-of-Shift Checklist

- Complete or cancel open carts; do not leave an ambiguous payment screen.
- Confirm pending offline transactions are synchronized or formally handed over.
- Perform the approved cashier closeout and explain any variance.
- Secure receipts/reports and remove customer-visible information from the counter.
- Log out, lock the device, and report unresolved incidents with ticket number to the next shift.

4.14 Interface Screenshot and Mockup References

Validated screenshots were not available in the supplied project files. The labeled placeholders below identify the UI evidence to insert from the current Kodigo build before publication; they are not representations of live screens.

Figure 3. Kodigo Login and Store Context

[Insert Screenshot: Kodigo Login and Store Context]

Login page, role resolution, active store selector, and account security.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

Figure 4. POS Terminal and Product Search

[Insert Screenshot: POS Terminal and Product Search]

POS terminal, product search or barcode scan, cart, and quantity controls.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

Figure 5. Checkout, Payment, and Receipt

[Insert Screenshot: Checkout, Payment, and Receipt]

Payment method, total, change, receipt, and cash-drawer action.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

Figure 6. Inventory, Product, and Stock Adjustment

[Insert Screenshot: Inventory, Product, and Stock Adjustment]

Product form, SKU/barcode, units, thresholds, and stock adjustment evidence.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

Figure 7. Restocking, Suppliers, and Purchase Orders

[Insert Screenshot: Restocking, Suppliers, and Purchase Orders]

Alerts, supplier details, purchase order, and delivery receipt workflow.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

Figure 8. Dashboard, Reports, Users, and Security

[Insert Screenshot: Dashboard, Reports, Users, and Security]

Dashboard, analytics, reports, user/store access, notifications, and account security.

Placeholder only — replace with a validated screenshot from the current Kodigo build before publication.

5. ACCEPTABLE USE AND BYOD POLICY

Adoptable policy text for Kodigo users and devices

5.1 Acceptable Use Policy (AUP)

Purpose

This policy protects Kodigo, the stores it supports, and the people whose information is processed. It establishes authorized, secure, and accountable use of the application, accounts, devices, network access, reports, and connected peripherals.

Scope

This policy applies to all employees, owners, contractors, students/testers, support personnel, and third parties who access Kodigo or its data in production, staging, test, backup, export, or support environments.

Allowed Uses

- Users may perform assigned retail, inventory, reporting, administration, support, or audit duties within the user's approved role and stores.
- Users may use authorized scanners, receipt printers, cash drawers, browsers, and networks for business operations.
- Users may create exports only for an approved business purpose and store them in an approved restricted location.
- Users may report errors, vulnerabilities, lost devices, suspicious access, and privacy concerns promptly through the escalation path.
- Users may use staging/test accounts and non-production data for training and testing whenever feasible.

Allowed and Prohibited Uses

Table 10. Acceptable Use Rule and Control Mapping

Rule / required behavior	Obligation or control	Why it matters
Perform assigned retail, inventory, reporting, administration, support, or audit duties.	Least privilege; role and store authorization.	Keeps work within approved responsibilities.
Use only authorized scanners, printers, cash drawers, browsers, and networks.	Approved equipment and network control.	Reduces operational and malware risk.
Create exports only for an approved purpose and store them in a restricted location.	Data minimization and controlled disclosure.	Limits unnecessary copies of business data.

Report errors, vulnerabilities, lost devices, suspicious access, and privacy concerns promptly.	Incident reporting and escalation.	Enables containment and accountability.
Use staging/test accounts and non-production data for training where feasible.	Change and test separation.	Prevents training activity from affecting live records.
Do not share accounts, passwords, reset links, OTPs, invite codes, keys, or sessions; lock terminals.	Identity and session control.	Preserves attribution and prevents takeover.
Do not access another store, role, user record, report, or log without authorization.	Store scope and access control.	Prevents unauthorized disclosure or posting.
Do not change, delete, fabricate, or conceal transaction, stock, user, receipt, closeout, error, or audit records.	Auditability and record integrity.	Keeps evidence truthful and corrections traceable.
Do not install unapproved software, bypass controls, probe production, or connect unknown devices.	Endpoint and change management.	Reduces compromise and service disruption.
Do not save full card numbers, PINs, OTPs, wallet passwords, government IDs, or unrelated customer data.	Payment-data and privacy minimization.	Reduces identity theft and privacy exposure.
Do not upload Kodigo data to personal email, public storage, social media, public AI tools, or removable media without approval.	Approved transfer and disclosure control.	Prevents uncontrolled external copies.
Do not clear browser data while offline transactions are pending or disrupt synchronization, backups, logging, or availability controls.	Continuity and evidence preservation.	Prevents data loss and duplicate or missing transactions.

- Users must not share accounts, passwords, reset links, OTPs, invite codes, service-role keys, or sessions; use another person's account; or leave a terminal unlocked.
- Users must not access another store, role, user record, report, or log without authorization, even if a technical path appears available.
- Users must not change, delete, fabricate, or conceal sales, stock, supplier, user, receipt, closeout, error, or audit records to misrepresent events.

- Users must not install unapproved extensions/software, bypass security controls, probe production, or connect unknown USB/serial devices.
- Users must not save full card numbers, PINs, OTPs, wallet passwords, government IDs, or unrelated customer information in notes, logs, screenshots, or tickets.
- Users must not upload Kodigo data to personal email, public cloud storage, social media, public AI tools, or removable media without written approval.
- Users must not clear browser data when offline transactions are pending or intentionally disrupt synchronization, backups, logging, or availability controls.

Accountability and Enforcement

Users are accountable for complying with this policy and reporting suspected violations. Violations may result in immediate access suspension, preservation and review of relevant logs, corrective training, disciplinary action, contract consequences, recovery of losses where lawful, and referral to management, the Privacy Contact, law enforcement, or regulators as appropriate. Actions will be proportionate, documented, and consistent with applicable law and organizational rules.

CIA Triad linkage: The rule against credential sharing protects Confidentiality by limiting data to authorized users, protects Integrity by preserving reliable attribution, and supports Availability by reducing account compromise and service disruption.

5.2 Bring Your Own Device (BYOD) Policy

BYOD is applicable only when the organization expressly permits personal devices for Kodigo. A personal device is not automatically authorized merely because the web application can open on it.

Device Security Requirements

- Users must use a supported, legally licensed operating system and browser with automatic security updates enabled.
- Users must protect the device with a passcode of at least six digits or a strong password; biometric unlock may supplement but not replace the passcode.
- Users must enable automatic screen lock within five minutes, full-device encryption, active anti-malware where supported, and a firewall.
- Users must not use rooted/jailbroken devices, unsupported operating systems, shared family profiles, or unapproved browser extensions.
- Users must use only trusted networks or an organization-approved VPN; public/shared Wi-Fi must not be used for administrative or export activity without protection.
- Users must not locally save reports, receipts, screenshots, or credentials unless explicitly approved, and must synchronize pending offline data promptly.
- Users must report lost/stolen devices, suspected compromise, or unauthorized family/third-party access immediately and no later than one hour after discovery.

Support Boundaries

Support covers Kodigo configuration, supported browsers, approved scanner/printer/cash-drawer integration, and reasonable diagnosis. The organization does not guarantee support for personal hardware defects, data plans, home routers, unrelated apps, personal backups, or unsupported operating systems. Support may require the user to reproduce the issue on an organization-managed device.

Liability and Privacy

The device owner remains responsible for personal-device costs, lawful content, physical care, and personal backups. The organization is responsible for protecting Kodigo business data under its control but is not liable for ordinary loss of personal data caused by user failure to back it up, except where law or contract provides otherwise. Investigation and remote session revocation may affect Kodigo data or sessions; personal content will not be inspected beyond what is necessary and authorized for security, legal, or privacy response.

Offboarding and Device Disposal

1. Admin removes or changes Kodigo access and store assignments on the effective separation/role-change date.
2. User logs out, removes saved credentials/bookmarks that reveal restricted endpoints, and synchronizes or hands over pending authorized work.
3. System Administrator revokes active sessions/tokens where available and confirms no pending offline queue remains on the device.
4. User securely deletes approved local exports, receipts, caches, and screenshots; Admin verifies completion through an offboarding checklist.
5. Before selling, recycling, or transferring the device, the owner performs a secure factory reset after preserving lawful personal backups.

Exceptions and Acknowledgment

Any exception must identify the business need, data involved, compensating controls, owner, approval, and expiry date. The IT Manager approves security exceptions; the Privacy Contact also approves exceptions involving personal data. Unapproved exceptions are policy violations.

User acknowledgment	Record
I understand that Kodigo access is limited to my role and assigned stores.	Name / signature / date
I will report loss, compromise, incorrect records, or pending offline work promptly.	Training record or policy acceptance
I consent to proportionate security controls on authorized BYOD access and will complete offboarding.	Device ID and approval expiry

5.3 Acceptable Use and BYOD Acknowledgment Form

Complete this form before production access and again after a material policy change. The approving supervisor or administrator retains the signed record.

Table 11. AUP and BYOD Acknowledgment Form

Full name	_____
User / employee ID	_____
Role	_____
Assigned store / branch	_____
Device type and identifier	_____
BYOD approved by	_____
Date policy reviewed	_____
Training completed on	_____

I acknowledge that I have read and understood the Kodigo Acceptable Use and BYOD Policy, will use only authorized accounts and devices, will protect business and personal data, and will report incidents promptly.

User signature	_____	Date	_____
Approver / supervisor signature	_____	Date	_____

6. DATA CLASSIFICATION TABLE

Inventory of Kodigo data and minimum protection expectations

Classification uses three practical labels: Personal Data (PD), Sensitive Personal Information (SPI), and Operational/Non-personal (OP). Credentials and security telemetry may not always fall within a statutory SPI category, but Kodigo treats them as Restricted because compromise creates significant risk. Customer identity is not required for ordinary cash sales; do not collect it unless a defined feature and lawful purpose require it.

Table 7. Data Classification Table

Data item	Classification	Protection	Minimum controls
User name, profile ID, avatar	PD	Confidential	Store-scoped access; authenticated use; correct/erase through Admin/privacy process
User email and phone (if used)	PD	Confidential	Use for account/contact only; mask in tickets and exports; encrypted transit/storage
Password/authentication tokens	PD (security credential)	Restricted	Supabase Auth only; never public tables/logs; no sharing; reset and revoke on compromise
Role and store memberships	PD	Confidential	Least privilege; Admin shared-store scope; quarterly review and immediate offboarding
IP address, browser/device, error context	PD when linkable	Confidential	Collect only for security/support; restrict logs; time-limited retention

Data item	Classification	Protection	Minimum controls
Government identifiers if later collected	SPI	Highly Restricted	Do not collect by default; documented legal basis, encryption, narrow access, retention limit
Health/biometric information	SPI	Highly Restricted	Not required by Kodigo; prohibited unless separately approved and lawfully implemented
Store TIN, permit/accreditation details	OP; may become PD for sole proprietor	Confidential	Admin-only edit; controlled receipt display; accurate and current
Store name, address, contact, branding	OP / possible PD	Internal–Confidential	Admin control; publish only intended receipt/contact fields
Products, SKU/barcode, cost, price, stock	OP	Confidential	Store-scoped RLS; change history/adjustments; backups
Supplier contact person, email, phone, address	PD + OP	Confidential	Business-purpose use; store scope; limit exports and deletion to retention rules
Sales, sale items, totals, discounts, tax	OP; PD if linked to person	Confidential	Store scope; append-only lifecycle evidence; financial retention; encrypted transfer
Payment method/reference	PD/financial context when linkable	Restricted	Never store full card/PIN/OTP; mask reference; narrow access and retention
Receipts/invoice numbers	OP; may contain PD	Confidential	Issue to customer; protect duplicate copies/exports; approved retention
Stock adjustments and creator label	PD + OP	Confidential	Named attribution, reason/note, immutable audit trail, store scope
Purchase orders and supplier scores	OP; may contain PD contacts	Confidential	Admin scope; accuracy review; protected exports
Audit logs, error logs, sale events, closeouts	PD + OP	Restricted	Append-only; Admin/technical need-to-know; monitor access; defined retention
Backups and exported reports	Same as source data	Restricted	Encrypted/restricted vault; restore testing; minimum 30-day backup retention per runbook; controlled disposal
Invite codes and reset links	PD/security secret	Restricted	Single-purpose, limited validity/use, never public or reused, revoke when exposed

Handling Rules by Protection Level

Level	Handling rule
Internal	Authenticated business use; share only within the organization for a legitimate task.
Confidential	Role/store-scoped access, encrypted transfer, approved storage/export, logged changes, secure disposal.
Restricted / Highly Restricted	Named need-to-know access, no casual export, additional approval, monitoring, short retention where feasible, immediate incident response.

Retention and Disposal Baseline

Record group	Baseline decision
Sales, receipts, tax and payment records	Retain for the approved financial/legal period; lock against routine deletion; dispose securely when authorized.

Record group	Baseline decision
User/account and membership records	Retain while active plus the period needed for audit or claims; revoke access immediately on offboarding.
Audit, error and security logs	Keep long enough to investigate incidents and demonstrate control operation; restrict and purge on an approved schedule.
Exports and screenshots	Keep only for the specific task; delete from downloads, email, chat, and removable media when the task/retention need ends.
Backups	Minimum 30-day restricted retention per current runbook, subject to the production backup plan and legal requirements.

7. Privacy Notice

Short notice for Kodigo account holders and business contacts

Responsible organization

[Deploying Organization Legal Name]

[Official Privacy Contact / Data Protection Officer]

[Official Email Address]

[Business Address]

Complete these fields before deployment or publication. The deploying organization must confirm the applicable notice, contact details, and legal requirements.

1. What we collect

We collect account details such as your name, email, role, and assigned store; transaction records such as items, amounts, payment method, and a masked or limited payment reference when needed; activity records such as stock adjustments, reports, and audit events; and limited device or error information needed to secure and support Kodigo. Ordinary cash sales do not require customer identity. Kodigo must not store full card numbers, PINs, one-time passwords (OTPs), wallet passwords, or unnecessary identity documents.

2. Why we use it

We use this information to sign users in, operate store transactions and inventory, issue receipts, manage staff access, produce reports, prevent misuse, troubleshoot errors, meet recordkeeping duties, and improve service reliability. We will not use it for an unrelated purpose without notice and an appropriate legal reason.

Privacy framework. Kodigo's privacy handling should be implemented and reviewed in accordance with Republic Act No. 10173, the Data Privacy Act of 2012, its Implementing Rules and Regulations, and applicable National Privacy Commission issuances. This statement is not a claim of legal certification or formal compliance.

3. How we protect and share it

Access is limited by role and assigned store and protected by authentication, encrypted connections, store-scoped access rules, logs, backups, and controlled support access. We share data only with authorized personnel and service providers needed to run or support Kodigo, subject to appropriate safeguards and legal requirements.

4. Your choices and rights

Subject to applicable law, you may ask to access or correct your data, object to or restrict certain uses, request deletion when retention is no longer required, withdraw consent where consent is the basis, and raise a complaint. We may verify identity and retain records required for security, transactions, or law. If your

concern is not resolved, you may contact the Philippine National Privacy Commission through its official complaint process.

5. Contact us

Send privacy questions or requests to [Official Privacy Contact / Data Protection Officer] using [Official Email Address] or the official store email shown in Kodigo Settings and on the store receipt. You may also write to [Business Address]. If unavailable, submit a support ticket marked “Privacy Request.” Do not include passwords, OTPs, full payment credentials, or unnecessary identity documents in the first message. If the concern is not resolved, use the Philippine National Privacy Commission complaint process at <https://privacy.gov.ph/filing-a-complaint/>.

Privacy Principles Applied

Table 9. Privacy Principles Applied

Principle	How it is applied
Collection limitation	Kodigo collects only data needed for accounts, store operations, security, support, and required records; customer identity and SPI are not required by default.
Purpose specification	The notice states the operational, access-control, reporting, security, support, and recordkeeping purposes at collection.
Use limitation	Data is not used or disclosed for unrelated purposes without notice, authority, and safeguards; access is role/store-scoped.
Transparency	Users are told what is collected, why, how it is protected/shared, their rights, and how to contact the responsible organization.

Privacy Request Handling

1. Log the request and acknowledge it through an approved channel without asking for unnecessary identity documents.
2. Verify the requester proportionately, identify the relevant stores/systems, and preserve required transaction or security records.
3. The Privacy Contact decides the lawful response, coordinates Admin/System Administrator action, and records any limitation or refusal reason.
4. Provide the response securely and record completion, disclosure recipients, corrections, deletions, or follow-up commitments.

Privacy incident: If data may have been accessed, changed, lost, or disclosed without authority, preserve evidence and escalate directly to Tier 3. Do not notify affected people or external parties without the Privacy Contact/incident commander's coordinated decision.

APPENDIX A. CONTROL AND EVIDENCE NOTES

Technical anchors used to tailor this document to the current Kodigo implementation

Area	Repository evidence	Document implication
Application and routes	kodigo-ui/src/App.tsx; Sidebar.tsx; types/index.ts	Admin, Cashier, Inventory, Super Admin; route guards and module visibility
Authentication and tenancy	kodigo-ui/src/stores/authStore.ts; migration chain	Supabase Auth, profiles, store_users, active store, row-level security
POS and offline	cartStore.ts; transactions.ts; offline-sync.ts; hardware.ts	Checkout, queued sales/mutations, network-vs-database errors, cash drawer
Inventory/suppliers/reporting	productStore.ts; supplierStore.ts; reporting.ts; relevant pages	Product/stock, supplier/PO, reports and exports
Production controls	docs/production-ops.md; migrations 18–28	Backups, restore, deployment, rollback, audit/error logs, user RBAC hardening

Deployment Decisions Still Required

- Insert the deploying organization’s legal identity and official Privacy Contact details before publishing the privacy notice.
- Approve concrete service hours, incident targets, access-review frequency, export retention, and legal record-retention schedule.
- Confirm the supported invite-generation path, production environment ownership, backup subscription/retention, and vendor escalation contacts.
- Validate selling-unit conversion reporting and every policy/role against the exact production migration state before go-live. Attach current-build mockups or screenshots for Login, POS, Inventory, and Dashboard before final publication.

Approval Record

Role	Name	Signature	Date
System Owner			
IT Manager / Technical Adviser			
Privacy Contact			
Capstone Adviser			