Predefined PL/SQL Exceptions

An internal exception is raised implicitly whenever your PL/SQL program violates an Oracle rule or exceeds a system-dependent limit. Every Oracle error has a number, but exceptions must be handled by name. So, PL/SQL predefines some common Oracle errors as exceptions. For example, PL/SQL raises the predefined exception `NO_DATA_FOUND` if a `SELECT INTO` statement returns no rows.

To handle other Oracle errors, you can use the `OTHERS` handler. The functions `SQLCODE` and `SQLERRM` are especially useful in the `OTHERS` handler because they return the Oracle error code and message text. Alternatively, you can use the pragma `EXCEPTION_INIT` to associate exception names with Oracle error codes.

PL/SQL declares predefined exceptions globally in package `STANDARD`, which defines the PL/SQL environment. So, you need not declare them yourself. You can write handlers for predefined exceptions using the names in the following list:

Exception	Oracle Error	SQLCODE Value
ACCESS_INTO_NULL	ORA-06530	-6530
CASE_NOT_FOUND	ORA-06592	-6592
COLLECTION_IS_NULL	ORA-06531	-6531
CURSOR_ALREADY_OPEN	ORA-06511	-6511
DUP_VAL_ON_INDEX	ORA-00001	-1
INVALID_CURSOR	ORA-01001	-1001
INVALID_NUMBER	ORA-01722	-1722
LOGIN_DENIED	ORA-01017	-1017
NO_DATA_FOUND	ORA-01403	+100
NOT_LOGGED_ON	ORA-01012	-1012
PROGRAM_ERROR	ORA-06501	-6501
ROWTYPE_MISMATCH	ORA-06504	-6504
SELF_IS_NULL	ORA-30625	-30625
STORAGE_ERROR	ORA-06500	-6500
SUBSCRIPT_BEYOND_COUNT	ORA-06533	-6533
SUBSCRIPT_OUTSIDE_LIMIT	ORA-06532	-6532
SYS_INVALID_ROWID	ORA-01410	-1410
TIMEOUT_ON_RESOURCE	ORA-00051	-51
TOO_MANY_ROWS	ORA-01422	-1422
VALUE_ERROR	ORA-06502	-6502
ZERO_DIVIDE	ORA-01476	-1476

Brief descriptions of the predefined exceptions follow:

Exception	Raised when ...
ACCESS_INTO_NULL	Your program attempts to assign values to the attributes of an uninitialized (atomically null) object.
CASE_NOT_FOUND	None of the choices in the `WHEN` clauses of a `CASE` statement is selected, and there is no `ELSE` clause.
COLLECTION_IS_NULL	Your program attempts to apply collection methods other than EXISTS to an uninitialized (atomically null) nested table or varray, or the program attempts to assign values to the elements of an uninitialized nested table or varray.
CURSOR_ALREADY_OPEN	Your program attempts to open an already open cursor. A cursor must be closed before it can be reopened. A cursor FOR loop automatically opens the cursor to which it refers. So, your program cannot open that cursor inside the loop.