

LAPORAN PRAKTIKUM JARINGAN KOMPUTER


Modul 10

Nama : Hafidz Al Afaf


NIM : L200170134

Kelas C

1. Gambar topologi



2. Melakukan konfigurasi pada Server0



3. Melakukan konfigurasi pada Server1

The screenshot shows the 'Server1' configuration window with the 'Config' tab selected. The left sidebar has 'INTERFACE' expanded, showing 'FastEthernet0'. The main area displays the configuration for 'FastEthernet0'. The 'Port Status' is 'On'. 'Bandwidth' is set to '100 Mbps' and 'Duplex' is 'Full Duplex', both with 'Auto' selected. The 'MAC Address' is '0004.9AE1.92AC'. Under 'IP Configuration', 'Static' is selected. The 'IP Address' is '192.168.123.2' and the 'Subnet Mask' is '255.255.255.0'. Under 'IPv6 Configuration', 'Static' is selected. The 'IPv6 Address' field is empty, and the 'Link Local Address' is 'FE80::204:9AFF:FEE1:92AC'.

4. Melakukan konfigurasi pada PC0

The screenshot shows the 'PC0' configuration window with the 'Config' tab selected. The left sidebar has 'IP Configuration' selected. The main area displays the 'IP Configuration' settings. 'Static' is selected under 'IP Configuration'. The 'IP Address' is '192.168.123.3', the 'Subnet Mask' is '255.255.255.0', the 'Default Gateway' is '0.0.0.0', and the 'DNS Server' is '192.168.123.2'.

5. Melakukan konfigurasi DNS pada Server1

The screenshot shows the 'Server1' configuration window with the 'Services' tab selected. The left sidebar has 'DNS' selected. The main area displays the 'DNS' service configuration. The 'DNS Service' is 'On'. Under 'Resource Records', the 'Name' is 'tibandung.com' and the 'Type' is 'A Record'. The 'Address' field is empty. Below the form are 'Add', 'Save', and 'Remove' buttons. A table at the bottom shows the configured record.

No.	Name	Type	Detail
0	tibandung.com	A Record	192.168.123.1

6. Melakukan browsing HTTP ke Domain melalui PC0

