Course Title: Algorithm Design and Analysis Laboratory

Course Code: CSE-226

ID: 0222210005101118 (C)

Name: Mohammad Hafizur Rahman Sakib

Instructor: Fairuz Bilquis Khan

INDEX

Rep. No.	Name of Experiment	Date of Performance	Date of Submission	Remark
1	Implement Some Basic Data	22/11/23	29/11/23	
	Structures of Python and C++			
	Programming Language (STL)			
2	Factorial of a number, Fibonacci	27/12/23	03/01/24	
	Series and Digit Sum of a			
	number Using Recursion			
3	Find Minimum Spanning Tree	03/01/24	24/01/24	
	Using Kruskal's Algorithm in			
	C++ Programming Language			
4	Find Longest Common	24/01/24	31/01/24	
	Subsequence Using Dynamic			
	Programming			

Premier University



Lab Report

Report no	04			
Report Title	Find Longest Common Subsequence (LCS) of Two Strings Using Dynamic Programing			
Course Code	CSE 226			
Course Title	Algorithm Design and Analysis Laboratory			
Date of Performance	24-01-24			
Date of Submission	31-01-24			
Submitted to				
Fairuz Bilquis Khan				
Lecturer Department of CSE				
Submitted by				
Name	Mohammad Hafizur Rahman Sakib			
ID	0222210005101118			
Section	С			
Semester	4th			
Session	Fall 2023			

```
#include <bits/stdc++.h>
using namespace std;
int main()
    string x, y;
    cin >> x >> y;
    int m = x.size() + 1, n = y.size() + 1;
    vector<vector<string>> b(m, vector<string>(n, " "));
    vector<vector<int>> c(m, vector<int>(n, 0));
    for (int i = 1; i < m; i++)</pre>
        c[i][0] = 0;
    for (int j = 0; j < n; j++)
        c[0][j] = 0;
    for (int i = 1; i < m; i++)</pre>
        for (int j = 1; j < n; j++)
            if(x[i-1] == y[j-1])
                c[i][j] = c[i - 1][j - 1] + 1;
                b[i][j] = "\\";
            else if (c[i - 1][j] >= c[i][j - 1])
                c[i][j] = c[i - 1][j];
                b[i][j] = "|";
            else
                c[i][j] = c[i][j - 1];
                b[i][j] = "->";
// Taking the value From Left Side cell
    for (int i = 0; i < c.size(); i++)</pre>
        for (int u : c[i])
            cout << u << ' ';
        cout << endl;</pre>
    cout << endl;</pre>
    for (int i = 0; i < b.size(); i++)</pre>
        for (string u : b[i])
            cout << u << ' ';
        cout << endl;</pre>
    cout << "Length of LCS is : " << c[m - 1][n - 1] << endl;
    return 0;
```

Output:

```
SAKIB □ Performance Test
• G cd c:\PU Projects\PUC Courses\4th Semester\A
cs }
MZJAWXU
XMJYAUZ
00000000
0 0 1 1 1 1 1 1
0 0 1 1 1 1 1 2
0 0 1 2 2 2 2 2
0 0 1 2 2 3 3 3
0 0 1 2 2 3 3 3
0 1 1 2 2 3 3 3
0 1 1 2 2 3 4 4
         -> -> -> ->
Length of LCS is: 4
∘ SAKIB □ Performance Test
```