

10

JavaScript Console Methods

JS

"You should know"



Gaurav Pandey

swipe >>

LOG



```
console.log('I LOVE Javascript');
```

```
I LOVE Javascript
```



Gaurav Pandey

swipe >>

WARN



```
console.warn("This is a warning Huhh!!!");
```

⚠️ ▶ This is a warning Huhh!!!



Gaurav Pandey

swipe >>

INFO



```
console.info("This is an information message | Connection Valid");
```

```
This is an information message | Connection Valid
```



Gaurav Pandey

swipe >>

ERROR



```
console.error("Something went Wrong!!");
```



Something went Wrong!!



Gaurav Pandey

swipe >>

ASSERT



```
console.assert(document.getElementById("address"), "'address' Not found");
```

❌ ▶ Assertion failed: 'address' Not found



Gaurav Pandey

swipe >>

TIME, TIME LOG & TIME END



```
console.time("time");  
console.timeLog("time");  
console.timeEnd("time");
```

```
time: 0.0078125 ms
```

```
time: 0.306640625 ms
```



Gaurav Pandey

swipe >>

GROUP AND GROUP END



```
console.log("This is the outer level");
console.group("First group");
console.log("In the first group");
console.group("Second group");
console.log("In the second group under first group");
console.warn("Still in the second group");
console.groupEnd();
console.log("Back to the first group");
console.groupEnd();
console.debug("Back to the outer level");
```

▼ First group	
	In the first group
▼ Second group	
	In the second group under first group
⚠	► Still in the second group
	Back to the first group
Back to the outer level	



Gaurav Pandey

swipe >>

COUNT & COUNT RESET



```
for (let j = 1; j <= 5; j++)  
{  
  console.count();  
}
```

default: 1

default: 2

default: 3

default: 4

default: 5



Gaurav Pandey

swipe >>

TABLE



```
console.table(["reactjs", "nodejs", "Vuejs"])
```

ChatBox.jsx:17

(index)	Value
0	'reactjs'
1	'nodejs'
2	'Vuejs'



Gaurav Pandey

swipe >>

CLEAR



```
console.clear();
```

Console was cleared



Gaurav Pandey

swipe >>