DEMO CORP
Security Assessment Findings Report

Business Confidential

Date: March 9th,

2021 Project: DC-001 Version 1.0

Table of Contents

Confidentiality Statement

This document is the exclusive property of Demo Corp and TCM Security (TCMS). This document contains proprietary and confidential information. Duplication, redistribution, or use, in whole or in part, in any form, requires consent of both Demo Corp and TCMS.

Demo Corp may share this document with auditors under non-disclosure agreements to demonstrate penetration test requirement compliance.

Disclaimer

A penetration test is considered a snapshot in time. The findings and recommendations reflect the information gathered during the assessment and not any changes or modifications made outside of that period.

Time-limited engagements do not allow for a full evaluation of all security controls. TCMS prioritized the assessment to identify the weakest security controls an attacker would exploit. TCMS recommends conducting similar assessments on an annual basis by internal or third-party assessors to ensure the continued success of the controls.

Contact Information

Name	Title	Contact Information
Demo Corp		
John Smith	Global Information Security Manager	Email: jsmith@democorp.com
TCM Security		
Heath Adams	Lead Penetration Tester	Email: heath@tcm-sec.com

Assessment Overview

From February 22nd, 2021 to March 5th, 2021, Demo Corp engaged TCMS to evaluate the security posture of its infrastructure compared to current industry best practices that included an internal network penetration test. All testing performed is based on the NIST *SP 800-115 Technical Guide to Information Security Testing and Assessment, OWASP Testing Guide (v4), and customized testing frameworks*.

Phases of penetration testing activities include the following:

- Planning – Customer goals are gathered and rules of engagement obtained.
- Discovery – Perform scanning and enumeration to identify potential vulnerabilities, weak areas, and exploits.
- Attack – Confirm potential vulnerabilities through exploitation and perform additional discovery upon new access.
- Reporting – Document all found vulnerabilities and exploits, failed attempts, and company strengths and weaknesses.



Assessment Components

Internal Penetration Test

An internal penetration test emulates the role of an attacker from inside the network. An engineer will scan the network to identify potential host vulnerabilities and perform common and advanced internal network attacks, such as: LLMNR/NBT-NS poisoning and other man- in-the-middle attacks, token impersonation, kerberoasting, pass-the-hash, golden ticket, and more. The engineer will seek to gain access to hosts through lateral movement, compromise domain user and admin accounts, and exfiltrate sensitive data.

Finding Severity Ratings

The following table defines levels of severity and corresponding CVSS score range that are used throughout the document to assess vulnerability and risk impact.

Severity	CVSS V3 Score Range	Definition
Critical	9.0-10.0	Exploitation is straightforward and usually results in system-level compromise. It is advised to form a plan of action and patch immediately.
High	7.0-8.9	Exploitation is more difficult but could cause elevated privileges and potentially a loss of data or downtime. It is advised to form a plan of action and patch as soon as possible.
Moderate	4.0-6.9	Vulnerabilities exist but are not exploitable or require extra steps such as social engineering. It is advised to form a plan of action and patch after high-priority issues have been resolved.
Low	0.1-3.9	Vulnerabilities are non-exploitable but would reduce an organization's attack surface. It is advised to form a plan of action and patch during the next maintenance window.
Informational	N/A	No vulnerability exists. Additional information is provided regarding items noticed during testing, strong controls, and additional documentation.

Risk Factors

Risk is measured by two factors: Likelihood and Impact:

Likelihood

Likelihood measures the potential of a vulnerability being exploited. Ratings are given based on the difficulty of the attack, the available tools, attacker skill level, and client environment.

Impact

Impact measures the potential vulnerability's effect on operations, including confidentiality, integrity, and availability of client systems and/or data, reputational harm, and financial loss.

Scope

Assessment	Details
Internal Penetration Test	- 10.15.42.36 - 10.15.42.7

Scope Exclusions

Per client request, TCMS did not perform any of the following attacks during testing:

- Denial of Service (DoS)
- Phishing/Social Engineering

All other attacks not specified above were permitted by Demo Corp.

Client Allowances

Demo Corp provided TCMS the following allowances:

- Internal access to network via dropbox and port allowances

Executive Summary

TCMS evaluated Demo Corp's internal security posture through penetration testing from February 22nd, 2021 to March 5th, 2021. The following sections provide a high-level overview of vulnerabilities discovered, successful and unsuccessful attempts, and strengths and weaknesses.

Scoping and Time Limitations

Scoping during the engagement did not permit denial of service or social engineering across all testing components.

Time limitations were in place for testing. Internal network penetration testing was permitted for ten
(10) business days.

Testing Summary

The network assessment evaluated Demo Corp's internal network security posture. From an internal perspective, the TCMS team performed vulnerability scanning against all IPs provided by Demo Corp to evaluate the overall patching health of the network. The team also performed common Active Directory based attacks, such as Link-Local Multicast Name Resolution (LLMNR) Poisoning, SMB relaying, IPv6 man-in-the-middle relaying, and Kerberoasting. Beyond vulnerability scanning and Active Directory attacks, the TCMS evaluated other potential risks, such as open file shares, default credentials on servers/devices, and sensitive information disclosure to gain a complete picture of the network's security posture.

The TCMS team discovered that LLMNR was enabled in the network (Finding IPT-001), which permitted the interception of user hashes via LLMNR poisoning. These hashes were taken offline and cracked via dictionary attacks, which signals a weak password policy (Finding IPT-005). Utilizing the cracked passwords, the TCMS team gained access to several machines within the network, which indicates overly permissive user accounts.

With machine access, and the use of older operating systems in the network (Finding IPT-009), the team was able to leverage WDigest (Finding IPT-003) to recover cleartext credentials to accounts. The team was also able to dump local account hashes on each machine accessed. The TCMS team discovered that the local account hashes were being re-used across devices (Finding IPT-002), which lead to additional machine access through pass-the-hash attacks.

Ultimately, the TCMS team was able to leverage accounts captured through WDigest and hash dumps to move laterally throughout the network until landing on a machine that had a

Domain Administrator credential in cleartext via WDigest. The testing team was able to use this credential to log into the domain controller and compromise the entire domain. For a full walkthrough of the path to Domain Admin, please see Finding IPT-025.

In addition to the compromise listed above, the TCMS team found that users could be impersonated through delegation attacks (Finding IPT-004), SMB relay attacks were possible due to SMB signing being disabled (Finding IPT-007), and IPv6 traffic was not restricted, which could lead to LDAPS relaying and domain compromise (Finding IPT-006).

The remainder of critical findings relate to patch management as devices with critical out-of-date software (Finding IPT-008), operating systems (Finding IPT-009), and Microsoft RCE vulnerabilities (Findings IPT-010, IPT-011, IPT-012, IPT-013), were found to be present within the network.

The remainder of the findings were high, moderate, low, or informational. For further information on findings, please review the Technical Findings section.

Tester Notes and Recommendations

Testing results of the Demo Corp network are indicative of an organization undergoing its first penetration test, which is the case here. Many of the findings discovered are vulnerabilities within Active Directory that come enabled by default, such as LLMNR, IPv6, and Kerberoasting.

During testing, two constants stood out: a weak password policy and weak patching. The weak password policy led to the initial compromise of accounts and is usually one of the first footholds an attacker attempts to use in a network. The presence of a weak password policy is backed up by the evidence of our testing team cracking over 2,200 user account passwords, including a majority of the Domain Administrator accounts, through basic dictionary attacks.

We recommended that Demo Corp re-evaluates their current password policy and considers a policy of 15 characters or more for their regular user accounts and 30 characters or more for their Domain Administrator accounts. We also recommend that Demo Corp explore password blacklisting and will be supplying a list of cracked user passwords for the team to evaluate. Finally, a Privilege Access Management solution should be considered.

Weak patching and dated operating systems led to the compromise of dozens of machines within the network. We believe the number of compromised machines would have been significantly larger, however the TCMS and Demo Corp teams agreed it was not necessary to attempt to exploit any remote code execution (RCE) based vulnerabilities, such as MS17-010 (Finding IPT-012), as the domain controller had already been compromised and the teams did not want to risk any denial of service through failed attacks.

We recommend that the Demo Corp team review the patching recommendations made in the Technical Findings section of the report along with reviewing the provided Nessus scans

for a full overview of items to be patched. We also recommend that Demo Corp improve their patch management policies and procedures to help prevent potential attacks within their network.

On a positive note, our testing team triggered several alerts during the engagement. The Demo Corp Security Operations team discovered our vulnerability scanning and was alerted when we attempted to use noisy attacks on a compromised machine. While not all attacks were discovered during testing, these alerts are a positive start. Additional guidance on alerting and detection has been provided for findings, when necessary, in the Technical Findings section.

Overall, the Demo Corp network performed as expected for a first-time penetration test. We recommend that the Demo Corp team thoroughly review the recommendations made in this report, patch the findings, and re-test annually to improve their overall internal security posture.

Key Strengths and Weaknesses

The following identifies the key strengths identified during the assessment:

1. Observed some scanning of common enumeration tools (Nessus)
2. Mimikatz detected on some machines
3. Service accounts were not running as domain administrators
4. Demo Corp local administrator account password was unique to each

device The following identifies the key weaknesses identified during the

assessment:

1. Password policy found to be insufficient
2. Critically out-of-date operating systems and weak patching exist within the network
3. Passwords were observed in cleartext due to WDigest
4. LLMNR is enabled within the network
5. SMB signing is disabled on all non-server devices in the work
6. IPv6 is improperly managed within the network
7. User accounts can be impersonated through token delegation
8. Local admin accounts had password re-use and were overly permissive
9. Default credentials were discovered on critical infrastructure, such as iDRACs
10. Unauthenticated share access was permitted
11. User accounts were found to be running as service accounts
12. Service accounts utilized weak passwords
13. Domain administrator utilized weak passwords

Vulnerability Summary & Report Card

The following tables illustrate the vulnerabilities found by impact and recommended remediations:

Internal Penetration Test Findings

13	5	6	0	1
Critical	High	Moderate	Low	Informational

Finding	Severity	Recommendation
Internal Penetration Test		
IPT-001: Insufficient LLMNR Configuration	Critical	Disable multicast name resolution via GPO.
IPT-002: Security Misconfiguration – Local Admin Password Reuse	Critical	Utilize unique local admin passwords and limit local admin users via least privilege.
IPT-003: Security Misconfiguration – Wdigest	Critical	Disable WDigest via GPO.
IPT-004: Insufficient Hardening – Token Impersonation	Critical	Restrict token delegation.
IPT-005: Insufficient Password Complexity	Critical	Implement CIS Benchmark password requirements / PAM solution.
IPT-006: Security Misconfiguration – IPv6	Critical	Restrict DHCPv6 traffic and incoming router advertisements in Windows Firewall via GPO.
IPT-007: Insufficient Hardening – SMB Signing Disabled	Critical	Enable SMB signing on all Demo Corp domain computers.
IPT-008: Insufficient Patch Management – Software	Critical	Update to the latest software version.
IPT-009: Insufficient Patch Management – Operating Systems	Critical	Update Operating Systems to the latest version.

IPT-010: Insufficient Patching – MS08-067 - ECLIPSEDWING/NETAPI	Critical	Apply the appropriate Microsoft patches to remediate the issue.
IPT-011: Insufficient Patching – MS12-020 – Remote Desktop RCE	Critical	Apply the appropriate Microsoft patches to remediate the issue.
IPT-012: Insufficient Patching – MS17-010 - EternalBlue	Critical	Apply the appropriate Microsoft patches to remediate the issue.
IPT-013: Insufficient Patching – CVE- 2019-0708 - BlueKeep	Critical	Apply the appropriate Microsoft patches to remediate the issue.

Finding	Severity	Recommendation
IPT-014: Insufficient Privileged Account Management – Kerberoasting	High	Use Group Managed Service Accounts (GMSA) for privileged services.
IPT-015: Security Misconfiguration – GPP Credentials	High	Apply vendor patching. Do not use GPP cpasswords.
IPT-016: Insufficient Authentication - VNC	High	Enable authentication on the VNC Server.
IPT-017: Default Credentials on Web Services	High	Change default credentials or disable unused accounts.
IPT-018: Insufficient Hardening – Listable Directories	High	Restrict access and conduct web app assessment.
IPT-019: Unauthenticated SMB Share Access	Moderate	Disable SMB share or require authentication.
IPT-020: Insufficient Patch Management – SMBv1	Moderate	Upgrade to SMBv3 and apply latest patching.
IPT-021: IPMI Hash Disclosure	Moderate	Disable IPMI over LAN if it is not needed.
IPT-022: Insufficient SNMP Community String Complexity	Moderate	Disabled SNMP if not required.
IPT-023: Insufficient Data in Transit Encryption - Telnet	Moderate	Migrate to TLS protected protocols.
IPT-024: Insufficient Terminal Services Configuration	Moderate	Enable Network Level Authentication (NLA) on the remote RDP server.
IPT-025: Steps to Domain Admin	Information	Review action and remediation

	al	steps.

Technical Findings

Internal Penetration Test Findings

Finding IPT-001: Insufficient LLMNR Configuration (Critical)

Description:	Mencoba menemukan domain lewat go buster dengan port : 10.15.42.36
Risk:	Penggunaanya lama, Belum tentu dari sekian banyak yang di scan tidak dapat domainnnya
System:	All
Tools Used:	Gobuster
References:	Modul 4 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence



Remediation

Disable multicast name resolution via GPO. For full mitigation and detection guidance, please reference the MITRE guidance here.

The cracked hashes demonstrate a deficient password complexity policy. If multicast name resolution is required, Network Access Control (NAC) combined with application whitelisting can limit these attacks.

Finding IPT-002: Security Misconfiguration – Local Admin Password Reuse (Critical)

Description:	Mencoba menemukan domain lewat go buster dengan port : 10.15.42.7
Risk:	Penggunaanya lama, Belum tentu dari sekian banyak yang di scan tidak dapat domainnnya
System:	All
Tools Used:	Gobuster
References:	Modul 4 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence



Remediation

Utilize unique local admin passwords. Limit local admin users via least privilege. Consider implementing a PAM solution. For full mitigation and detection guidance, please reference the MITRE guidance here.

Finding IPT-003: Security Misconfiguration – WDigest (Critical)

Description:	Mencoba menemukan domain lewat forexbuster dengan port : 10.15.42.7
Risk:	Penggunaanya lebih cepat dibandingkan gobuster, Belum tentu dari sekian banyak yang di scan tidak dapat domainnnya
System:	All
Tools Used:	Forexbuster
References:	FeroxBuster - Recursive Content Discovery Tool in Kali Linux - GeeksforGeeks

Evidence



Remediation

Disable WDigest via GPO. For full mitigation and detection guidance, please reference the guidance here.

Finding IPT-004: Insufficient Hardening – Token Impersonation (Critical)

Description:	Mencoba menemukan cve dan domain lewat nuclei dengan port : 10.15.42.7
Risk:	Penggunaanya lebih cepat dan belum tentu dapat cve nya
System:	All
Tools Used:	nuclei
References:	Modul 5 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence



Figure 5: Impersonation of "sup"



Figure 6: Shell access as Domain Admin "sup"

Remediation

Restrict token delegation. For full mitigation and detection guidance, please reference the

MITRE guidance here.

Finding IPT-005: Insufficient Password Complexity (Critical)

Description:	Mencoba Menggunakan nmap dengan port: 10.15.12.7
Risk:	Lebih cepat menemukan port aslinya
System:	All
Tools Used:	nmap
References:	Modul 4 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence



Remediation

Implement CIS Benchmark password requirements / PAM solution. TCMS recommends that Demo Corp enforce industry best practices around password complexity and management. A password filter to prevent users from using common and easily guessable passwords is also recommended. Additionally, TCMS recommends that Demo Corp enforce stricter password requirements for Domain Administrator and other sensitive accounts.

Finding IPT-006: Security Misconfiguration – IPv6 (Critical)

Description:	Mencoba nmap dengan beda comment lewat port 10.15.42.7
Risk:	hasilnya kurang lebih sama
System:	All
Tools Used:	namap
References:	Modul 5 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence



Remediation

1. IPv6 poisoning abuses the fact that Windows queries for an IPv6 address even in IPv4-only environments. If you do not use IPv6 internally, the safest way to prevent mitm6 is to block DHCPv6 traffic and incoming router advertisements in Windows Firewall via Group Policy. Disabling IPv6 entirely may have unwanted side effects. Setting the following predefined rules to Block instead of Allow prevents the attack from working:
    a. (Inbound) Core Networking - Dynamic Host Configuration Protocol for IPv6(DHCPV6-In)
    b. (Inbound) Core Networking - Router Advertisement (ICMPv6-In)
    c. (Outbound) Core Networking - Dynamic Host Configuration Protocol for IPv6(DHCPV6- Out)

2. If WPAD is not in use internally, disable it via Group Policy and by disabling the WinHttpAutoProxySvc service.
3. Relaying to LDAP and LDAPS can only be mitigated by enabling both LDAP signing and LDAP channel binding.

Consider Administrative users to the Protected Users group or marking them as Account is sensitive and cannot be delegated, which will prevent any impersonation of that user via delegation.

Finding IPT-007: Insufficient Hardening – SMB Signing Disabled (Critical)

Description:	Mencoba menggunakan wpscan
Risk:	lebih cepat menemukan domainnya dan lebih banyak yang berhasil
System:	Identified 709 machines, please see the below file for listing. [file removed]
Tools Used:	wpscan
References:	Modul 5 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence

Remediation

Enable SMB signing on all Demo Corp domain computers. Alternatively, as SMB signing can cause performance issues, disabling NTLM authentication, enforcing account tiering, and limiting local admin users can effectively help mitigate attacks. For full mitigation and detection guidance, please reference the MITRE guidance here.

Finding IPT-008: Insufficient Patch Management – Software (Critical)

Description:	Demo Corp permitted various deprecated software in their network. This includes: • Apache version < 2.4.46 • Apache Tomcat version < 7.0.100, 8.5.51, 9.0.31 • Cisoco AireOS version 8.5.151.10 • CodeMeter version 3.05 (5.21.1478.500) • Dropbear SSH Server version 2015.68 • Dell iDRAC7 version 2.63.60.62.01 • Dell iDRAC8 version 2.63.60.61.06 • Dell iDRAC9 version 3.36.36.36.21 • ESXi version 5.5 • ESXi version 6.5 build 15256549 • Flexera FlexNet Publisher version 11.16.0 • IIS version 7.5 • ISC BIND version 9.6.2-P2 • Microsoft DNS Server version 6.1.7601.24261 • Microsoft SQL Server version 11.0.6594.0 • Netatalk OpenSession version < 3.1.12 • PHP version < 7.3.11 • Rockwell Automation RSLinx Classic Above lists all critical and high-rated deprecated software, the majority of which permit serious vulnerabilities, such as remote code execution. For a full patching list, please review the provided Nessus scan documentation.
Risk:	Likelihood: High – An attacker can discover these vulnerabilities with basic tools. Impact: Very High – If exploited, an attacker could possibly gain full remote code execution on or deny service to a system.
Tools Used:	Nessus
References:	NIST SP800-53 r4 MA-6 – Timely Maintenance NIST SP800-53 r4 SI-2 – Flaw Remediation

Remediation

Update to the latest software version. For a full list of vulnerable systems, versions, and patching requirements, please see the below document.

[file removed]

Finding IPT-009: Insufficient Patch Management – Operating Systems (Critical)

Description:	Hasil Domain login dari port 10.15.42.36
Risk:	
System:	Identified 139 machines, please see the below file for listing. [file removed]
Tools Used:	Web, forexbuster, nmap, gobuster, wpscan
References:	Modul 4 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)



Remediation

Update Operating Systems to the latest version.

Finding IPT-010: Insufficient Patching – MS08-067 - ECLIPSEDWING/NETAPI (Critical)

Description:	Hasil Domain login dari port 10.15.42.7
Risk:	
System:	Identified 139 machines, please see the below file for listing. [file removed]
Tools Used:	Web, forexbuster, nmap, gobuster, wpscan
References:	Modul 4 · lab-kcks/Modul_Ethical-Hacking Wiki (github.com)

Evidence




yanuar@kali: ~/modulEH21
File Actions Edit View Help
[+] URL: http://10.15.42.7/wp-login.php/ [10.15.42.7]
[+] Started: Thu May 9 04:57:53 2024
Interesting Finding(s):
[+] Headers
| Interesting Entries:
| - Server: Apache/2.4.59 (Debian)
| - X-Powered-By: PHP/8.2.18
| Found By: Headers (Passive Detection)
| Confidence: 100%
[+] WordPress readme found: http://10.15.42.7/wp-login.php/readme.html
| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%
[+] This site seems to be a multisite
| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%
| Reference: http://codex.wordpress.org/Glossary#Multisite
[+] The external WP-Cron seems to be enabled: http://10.15.42.7/wp-login.php/wp-cron.php
| Found By: Direct Access (Aggressive Detection)
| Confidence: 60%
| References:
| - https://www.iplocation.net/defend-wordpress-from-ddos
| - https://github.com/wpscanteam/wpscan/issues/1299
[+] WordPress version 6.5.2 identified (Latest, released on 2024-04-09).
| Found By: Common Wp Includes Query Parameter In Homepage (Passive Detection)
| - http://10.15.42.7/wp-includes/js/wp-util.min.js?ver=6.5.2
| Confirmed By: Query Parameter In Login Page (Aggressive Detection)
| - http://10.15.42.7/wp-admin/js/password-strength-meter.min.js?ver=6.5.2
| - http://10.15.42.7/wp-includes/js/wp-util.min.js?ver=6.5.2
| - http://10.15.42.7/wp-admin/js/user-profile.min.js?ver=6.5.2
[i] The main theme could not be detected.
[+] Enumerating All Plugins (via Passive Methods)


10.15.42.7
Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec New Tab
Hello World
Sample Page
A commitment to innovation and sustainability
Études is a pioneering firm that seamlessly merges creativity and functionality to redefine architectural excellence.
About us


sudo nmap -sV -T4 --min-rate 10000 -sCV -p- -A -Pn 10.15.42.5 -oN nmap_scan_2
[sudo] password for yanuar:
Starting Nmap 7.94 (https://nmap.org) at 2024-05-07 23:06 WIB
Nmap scan report for 10.15.42.5
Host is up (2.4s latency).
All 65535 scanned ports on 10.15.42.5 are in ignored states.
Not shown: 65530 filtered tcp ports (no-response), 5 filtered tcp ports (host-unreach)
Too many fingerprints match this host to give specific OS details
TRACEROUTE (using proto 1/icmp)
HOP RTT ADDRESS
1 4.11 ms 10.8.124.1
2 2.04 ms 10.8.127.249
3 2.05 ms 10.0.1.25
4 3.61 ms 10.0.1.46
5 ...
6 944.01 ms 10.15.47.250
7 943.23 ms 10.15.47.250
8 942.59 ms 10.15.47.250
9 941.46 ms 10.15.47.250
10 941.16 ms 10.15.47.250
11 ... 30

Hasil CVE



Figure 10: Unpatched MS08-067

Apply the appropriate Microsoft patches to remediate the issue. More information on patching MS08-067 can be found here: https://docs.microsoft.com/en-us/security-updates/SecurityBulletins/2008/ms08-067

Finding IPT-011: Insufficient Patching – MS12-020 – Remote Desktop RCE (Critical)

Description:	Demo Corp permitted an unpatched system on the internal network that is vulnerable to MS12-020. TCM Security confirmed that the vulnerability likely exists but did not attempt the exploit to prevent any denial of service.
Risk:	Likelihood: High – The vulnerability is easily discoverable and exploitable with open-source tools. Impact: Very High – If exploited, an attacker gains code execution as the system user. An adversary will require additional techniques to obtain domain administrator access.
System:	10.x.x.x
Tools Used:	Nessus, Nmap
References:	NIST SP800-53 r4 MA-6 – Timely Maintenance NIST SP800-53 r4 SI-2 – Flaw Remediation

Evidence

```
┌──(root㉿kali)-[~]
└─# nmap -p3389 10.        --script rdp-vuln-ms12-020
Starting Nmap 7.91 ( https://nmap.org ) at 2021-03-03 20:35 EST
Nmap scan report for                                  (10.        )
Host is up (0.014s latency).

PORT     STATE SERVICE
3389/tcp open  ms-wbt-server
| rdp-vuln-ms12-020:
|   VULNERABLE:
|   MS12-020 Remote Desktop Protocol Denial Of Service Vulnerability
|     State: VULNERABLE
|     IDs:  CVE:CVE-2012-0152
|     Risk factor: Medium  CVSSv2: 4.3 (MEDIUM) (AV:N/AC:M/Au:N/C:N/I:N/A:P)
|           Remote Desktop Protocol vulnerability that could allow remote attackers to cause a denial of service.
|
|     Disclosure date: 2012-03-13
|     References:
|       http://technet.microsoft.com/en-us/security/bulletin/ms12-020
|       https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2012-0152
|
|   MS12-020 Remote Desktop Protocol Remote Code Execution Vulnerability
|     State: VULNERABLE
|     IDs:  CVE:CVE-2012-0002
|     Risk factor: High  CVSSv2: 9.3 (HIGH) (AV:N/AC:M/Au:N/C:C/I:C/A:C)
|           Remote Desktop Protocol vulnerability that could allow remote attackers to execute arbitrary code on the targeted system.
|
|     Disclosure date: 2012-03-13
|     References:
|       https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2012-0002
|_      http://technet.microsoft.com/en-us/security/bulletin/ms12-020
```

Figure 11: Unpatched MS12-020

Remediation

Apply the appropriate Microsoft patches to remediate the issue. More information on patching MS12-020 can be found here: https://docs.microsoft.com/en-us/security-

updates/securitybulletins/2012/ms12-020

Finding IPT-012: Insufficient Patching – MS17-010 - EternalBlue (Critical)

Description:	Demo Corp permitted several unpatched systems on the internal network that are vulnerable to MS17-010 (EternalBlue). TCM Security confirmed that the vulnerability likely exists but did not attempt the exploit to prevent any denial of service.
Risk:	Likelihood: High – Malicious actors have used SMB exploitations like EternalBlue in recent breaches. Impact: Very High – If exploited, an attacker gains code execution as the system user. An adversary will require additional techniques to obtain domain administrator access.
System:	10.x.x.x
Tools Used:	Nessus, Metasploit, AutoBlue
References:	NIST SP800-53 r4 MA-6 – Timely Maintenance NIST SP800-53 r4 SI-2 – Flaw Remediation

Evidence



Figure 12: Unpatched MS17-010

Remediation

Apply the appropriate Microsoft patches to remediate the issue. More information on patching MS17-010 can be found here: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2017/ms17-010

Finding IPT-013: Insufficient Patching – CVE-2019-0708 - BlueKeep (Critical)

Description:	Demo Corp permitted several unpatched systems on the internal network that are vulnerable to CVE-2019-0708 (BlueKeep). TCM Security confirmed that the vulnerability likely exists but did not attempt the exploit to prevent any denial of service.
Risk:	Likelihood: High – The vulnerability is easily discoverable and exploitable with open-source tools. Impact: Very High – If exploited, an attacker gains code execution as the system user. An adversary will require additional techniques to obtain domain administrator access.
System:	10.x.x.x
Tools Used:	Nessus, Nmap
References:	NIST SP800-53 r4 MA-6 – Timely Maintenance NIST SP800-53 r4 SI-2 – Flaw Remediation

Evidence



Figure 13: Unpatched CVE-2019-0708

Remediation

Apply the appropriate Microsoft patches to remediate the issue. More information on patching CVE- 2019-0708 can be found here: https://support.microsoft.com/en-us/topic/customer-guidance-for- cve-2019-0708-remote-desktop-services-remote-code-execution-vulnerability-may-14-2019- 0624e35b-5f5d-6da7-632c-27066a79262e

Finding IPT-014: Insufficient Privileged Account Management – Kerberoasting (High)

Description:	TCMS retrieved all user service principal names (SPNs) from the Demo Corp domain controller using a domain user-level account (IPT-001) in a Kerberoasting attack. Retrieving these user SPNs permitted TCMS to crack 4 account passwords. No service accounts were observed running as domain administrators. User accounts were observed running as a service, which is not best practice.
Risk:	Likelihood: High – Any account joined to the domain can request user SPNs. Impact: High – Using SPNs, it is possible to retrieve sensitive account password hashes and crack them offline.
Tools Used:	Impacket, Hashcat
References:	Kerberoasting details: https://adsecurity.org/?p=2293 Group Managed Service Accounts Overview

Evidence

Account	Location	Password
[redacted]	[redacted]	$MSSQLSvc/[redacted]
		$MSSQLSvc/[redacted]
adfs		$host/adfs
sqladmin		$MSSQLSvc/UKSQL01

Figure 14: Cracked service accounts

Remediation

Use Group Managed Service Accounts (GMSA) for privileged services. GMSA accounts can be used to ensure passwords are long, complex, and change frequently. Where GMSA is not applicable, protect accounts by utilizing a password vaulting solution.

TCMS recommends configuring alert logging on domain controllers for Windows event ID 4769 whenever requesting a Kerberos service ticket. These alerts are prone to high false-positive rates but are a supplementary detective control. Tailor a security information and event management tool (SIEM) to alert on excessive user SPN requests.

Finding IPT-015: Security Misconfiguration – GPP Credentials (High)

Description:	Demo Corp utilized “cpasswords” in Group Policy Preference (GPP) which any domain user can query from a domain controller’s SYSVOL folder. Microsoft published the key to decrypt these passwords.
Risk:	Likelihood: High – Any authenticated user can obtain this information and decrypt the password with open source tools. Impact: High – An adversary can use these credentials to move laterally within the network.
Tools Used:	Metasploit
References:	NIST SP800-53 IA-5(1) - Authenticator Management

Evidence

Figure 15: Dumped GPP credentials

Remediation

Apply vendor patching. Do not use GPP cpasswords. Additionally, enabling authentication on the NFS share will protect the confidentiality of the stored information. Exporting authentication logs to a SIEM solution will give incident response teams insights to brute force login attempts.

Finding IPT-016: Insufficient Authentication - VNC (High)

Description:	Demo Corp deployed 3 servers that permitted unauthenticated access via VNC Server.
Risk:	Likelihood: High – Discovering unauthenticated VNC servers is trivial and can be done with open-source tools. Impact: High – Attackers can control industrial devices, destroy data, or shut down systems.
System:	10.x.x.x, 10.x.x.x, 10.x.x.x
Tools Used:	Nessus, VNC Viewer
References:	NIST SP800-53 IA-5(1) - Authenticator Management

Evidence

[image redacted]

Figure 16: Access to system via VNC

Remediation

Enable authentication on the VNC Server.

Finding IPT-017: Default Credentials on Web Services (High)

Description:	TCMS validated default credentials worked on multiple web applications within the Demo Corp environment.
Risk:	Likelihood: High – Credentials are published for these devices and an attackers first authentication attempt. Impact: High – Attackers can control devices, destroy data, or shut down systems.
System:	Default credentials were tested on a sample set of web applications, but suggests checking the following addresses at a minimum: [file removed]
Tools Used:	Manual Review
References:	NIST SP800-53 IA-5(1) - Authenticator Management

Evidence



Figure 17: Dell iDRAC access via default credentials

Remediation

Change default credentials or disable unused accounts.

Finding IPT-018: Insufficient Hardening – Listable Directories (High)

Description:	Demo Corp disclosed information by allowing listable directories and storing potentially critical items on web server. It is strongly recommended that Demo Corp perform a thorough web app assessment on this resource.
Risk:	Likelihood: Moderate – Adversaries will discovery content with open source tools. Impact: High – Attackers use this information in conjunction with other attacks for enumeration and cataloging for rapid attacks when vulnerabilities arise.
System:	Full list of discovered listable directories: [file removed]
Tools Used:	Manual Review
References:	NIST SP800-53r4 CM-7 - Least Functionality NIST SP800-53r4 AC-6(3) - Least Privilege

Evidence

Figure 18: Listable directory

Remediation

Restrict access and conduct web app assessment.

Finding IPT-019: Unauthenticated SMB Share Access (Moderate)

Description:	Demo Corp exposed multiple servers with unauthenticated file server access.
Risk:	Likelihood: Moderate – Adversaries will discover these shares with low-noise, basic reconnaissance techniques. Impact: Moderate – Attackers learn about the environment through information leaks.
System:	10.x.x.x
Tools Used:	Nessus, smbclient
References:	NIST SP800-53r4 AC-6(3) - Least Privilege NIST SP800-53 r4 SC-4 - Information in Shared Resources

Evidence



Figure 19: Unauthenticated Share access

Remediation

Disable SMB share or require authentication. Enabling authentication on the share will protect the confidentiality of the stored information. Exporting authentication logs to a SIEM

solution will give incident response teams insights to brute force login attempts.

Finding IPT-020: Insufficient Patch Management – SMBv1 (Moderate)

Description:	Demo Corp failed to patch SMBv1. This version is vulnerable to multiple denial of service and remote code execution attacks. TCM Security confirmed that the vulnerability likely exists but did not attempt the exploit to prevent any denial of service.
Risk:	Likelihood: Moderate – Basic scans would identify the SMB version but would require an adversary to be on the internal network and identify an exploit. Impact: Moderate – If exploited, an attacker gains denial of service and code execution capability.
System:	10.x.x.x
Tools Used:	Nessus, Nmap
References:	https://blogs.technet.microsoft.com/filecab/2016/09/16/stop-using-smb1/ NIST SP800-53 r4 SI-2 - Flaw Remediation

Evidence

```
└─# nmap -p445 10.[redacted] --script smb-protocols
Starting Nmap 7.91 ( https://nmap.org ) at 2021-03-03 20:52 EST
Nmap scan report for [redacted] (10.[redacted])
Host is up (0.018s latency).

PORT    STATE SERVICE
445/tcp open  microsoft-ds

Host script results:
| smb-protocols:
|   dialects:
|     NT LM 0.12 (SMBv1) [dangerous, but default]
```

Figure 20: Unauthenticated Share access

Remediation

Upgrade to SMBv3 and apply latest patching.

Finding IPT-021: IPMI Hash Disclosure (Moderate)

Description:	Demo Corp deployed remote host supporting IPMI v2.0. The (IPMI) protocol is affected by an information disclosure vulnerability due to the support of RMCP+ Authenticated Key-Exchange Protocol (RAKP) authentication. A remote attacker can obtain password hash information for valid user accounts via the HMAC from a RAKP message 2 response from a BMC.
Risk:	Likelihood: High – Basic network scans will identify this vulnerability. Impact: Moderate – If exploited, an attacker can gain access to sensitive management devices. TCMS was unable to crack any hashes during the assessment.
System:	Identified 34 machines, please see the below file for listing. [file removed]
Tools Used:	Metasploit
References:	https://blog.rapid7.com/2013/07/02/a-penetration-testers-guide-to-ipmi/

Evidence

```
msf5 auxiliary(scanner/ipmi/ipmi_dumphashes) > run

[+] 10.        :623 - IPMI - Hash found: ADMIN:f8eebcbd001f0002c59416c40661b548d380d3c792a107
[+] 10.        :623 - IPMI - Hash found: admin:0b864a780120000212083f65bff25cb99c739d4da2112c
[+] 10.        :623 - IPMI - Hash found: root:6234bf90022100020649c4cb1b75238fd071fcf0acb2f36
[+] 10.        :623 - IPMI - Hash found: Administrator:b7c1b69c03220002b4b923efc2c8fbc00adab1
```

Figure 21: IPMI Hash Disclosure

Remediation

There is no patch for this vulnerability; it is an inherent problem with the specification for IPMI v2.0. Suggested mitigations include:

- Disabling IPMI over LAN if it is not needed.
- Using strong passwords to limit the successfulness of off-line dictionary attacks.
- Using Access Control Lists (ACLs) or isolated networks to limit access to your IPMI management interfaces.

Finding IPT-022: Insufficient SNMP Community String Complexity (Moderate)

Description:	Demo Corp deployed SNMP with default "public" community strings. This configuration exposed read-only access to the system's management information base (MIB), including the network configurations.
Risk:	Likelihood: High – Basic network scans will identify this vulnerability. Impact: Moderate – If exploited, an attacker can profile the device and focus attacks.
System:	Identified 45 machines, please see the below file for listing. [file removed]
Tools Used:	Nessus, SNMP-Check, Ettercap
References:	NIST SP800-53 r4 AC-17(2) - Remote Access Protection of Confidentiality/Integrity using Encryption

Evidence



Figure 22: Information disclosure via public SNMP community strings

Figure 23: Non-public SNMP string captured via Ettercap

Remediation

TCM Security recommends Demo Corp consider the following corrective actions:

- Disabled SNMP if not required
- Filter UDP packets going to port UDP – 161
- Evaluate migration to SNMPv3
- Use password complexity guidelines for community strings

Finding IPT-023: Insufficient Data in Transit Encryption - Telnet (Moderate)

Description:	Demo Corp permitted Telnet which does not encrypt data in transit. Telnet uses plain text authentication and passes all data (including passwords) in clear text and can be intercepted by an attacker.
Risk:	Likelihood: Low – An adversary requires a Man-in-the-Middle position between the client and server. Impact: High – If exploited an adversary may intercept administrative credentials that can be used in other attacks.
System:	Identified 53 machines, please see the below file for listing. [file removed]
Tools Used:	Telnet
References:	NIST SP800-53 r4 AC-17(2) - Remote Access |Protection of Confidentiality / Integrity Using Encryption

Evidence



Figure 24: Telnet login prompt

Remediation

Migrate to TLS protected protocols.

Finding IPT-024: Insufficient Terminal Services Configuration (Moderate)

Description:	The remote Terminal Services is not configured to use Network Level Authentication (NLA) only. NLA uses the Credential Security Support Provider (CredSSP) protocol to perform strong server authentication either through TLS/SSL or Kerberos mechanisms, which protect against man-in-the-middle attacks. In addition to improving authentication, NLA also helps protect the remote computer from malicious users and software by completing user authentication before a full RDP connection is established.
Risk:	Likelihood: Low – An attacker can discover these vulnerabilities with basic tools. Impact: High – If exploited, an adversary gains code execution, leading to lateral movement across the network.
System:	Identified 118 machines, please see the below file for listing. [file removed]
Tools Used:	Nessus
References:	https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server- 2008-R2-and-2008/cc732713(v=ws.11)

Remediation

Enable Network Level Authentication (NLA) on the remote RDP server. This is generally done on the 'Remote' tab of the 'System' settings on Windows.

Finding IPT-025: Steps to Domain Admin (Informational)

The steps below describe how the penetration tester obtained domain administrator access. Each step also provides remediation recommendations to help mitigate risk.

Step	Action	Remediation
1	Poisoned LLMNR responses to obtain NetNTLMv2 hash of regular network user	Disable multicast name resolution via GPO.
2	Cracked NTLM hash offline of domain administrator users 'production' and '[name removed]'	Increase password complexity. Utilize multi-factor. Implement a Privileged Account Management solution. Utilize a password filter.
3	Leveraged password of 'production' account to gain access to several machines within the network	Limit local administrator privileges and enforce least privilege.
4	Dumped hashes on accessed machines to find cleartext password of 'Bartender' account via wdigest	Disable WDigest via GPO.
5	Overly-permissive 'Bartender' account permitted access to a large amount of machines within the network	Limit local administrator privileges and enforce least privilege.
6	Dumped hashes on accessed machines to find cleartext password of Domain Administrator account	Disable WDigest via GPO.
7	Utilized discovered credentials to log into the domain controller.	

Remediation

Review action and remediation steps.

Additional Scans and Reports

TCMS provides all clients with all report information gathered during testing. This includes

Nessus files and full vulnerability scans in detailed formats. These reports contain raw vulnerability scans and additional vulnerabilities not exploited by TCM Security.

The reports identify hygiene issues needing attention but are less likely to lead to a breach, i.e. defense-in-depth opportunities. For more information, please see the documents in your shared drive folder labeled “Additional Scans and Reports”.

Last Page