
# 一、主机

## 1、购买云服务器:

配置: ubuntu18.04, 1核 CPU, 2GB。



# 产品规格

区域 华北-北京四

虚拟机规格 通用网络优化型

|sn3.medium.2|1vCPUs|2GB|linux

系统盘 高IO 40 GB

IP类型 全动态BGP

带宽大小 全动态BGP 1 Mbit/s

规格 1vCPUI2GB

云服务器镜像 Ubuntu 18.04 server 64bit(40GB)

云服务名称 Ubuntu0627

用户名 root

VPC vpc-default


子网 subnet-default

安全组 Sys-default

可用区 cn-north-4c



### 2 使用 putty SSH 远程登录:



#### 配置 LNMP(Linux/Nginx/MySQL/PHP)安装包:

```
root@ubuntu0627:~# wget -c http://soft.vpser.net/lnmp/lnmp1.6.tar.gz
--2019-06-28 10:48:12-- http://soft.vpser.net/lnmp/lnmp1.6.tar.gz
Resolving soft.vpser.net (soft.vpser.net)... 112.85.42.41
Connecting to soft.vpser.net (soft.vpser.net)|112.85.42.41|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 160155 (156K) [application/octet-stream]
Saving to: 'lnmp1.6.tar.gz'
lnmp1.6.tar.gz 100%[============] 156.40K 863KB/s in 0.2s
2019-06-28 10:48:13 (863 KB/s) - 'lnmp1.6.tar.gz' saved [160155/160155]
root@ubuntu0627:~# tar -zxf lnmp1.6.tar.gz
```

### 安装:

(后来发现 wordpress 版本问题所以重装了一遍······mysql 版本 5.7.26 和 php7.3.6·······没来得及截图······) 安装成功。

```
Jun 28 11:48:25 ubuntu0627 systemd[1]: Starting LSB: start and stop MySQL...

Jun 28 11:48:25 ubuntu0627 mysql[9123]: Starting MySQL

Jun 28 11:48:27 ubuntu0627 mysql[9123]: .. *

Jun 28 11:48:27 ubuntu0627 systemd[1]: Started LSB: start and stop MySQL.

State Recv-Q Send-Q Local Address:Port Peer Address:Port

LISTEN 0 511 0.0.0.0:80 0.0.0.0:*

LISTEN 0 128 127.0.0.53%lo:53 0.0.0.0:*

LISTEN 0 128 0.0.0.0:22 0.0.0.0:*

LISTEN 0 50 0.0.0.0:3306 0.0.0.0:*

LISTEN 0 128 [::]:22 [::]:*

Install lnmp takes 35 minutes.

Install lnmp V1.6 completed! enjoy it.
```

#### 更改安全组规则,入方向加入80端口:

协议端口 7 ②	类型	源地址 ②	描述	操作
全部	IPv4	Sys-default ②		修改 复制 删除
TCP : 22	IPv4	0.0.0.0/0 ②	Permit default Linux SS	修改 复制 删除
TCP:80	IPv4	0.0.0.0/0 ②		修改 复制 删除
TCP: 3389	IPv4	0.0.0.0/0 ②	Permit default Windows	修改 复制 删除

#### 输入 IP 查看 web 服务是否开启:





LNMP—键安装包是一个用Linux Shell编写的可以为CentOS/RHEL/Fedora/Aliyun/Amazon Linux、Debian/Ubuntu/Raspbian/Deepin/Mint Linux VPS或独立主机安装LNMP(Nginx/My SQL/PHP)、LNMPA(Nginx/MySQL/PHP/Apache)、LAMP(Apache/MySQL/PHP)生产环境的Shell程序。

支持自定义Nginx、PHP编译参数及网站和数据库目录、支持生成Let's Ecrypt免费证书及自备证书、支持HTTP2、TLS 1.3等新特性、LNMP模式支持多PHP版本、支持单独安装Nginx/MySQL/MariaDB/Pureftpd服务器、支持无人值守安装,同时提供一些实用的辅助工具如:虚拟主机管理、FTP用户管理、Nginx/MySQL/MariaDB/PHP/PHPMyAdmin的升级、常用缓存组件Redis/Xcache等的安装、重置MySQL root密码、502自动重启、日志切割、SSH防护DenyHosts/Fail2Ban、备份等许多实用脚本。

查看本地环境:  $\underline{\mathit{IXST}}$  phpinfo phpMyAdmin(为了安全,建议将phpmyadmin目录重命名为不容易猜到的目录!)

更多LNMP一键安装包信息请访问: https://lnmp.org

LNMP一键安装包常见问题: https://lnmp.org/faq.html


(下图是重装后的截图:)


```
php-fpm is runing!
• mysql.service - LSB: start and stop MySQL
     Loaded: loaded (/etc/init.d/mysql; generated)
Active: active (running) since Fri 2019-06-28 13:50:01 CST; 426ms ago Docs: man:systemd-sysv-generator(8)
Tasks: 28 (limit: 2318)
     CGroup: /system.slice/mysql.service

-2873 /bin/sh /usr/local/mysql/bin/mysqld_safe --datadir=/usr/locasql/var --pid-file=/usr/local/mysql/var/ubuntu0627.pid

-3392 /usr/local/mysql/bin/mysqld --basedir=/usr/local/mysql --dat
mysql/var -
ir=/usr/local/mysql/var --plugin-dir=/usr/local/mysql/lib/plugin --user=mysql
log-error=ubuntu0627.err --open-files-limit=65535 --pid-file=/usr/local/mysql/
r/ubuntu0627.pid --socket=/tmp/mysql.sock --port=3306
Jun 28 13:50:00 ubuntu0627 systemd[1]: Starting LSB: start and stop MySQL...
Jun 28 13:50:00 ubuntu0627 mysql[2852]: Starting MySQL
Jun 28 13:50:01 ubuntu0627 mysql[2852]: . *
Jun 28 13:50:01 ubuntu0627 systemd[1]: Started LSB: start and stop MySQL.
State
                Recv-Q
                                  Send-Q
                                                         Local Address:Port Peer Address:Port
LISTEN
                                  511
LISTEN
                                  128
                                   128
                                                                            [::]:22
*:3306
LISTEN
LISTEN
Install lnmp takes 63 minutes.
```

#### 3、登入 winscp:





### 3.1 创建 wordpress 的 mysql 表:

```
root@ubuntu0627:~/lnmp1.6# mysql -u root -p
Enter password:
Welcome to the MySQL monitor.
                                Commands end with ; or \q.
Your MySQL connection id is 2
Server version: 5.7.26-log Source distribution
Copyright (c) 2000, 2019, Oracle and/or its affiliates. All rights reserved.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> create database wordpress;
Query OK, 1 row affected (0.01 sec)
mysql> create user root;
Query OK, 0 rows affected (0.00 sec)
mysql> set password for root=password("root");
Query OK, 0 rows affected, 1 warning (0.01 sec)
mysql> grant all privileges on wordpress.* to root identified by "root";
Query OK, 0 rows affected, 1 warning (0.00 sec)
mysql> flush privileges;
Query OK, 0 rows affected (0.00 sec)
mysql> exit;
```

#### 3.2 上传 wordpress 至服务器:

查看 www 服务根目录:

```
server
        listen 80 default server reuseport;
        #listen [::]:80 default_server ipv6only=on;
        server name ;
         index index.html index.htm index.php;
        root /home/wwwroot/default;
        #error_page
                        404
                               /404.html;
本地修改 wp-config-sample.php, 取消 ftp 验证, 并改名为 wp-config.php:
🥘 wp-config.php - 记事本
文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)
* @link https://codex.wordpress.org/Editing wp-config.php
* @package WordPress
*/
// ** MySQL settings - You can get this info from your web host ** //
/** The name of the database for WordPress */
define( 'DB_NAME', 'wordpress' );
/** MySQL database username */
define( 'DB USER', 'root' );
/** MySQL database password */
define( 'DB_PASSWORD', 'root' );
/** MySQL hostname */
define( 'DB HOST', 'localhost' );
```

define("FS METHOD","direct");

/\*\* The Database Collate type. Don't change this if in doubt. \*/

/\*\* Database Charset to use in creating database tables. \*/

define( 'DB CHARSET', 'utf8' );


define("FS\_CHMOD\_DIR",0777);
define("FS\_CHMOD\_FILE",0777);

define( 'DB COLLATE', " );

将 wordpress5.2.2 上传至/home/wwwroot/default 目录下,删除原目录下的 index.html:

/home/wwwroot/default/					
名字	大小	已改变	权限	拥有者	
<u></u>		2019/6/28 11:48:17	rwxr-xr-x	root	
phpmyadmin		2019/6/28 13:49:59	rwxr-xr-x	www	
wordpress		2019/6/28 14:10:33	rwxr-xr-x	root	
Inmp.gif	6 KB	2019/6/28 13:49:58	rw-rr	www	
ocp.php	20 KB	2019/6/28 13:49:58	rw-rr	www	
p.php	42 KB	2019/6/28 13:49:58	rw-rr	www	
phpinfo.php	1 KB	2019/6/28 13:49:58	rw-rr	www	

3.3 浏览器输入 http://119.3.248.37/wordpress/wp-admin/install.php, 填写基本信息:



### 4、修改权限:


root@ubuntu0627:/home/wwwroot/default/wordpress# chmod -R 777 wp-content root@ubuntu0627:/home/wwwroot/default/wordpress# chmod -R 777 wp-includes

### 二、主题设计


网站地址: http://119.3.248.37/wordpress/

【emmm 不知道接下来该咋写有点懵就把地址直接放上了···辛苦老师了】

1、主题模板: Vantage。



2、Widget 组件:



### 菜单:



Drag each item into the order you prefer. Click the arrow on the right of the item to reveal additional configuration options.



### **Menu Settings**

Auto add pages Automatically add new top-level pages to this menu

Display location Primary Menu

### 3、应用插件:

Plugin	Description
Akismet Anti-Spam Settings   Deactivate	Used by millions, Akismet is quite possibly the best way in the world to <b>protect your blog from spam</b> . It keeps your site protected even while you sleep. To get started, just go to <u>your Akismet Settings page</u> to set up your API key.  Version 4.1.2   By Automattic   View details
Classic Editor Deactivate   Settings	Enables the WordPress classic editor and the old-style Edit Post screen with TinyMCE, Meta Boxes, etc. Supports the older plugins that extend this screen.  Version 1.5   By WordPress Contributors   View details
Easy WP SMTP Settings   Deactivate	Send email via SMTP from your WordPress Blog  Version 1.3.9.1   By wpecommerce, alexanderfoxc   View details   Settings
MetaSlider Deactivate	Easy to use slideshow plugin. Create SEO optimised responsive slideshows with Nivo Slider, Flex Slider, Coin Slider and Responsive Slides.  Version 3.13.1   By Team Updraft   View details   Take a tour   Add-ons   Support   Documentation   ***********************************
Page Builder by SiteOrigin Deactivate   Support Forum   Addons	A drag and drop, responsive page builder that simplifies building your website.  Version 2.10.6   By SiteOrigin   View details
SiteOrigin CSS  Deactivate   CSS Editor   Support	An advanced CSS editor from SiteOrigin.  Version 1.2.4   By SiteOrigin   View details
SiteOrigin Widgets Bundle Deactivate   Manage Widgets   Support	A collection of all widgets, neatly bundled into a single plugin. It's also a framework to code your own widgets on top of.  Version 1.15.7   By SiteOrigin   View details
WeChatPay For WooCommerce Settings   Deactivate	Integrate the Chinese WeChat payment gateway with Woocommerce. WeChat is one of the most widely used payment method in China.  Version 1.0   By Shudong Zhu   View details
☐ WooCommerce Settings   Deactivate	An eCommerce toolkit that helps you sell anything. Beautifully.  Version 3.6.4   By Automattic   View details   Docs   API docs   Premium support
WooCommerce Admin Deactivate	A new JavaScript-driven interface for managing your store. The plugin includes new and improved reports, and a dashboard to monitor all the important key metrics of your site.
☐ WooCommerce PayPal Checkout Gat Settings   Docs   Deactivate	A payment gateway for PayPal Checkout (https://www.paypal.com/us/webapps/mpp/paypal-checkout).  Version 1.6.15   By WooCommerce   View details
WooCommerce Services Deactivate	Hosted services for WooCommerce: automated tax calculation, shipping label printing, and smoother payment setup.  Version 1.21.0   By Automattic   View details
Xunhu Alipay Payment For WooCome Settings   Deactivate	文付宝个人扫码支付、支付宝H5支付 Version 1.0.7   By 重庆迅虎网络有限公司   View details

# 4、界面


# 4.1 登录界面:

# 洋酒洋酒你值得拥有

Call me! Maybe?

*	本头头在此	酒品分类	商铺【点我点我】	劳资的账户	购物车	结账	٥
劳资的							时间轴 Select Month ~
:	Dashboard Orders Downloads Addresses Account details Logout	From yo	ot (not root? Log out)  ur account dashboard you caldresses, and edit your passe			oping and	最新评论 root on 马克斯威酒庄2017绮服湖莫斯卡多甜 日葡萄酒750ml
							免责声明
上面那段	英文我无能为力。			注册/登录			+u+/-
但是在你 人账户信	的账户界面,你可以浏览 息。	历史订单,运费与	政货地址,编辑你的个	点我跳转也可以			友情平台

# 4.2 搜索:



### 4.3 首页:



使用幻灯片插件。





使用 Page Builder 插件。



厂家直售 正品防伪



酒类020第一家【吹水】



拆封无条件退货【咋样不 错吧】



专业配送安全送达【大型立Flag现场】



400万用户的认可



7\*12h贴心服务【24臣妾 做不到】



底部是脚注与相关链接。

### 4.4 商品界面:

Home / 洋酒 / 芝华士12年威士忌700ml









# 芝华士12年威士忌700ml

\$269.00 \$259.00

促销:满免满39.00免运费

库存: 有货

服务:由 掐酒自营 从北京发货,并提供售后服务

532 in stock

1 Add to cart



Category: <u>洋酒</u> Tags: <u>海外</u>, <u>烈酒</u>

# Description

■ 商品名称: 马克斯威酒庄2017绮丽湖莫斯卡多甜白葡萄酒750ml

• 条形码: 853624006367

品牌: 马克斯威产地: 美国种类: 甜白

### Related products



马克斯威酒庄2016绮丽 湖混酿干红葡萄酒 750ml

芝华士12年威士忌 700ml

4.5 购物车:支持 paypal,微信与支付宝。

### 购物车

	Product	Price	Quantity	Total
× 🛔	45°五粮液 浓香型白酒 500ml	\$109.00	1	\$109.00
Coupon cc App	ly coupon			Update cart

#### Cart totals

Subtotal	\$109.00
Shipping	Flat rate: <b>\$10.00</b>

# Cart totals

Subtotal	\$109.00
Shipping	Flat rate: <b>\$10.00</b>
	Shipping to <b>China</b> .  Change address
Total	\$119.00

# **Proceed to checkout**


— or —





### Your order

Product	Total
45°五粮液 浓香型白酒 500ml × 1	\$109.00
Subtotal	\$109.00
Shipping	Flat rate: \$10.00
Total	\$119.00



# #238|45°五粮液 浓香型白酒 500ml

# ¥119

# 支付完成后请稍作等待,不要重复支付



订单:#1552592

0时

04分

52秒



打开支付宝 [扫一扫]