LEMKEN THE AGROVISION COMPANY



YOUR PARTNER FOR NEXT LEVEL FARMING

www.lemken.in

Follow us at

Our philosophy

Only with **future-oriented thinking** and **acting** are we able to meet the great challenges of agriculture. In order to achieve the best results today and tomorrow, we think and act with **foresight**. We develop future-proof agricultural implements and services that enable every customer to **successfully** cope with the current challenges.

With our promise **"Our driving force: Your success!"** we have made it our mission to not only be bold and open to new things in everything we do, but above all to remain **authentic** and **honest**.

The origin of everything.....

is in the simple blacksmith's shop founded 244 years ago by Wilhelminus Lemken in Birten near Xanten. There he built horse plough for the neighboring farms. One of his descendants developed the reversible plough with a fixed front cart so cleverly that he received a patent for his invention. In 1936 LEMKEN relocated to the Alps, where there was more space for further growth. The former blacksmith's shop can be found where a stop with the title "LEMKEN plough factory still indicates the origin.

Next Level Farming

With **Next Level Farming**, we strive for long-term successful solutions for you - **ecologically** and **economically**.

244 LEMKEN

MOVING 244+ YEARS LEMKEN

As **"YOUR PARTNER FOR NEXT LEVEL FARMING"**, LEMKEN wants to contribute to the development towards sustainable agriculture with its proven innovative ideas as an agrovision company.

To realise the vision, we have to live the journey. This means leaving our comfort zone - agricultural technology - to focus on additional areas. We do this with our farmers and for our farmers. This is the only way to ensure that we can continue to supply the population in the future while maximising the **protection** of **resources**.



1780
The year it all began. Wilhelmus Lemken established a foundry, from which LEMKEN has grown to an international manufacturer of agricultural machinery.

WE ARE CONSTANTLY EVOLVING FOR YOU ...

2023 SOIL-FRIENDLY AND **DIGITAL** 2024

Expanding product portfolio in seeding technology with the company “Equalizer“

Hoeing and camera technology is produced in Dinteloord (NL), which joined the company with “Steketee” in 2018

2019

Fertilizer spreaders added to the product portfolio

2022

“Combined Powers" concept study of a process engineering unit in cooperation with KRONE company

BIGGER AND **SMARTER**

2009

Reversible plough “Juwel i“ with Turn Control Pro

2013

Precision seed drill “Azurit”

2001

Compact disc harrow “Rubin“

2007

Intensive cultivator “Karat“

SETTING **BENCHMARKS**

1986

Disc cultivator “Smaragd”

1997

Pneumatic seed drill “Solitair“

1972

Introduction of the "Koralle" seedbed combination and the "Achat" cultivator

1980

Presentation of the "Optiquick" setting centre and market launch of the new "Opal" generation of ploughs

1780

The year it all began.
Wilhelmus Lemken started as a blacksmith, from which LEMKEN has grown to an international manufacturer of agricultural machinery.

1925

First plough patent



MORE THAN 244 MOVING YEARS

STRONG LOCATIONS **WORLDWIDE**

LEMKEN, REGINA & SAINT HYACINTHE, CANADA
Assembly & Spare Parts Warehouse

LEMKEN, DETSCHINO RUSSIA
Assembly

LEMKEN, ALPEN, GERMANY
Production & Assembly
Soil Cultivation, Headquarter, R&D

LEMKEN AGROFARM, ALPEN, GERMANY
Training Center

LEMKEN, HAREN GERMANY
Assembly - Seeding Equipment

LEMKEN, DES MOINES (IOWA), USA
Spare Parts Warehouse

LEMKEN, BOIGNY-SUR-BIONNE, FRANCE
Distribution, Spare Parts Warehouse & Training Center

LEMKEN, DES MOINES (IOWA), USA
Spare Parts Warehouse

LEMKEN, DINTELOORD B V NETHERLANDS
Competence Center Crop Care



LEMKEN, QINGDAO CHINA
Assembly & Spare Parts Warehouse

LEMKEN, NAGPUR INDIA
Production & Assembly
Soil Cultivation

LEMKEN, STADAAN'T HARINGVLIET NETHERLANDS
Production - Mechanical Weeding

LEMKEN, CAPE TOWN (SOUTH AFRICA)
Equalizer

LEMKEN, PRETORIA, SOUTH AFRICA
Spare Parts Warehouse

GLOBAL LEADERSHIP

One big family

It is not only the management and the shareholders who think with us, everyone thinks with us.

We think and act together in the execution of our tasks.

We deal with each other in a trusting and fair manner.

-Viktor Lemken

7th Generation

LEMKEN is a tradition-conscious and at the same time innovative company with a lot of heart. With the many highly committed employees and loyal LEMKEN fans, it has been a great pleasure from the very beginning to grow into responsibility.

-Nicola Lemken

Our Driving Force: Your Success

Global thinking and acting, corporate communication language, respect for foreign cultures, 24/7 mentality. Helping to meet the enormous demand for food.. LEMKEN specialises in production for an international clientele with special requirements.

-Anthony van der Ley

It's all about your success!

For over 244 years, we have been developing and manufacturing agricultural technology for farmers all over the world. What drives us in the process? Your success. For profitable agriculture, important prerequisites must be fulfilled in various areas. We are at your side and supply you not only with what you need for your farm, but also with much more.

Quality
Selected materials and the latest production methods

Customer focus
Close cooperation in the production of agricultural machinery for the best customer benefit

Innovation
For comfortable, efficient and sustainable business

Consulting & service
Sales & Service staff in 33 countries and 11 factory locations

Product diversity
Machines in various sizes and with numerous details for individual requirements

Employees
Farmers, retailers and service partners secure
the future of global agriculture



We support farmers as a partner for Next Level Farming to position their farms well for the future.

OUR VISION

To be India's most respected premier Agriculture Implement Manufacturer Company, leading mechanization momentum, by offering quality implements to the customers resulting into enhanced agriculture income of the customer. Being premier does not mean the biggest but it does mean the best in terms of customer value, customer service and employee's talent, and through our dedicated distribution and vendor partners.

OUR MISSION

To contribute towards the harvest success and the improvement of our customer's income with our quality and time tested mechanized agriculture solutions. Better work results, long service free life and user friendly operability are the decisive criteria for research and development of our implements.

LEMKEN INDIA NAGPUR PLANT

LEMKEN India at a glance

- LEMKEN India Agro Equipment Pvt. Ltd a 100 % owned subsidiary of the LEMKEN Group.
- 1st Production facility outside of Germany, LEMKEN in India.
- Success of Pillars - Quality and Innovation.
- International Standard Production floor.
- Numerous State and National Awards winner.
- Comprehensive high profile Business associates network.
- Perfect Service - Our extensive service structure guarantees that you can always work reliably.

Network in India



Production Floor - Nagpur, India Plant

LEMKEN INDIA ECO FRIENDLY PLANT AND COMMITTED TEAM

LEMKEN MANUFACTURING EXCELLENCE

ISO 9001:2015 MANUFACTURING OF AGRICULTURAL IMPLEMENTS, SPARES AND ACCESSORIES.

Hydraulic Reversible MB Plough JUWEL 6 M

- Up to 33% Faster
- Low Maintenance
- Ploughing at Uniform Depth
- Less Tyre Slippage
- Upto 20% Fuel Saving

Technical data Juwel 6 M				
Number of furrows	2	2+1	3	3+1
Working width (cm)	60-90	90-135	90-135	120-180
Tractor output (HP)	55-75	65-95	65-95	75-115
Weight (kg)	640	815	820	1050
Working Depth (cm)	15-45	15-45	15-45	15-45
Underframe Clearance (cm)	80	80	80	80
Interbody Clearance (cm)	90	90	90	90

Hydraulic Reversible MB Plough Opal 090 E

Upto 33% Faster

Less Tyre Slippage

Low Maintenance

Ploughing at Uniform Depth

Upto 20% Fuel Saving

Technical Data - Opal 090 E

Box Section Frame 90 x 90 x 7.1

Number of Furrows	Working Width		HP Required		Working Depth (Inch)		Weight (Kg)	Underframe Clearance (mm)
	Inches	Milli Meters	Light & Medium Soil	Hard Soil	Light & Medium Soil	Hard Soil		
2 MB	21	530	50	55	10-14	10-12	410	700
	25	635	55	60				
	29	735	60	65				
3 MB (2+1)	31.5	800	65	70	10-14	10-12	500	700
	37.5	950	70	75				
	43.5	1100	75	80				

Hydraulic Reversible MB Plough Opal 090 E (Slatted Body)

Upto 33% Faster

Less Tyre Slippage

Low Maintenance

Ploughing at Uniform Depth

Upto 20% Fuel Saving

Technical Data - Opal 090 E (Slatted Body)

Box Section Frame 90 x 90 x 7.1

Number of Furrows	Working Width		HP Required		Working Depth (Inch)		Weight (Kg)	Underframe Clearance (mm)
	Inches	Milli Meters	Light & Medium Soil	Hard Soil	Light & Medium Soil	Hard Soil		
2 MB	21	530	50	55	10-14	10-12	530	700
	25	635	55	60				
	29	735	60	65				
3 MB (2+1)	31.5	800	65	70	10-14	10-12	560	700
	37.5	950	70	75				
	43.5	1100	75	80				

Hydraulic Reversible MB Plough Opal 080 E

Upto 33% Faster

Less Tyre Slippage

Low Maintenance

Ploughing at Uniform Depth

Upto 20% Fuel Saving

Technical Data - Opal 080 E

Seamless Box Section Frame 80x80x7.1

Number of Furrows	Working Width		HP Required		Working Depth (Inch)		Weight (Kg)
	Inches	Milli Meters	Light & Medium Soil	Hard Soil	Light & Medium Soil	Hard Soil	
2 MB	21	530	40	42	10-12	8-10	350
	25	635	42	45			
	29	735	45	47			

Rotary Tiller Kyanite 7

Up to 20% Faster Operation

Low Maintenance

More Durable Structure

More Area Coverage

Save Fuel

Specification: - Kyanite 7 (Rotary Tiller)

Model Name	Working width (cm)	No. Of Blades	Type of Blade	Weight (kg)	Tractor HP Required	Gear Box	P.T.O Speed (rpm)
SUPER SERIES							
KYANITE 7 SX 155	155	36	L/C	435	35-45	Multi Speed	540/1000
KYANITE 7 SX 165	165	36	L/C	450	40-55	Multi Speed	540/1000
KYANITE 7 SX 165	165	39	L/C	450	40-55	Multi Speed	540/1000
KYANITE 7 SX 185	185	42	L/C	475	50-65	Multi Speed	540/1000
KYANITE 7 SX 215	215	48	L/C	510	60-75	Multi Speed	540/1000
KYANITE 7 SX 245	245	54	L/C	570	70-85	Multi Speed	540/1000
DELUXE SERIES							
KYANITE 7 DX 155	155	36	L/C	410	35-45	Multi Speed	540/1000
KYANITE 7 DX 165	165	36	L/C	425	40-55	Multi Speed	540/1000
KYANITE 7 DX 185	185	42	L/C	450	50-65	Multi Speed	540/1000
KYANITE 7 DX 215	215	48	L/C	485	60-75	Multi Speed	540/1000
KYANITE 7 DX 245	245	54	L/C	545	70-85	Multi Speed	540/1000
KYANITE 7 DX 245	245	60	L/C	550	70-85	Multi Speed	540/1000
KYANITE 7 DX 275	275	66	L/C	590	80-95	Multi Speed	540/1000
KYANITE 7 DX 305	305	72	L/C	640	90-105	Multi Speed	540/1000
ECONOMY SERIES							
KYANITE 7 EX 165 (SS)	165	36	C/L	360	35-45	Single Speed	540/1000
KYANITE 7 EX 165 (MS)	165	36	C/L	365	35-45	Multi Speed	540/1000
KYANITE 7 EX 185 (SS)	185	42	C/L	395	45-55	Single Speed	540/1000
KYANITE 7 EX 185 (MS)	185	42	C/L	400	45-55	Multi Speed	540/1000
LIGHT SERIES							
KYANITE 7 LX 165 (SS)	165	48	CG	325	35-45	Single Speed	540/1000
KYANITE 7 LX 185 (SS)	185	54	CG	355	40-50	Single Speed	540/1000
KYANITE 7 LX 185 (MS)	185	54	CG	365	40-50	Multi Speed	540/1000
KYANITE 7 LX 215 (SS)	215	60	CGS	370	45-55	Single Speed	540/1000
KYANITE 7 LX 215 (MS)	215	60	CG	390	45-55	Multi Speed	540/1000
KYANITE 7 LX 245 (SS)	245	66	CGS	430	50-65	Single Speed	540/1000
KYANITE 7 LX 245 (MS)	245	66	CG	450	50-65	Multi Speed	540/1000

Mulcher / Shredder Spinel

Precise cut of Crop Residue

Noise Reduction Technology

More Area Coverage

Vibration Free

Save Fuel

Technical Data - Spinel Mulcher /Shredder

Model	Working Width	Types of Blade: Y- Blade	Straight Blade	Hammer Blade	Weight	Tractor HP Required	Suitable Crop
Spinel 160	1.6 M	36	18	18	500 Kg	45 & above	All crops including Cotton, Sugarcane & Banana
Spinel 200	2.0 M	44	22	22	540 Kg	50 & above	Paddy, Wheat, Maize, Bajra, Vegetables, Cotton, Sugarcane
Spinel 250	2.5 M	60	30	30	735 Kg	55 & above	All crops including Cotton, Sugarcane & Banana

Subsoiler Melior

- **Deep loosening of Soil**
- **Helps root development**
- **Improves air & water movement in soil**
- **More Depth More Yield**
- **Low Fuel Consumption**
- **Efficient Area Coverage**

Technical Data- Melior (Subsoiler)

Model	Working Width (cm)	No of tynes	Underframe Clearance (cm)	Weight (Kg)	Tractor HP Required
Melior 1/85 E	8	1	85	170 Kg	55 & above
Melior 2/65 E	Min –130 Max –190	2	65	355 Kg	65 & above

Tyne / Roto Cultivator
Achat 70

Upto 40% Faster Operation

50% More Tyre Life

Low Maintenance

Loosening, Crumbling, Leveling

Upto 40% Fuel Saving

Technical Data - Achat 70

Model	Working Width (cm)	No of tynes	No of rows	Possible Working Depth (cms)*	Recommended Operational Speed (kmph)*	Appx. Weight without roller (kg)	Appx. Weight roller (kg)	Tractor Output	
								HP	KW
Achat 70-3/6	150	6	3	8-24	8-12	180	300	40-45	30-41
Achat 70-3/7	180	7	3	8-24	8-12	215	360	50-65	37-48
Achat 70-3/9	220	9	3	8-24	8-12	360	440	60-75	45-56

Power Harrow Perlite 5

Vertical Blade - No Soil Compaction

Maintain Soil Structure

15% + Higher Yield

Uniform Depth

Porous Seedbed

Technical Data - Perlite 5

Model	Working Width (cm)	No of Rotors	Appx. Weight kg (With rollers)	PTO RPM	Rotor Speed @540	Tractor Output	
						HP	KW
Perlite 5 -175	175	7	570	540	270	50-65	42-49
Perlite5 - 200	200	8	620	540	270	65-75	50-56

NOTES

LEMKEN World Class Technology
can change **AGRICULTURE FUTURE**

LEMKEN India Agro Equipment Pvt. Ltd.
Plot No. D-59, MIDC, Butibori, Nagpur, Maharashtra, India-441108
Landline-0710 4285400, Mobile- +91 95455 01199 | Website- www.lemken.in
Email- lemkenindia@lemken.com | Email- Customercare.India@lemken.com