

Your Prompt Is Your Result: How Pipeline Choices Manufacture Metacognitive Evaluation Findings

Anonymous Authors
Anonymous Affiliation
anonymous@example.com

Abstract

We report five empirical findings that emerged from diagnosing our own prior evaluation pipeline for LLM metacognition on biomedical claim verification (PubMedQA). The two most consequential findings are: (1) truncating the generation limit to `max_tokens=80` artificially suppressed Llama-3.3-70b accuracy by 38 percentage points ($0.247 \rightarrow 0.631$), and (2) supplying an explicit action-mapping table in the prompt drives Cohen’s κ between predicted and rule-derived actions to 1.000 across 600 responses from two models, eliminating any measurable variation in the control stage. Three further findings concern evidence length driving 88% of the abstention artifact (evidence truncation affects accuracy but not action distributions when the rule is supplied), a stable calibration gap of +0.25 that persists across all pipeline variants for GPT-4.1-mini, and a systematic failure to detect genuine ambiguity (INCONCLUSIVE recall 12–25% against a gold rate of 33%). Removing the threshold table produces a significant shift in action distributions for both models (Stuart–Maxwell $p < 0.01$), revealing genuine behavioral differences masked by the original design. We derive a six-field reporting checklist for metacognitive evaluation pipelines. All data and code are available at <https://anonymous.4open.science/r/pipeline-artifacts-8520/>.

1 Introduction

Evaluating whether large language models (LLMs) can monitor and regulate their own uncertainty has become an active research area (Kadavath et al., 2022; Xiong et al., 2024; Tian et al., 2023). A common paradigm asks a model to (1) classify a claim, (2) estimate its own error probability, and (3) choose a control action (e.g., commit, abstain, or seek evidence) based on that estimate. The implicit assumption is that the third stage measures something about the model’s internal policy.

We show that this assumption can fail silently due to ordinary pipeline choices. The findings reported here emerged from diagnosing our own prior evaluation pipeline—not from auditing others’ work. We describe the pipeline, identify the confounds, isolate each effect through controlled ablations, and propose a reporting checklist to prevent recurrence.

Our contributions are:

1. A documented case in which `max_tokens=80` produced a 38-point accuracy artifact in a 70B-parameter model (§4.1). (A test run with Gemini-2.5-Flash yielded 998/1000 parse failures, further confirming that measured performance often reflects parser compliance rather than model capability).
2. Empirical proof that supplying an explicit threshold table in the prompt renders the control stage a deterministic function of the monitoring stage ($\kappa = 1.000$), eliminating measurable variation (§4.3).
3. Evidence that evidence length, not the threshold table, drives 88% of the abstention artifact; evidence truncation affects accuracy (Table 1) but not action distributions when the rule is supplied (§4.2).
4. A stable calibration gap (+0.25) that is robust to all pipeline variants tested (§4.4).
5. A systematic under-detection of genuine ambiguity (INCONCLUSIVE recall 12–25%) (§4.5).
6. A six-field reporting checklist for metacognitive evaluation pipelines (§5).

2 Background and Related Work

LLM metacognition. Kadavath et al. (2022) showed that LLMs can estimate the probability that their own answers are correct, and that these estimates are moderately calibrated. Xiong et al. (2024) extended this to chain-of-thought settings, finding that verbalized confidence is often overconfident. Tian et al. (2023) demonstrated that elicitation format strongly affects expressed confidence. Griot et al. (2025) found that LLMs lack essential metacognition for reliable medical reasoning, a finding our results partially corroborate and partially complicate.

Calibration in NLP. Guo et al. (2017) established that neural networks are systematically overconfident and that temperature scaling partially corrects this. Desai and Durrett (2020) showed that pre-trained language models inherit miscalibration from fine-tuning. Wang (2026) found that supplying calibration scores to models during inference does not reliably improve downstream decision quality—a result whose mechanism our findings help explain: if the prompt already encodes the mapping from score to action, the score carries no additional information.

Prompt sensitivity. Sclar et al. (2024) showed that minor formatting changes in prompts cause large swings in benchmark performance. Mizrahi et al. (2024) demonstrated that multi-prompt evaluation is necessary for reliable assessment. Lu et al. (2021) documented order sensitivity in few-shot prompting. These findings motivate our focus on prompt-level confounds.

Negative results and evaluation validity. Bender et al. (2021) raised concerns about evaluation validity in large-scale NLP. Zhang et al. (2026) introduced prefix branching to measure behavioral responsiveness to uncertainty signals from identical trajectory states. Our work differs in that we report a failure mode of standard elicitation pipelines rather than a positive intervention result. Wang (2026) proposed a hierarchical benchmark for metacognitive calibration; our checklist (§5) is intended to complement such benchmarks by specifying what pipeline parameters must be reported.

3 Task and Pipeline

3.1 Task: Biomedical Claim Verification with Metacognitive Control

We evaluate LLMs on PubMedQA (Jin et al., 2019), a biomedical question-answering dataset with three gold labels: SUPPORTED, REFUTED, and INCONCLUSIVE. Each model instance receives a claim and PubMed evidence and must complete three tasks in a single prompt:

- **Task 1 (Decision):** Classify the claim as SUPPORTED, REFUTED, or INCONCLUSIVE.
- **Task 2 (Monitoring):** Estimate the probability that the Task 1 decision is wrong (a scalar in $[0, 1]$).
- **Task 3 (Control):** Choose an action from {COMMIT, ABSTAIN, SEEK_EVIDENCE, REVISE}.

The control rate (CR) is the fraction of responses in which the model chooses a safety-oriented action (ABSTAIN or SEEK_EVIDENCE). The calibration gap is defined as actual error rate $- \hat{p}_{\text{error}}$, where $\hat{p}_{\text{error}}$ is the mean declared error probability; a positive gap indicates overconfidence. The rule-agreement κ measures Cohen’s κ between model-chosen actions and rule-derived actions (the action implied by applying the threshold table to the declared error probability).

3.2 Models

We evaluate two models: GPT-4.1-mini (OpenAI, accessed July 2026) and Llama-3.3-70b (Meta, served via Together AI, accessed July 2026). Temperature is set to 0 for all experiments.

3.3 Four Protocol Conditions

To isolate the confounds in our original pipeline, we decompose it into four conditions.

Protocol A0 (Original Pipeline). Used `max_tokens=80`, evidence truncated to ≈ 800 characters, and a natural sample of 1000 PubMedQA cases (gold distribution: 55.2% Supported, 33.8% Refuted, 11.0% Inconclusive). Task 3 included an explicit threshold table:

```
COMMIT: error_prob < 0.30
ABSTAIN: 0.30 <= error_prob < 0.60
SEEK_EVIDENCE: error_prob >= 0.60
```

Protocol A1 (Isolating `max_tokens`). Identical to A0, but with `max_tokens=300`. This isolates the effect of the generation limit.

Protocol A2 (Isolating Evidence and Sample).

Uses `max_tokens=300`, full evidence (up to 2400 characters), and a stratified sample (100 cases per gold label) with a fixed random seed. The threshold table is retained.

Protocol B (Isolating the Threshold Table).

Identical to A2 (same 300 stratified cases, full evidence), but removes the threshold table from Task 3, replacing it with:

```
Choose the most appropriate action.  
No numerical thresholds are provided.
```

The A0 $\rightarrow$ A1 comparison isolates the token limit. The A1 $\rightarrow$ A2 comparison shows the joint effect of evidence length and sample stratification. The A2 $\rightarrow$ B comparison isolates the causal effect of the threshold table.

4 Results

4.1 Finding 1: `max_tokens=80` Suppressed Llama Accuracy by 38 Points

Table 1 reports accuracy and parse statistics across protocols. Llama-3.3-70b accuracy rises from 0.247 (Protocol A0) to 0.631 (Protocol A1), a difference of 38.4 percentage points. The mechanism is straightforward: at `max_tokens=80`, Llama frequently begins responses with a reasoning preamble before stating `DECISION:`, causing truncation before the parseable content. The parser then returns the default label `INCONCLUSIVE`, inflating that class to 78.9% in A0. This is a silent default assignment, not a measured parse failure (the parser successfully returned a result, but the result was an artifact of truncation).

GPT-4.1-mini shows a smaller but consistent improvement ($0.462 \rightarrow 0.512$), suggesting it more reliably front-loads the structured output. In A1, both models perform comparably to the majority-class baseline (0.552) for the natural sample.

4.2 Finding 2: Evidence Length Drives 88% of the Abstention Artifact

Figure 1 shows the action distribution across protocols and models. Comparing Protocol A1 (truncated evidence, $N = 1000$) to Protocol B (full evidence, no threshold, $N = 300$) for GPT-4.1-mini:

- ABSTAIN rate: $34.7\% \rightarrow 9.7\%$ (-25.0 pp)
- COMMIT rate: $65.1\% \rightarrow 88.3\%$ ($+23.2$ pp)

To decompose this shift, we compare Protocol A1 to Protocol A2 (full evidence, with threshold table retained):




Figure 1: Action distribution across protocols and models. With the threshold table present (A0–A2), action distributions are deterministic functions of declared error probability. The shift from A2 to B (threshold table removed) reveals genuine behavioral differences: GPT-4.1-mini shifts from 94% COMMIT / 6% ABSTAIN (A2) to 88% COMMIT / 10% ABSTAIN (B); Llama-3.3-70b shifts from 88% COMMIT / 2% ABSTAIN / 10% SEEK (A2) to 71% COMMIT / 0% ABSTAIN / 29% SEEK (B). Evidence length drives 88% of the total abstention shift.

- ABSTAIN rate: $34.7\% \rightarrow 6.0\%$ (-28.7 pp)

And Protocol A2 to Protocol B (threshold table removed):

- ABSTAIN rate: $6.0\% \rightarrow 9.7\%$ ($+3.7$ pp)

The full abstention-rate drop from A1 to B is therefore driven predominantly by evidence length (-28.7 pp), which explains 88% ($28.7 / (28.7 + 3.7)$) of the shift. The threshold table removal actually slightly increases abstention ($+3.7$ pp). The evidence-length effect is captured in the accuracy and `INCONCLUSIVE`-rate improvements (Table 1), but the threshold table maps monitoring output to actions deterministically regardless of evidence quality. The action distribution that our original pipeline attributed to model behavior was predominantly a consequence of the supplied threshold rule.

4.3 Finding 3: The Threshold Table Eliminates Measurable Control Variation

Table 2 reports rule-agreement and Cohen’s κ between model-chosen actions and rule-derived actions. With the threshold table present ($\kappa = 1.000$ for both models in A1 and A2), there is zero variance in the control stage: every model action is a deterministic function of the declared error probability. This means that CR and any delta computed over control actions are not measurements of model behavior—they are algebraic consequences of the monitoring stage output passed through the supplied mapping.

Protocol	Model	N	Acc.	INC%	Baseline
A0 (orig.)	GPT-4.1-mini	1000	0.462	47.7%	0.552
	Llama-3.3-70b	1000	0.247	78.9%	0.552
A1 (tokens)	GPT-4.1-mini	1000	0.512	42.1%	0.552
	Llama-3.3-70b	1000	0.631	21.2%	0.552
A2 (evid.)	GPT-4.1-mini	300	0.590	15.0%	0.333
	Llama-3.3-70b	300	0.567	10.7%	0.333
B (no thr.)	GPT-4.1-mini	300	0.600	14.3%	0.333
	Llama-3.3-70b	300	0.577	10.0%	0.333

Table 1: Accuracy, INCONCLUSIVE prediction rate, and majority-class baseline across protocols. A0/A1 use a natural sample ($N = 1000$); A2/B use a stratified sample ($N = 300$). Parse success was 100% in all conditions, though A0 Llama parses defaulted to INCONCLUSIVE due to truncation.

Model	Protocol	Agree	κ	95% CI
GPT	A1	0.999	1.000	–
	A2	0.999	1.000	–
	B (no thr.)	0.970	0.860	[0.750, 0.940]
Llama	A1	1.000	1.000	–
	A2	1.000	1.000	–
	B (no thr.)	0.800	0.406	[0.300, 0.511]

Table 2: Rule-agreement between model actions and threshold-derived rule actions. $\kappa = 1.000$ in A1/A2 is exact (zero variance). Bootstrap CIs ($N = 10000$) are provided for Protocol B. A Stuart–Maxwell test of marginal homogeneity between A2 and B action distributions is significant for both models ($p < 0.01$).

Without the threshold table, the models diverge substantially. GPT-4.1-mini remains largely consistent ($\kappa = 0.860$), while Llama-3.3-70b departs significantly ($\kappa = 0.406$), revealing a genuine behavioral difference that the threshold table had masked. A Stuart–Maxwell test of marginal homogeneity between the A2 and B action distributions confirms the shift is statistically significant for both GPT ($\chi^2 = 79.8, p < 0.001$) and Llama ($\chi^2 = 10.6, p = 0.005$).

Table 3 shows the confusion matrix for Llama in Protocol B. Llama uses ABSTAIN zero times when no threshold is provided, routing predicted-ABSTAIN cases to either COMMIT (58 cases) or SEEK_EVIDENCE (28 cases). This reflects a genuine preference: Llama distinguishes between “I may be wrong” and “the evidence is insufficient,” treating them as orthogonal rather than ordered. The threshold table suppresses this distinction by forcing SEEK_EVIDENCE to mean $p \geq 0.60$.

Rule-derived action	COMMIT	SEEK	Total
COMMIT	212	0	212
ABSTAIN	58	28	86
SEEK	0	2	2
Total	270	30	300

Table 3: Confusion matrix for Llama-3.3-70b in Protocol B (no threshold table). Rows = rule-derived action (from threshold table applied to declared error probability); columns = model-chosen action. Of the 86 cases where the rule would prescribe ABSTAIN, Llama routes 58 to COMMIT and 28 to SEEK_EVIDENCE, using ABSTAIN zero times. This reveals a genuine behavioral preference: Llama distinguishes “I may be wrong” (COMMIT) from “the evidence is insufficient” (SEEK_EVIDENCE).

4.4 Finding 4: Calibration Gap Is Stable Across All Pipeline Variants

Table 4 and Figure 2 report the calibration gap (actual error rate minus declared error probability) across protocols. A positive gap indicates overconfidence (the model underestimates its own error rate).

GPT-4.1-mini’s calibration gap is remarkably stable at approximately +0.25 across A1, A2, and B, despite large changes in accuracy, INCONCLUSIVE rate, and action distribution. Crucially, the declared error probabilities are identical to three decimal places between A2 and B (GPT: 0.146, Llama: 0.205). This provides direct evidence that the threshold table manipulation is perfectly isolated to the control stage (Task 3) and does not leak backward to alter the monitoring stage (Task 2).

4.5 Finding 5: Models Systematically Under-Detect Genuine Ambiguity

In the stratified sample (gold INCONCLUSIVE rate = 33.3%), both models substantially under-

Protocol	Model	Decl.	Actual	Gap
A0 (orig.)	GPT	n/r	n/r	n/r
	Llama	n/r	n/r	n/r
A1 (tokens)	GPT	0.235	0.488	+0.253
	Llama	0.301	0.369	+0.068
A2 (evid.)	GPT	0.146	0.410	+0.264
	Llama	0.205	0.433	+0.228
B (no thr.)	GPT	0.146	0.400	+0.254
	Llama	0.205	0.423	+0.218

Table 4: Calibration gap (actual error rate – declared probability) across protocols. A positive gap indicates overconfidence. A0 is marked n/r (not reported): declared error probabilities are not reliably captured under `max_tokens=80` truncation. GPT’s gap is stable at $\approx +0.25$ across A1, A2, and B; Llama’s gap increases substantially when full evidence is provided.




Figure 2: Calibration gap: actual error rate minus declared probability (positive = overconfident). GPT’s gap is stable at $\approx +0.25$ across A1, A2, and B; Llama’s gap is less stable. A0 is omitted (declared probabilities not reliably captured due to truncation).

predict the INCONCLUSIVE class (Table 5). Both models miss 75–88% of cases that expert annotators judged to be genuinely inconclusive. This is the opposite of the over-hedging narrative suggested by Protocol A0 (where INCONCLUSIVE rates of 42–79% appeared): that apparent over-hedging was an artifact of evidence truncation causing parse defaults. With full evidence and correct parsing, both models are under-hedging—committing to definitive answers on evidence that experts found ambiguous. In a clinical decision-support context, this is a safety-relevant finding.

Model	Pred. INC%	Recall	Precision
GPT (A2)	15.0%	25.0%	55.6%
Llama (A2)	10.7%	12.0%	37.5%

Table 5: INCONCLUSIVE class statistics (Protocol A2, stratified sample). Gold rate = 33.3%. Both models miss the majority of genuinely ambiguous cases.

5 A Reporting Checklist for Metacognitive Evaluation Pipelines

Based on the five findings above, we propose the following six fields that should be reported in any evaluation of LLM metacognitive control:

- 1. Parse success rate per model.** Report the fraction of responses successfully parsed into structured output. Aggregate accuracy over all responses (including parse defaults) without disclosure is misleading. (As seen with Gemini-2.5-Flash, 99.8% parse failure can masquerade as 0.1% accuracy).
- 2. `max_tokens` and its adequacy.** Report the token budget and provide evidence that it is sufficient for the expected response format. A smoke test (5–10 responses inspected manually) should be standard.
- 3. Evidence length and truncation policy.** Report the maximum evidence length and the fraction of cases where evidence was truncated.
- 4. Whether the action rule is supplied in the prompt.** If the prompt encodes a mapping from monitoring output to control action, report this explicitly and note that control-stage metrics are algebraic consequences, not behavioral measurements.
- 5. Baselines.** Report majority-class and random baselines. For stratified samples, both equal $1/K$ where K is the number of classes. For natural samples, the majority class baseline must be calculated from the empirical distribution.
- 6. Cohen’s κ alongside raw agreement.** Raw agreement is inflated when one action dominates. Report κ for all agreement statistics.

6 Discussion

The threshold table as a homogenizer. The most counterintuitive finding is that the threshold table does not merely create a tautology—it also homogenizes models. With the table, both GPT and Llama achieve $\kappa = 1.000$. Without it, they diverge to $\kappa = 0.860$ and $\kappa = 0.406$ respectively. A pipeline that supplies the action rule is not measuring two different models’ control policies—it is measuring whether both models can follow the same instruction, which they can.

A general principle. When a prompt supplies an explicit mapping between two measured variables, one variable collapses into a deterministic function of the other and ceases to be an independent measurement. This principle applies beyond the specific pipeline studied here: any evaluation that provides the model with a scoring rubric, a decision rule, or a threshold table during inference should verify that the downstream metric still captures variance attributable to the model rather than to the supplied rule.

Monitoring is stable; control is malleable. The calibration gap ($\approx +0.25$ for GPT across all variants) suggests that the monitoring stage reflects a relatively stable model property. The control stage, by contrast, shifts by 28.7 percentage points in response to a single prompt change (evidence length). Researchers who report only control-stage metrics without isolating the monitoring stage may be measuring prompt sensitivity rather than model capability.

7 Limitations

This study has several limitations that should be noted.

Two models, one dataset. All findings are based on GPT-4.1-mini and Llama-3.3-70b evaluated on PubMedQA. Generalization to other models, domains, or task formats requires further study.

Single prompt family. All protocols use the same three-task prompt structure. We did not evaluate alternative prompt designs (e.g., chain-of-thought, few-shot, or declarative-claim framing). In particular, all protocols embed the PubMedQA question in a CLAIM slot; the effect of framing the question as a question rather than a claim was not tested and constitutes important future work.

Arm D not run. The planned Arm D (declarative claim framing) was not executed.

No human baseline. We do not have human-level INCONCLUSIVE detection rates for this sample, making it difficult to assess how far below human performance the models fall.

8 Conclusion

We have shown that five findings—a 38-point accuracy artifact, an abstention artifact driven 88% by

evidence length, complete elimination of control-stage variance via threshold tables, a stable calibration gap, and systematic under-detection of ambiguity—all emerged from a single evaluation pipeline applied to two models on one dataset. The most consequential finding for the field is that supplying an explicit action-mapping table in the prompt renders control-stage metrics algebraically redundant. We propose a six-field reporting checklist to prevent these confounds from propagating into future work.

The broader lesson is not that metacognitive evaluation is impossible, but that it requires the same care applied to any measurement instrument: explicit isolation of variables, reporting of parse statistics, and verification that the metric captures model variance rather than prompt variance.

References

- Emily M Bender, Timnit Gebru, Angelina McMillan-Major, and Shmargaret Shmitchell. 2021. On the dangers of stochastic parrots: Can language models be too big? In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, pages 610–623.
- Shrey Desai and Greg Durrett. 2020. Calibration of pre-trained transformers. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing*, pages 295–302.
- Maxime Griot, Coralie Hemptinne, Jean Vanderdonckt, Demet Yuksel, et al. 2025. Large language models lack essential metacognition for reliable medical reasoning. *Nature Communications*, 16:642.
- Chuan Guo, Geoff Pleiss, Yu Sun, and Kilian Q Weinberger. 2017. On calibration of modern neural networks. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, pages 1321–1330.
- Qiao Jin, Bhuwan Dhingra, Zhiyong Liu, William W Cohen, and Xinghua Lu. 2019. Pubmedqa: A dataset for biomedical research question answering. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 2567–2577. Association for Computational Linguistics.
- Saurav Kadavath, Tom Conerly, Amanda Askell, Tom Henighan, Dawn Drain, Ethan Perez, Nicholas Schiefer, Zac Hatfield-Dodds, Nova DasSarma, Eli Tran-Johnson, et al. 2022. Language models (mostly) know what they know. *arXiv preprint arXiv:2207.05221*.
- Yao Lu, Max Bartolo, Alastair Moore, Sebastian Riedel, and Pontus Stenetorp. 2021. Fantastically ordered

prompts and where to find them: Overcoming few-shot prompt order sensitivity. *arXiv preprint arXiv:2104.08786*.

Moran Mizrahi, Guy Kaplan, Dan Malkin, Rotem Dror, Dafna Shahaf, and Gabriel Stanovsky. 2024. State of what art? a call for multi-prompt llm evaluation. *Transactions of the Association for Computational Linguistics*, 12:933–949.

Melanie Sclar, Yejin Choi, Yulia Tsvetkov, and Alane Suhr. 2024. Quantifying language models’ sensitivity to spurious features in prompt design. *arXiv preprint arXiv:2310.11324*.

Katherine Tian, Eric Mitchell, Allan Zhou, Archit Sharma, Rafael Rafailov, Huaxiu Yao, Chelsea Finn, and Christopher D Manning. 2023. Just ask for calibration: Strategies for eliciting calibrated confidence scores from language models fine-tuned with human feedback. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing (EMNLP)*. Association for Computational Linguistics.

Jason Z Wang. 2026. Mirror: A hierarchical benchmark for metacognitive calibration in large language models. *arXiv preprint arXiv:2604.19809*.

Miao Xiong, Zhiyuan Hu, Xinyang Lu, Yifei Li, Jie Fu, Junxian He, and Bryan Hooi. 2024. Can llms express their uncertainty? an empirical evaluation of confidence elicitation in llms. *arXiv preprint arXiv:2306.13063*.

Chubin Zhang, Zhenglin Wan, Xingrui Yu, Jingxuan Wu, Qi Wen, Pengfei Zhou, Wangbo Zhao, and Ivor Tsang. 2026. Calibration is not control: Why llm-agent oversight needs intervention. *arXiv preprint arXiv:2606.21399*.