

Tips, Tricks and Recommendations

The goal of this documentation is to give some advice for the beginners. If you know what you are doing feel free to not follow these recommendations but for the beginners these tips can be helpful.

ABS_BuildingManager	2
ABS_Building	2
ABS_BuildingParent	2
ABS_BuildingElements	2
Algorithm Settings	3
Persistency	3

ABS_BuildingManager

- **Enable the caching mechanism**
 - The cache can increase the performance of the BuildingManager.
 - Of course, it will increase the memory usage too.

ABS_Building

- **Use the FixedInstanceGuid only if the building is already placed into the scene.**
 - Do not set the Fixed Instance Guid for the ABS_Building that will be placed by the algorithm but set it if the buildings are placed into the scene by the developers. In the second case when a building is already in the scene and it is not placed by the algorithm, always set the Fixed Instance Guid or the Persistency feature will not work properly.
- **If you build an AdvancedGirdBuilding by hand always refresh it's modifier**
 - The algorithm can only work if the modifier is set properly. It is set by the algorithm but if it is set by the developers it should be refreshed
 - The process is that place the building and put the first element then refresh the modifier
- **Enable the caching mechanism**
 - The cache can increase the performance of the BuildingManager.
 - Of course, it will increase the memory usage too.

ABS_BuildingParent

- **Enable the caching mechanism**
 - The cache can increase the performance of the BuildingManager.
 - Of course, it will increase the memory usage too.
- **Use the update functions during the loading of the scene on that BuildingParents that are already in the scene.**
 - Update functions are recommended to use it when you are loading the scene and a BuildingParent is already on the scene which can have changes. In this case if the create function has been used a new BuildingParent would be created next to the current one that is already on the scene.

ABS_BuildingElements

- **Regenerate the PrefabGuid if you copy-paste an element prefab.**
 - The PrefabGuid should be always unique for the ABS_BuildingElement prefabs. If you copy-paste an element prefab the PrefabGuid will be the same so you should regenerate it.
- **Use the FixedInstanceGuid only if the element is already placed into the scene.**
 - Do not set the Fixed Instance Guid for the ABS_BuildingElement that will be placed by the algorithm but set it if the elements are placed into the scene by the developers. In the second case when an element is already in the scene

and it is not placed by the algorithm, always set the Fixed Instance Guid or the Persistency feature will not work properly.

- **Add `ABS_BuildingElementLink` components for every child of the element that has a collider.**
 - Every child object that has a collider specially if the collider can be hit by the raycast (check your raycast settings) add an `ABS_BuildingElementLink` component with a reference to the `ABS_BuildingElement`.
 - You can use the “Refresh Link” button on the `ABS_BuildingElement`’s UI on the Collider tab.
- **Use Mixed Axis.**
 - In the case of Advanced Grid Building algorithms always enable the mixed axis option for the wall and the horizontal edges for better build results.

Algorithm Settings

- **Set the Search Radius always higher than the Build Radius.**
- **Use Visible Always**
- **Enable “Allow Position Search At Raycast End Position”**

Persistency

- **Do not use the `GetPersistedData` functions, use the `ToJSON` instead.**
 - The `GetPersistedData` function is meant to be used by the Advanced Building System’s Persistence feature.
 - Use the `ToJSON` for saving.