mybook

Jane Doe

1/19/2023

Table of contents

Preface

This is a Quarto book.

To learn more about Quarto books visit https://quarto.org/docs/books.

1 Introduction

This is a book created from markdown and executable code.

See Knuth (1984) for additional discussion of literate programming.

2 Summary

In summary, this book has no content whatsoever.yeahhhhhhhhh

3 An Introduction to Remote Sensing

3.1 Summary

This week the introductory knowledge of remote sensing is mainly introduced.The background of remote sensing is introduced from four main aspects. First, the source and application of remote sensing, processing and analyzing data received from satellites, drones, mobile phones, etc., can be applied to decision-making analysis in cities, forests, oceans, etc.; second, the type of sensor, There are two types of sensors, active and passive. The important difference between these two is whether they can send energy independently and get feedback; third, the energy interaction on the earth's surface, such as atmospheric scattering, the existence of electromagnetic waves, etc.; fourth, introduceing four important resolutions, spatial resolution, spectral resolution, time resolution and radiation resolution. For the experimental part of this week, the course learned how to download the Sentinel-2 satellite image and perform basic processing and display functions. After downloading the target satellite image from the open website, we can first open the true color image (RGB three-band) in QGIS. For Sentinel-2 satellite image band description is as

Band	Resolution	Central Wavelength	Description
B1	60 m	443 nm	Ultra Blue (Coastal and Aerosol)
B2	10 m	490 nm	Blue
B3	10 m	560 nm	Green
B4	10 m	665 nm	Red
B5	20 m	705 nm	Visible and Near Infrared (VNIR)
B6	20 m	740 nm	Visible and Near Infrared (VNIR)
B7	20 m	783 nm	Visible and Near Infrared (VNIR)
B8	10 m	842 nm	Visible and Near Infrared (VNIR)
B8a	20 m	865 nm	Visible and Near Infrared (VNIR)
B9	60 m	940 nm	Short Wave Infrared (SWIR)
B10	60 m	1375 nm	Short Wave Infrared (SWIR)
B11	20 m	1610 nm	Short Wave Infrared (SWIR)
B12	20 m	2190 nm	Short Wave Infrared (SWIR)

follows When we use the Snap software to open an image, we first perform a resampling operation, and then we can use the 432 three bands to perform band fusion to obtain a true color image. A case of a

true color image is as follows. can also use Snap to perform image subsetting, scatter plotting comparison and other activities.

3.2 Applications

There are many applications of remote sensing, which are involved in different fields. Peng Chen (2023) used multi-source remote sensing data to effectively detect river water quality, with an accuracy of nearly 90%; Wujian Ye (2022) used remote sensing data combined with deep learning methods to classify and identify pests and diseases in forests, and the recall rate up to 50%. To put it simply, its research is to replace the hysteresis and low resolution of satellite remote sensing with the effectiveness and high resolution of drone remote sensing, it performed data enhancement, labeling, etc. on the images of drones, and finally put them into neural networks abd trained in the network model. Ultimately, they got the corresponding results; Zhou Weimo(2022) used the satellite remote sensing data to predict the yield of wheat at the county level in China with the best R square of 0.79. Most of the methods in these articles are based on satellite or drone remote sensing data as the data source, combined with some typical machine learning algorithms such as random forest, support vector machine, etc. to formulate a model, and finally get the corresponding precision results. I think these methods can effectively overcome difficulties, such as field research, funding, coverage area, etc., and remote sensing images can be used as the basic data source when dealing with large-scale single-type targets.

3.3 Reflection

After reading some relevant literature and understanding research cases, I think that the application of remote sensing in today's society must be deeply integrated with forecasting models to a large extent. An obvious feature of the application of remote sensing is statistical expression based on spatial information, which means models are inseparable. Prediction is an unavoidable topic in industrial applications. Therefore, it is necessary to mine remote sensing prediction models and express the spatiotemporal characteristics of the model through spatial data visualization. In the case studies metioned above, the thematic maps and related reports are the most direct products of remote sensing. However, I think the results can be digitized and informatized, like the results can be made into web pages and apps and processed through some shortcuts, such as QR code or link.

4 Portfolio tools: Xaringan and Quarto

4.1 Summary

bl

4.2

5 Remote sensing data

5.1 Summary

bla $\#\#$

References

Knuth, Donald E. 1984. "Literate Programming." *Comput. J.* 27 (2): 97–111. https://doi.or
g/10.1093/comjnl/27.2.97.