赛博画师：单一变量实验分析 / **Cyber Painter Review**

> 阅读提示：橙色格 = 相对本组基准发生变化；蓝色行 = 基准。包含 TV 公式、初始化方式，避免假单变量。不同权重或公式的总损失不宜直接比较。

源码实验数：60；结果缺失实验数：0；严格单变量子组数：30。

实验组导航： ink_starry_sky | scene_3.png | Adam · ink_starry_sky | scene_3.png | L-BFGS · ink_starry_sky | sunflower_content.jpg | Adam · ink_starry_sky | sunflower_content.jpg | L-BFGS · scene_ink/1 | scene_1.png | Adam · scene_ink/1 | scene_1.png | L-BFGS · scene_ink/2 | scene_2.png | Adam · scene_ink/2 | scene_2.png | L-BFGS · scene_ink/3 | scene_3.png | Adam · scene_ink/3 | scene_3.png | L-BFGS · starry_sky/1 | starry_sky_1.png | Adam · starry_sky/1 | starry_sky_1.png | L-BFGS · starry_sky/2 | starry_sky_2.png | Adam · starry_sky/2 | starry_sky_2.png | L-BFGS · starry_sky/3 | starry_sky_3.png | Adam · starry_sky/3 | starry_sky_3.png | L-BFGS · sunflower_ink | sunflower_content.jpg | Adam · sunflower_ink | sunflower_content.jpg | L-BFGS · sunflower_starry_sky | sunflower_content.jpg | Adam · sunflower_starry_sky | sunflower_content.jpg | L-BFGS

ink_starry_sky | scene_3.png | Adam

Baseline: `src/ink_starry_sky/Adam/002.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
002.py	BASELINE	—	1	—	100	100	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	202.653
003.py	BETA_1: 100→10	☑	1	—	**10**	100	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	42.5627
004.py	GAMMA: 10→100	☑	1	—	100	100	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	203.546

查看图片版参数表 · 查看整组对比图


ink_starry_sky | scene_3.png | Adam

src/ink_starry_sky/Adam/002.py | Adam


BASELINE 基准

Total weighted loss: 469.443 -> 202.653 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/ink_starry_sky/Adam/003.py | Adam


BETA_1: 100 -> 10

Total weighted loss: 443.481 -> 42.5627 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/ink_starry_sky/Adam/004.py | Adam


GAMMA: 10 -> 100

Total weighted loss: 469.528 -> 203.546 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



ink_starry_sky | scene_3.png | L-BFGS

Baseline: `src/ink_starry_sky/LBFGS/002.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
002.py	BASELINE	—	1	—	100	100	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	201.302
003.py	BETA_1: 100→10	☑	1	—	**10**	100	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	40.8057
004.py	GAMMA: 10→100	☑	1	—	100	100	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	202.066

查看图片版参数表 · 查看整组对比图


ink_starry_sky | scene_3.png | L-BFGS

src/ink_starry_sky/LBFGS/002.py | L-BFGS


BASELINE 基准

Total weighted loss: 469.443 -> 201.302 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/ink_starry_sky/LBFGS/003.py | L-BFGS


BETA_1: 100 -> 10

Total weighted loss: 443.481 -> 40.8057 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/ink_starry_sky/LBFGS/004.py | L-BFGS


GAMMA: 10 -> 100

Total weighted loss: 469.528 -> 202.066 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



ink_starry_sky | sunflower_content.jpg | Adam

Baseline: `src/ink_starry_sky/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	—	100	100	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	202.485

查看图片版参数表 · 查看整组对比图


ink_starry_sky | sunflower_content.jpg | Adam

src/ink_starry_sky/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 330.667 -> 202.485 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



ink_starry_sky | sunflower_content.jpg | L-BFGS

Baseline: `src/ink_starry_sky/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	—	100	10	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	41.7514

查看图片版参数表 · 查看整组对比图


ink_starry_sky | sunflower_content.jpg | L-BFGS

src/ink_starry_sky/LBFGS/001.py | L-BFGS


BASELINE 基准

Total weighted loss: 91.0943 -> 41.7514 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/1 | scene_1.png | Adam

Baseline: `src/scene_ink/1/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	6.43331

查看图片版参数表 · 查看整组对比图


scene_ink/1 | scene_1.png | Adam

src/scene_ink/1/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 28.0616 -> 6.43331 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/1 | scene_1.png | L-BFGS

Baseline: `src/scene_ink/1/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	4.9612

查看图片版参数表 · 查看整组对比图


scene_ink/1 | scene_1.png | L-BFGS

src/scene_ink/1/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 28.0616 -> 4.9612 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/2 | scene_2.png | Adam

Baseline: `src/scene_ink/2/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	5.38388
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	1.33092

查看图片版参数表 · 查看整组对比图


scene_ink/2 | scene_2.png | Adam

src/scene_ink/2/Adam/001.py | Adam


BASELINE 基准

Total weighted loss: 23.3789 -> 5.38388 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/scene_ink/2/Adam/002.py | Adam


BETA: 100 -> 10

Total weighted loss: 2.35204 -> 1.33092 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/2 | scene_2.png | L-BFGS

Baseline: `src/scene_ink/2/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	4.80968
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	1.08066

查看图片版参数表 · 查看整组对比图


scene_ink/2 | scene_2.png | L-BFGS

src/scene_ink/2/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 23.3789 -> 4.80968 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/scene_ink/2/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 2.35204 -> 1.08066 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/3 | scene_3.png | Adam

Baseline: `src/scene_ink/3/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	6.11181
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	1.39852

查看图片版参数表 · 查看整组对比图


scene_ink/3 | scene_3.png | Adam

src/scene_ink/3/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 28.856 -> 6.11181 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/scene_ink/3/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 2.89411 -> 1.39852 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



scene_ink/3 | scene_3.png | L-BFGS

Baseline: `src/scene_ink/3/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	5.55728
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	1.22558

查看图片版参数表 · 查看整组对比图


scene_ink/3 | scene_3.png | L-BFGS

src/scene_ink/3/LBFGS/001.py | L-BFGS


BASELINE 基准

Total weighted loss: 28.856 -> 5.55728 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/scene_ink/3/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 2.89411 -> 1.22558 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/1 | starry_sky_1.png | Adam

Baseline: `src/starry_sky/1/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	5.97454
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	2.29305
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	7.02561

查看图片版参数表 · 查看整组对比图


starry_sky/1 | starry_sky_1.png | Adam

src/starry_sky/1/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 368.647 -> 5.97454 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/1/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 36.8757 -> 2.29305 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/1/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 368.757 -> 7.02561 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/1 | starry_sky_1.png | L-BFGS

Baseline: `src/starry_sky/1/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	4.83907
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	2.15528
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	5.90135

查看图片版参数表 · 查看整组对比图


starry_sky/1 | starry_sky_1.png | L-BFGS

src/starry_sky/1/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 368.647 -> 4.83907 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/1/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 36.8757 -> 2.15528 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/1/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 368.757 -> 5.90135 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/2 | starry_sky_2.png | Adam

Baseline: `src/starry_sky/2/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	7.30689
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	3.09227
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	8.62973

查看图片版参数表 · 查看整组对比图


starry_sky/2 | starry_sky_2.png | Adam

src/starry_sky/2/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 409.118 -> 7.30689 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/2/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 40.9237 -> 3.09227 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/2/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 409.237 -> 8.62973 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/2 | starry_sky_2.png | L-BFGS

Baseline: `src/starry_sky/2/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	5.81501
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	2.8747
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	6.97381

查看图片版参数表 · 查看整组对比图


starry_sky/2 | starry_sky_2.png | L-BFGS

src/starry_sky/2/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 409.118 -> 5.81501 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/2/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 40.9237 -> 2.8747 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/2/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 409.237 -> 6.97381 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/3 | starry_sky_3.png | Adam

Baseline: `src/starry_sky/3/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	7.30661
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	3.10601
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	8.60057

查看图片版参数表 · 查看整组对比图


starry_sky/3 | starry_sky_3.png | Adam

src/starry_sky/3/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 413.015 -> 7.30661 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/3/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 41.31 -> 3.10601 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/3/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 413.1 -> 8.60057 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



starry_sky/3 | starry_sky_3.png | L-BFGS

Baseline: `src/starry_sky/3/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	5.69923
002.py	BETA: 100→10	☑	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	2.84141
003.py	GAMMA: 10→100	☑	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	6.79142

查看图片版参数表 · 查看整组对比图


starry_sky/3 | starry_sky_3.png | L-BFGS

src/starry_sky/3/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 413.015 -> 5.69923 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/3/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 41.31 -> 2.84141 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/starry_sky/3/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 413.1 -> 6.79142 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



sunflower_ink | sunflower_content.jpg | Adam

Baseline: `src/sunflower_ink/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	7.62204

查看图片版参数表 · 查看整组对比图


sunflower_ink | sunflower_content.jpg | Adam

src/sunflower_ink/Adam/001.py | Adam


BASELINE 基准

Total weighted loss: 64.4752 -> 7.62204 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



sunflower_ink | sunflower_content.jpg | L-BFGS

Baseline: `src/sunflower_ink/LBFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	7.55479

查看图片版参数表 · 查看整组对比图


sunflower_ink | sunflower_content.jpg | L-BFGS

src/sunflower_ink/LBFGS/001.py | L-BFGS


BASELINE 基准

Total weighted loss: 64.4752 -> 7.55479 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



sunflower_starry_sky | sunflower_content.jpg | Adam

Baseline: `src/sunflower_starry_sky/Adam/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	6.81129
002.py	STYLE_LAYERS: [1, 6, 11, 20, 29]→[20, 29]	✅	1	100	—	—	10	**[20, 29]**	L2(squared)	content	0.02	1024x1024	150	8.21533
003.py	BETA: 100→200	✅	1	**200**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	8.35119
004.py	BETA: 100→50	✅	1	**50**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	4.84534
005.py	GAMMA: 10→50	✅	1	100	—	—	**50**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	7.31067
006.py	GAMMA: 10→100	✅	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	8.24686
007.py	BETA: 100→10	✅	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	0.02	1024x1024	150	2.53234
008.py	TV_FORMULA: L2(squared)→L1(abs)	✅	1	100	—	—	10	[1, 6, 11, 20, 29]	**L1(abs)**	content	0.02	1024x1024	150	7.42285
009.py	BETA: 100→1, INITIALIZATION: content→zeros	⚠ 多变量	1	**1**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	**zeros**	0.02	1024x1024	150	1.38558
010.py	ALPHA: 1→10, BETA: 100→1, INITIALIZATION: content→zeros	⚠ 多变量	**10**	**1**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	**zeros**	0.02	1024x1024	150	3.84005
011.py	ALPHA: 1→100, BETA: 100→1, INITIALIZATION: content→zeros	⚠ 多变量	**100**	**1**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	**zeros**	0.02	1024x1024	150	23.3905

查看图片版参数表 · 查看整组对比图


sunflower_starry_sky | sunflower_content.jpg | Adam

src/sunflower_starry_sky/Adam/001.py | Adam


BASELINE 基准

Total weighted loss: 266.222 -> 6.81129 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/002.py | Adam


STYLE_LAYERS: [1, 6, 11, 20, 29] -> [20, 29]

Total weighted loss: 260.018 -> 8.21533 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/003.py | Adam

BETA: 100 -> 200

Total weighted loss: 532.413 -> 8.35119 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/004.py | Adam

BETA: 100 -> 50

Total weighted loss: 133.126 -> 4.84534 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/005.py | Adam


GAMMA: 10 -> 50

Total weighted loss: 266.342 -> 7.31067 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/006.py | Adam


GAMMA: 10 -> 100

Total weighted loss: 266.493 -> 8.24686 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/007.py | Adam


BETA: 100 -> 10

Total weighted loss: 26.6493 -> 2.53234 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/008.py | Adam


TV_FORMULA: L2(squared) -> L1(abs)

Total weighted loss: 266.532 -> 7.42285 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/009.py | Adam


BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 10.7096 -> 1.38558 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/010.py | Adam


ALPHA: 1 -> 10 | BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 61.6571 -> 3.84005 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/Adam/011.py | Adam


ALPHA: 1 -> 100 | BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 571.132 -> 23.3905 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



sunflower_starry_sky | sunflower_content.jpg | L-BFGS

Baseline: `src/sunflower_starry_sky/L-BFGS/001.py`

脚本	变更参数	严格单变量	ALPHA	BETA	BETA_1	BETA_2	GAMMA	STYLE_LAYERS	TV_FORMULA	INITIALIZATION	LEARNING_RATE	IMAGE_SIZE	NUM_STEPS	最终加权总损失
001.py	BASELINE	—	1	100	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	5.51848
002.py	STYLE_LAYERS: [1, 6, 11, 20, 29]→[20, 29]	✅	1	100	—	—	10	**[20, 29]**	L2(squared)	content	1	1024x1024	150	6.31471
003.py	BETA: 100→200	✅	1	**200**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	7.01204
004.py	BETA: 100→50	✅	1	**50**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	4.36969
005.py	GAMMA: 10→50	✅	1	100	—	—	**50**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	6.04406
006.py	GAMMA: 10→100	✅	1	100	—	—	**100**	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	6.64678
007.py	BETA: 100→10	✅	1	**10**	—	—	10	[1, 6, 11, 20, 29]	L2(squared)	content	1	1024x1024	150	2.43601
008.py	TV_FORMULA: L2(squared)→L1(abs)	✅	1	100	—	—	10	[1, 6, 11, 20, 29]	**L1(abs)**	content	1	1024x1024	150	6.4555
009.py	BETA: 100→1, TV_FORMULA: L2(squared)→signed_diff*2 [WARNING], INITIALIZATION: content→zeros	⚠ 多变量	1	**1**	—	—	10	[1, 6, 11, 20, 29]	**signed_diff*2 [WARNING]**	**zeros**	1	1024x1024	150	1.07458
010.py	ALPHA: 1→10, BETA: 100→1, TV_FORMULA: L2(squared)→signed_diff*2 [WARNING], INITIALIZATION: content→zeros	⚠ 多变量	**10**	**1**	—	—	10	[1, 6, 11, 20, 29]	**signed_diff*2 [WARNING]**	**zeros**	1	1024x1024	150	3.78011
011.py	ALPHA: 1→100, BETA: 100→1, TV_FORMULA: L2(squared)→signed_diff*2 [WARNING], INITIALIZATION: content→zeros	⚠ 多变量	**100**	**1**	—	—	10	[1, 6, 11, 20, 29]	**signed_diff*2 [WARNING]**	**zeros**	1	1024x1024	150	24.8014

查看图片版参数表 · 查看整组对比图


sunflower_starry_sky | sunflower_content.jpg | L-BFGS

src/sunflower_starry_sky/L-BFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 266.222 -> 5.51848 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/002.py | L-BFGS

STYLE_LAYERS: [1, 6, 11, 20, 29] -> [20, 29]

Total weighted loss: 260.018 -> 6.31471 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/003.py | L-BFGS

BETA: 100 -> 200

Total weighted loss: 532.413 -> 7.01204 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/004.py | L-BFGS

BETA: 100 -> 50

Total weighted loss: 133.126 -> 4.36969 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/005.py | L-BFGS

GAMMA: 10 -> 50

Total weighted loss: 266.342 -> 6.04406 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/006.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 266.493 -> 6.64678 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/007.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 26.6493 -> 2.43601 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/008.py | L-BFGS

TV_FORMULA: L2(squared) -> L1(abs)

Total weighted loss: 266.532 -> 6.4555 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/009.py | L-BFGS

BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 10.7096 -> 1.07458 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/010.py | L-BFGS


ALPHA: 1 -> 10 | BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 61.6571 -> 3.78011 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




src/sunflower_starry_sky/L-BFGS/011.py | L-BFGS


ALPHA: 1 -> 100 | BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 571.132 -> 24.8014 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



严格单一变量对比

这些对比按照所有已识别参数的实际取值匹配，而不是凭文件名排列。

1. ink_starry_sky | scene_3.png | Adam | BETA_1 / 水墨权重 (ink)

003.py=10, 002.py=100

ink_starry_sky | scene_3.png | Adam | SINGLE VARIABLE: BETA_1 = 10, 100


BETA_1 = 10 | 003.py

src/ink_starry_sky/Adam/003.py | Adam


BETA_1: 100 -> 10

Total weighted loss: 443.481 -> 42.5627 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA_1 = 100 | 002.py

src/ink_starry_sky/Adam/002.py | Adam

BASELINE 基准

Total weighted loss: 469.443 -> 202.653 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



2. ink_starry_sky | scene_3.png | Adam | GAMMA / TV 权重

002.py=10, 004.py=100

ink_starry_sky | scene_3.png | Adam | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 002.py

src/ink_starry_sky/Adam/002.py | Adam

BASELINE 基准

Total weighted loss: 469.443 -> 202.653 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 004.py

src/ink_starry_sky/Adam/004.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 469.528 -> 203.546 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



3. ink_starry_sky | scene_3.png | L-BFGS | BETA_1 / 水墨权重 (ink)

003.py=10, 002.py=100

ink_starry_sky | scene_3.png | L-BFGS | SINGLE VARIABLE: BETA_1 = 10, 100


BETA_1 = 10 | 003.py

src/ink_starry_sky/LBFGS/003.py | L-BFGS


BETA_1: 100 -> 10

Total weighted loss: 443.481 -> 40.8057 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA_1 = 100 | 002.py

src/ink_starry_sky/LBFGS/002.py | L-BFGS

BASELINE 基准

Total weighted loss: 469.443 -> 201.302 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



4. ink_starry_sky | scene_3.png | L-BFGS | GAMMA / TV 权重

002.py=10, 004.py=100

ink_starry_sky | scene_3.png | L-BFGS | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 002.py

src/ink_starry_sky/LBFGS/002.py | L-BFGS


BASELINE 基准

Total weighted loss: 469.443 -> 201.302 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 004.py

src/ink_starry_sky/LBFGS/004.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 469.528 -> 202.066 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



5. scene_ink/2 | scene_2.png | Adam | BETA / 风格权重 (style)

002.py=10, 001.py=100

scene_ink/2 | scene_2.png | Adam | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/scene_ink/2/Adam/002.py | Adam


BETA: 100 -> 10

Total weighted loss: 2.35204 -> 1.33092 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/scene_ink/2/Adam/001.py | Adam


BASELINE 基准

Total weighted loss: 23.3789 -> 5.38388 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



6. scene_ink/2 | scene_2.png | L-BFGS | BETA / 风格权重 (style)

002.py=10, 001.py=100

scene_ink/2 | scene_2.png | L-BFGS | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/scene_ink/2/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 2.35204 -> 1.08066 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/scene_ink/2/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 23.3789 -> 4.80968 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



7. scene_ink/3 | scene_3.png | Adam | BETA / 风格权重 (style)

002.py=10, 001.py=100

scene_ink/3 | scene_3.png | Adam | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/scene_ink/3/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 2.89411 -> 1.39852 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/scene_ink/3/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 28.856 -> 6.11181 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



8. scene_ink/3 | scene_3.png | L-BFGS | BETA / 风格权重 (style)

002.py=10, 001.py=100

scene_ink/3 | scene_3.png | L-BFGS | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/scene_ink/3/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 2.89411 -> 1.22558 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/scene_ink/3/LBFGS/001.py | L-BFGS


BASELINE 基准

Total weighted loss: 28.856 -> 5.55728 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



9. starry_sky/1 | starry_sky_1.png | Adam | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/1 | starry_sky_1.png | Adam | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/1/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 36.8757 -> 2.29305 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/1/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 368.647 -> 5.97454 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



10. starry_sky/1 | starry_sky_1.png | Adam | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/1 | starry_sky_1.png | Adam | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/1/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 368.647 -> 5.97454 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/1/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 368.757 -> 7.02561 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



11. starry_sky/1 | starry_sky_1.png | L-BFGS | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/1 | starry_sky_1.png | L-BFGS | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/1/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 36.8757 -> 2.15528 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/1/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 368.647 -> 4.83907 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



12. starry_sky/1 | starry_sky_1.png | L-BFGS | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/1 | starry_sky_1.png | L-BFGS | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/1/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 368.647 -> 4.83907 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/1/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 368.757 -> 5.90135 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



13. starry_sky/2 | starry_sky_2.png | Adam | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/2 | starry_sky_2.png | Adam | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/2/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 40.9237 -> 3.09227 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/2/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 409.118 -> 7.30689 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



14. starry_sky/2 | starry_sky_2.png | Adam | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/2 | starry_sky_2.png | Adam | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/2/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 409.118 -> 7.30689 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/2/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 409.237 -> 8.62973 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



15. starry_sky/2 | starry_sky_2.png | L-BFGS | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/2 | starry_sky_2.png | L-BFGS | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/2/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 40.9237 -> 2.8747 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/2/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 409.118 -> 5.81501 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



16. starry_sky/2 | starry_sky_2.png | L-BFGS | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/2 | starry_sky_2.png | L-BFGS | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/2/LBFGS/001.py | L-BFGS


BASELINE 基准

Total weighted loss: 409.118 -> 5.81501 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/2/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 409.237 -> 6.97381 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



17. starry_sky/3 | starry_sky_3.png | Adam | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/3 | starry_sky_3.png | Adam | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/3/Adam/002.py | Adam

BETA: 100 -> 10

Total weighted loss: 41.31 -> 3.10601 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/3/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 413.015 -> 7.30661 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



18. starry_sky/3 | starry_sky_3.png | Adam | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/3 | starry_sky_3.png | Adam | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/3/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 413.015 -> 7.30661 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/3/Adam/003.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 413.1 -> 8.60057 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



19. starry_sky/3 | starry_sky_3.png | L-BFGS | BETA / 风格权重 (style)

002.py=10, 001.py=100

starry_sky/3 | starry_sky_3.png | L-BFGS | SINGLE VARIABLE: BETA = 10, 100


BETA = 10 | 002.py

src/starry_sky/3/LBFGS/002.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 41.31 -> 2.84141 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/starry_sky/3/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 413.015 -> 5.69923 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



20. starry_sky/3 | starry_sky_3.png | L-BFGS | GAMMA / TV 权重

001.py=10, 003.py=100

starry_sky/3 | starry_sky_3.png | L-BFGS | SINGLE VARIABLE: GAMMA = 10, 100


GAMMA = 10 | 001.py

src/starry_sky/3/LBFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 413.015 -> 5.69923 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 003.py

src/starry_sky/3/LBFGS/003.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 413.1 -> 6.79142 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



21. sunflower_starry_sky | sunflower_content.jpg | Adam | ALPHA / 内容权重 (content)

009.py=1, 010.py=10, 011.py=100

sunflower_starry_sky | sunflower_content.jpg | Adam | SINGLE VARIABLE: ALPHA = 1, 10, 100


ALPHA = 1 | 009.py

src/sunflower_starry_sky/Adam/009.py | Adam


BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 10.7096 -> 1.38558 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




ALPHA = 10 | 010.py

src/sunflower_starry_sky/Adam/010.py | Adam


ALPHA: 1 -> 10 | BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 61.6571 -> 3.84005 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




ALPHA = 100 | 011.py

src/sunflower_starry_sky/Adam/011.py | Adam


ALPHA: 1 -> 100 | BETA: 100 -> 1 | INITIALIZATION: content -> zeros

Total weighted loss: 571.132 -> 23.3905 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



22. sunflower_starry_sky | sunflower_content.jpg | Adam | BETA / 风格权重 (style)

007.py=10, 004.py=50, 001.py=100, 003.py=200

sunflower_starry_sky | sunflower_content.jpg | Adam | SINGLE VARIABLE: BETA = 10, 50, 100, 200


BETA = 10 | 007.py

src/sunflower_starry_sky/Adam/007.py | Adam

BETA: 100 -> 10

Total weighted loss: 26.6493 -> 2.53234 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 50 | 004.py

src/sunflower_starry_sky/Adam/004.py | Adam

BETA: 100 -> 50

Total weighted loss: 133.126 -> 4.84534 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/sunflower_starry_sky/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 266.222 -> 6.81129 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 200 | 003.py

src/sunflower_starry_sky/Adam/003.py | Adam


BETA: 100 -> 200

Total weighted loss: 532.413 -> 8.35119 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



23. sunflower_starry_sky | sunflower_content.jpg | Adam | GAMMA / TV 权重

001.py=10, 005.py=50, 006.py=100

sunflower_starry_sky | sunflower_content.jpg | Adam | SINGLE VARIABLE: GAMMA = 10, 50, 100


GAMMA = 10 | 001.py

src/sunflower_starry_sky/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 266.222 -> 6.81129 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 50 | 005.py

src/sunflower_starry_sky/Adam/005.py | Adam

GAMMA: 10 -> 50

Total weighted loss: 266.342 -> 7.31067 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 006.py

src/sunflower_starry_sky/Adam/006.py | Adam

GAMMA: 10 -> 100

Total weighted loss: 266.493 -> 8.24686 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



24. sunflower_starry_sky | sunflower_content.jpg | Adam | STYLE_LAYERS / 风格层

001.py=[1, 6, 11, 20, 29], 002.py=[20, 29]

sunflower_starry_sky | sunflower_content.jpg | Adam | SINGLE VARIABLE: STYLE_LAYERS = [1, 6, 11, 20, 29], [20, 29]


STYLE_LAYERS = [1, 6, 11, 20, 29] | 001.py

src/sunflower_starry_sky/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 266.222 -> 6.81129 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




STYLE_LAYERS = [20, 29] | 002.py

src/sunflower_starry_sky/Adam/002.py | Adam

STYLE_LAYERS: [1, 6, 11, 20, 29] -> [20, 29]

Total weighted loss: 260.018 -> 8.21533 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



25. sunflower_starry_sky | sunflower_content.jpg | Adam | TV_FORMULA / TV 公式

008.py=L1(abs), 001.py=L2(squared)

sunflower_starry_sky | sunflower_content.jpg | Adam | SINGLE VARIABLE: TV_FORMULA = L1(abs), L2(squared)


TV_FORMULA = L1(abs) | 008.py

src/sunflower_starry_sky/Adam/008.py | Adam

TV_FORMULA: L2(squared) -> L1(abs)

Total weighted loss: 266.532 -> 7.42285 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




TV_FORMULA = L2(squared) | 001.py

src/sunflower_starry_sky/Adam/001.py | Adam

BASELINE 基准

Total weighted loss: 266.222 -> 6.81129 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



26. sunflower_starry_sky | sunflower_content.jpg | L-BFGS | ALPHA / 内容权重 (content)

009.py=1, 010.py=10, 011.py=100

sunflower_starry_sky | sunflower_content.jpg | L-BFGS | SINGLE VARIABLE: ALPHA = 1, 10, 100


ALPHA = 1 | 009.py

src/sunflower_starry_sky/L-BFGS/009.py | L-BFGS

BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 10.7096 -> 1.07458 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




ALPHA = 10 | 010.py

src/sunflower_starry_sky/L-BFGS/010.py | L-BFGS


ALPHA: 1 -> 10 | BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 61.6571 -> 3.78011 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




ALPHA = 100 | 011.py

src/sunflower_starry_sky/L-BFGS/011.py | L-BFGS


ALPHA: 1 -> 100 | BETA: 100 -> 1 | TV_FORMULA: L2(squared) -> signed_diff*2 [WARNING] | INITIALIZATION: content -> zeros

Total weighted loss: 571.132 -> 24.8014 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



27. sunflower_starry_sky | sunflower_content.jpg | L-BFGS | BETA / 风格权重 (style)

007.py=10, 004.py=50, 001.py=100, 003.py=200

sunflower_starry_sky | sunflower_content.jpg | L-BFGS | SINGLE VARIABLE: BETA = 10, 50, 100, 200


BETA = 10 | 007.py

src/sunflower_starry_sky/L-BFGS/007.py | L-BFGS

BETA: 100 -> 10

Total weighted loss: 26.6493 -> 2.43601 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 50 | 004.py

src/sunflower_starry_sky/L-BFGS/004.py | L-BFGS

BETA: 100 -> 50

Total weighted loss: 133.126 -> 4.36969 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 100 | 001.py

src/sunflower_starry_sky/L-BFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 266.222 -> 5.51848 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




BETA = 200 | 003.py

src/sunflower_starry_sky/L-BFGS/003.py | L-BFGS

BETA: 100 -> 200

Total weighted loss: 532.413 -> 7.01204 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



28. sunflower_starry_sky | sunflower_content.jpg | L-BFGS | GAMMA / TV 权重

001.py=10, 005.py=50, 006.py=100

sunflower_starry_sky | sunflower_content.jpg | L-BFGS | SINGLE VARIABLE: GAMMA = 10, 50, 100


GAMMA = 10 | 001.py

src/sunflower_starry_sky/L-BFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 266.222 -> 5.51848 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 50 | 005.py

src/sunflower_starry_sky/L-BFGS/005.py | L-BFGS

GAMMA: 10 -> 50

Total weighted loss: 266.342 -> 6.04406 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




GAMMA = 100 | 006.py

src/sunflower_starry_sky/L-BFGS/006.py | L-BFGS

GAMMA: 10 -> 100

Total weighted loss: 266.493 -> 6.64678 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



29. sunflower_starry_sky | sunflower_content.jpg | L-BFGS | STYLE_LAYERS / 风格层

001.py=[1, 6, 11, 20, 29], 002.py=[20, 29]

sunflower_starry_sky | sunflower_content.jpg | L-BFGS | SINGLE VARIABLE: STYLE_LAYERS = [1, 6, 11, 20, 29], [20, 29]


STYLE_LAYERS = [1, 6, 11, 20, 29] | 001.py

src/sunflower_starry_sky/L-BFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 266.222 -> 5.51848 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




STYLE_LAYERS = [20, 29] | 002.py

src/sunflower_starry_sky/L-BFGS/002.py | L-BFGS

STYLE_LAYERS: [1, 6, 11, 20, 29] -> [20, 29]

Total weighted loss: 260.018 -> 6.31471 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图



30. sunflower_starry_sky | sunflower_content.jpg | L-BFGS | TV_FORMULA / TV 公式

008.py=L1(abs), 001.py=L2(squared)

sunflower_starry_sky | sunflower_content.jpg | L-BFGS | SINGLE VARIABLE: TV_FORMULA = L1(abs), L2(squared)


TV_FORMULA = L1(abs) | 008.py

src/sunflower_starry_sky/L-BFGS/008.py | L-BFGS

TV_FORMULA: L2(squared) -> L1(abs)

Total weighted loss: 266.532 -> 6.4555 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图




TV_FORMULA = L2(squared) | 001.py

src/sunflower_starry_sky/L-BFGS/001.py | L-BFGS

BASELINE 基准

Total weighted loss: 266.222 -> 5.51848 | Step 150

LOSS CURVES / 损失曲线



FINAL OUTPUT / 最终生成图

