NumPy Exercises

Import NumPy as np

In [ ]:
```
import pandas as np
```

Create an array of 10 zeros

In [2]:
```
np.zeros(10)
```

Out[2]:
```
array([ 0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.])
```

Create an array of 10 ones

In [ ]:
```
np.ones(10)
```

Create an array of 10 fives

In [4]:
```
np.ones(10)*5
```

Out[4]:
```
array([ 5.,  5.,  5.,  5.,  5.,  5.,  5.,  5.,  5.,  5.])
```

Create an array of the integers from 10 to 50

In [5]:
```
array=np.arange(1,51,1)
array
```

Out[5]:
```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49, 50])
```

Create an array of all the even integers from 10 to 50

In [6]:
```
array=np.arange(10,52,2)
array
```

Out[6]:
```
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
       44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8

In [7]:
```
my_matrix=[[0,1,2],[3,4,5],[6,7,8]]
my_matrix=np.array(my_matrix)
my_matrix
```

Out[7]:
```
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

Create a 3x3 identity matrix

In [8]:
```
np.eye(3)
```

Out[8]:
```
array([[ 1.,  0.,  0.],
       [ 0.,  1.,  0.],
       [ 0.,  0.,  1.]])
```

Use NumPy to generate a random number between 0 and 1

In [15]:
```
np.arange(0,1)
np.random.rand(1)
```

Out[15]:
```
array([ 0.42829726])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

In [33]:
```
np.random.randn(5,5)
```

Out[33]:
```
array([ 1.32031013,  1.6798602 , -0.42985892, -1.53116655,  0.85753232,
        0.87339938,  0.35668636, -1.47491157,  0.15349697,  0.99530727,
       -0.94865451, -1.69174783,  1.57525349, -0.70615234,  0.10991879,
       -0.49478947,  1.08279872,  0.76488333, -2.3039931 ,  0.35401124,
       -0.45454399, -0.64754649, -0.29391671,  0.02339861,  0.38272124])
```

Create the following matrix:

In [ ]:
```
np.arange(1,101).reshape(10*10)/100
```

In [ ]:
```
array([0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 , 0.11,
       0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 , 0.21, 0.22,
       0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 , 0.31, 0.32, 0.33,
       0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 , 0.41, 0.42, 0.43, 0.44,
       0.45, 0.46, 0.47, 0.48, 0.49, 0.5 , 0.51, 0.52, 0.53, 0.54, 0.55,
       0.56, 0.57, 0.58, 0.59, 0.6 , 0.61, 0.62, 0.63, 0.64, 0.65, 0.66,
       0.67, 0.68, 0.69, 0.7 , 0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77,
       0.78, 0.79, 0.8 , 0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88,
       0.89, 0.9 , 0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99,
       1.  ])
```

Create an array of 20 linearly spaced points between 0 and 1:

In [ ]:
```
np.linspace(0,1,1)
```

In [ ]:
```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

In [38]:
```
my_matrix = np.arange(1,26).reshape(5,5)
my_matrix
```

Out[38]:
```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [39]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [40]:
```
mat[2:,1:]
```

Out[40]:
```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [29]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [41]:
```
matrix[5*4]
matrix
```

Out[41]:
```
20
```

In [30]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [42]:
```
mat[0:3,1:2]
```

Out[42]:
```
array([[ 2],
       [ 7],
       [12]])
```

In [31]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [46]:
```
mat[4:]
```

Out[46]:
```
array([21, 22, 23, 24, 25])
```

In [32]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [49]:
```
mat[3]
```

Out[49]:
```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

In [ ]:
```
mat.sum()
```

In [ ]:
```
325
```

Get the standard deviation of the values in mat

In [51]:
```
mat.std()
```

Out[51]:
```
7.2111025509279782
```

Get the sum of all the columns in mat

In [53]:
```
mat.sum(axis=0)
```

Out[53]:
```
array([55, 60, 65, 70, 75])
```