






CON
INV
NAT
100
75
50
25
0
Proportion (%)
Uninfected
Infected
Uninfected
Infected
Uninfected
Infected
Emerged
Not emerged



CON
INV
NAT
100
75
50
25
0
Proportion (%)
Uninfected
Infected
Uninfected
Infected
Uninfected
Infected
Emerged
Not emerged



CON
INV
NAT
Proportion still in the water (%)
100
75
50
25
0
0
5
10
15
20
Time (min)
Infection status
Uninfected
Infected



Climbing height (cm)
20
10
0
CON
INV
NAT
Infection status
Uninfected
Infected


a
b
Snail ID
−10
0
10
20
30
Climbing height (cm)
1
0
−1
Time to emerge
(log−scale BLUP, reversed)
Infection status
Uninfected
Infected


a
Uninfected
Infected
Climbing height (cm)
0
10
20
30
40
b
Time to emerge (min)
0
10
20
30
40
CON
INV
NAT
CON
INV
NAT
Infection status
Uninfected
Infected


Climbing height (cm)
(snails that climbed above the waterline)
30
20
10
CON
INV
NAT
Infection status
Uninfected
Infected


Climbing height (cm)
(snails that climbed above the waterline)
30
20
10
CON
INV
NAT
Infection status
Uninfected
Infected


Climbing height (cm)
(snails that climbed above the waterline)
30
20
10
CON
INV
NAT
Infection status
Uninfected
Infected