0. Prerequisite : Jupyter notebook

Install conda to set up the python environment. https://www.anaconda.com/ (https://www.anaconda.com/)

You also need to run

```
conda install jupyter conda install requests
```

to run this jupyter notebook.

After the intallation fininshed, move to the project root folder and then run in your command line below to launch this notebook.

```
jupyter notebook ./src/TestApp.ipyng
```

1. Run your application using the command `node app.js`

You should see in your terminal a message indicating that the server is listening in port 8000:

```
Server Listening for port: 8000
```

impoprts

In [1]:
```
import requests
import json
```

Logging

In [2]:
```
import logging

logging.basicConfig()
logger = logging.getLogger()
logger.setLevel(logging.DEBUG)
```

2. To make sure your application is working fine and it creates the Genesis Block you can use POSTMAN to request the Genesis block:

In [3]:
```
# Get Genesis block
url = 'http://localhost:8000'
genesisBlock = "/block/0"
headers =  {"Content-Type": "application/json"}
resp = requests.get(url+genesisBlock,
                    headers=headers)
logger.debug(resp.json())
```

```
DEBUG:urllib3.connectionpool:Starting new HTTP connection (1): localhost:8000
DEBUG:urllib3.connectionpool:http://localhost:8000 "GET /block/0 HTTP/1.1" 20
0 189
DEBUG:root:{'hash': '8811c4dfce698e3289a6790f5ac435f5ba09956cdddf0d4239b0fe9b
ec1dfe58', 'height': 0, 'body': '7b2264617461223a2247656e6573697320426c6f636b
227d', 'time': '1563127347', 'previousBlockHash': None}
```

3. Make your first request of ownership sending your wallet address:

In [4]:
```
# Request Validation
requestValidation = '/requestValidation'
data = {'address': 'n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh'}
resp = requests.post(url+requestValidation,
                     headers  = headers,
                     data = json.dumps(data))
logger.debug(resp.json())
```

```
DEBUG:urllib3.connectionpool:Starting new HTTP connection (1): localhost:8000
DEBUG:urllib3.connectionpool:http://localhost:8000 "POST /requestValidation H
TTP/1.1" 200 60
DEBUG:root:n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh:1563127354:starRegistry
```

4. Sign the message with your Wallet:

After version 0.16, run the command in the console with "legacy" for address_type as below

> getnewaddress "newaddress" "legacy"

After version 0.16, segwit address became the default and p2sh address is generated.

> Bitcoin Core 0.16.0 introduces full support for segwit in the wallet and user interfaces. A new -addresstype argument has been added, which supports legacy, p2sh-segwit (default), and bech32 addresses.

In my test case, following is signature is negerated

address: n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh
message: n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh:1562997899:starRegistry

H7PVR7vP/4acMjeKqhWvvRxTbdRa6r/JKmY6m+pD7UY7Ylkse1Awk5O/wW90wUI5u42zh9wmEdpMI4y550hZkMk=

5. Submit your Star

In [5]:
```
# Submit start
submitstart = '/submitstar'
data = { 'address': 'n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh',
         'signature': 'IGtS96aWDNKjI67c/fiwW9zUFwUZh5HpQHDnWJJ/QuVMAw4OUwr+8
WA27/CvgX2dMCvGTZHkbA2mlXkA5lMkxh4=',
         'message': 'n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh:1563054933:starRegis
try',
         'star' : {
           "dec": "68° 52' 56.9",
           "ra": "16h 29m 1.0s",
           "story": "First Star"
         }
       }

resp = requests.post(url+submitstart,
                     headers  = headers,
                     data = json.dumps(data))
logger.debug(resp.json())
```

```
DEBUG:urllib3.connectionpool:Starting new HTTP connection (1): localhost:8000
DEBUG:urllib3.connectionpool:http://localhost:8000 "POST /submitstar HTTP/1.
1" 200 439
DEBUG:root:{'hash': 'c46713a9a8fcc1fe98cf3d1f04c104cbcaf9436d9819edd7adae616e
29dd156f', 'height': 1, 'body': '7b226f776e6572223a226e3347766157756f54723570
50466e5246444a6872486f32427951525071536645682222c2273746172223a7b22646563223a2
23638c2b0203532272035362e39222c227261223a223136682032396d20312e3073222c227374
6f7279223a22466972737420537461722227d7d', 'time': '1563127354', 'previousBlock
Hash': '8811c4dfce698e3289a6790f5ac435f5ba09956cdddf0d4239b0fe9bec1dfe58'}
```

6. Retrieve Stars owned by me

In [6]:
```
# Retrieve Stars owned by me
blocks = '/blocks/n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh'
resp = requests.get(url+blocks,
                    headers  = headers)
logger.debug(resp.json())
```

```
DEBUG:urllib3.connectionpool:Starting new HTTP connection (1): localhost:8000
DEBUG:urllib3.connectionpool:http://localhost:8000 "GET /blocks/n3GvaWuoTr5pP
FnRFDJhrHo2ByQRPqSfEh HTTP/1.1" 200 122
DEBUG:root:[{'owner': 'n3GvaWuoTr5pPFnRFDJhrHo2ByQRPqSfEh', 'star': {'dec': "
68Â° 52' 56.9", 'ra': '16h 29m 1.0s', 'story': 'First Star'}}]
```

Now could retrieve the same block.